

Institutional affiliations

¹Human Genetics, Wellcome Trust Sanger Institute, Hinxton, U.K.; the ²Department of Twin Research and Genetic Epidemiology, King's College London, London, U.K.; ³Istituto di Neurogenetica e Neurofarmacologia, CNR, Monserrato, Italy; the ⁴Institute of Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, Germany; the ⁵Institute for Community Medicine, Ernst Moritz Arndt University Greifswald, Greifswald, Germany; the ⁶Department of Biostatistics, Boston University School of Public Health, Boston, Massachusetts; the ⁷National Heart, Lung, and Blood Institute's Framingham Heart Study, Framingham, Massachusetts; ⁸CNRS-UMR-8090, Institut Pasteur de Lille and Lille 2 University, Lille, France; the ⁹MRC Epidemiology Unit, Institute of Metabolic Science, Cambridge, U.K.; the ¹⁰Oxford Centre for Diabetes, Endocrinology and Metabolism, University of Oxford, Oxford, U.K.; the ¹¹Wellcome Trust Centre for Human Genetics, University of Oxford, Oxford, U.K.; the ¹²Center for Human Genetic Research, Massachusetts General Hospital, Boston, Massachusetts; the ¹³Program in Medical and Population Genetics, Broad Institute of Harvard and MIT, Cambridge, Massachusetts; the ¹⁴Department of Medicine, Harvard Medical School, Boston, Massachusetts; the ¹⁵Public Health and Primary Care, Strangeways Research Laboratory, University of Cambridge, Cambridge, U.K.; the ¹⁶Wellcome Trust Sanger Institute, Hinxton, Cambridge, U.K.; the ¹⁷Hematology Division, Children's Hospital Boston, Boston, Massachusetts; the ¹⁸Cardiovascular Research Institute, MedStar Research Institute, Washington Hospital Center, Washington, D.C.; the ¹⁹Institute for Translational Medicine and Therapeutics, School of Medicine, University of Pennsylvania, Philadelphia, Pennsylvania; the ²⁰Cardiovascular Institute, University of Pennsylvania, Philadelphia, Pennsylvania; ²¹Medicine, University of Ottawa Heart Institute, Ottawa, Canada; the ²²Department of Molecular Biology, Massachusetts General Hospital, Boston, Massachusetts; ²³Institut für Medizinische Biometrie und Statistik, Universität zu Lübeck, Lübeck, Germany; ²⁴Medizinische Klinik II, Universität zu Lübeck, Lübeck, Germany; the ²⁵Department of Health Sciences, University of Leicester, Leicester, U.K.; the ²⁶McKusick-Nathans Institute of Genetic Medicine and Department of Medicine, Johns Hopkins University, Baltimore, Maryland; ²⁷INSERM U70, Villejuif, France; ²⁸University Paris-Sud, Orsay, France; the ²⁹Human Genetics Center and Institute of Molecular Medicine, University of Texas Health Science Center at Houston, Houston, Texas; the ³⁰Division of Endocrinology and Diabetes, Graduate School Molecular Endocrinology and Diabetes, University of Ulm, Ulm, Germany; the ³¹Genome Technology Branch, National Human Genome Research Institute, Bethesda, Maryland; ³²Biological Psychology, VU University Amsterdam, Amsterdam, the Netherlands; the ³³Department of Medicine III, Division Prevention and Care of Diabetes, University of Dresden, Dresden, Germany; the ³⁴Department of Medicine, University of Leipzig, Leipzig, Germany; the ³⁵Centre for Population Health Sciences, University of Edinburgh, Edinburgh, Scotland; the ³⁶Department of Epidemiology and Public Health, Imperial College London, London, U.K.; the ³⁷Clinical Trials Services Unit, University of Oxford, Oxford, U.K.; the ³⁸Departments of Epidemiology, Biostatistics, and Medicine, Johns Hopkins University, Baltimore, Maryland; the ³⁹Laboratory of Clinical Investigation, National Institute on Aging, Baltimore, Maryland; ⁴⁰Cardiovascular Epidemiology and Genetics, Institut Municipal D'investigacio Medica, and CIBER Epidemiología y Salud Publica, Barcelona, Spain; the ⁴¹Clinical Research Branch, National Institute on Aging, Baltimore, Maryland; the ⁴²Division of Endocrinology, Diabetes, and Hypertension, Brigham and Women's Hospital, Boston, Massachusetts; ⁴³Dipartimento di

Ricerca Cardiovascolare, Istituto di Ricerche Farmacologiche “Mario Negri”, Milano, Italy; the ⁴⁴Department of Cardiovascular Medicine, University of Oxford, Oxford, U.K.; ⁴⁵Immunology and Transfusion Medicine, Ernst Moritz Arndt University Greifswald, Greifswald, Germany; the ⁴⁶Division of Community Health Sciences, St George’s, University of London, London, U.K.; ⁴⁷Cardiovascular Sciences, University of Leicester, Leicester, U.K.; the ⁴⁸Atherosclerosis Research Unit, Department of Medicine, Karolinska Institutet, Stockholm, Sweden; the ⁴⁹Human Genetics Unit, Medical Research Council, Edinburgh, U.K.; ⁵⁰Statistical Genetics, Centre National de Genotypage, Evry, France; the ⁵¹Institute for Clinical Diabetology, German Diabetes Centre, Leibniz Centre at Heinrich Heine University Düsseldorf, Düsseldorf, Germany; the ⁵²Interfaculty Institute for Genetics and Functional Genomics, Ernst Moritz Arndt University Greifswald, Greifswald, Germany; the ⁵³Center for Statistical Genetics, University of Michigan School of Public Health, Ann Arbor, Michigan; ⁵⁴Chronic Disease Prevention, National Institute for Health and Welfare, Turku, Finland; ⁵⁵LURIC Study nonprofit LLC, Freiburg, Germany; ⁵⁶Genetics, Drug Discovery, GlaxoSmithKline, King of Prussia, Pennsylvania; ⁵⁷Statistics, deCODE genetics, Reykjavik, Iceland; the ⁵⁸National Heart and Lung Institute, Hammersmith Hospital Campus, Imperial College London, London, U.K.; the ⁵⁹Department of Epidemiology, Johns Hopkins University, Baltimore, Maryland; the ⁶⁰Interdisciplinary Centre for Clinical Research, University of Leipzig, Leipzig, Germany; the ⁶¹Department of Medicine, University of Kuopio and Kuopio University Hospital, Kuopio, Finland; ⁶²Centre National de Genotypage, Evry, France; ⁶³Biostatistics and Epidemiology, University of Pennsylvania, Philadelphia, Pennsylvania; the ⁶⁴Department of Clinical Sciences, Lund University, Malmö, Sweden; the ⁶⁵Department of Medical Epidemiology and Biostatistics, Karolinska Institutet, Stockholm, Sweden; the ⁶⁶Diabetes and Lipids Research Laboratory, Madrid, Spain; ⁶⁷Fundación Investigación Biomédica del Hospital Clínico San Carlos, Madrid, Spain; the ⁶⁸Department of Social Medicine, University of Bristol, Bristol, U.K.; the ⁶⁹Institute of Human Genetics, Technische Universität München, München, Germany; the ⁷⁰Institute of Human Genetics, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, Germany; the ⁷¹Department of Genetics, University of North Carolina, Chapel Hill, North Carolina; the ⁷²Diabetes Research Center (Diabetes Unit), Massachusetts General Hospital, Boston, Massachusetts; the ⁷³Institute for Clinical Chemistry and Laboratory Medicine, Ernst Moritz Arndt University Greifswald, Greifswald, Germany; the ⁷⁴Division of Epidemiology and Community Health, University of Minnesota, Minneapolis, Minnesota; the ⁷⁵Department of Chronic Disease Prevention, National Institute for Health and Welfare, Helsinki, Finland; ⁷⁶The Institute of Molecular Medicine, University of Helsinki, Helsinki, Finland; ⁷⁷Chronic Disease Prevention, National Institute for Health and Welfare, Helsinki, Finland; ⁷⁸Andrija Stampar School of Public Health, University of Zagreb Medical School, Zagreb, Croatia; ⁷⁹Gen-Info Ltd., Zagreb, Croatia; the ⁸⁰Institute of Biometrics and Epidemiology, German Diabetes Centre, Leibniz Centre at Heinrich Heine University Düsseldorf, Düsseldorf, Germany; the ⁸¹Department of Human Genetics, Faculty of Medicine, McGill University Montreal, Montreal, Canada; the ⁸²Genome Quebec Innovation Centre, Montreal, Canada; the ⁸³Department of Metabolic Diseases, Heinrich Heine University Düsseldorf, Düsseldorf, Germany; the ⁸⁴Croatian Centre for Global Health, University of Split Medical School, Split, Croatia; the ⁸⁵Gerontology Research Center, National Institute on Aging, Baltimore, Maryland; ⁸⁶Leibniz-Institut für Arterioskleroseforschung an der Universität Münster, Universität Münster, Münster, Germany; the ⁸⁷General Medicine Division, Massachusetts General Hospital, Boston, Massachusetts; the ⁸⁸Departments of Medicine and Epidemiology, University of Washington, Seattle, Washington;

⁸⁹Population Genomics, deCODE genetics, Reykjavik, Iceland; the ⁹⁰Faculty of Medicine, University of Iceland, Reykjavík, Iceland; ⁹¹LIFE Study Centre, University of Leipzig, Leipzig, Germany; the ⁹²Medstar Research Institute, Baltimore, Maryland; the ⁹³Institute of Medical Informatics, Biometry and Epidemiology, Chair of Epidemiology, Ludwig-Maximilians-Universität, Munich, Germany; ⁹⁴Klinikum Grosshadern, Munich, Germany; the ⁹⁵Department of Neurology, Technische Universität München, München, Germany; the ⁹⁶Wellcome Trust Case Control Consortium; the ⁹⁷Center for Applied Genomics, Children's Hospital of Philadelphia, Philadelphia, Pennsylvania; the ⁹⁸Cardiovascular Research Center and Cardiology Division, Massachusetts General Hospital, Boston, Massachusetts; ⁹⁹Public Health and Primary Care, Clinical Gerontology Unit, University of Cambridge, Cambridge, U.K.; the ¹⁰⁰Pathology Division, Children's Hospital Boston, Boston, Massachusetts; ¹⁰¹Genomic Medicine, Hammersmith Hospital, Imperial College London, London, U.K.; ¹⁰²Oxford NIHR Biomedical Research Centre, Churchill Hospital, Oxford, U.K.; and ¹⁰³Epidemiology and Medicine, Johns Hopkins University, Baltimore, Maryland.