

ICSD-3-TR

International Classification of Sleep Disorders


Third Edition, Text Revision

Literature Review & References

Quick Links



**ICSD-3-TR
LITERATURE
REVIEW**



**ICSD-3-TR
REFERENCES**

ICSD-3-TR LITERATURE REVIEW

The American Academy of Sleep Medicine (AASM) commissioned a task force of experts in sleep medicine to update the *International Classification of Sleep Disorders*, third edition. A task force (TF) of four members was assembled to oversee the process and 7 workgroups were created; each assigned a chapter. The goals of the *International Classification of Sleep Disorders*, third edition, text revision (ICSD-3-TR) were the following: incorporate new information into the ICSD-3 text, based on systematic literature reviews, and correct previous errors or omissions. Changes in the diagnostic criteria were not a focus of the text revision, nor was it a complete rewrite of any or all sections.

The TF for the ICSD-3-TR, under the auspices of the AASM Board of Directors, developed the guidelines for the experts who undertook the revision (i.e., workgroup chairs and individual workgroup members). All proposed revisions were reviewed by members of the TF. Final approval of the revisions rested with the AASM Board of Directors.

METHODOLOGY

The intent of the text revision was to add new factual information that is well-supported by scientific evidence. In order to be included, the information must either: 1) reflect previously unavailable data; 2) be more valid than the data supporting the original text (e.g., the data were collected using a superior methodology); or 3) shift the preponderance of evidence in the direction of the proposed textual change.

Workgroup members and staff conducted a PubMed literature search of their assigned topics spanning the last 8 years (2012/01/01 – 2020/12/31). The search began with review articles followed by a focused search for keywords, based on the specific ICSD-3 subheadings. Keyword selection was at the discretion of workgroup members, based especially on those areas which are most likely to require revision. Initial searches were limited to 1) the custom date range (see above); 2) English language; 3) human; and 4) review. Subsequent searches, using key terms, were limited to 1) the custom date range (see above); 2) English language; 3) human. These searches focused on capturing primary studies.

Number of papers accepted for revision are as follows: insomnia n=61; movement disorders n=52; circadian rhythm sleep-wake disorders n=64; hypersomnolence n=78; parasomnias n=69; sleep-related breathing disorders n=78; appendix A n=27.

LITERATURE SEARCH TERMS

Insomnia

Filters applied to all searches within insomnia: Full text, Journal Article, Meta-Analysis, Review, Systematic Review, English, Humans, NOT (animal models, pilot, preliminary, validation, treatment, interventions) from 2012/1/1 - 2020/12/31.

Circadian Rhythm Disorders: (Insomnia[MeSH terms]) AND ("circadian rhythm disorders"[Title/Abstract])

Shift Work: (Insomnia[MeSH Terms]) OR (Chronic Insomnia[MeSH Terms]) OR (Primary Insomnia[MeSH Terms]) OR (Secondary Insomnia[MeSH Terms]) OR (Comorbid Insomnia[MeSH Terms]) OR (Childhood Insomnia[MeSH Terms]) OR (Short-Term Insomnia[MeSH Terms]) AND ("shift work"[Title/Abstract]) NOT (animal models[Title/Abstract]) NOT (pilot[Title/Abstract]) NOT (preliminary[Title/Abstract]) NOT (validation[Title/Abstract]) NOT (treatment[Title/Abstract]) NOT (interventions[Title/Abstract])

Actigraphy: (Insomnia[MeSH Terms]) OR (Chronic Insomnia[MeSH Terms]) OR (Primary Insomnia[MeSH Terms]) OR (Secondary Insomnia[MeSH Terms]) OR (Comorbid Insomnia[MeSH Terms]) OR (Childhood Insomnia[MeSH Terms]) OR (Short-Term Insomnia[MeSH Terms])) AND "actigraphy"[Title/Abstract] NOT ("MRI"[Title/Abstract] NOT "fMRI"[Title/Abstract] NOT "MRS"[Title/Abstract] NOT "PET"[Title/Abstract] NOT "fNIR"[Title/Abstract] NOT "sleep architecture"[Title/Abstract] NOT "polysomnography"[Title/Abstract] NOT "EEG"[Title/Abstract] NOT "spectral analysis"[Title/Abstract] NOT "Multiple Sleep Latency Test"[Title/Abstract] NOT "cognition"[Title/Abstract] NOT "memory"[Title/Abstract] NOT "neuropsychological"[Title/Abstract] NOT "performance"[Title/Abstract] NOT "subjective-objective"[Title/Abstract] NOT "misperception"[Title/Abstract])) NOT ("animal models"[Title/Abstract]) NOT ("pilot"[Title/Abstract]) NOT ("preliminary"[Title/Abstract]) NOT ("validation"[Title/Abstract]) NOT ("treatment"[Title/Abstract]) NOT ("interventions"[Title/Abstract])

Insomnia onset, course: (Insomnia[Title] AND ("onset"[Title/Abstract] OR "course"[Title/Abstract])) AND ("child" OR "adult")) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia variability, complications: (Insomnia[Title] AND ("variability"[Title/Abstract] OR "complications"[Title/Abstract])) AND ("child" OR "adult")) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia cost: (Insomnia[Title] AND "cost"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia precipitants, precipitating, predisposing factors: (Insomnia[MeSH Terms]) OR (Chronic Insomnia[MeSH Terms]) OR (Primary Insomnia[MeSH Terms]) OR (Secondary Insomnia[MeSH Terms]) OR (Comorbid Insomnia[MeSH Terms]) OR (Childhood Insomnia[MeSH Terms]) OR (Short-Term Insomnia[MeSH Terms]) AND ("risk factor"[Title/Abstract] OR "predisposing"[Title/Abstract] OR "precipitating"[Title/Abstract])) NOT ("animal models"[Title/Abstract])) NOT ("pilot"[Title/Abstract])) NOT ("preliminary"[Title/Abstract])) NOT ("validation"[Title/Abstract])) NOT ("treatment"[Title/Abstract])) NOT ("interventions"[Title/Abstract])

Insomnia Risk and predisposing factors: (Insomnia[Title] AND ("risk factor"[Title/Abstract])) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Prevalence: (Insomnia[MeSH Terms]) OR (Chronic Insomnia[MeSH Terms]) OR (Primary Insomnia[MeSH Terms]) OR (Secondary Insomnia[MeSH Terms]) OR (Comorbid Insomnia[MeSH Terms])) AND ("prevalence"[Title/Abstract] NOT "diagnosis"[Title/Abstract] NOT "epidemiological"[Title/Abstract] NOT "representative"[Title/Abstract]) NOT ("animal models"[Title/Abstract])) NOT ("pilot"[Title/Abstract])) NOT ("preliminary"[Title/Abstract])) NOT ("validation"[Title/Abstract])) NOT ("treatment"[Title/Abstract])) NOT ("interventions"[Title/Abstract])

Insomnia Comorbidity: (Insomnia[Title] AND ("comorbid"[Title/Abstract] OR "comorbidity"[Title/Abstract])) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Diagnosis: (Insomnia[Title] AND ("diagnosis"[Title/Abstract])) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Epidemiological Representative: (Insomnia[Title] AND ("epidemiological"[Title/Abstract] OR "representative"[Title/Abstract])) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Clinical Pathological Subtypes: (Insomnia[Title] AND ("psychophysiological"[Title/Abstract] OR "idiopathic"[Title/Abstract] OR "lifelong"[Title/Abstract] OR "misperception"[Title/Abstract] OR "paradoxical"[Title/Abstract] OR "mismatch"[Title/Abstract] OR "limit-setting"[Title/Abstract] OR "short sleep"[Title/Abstract])) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Diagnosis Delay Advanced Circadian: Insomnia[Title] AND ("delayed"[Title/Abstract] OR "advanced"[Title/Abstract] OR "circadian"[Title/Abstract] OR "daytime sleepiness"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Diagnosis homeostatic: Insomnia[Title] AND ("homeostatic"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Diagnosis Daytime Sleepiness: Insomnia[Title] AND ("daytime sleepiness"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Diagnosis Apnea: ((Insomnia[Title])AND ("apnea"[Title/Abstract])) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia (Diagnosis Restless Legs: ((Insomnia[MeSH Terms]) AND ("restless legs"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Diagnosis Reflux: Insomnia[Title] AND ("Reflux"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Familial Patterns: Insomnia[Title] AND ("genetics"[Title/Abstract] OR "genotype"[Title/Abstract] OR "family history"[Title/Abstract] OR "heritability"[Title/Abstract] OR "trait"[Title/Abstract] OR "first-degree"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Pathology & Pathophysiology: Insomnia[Title] AND ("pathophysiology"[Title/Abstract] OR "pathology"[Title/Abstract] OR "etiology"[Title/Abstract] OR "brain lesion"[Title/Abstract] OR "hyperarousal"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Structural Functional Outcomes: Insomnia[Title] AND ("MRI"[Title/Abstract] OR "fMRI"[Title/Abstract] OR "MRS"[Title/Abstract] OR "PET"[Title/Abstract] OR "fNIR"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Sleep Physiology: Insomnia[Title] AND ("sleep architecture"[Title/Abstract] OR "polysomnography"[Title/Abstract] OR "EEG"[Title/Abstract] OR "spectral analysis"[Title/Abstract]) NOT ("animal models" OR "pilot" OR "preliminary" OR "validation" OR "treatment" OR "interventions" OR "clinical trials" OR "RCT" OR "randomized controlled trial")

Insomnia Actigraphy: Insomnia[Title] AND ("actigraphy"[Title/Abstract]) NOT ("animal models"[Title/Abstract]) NOT ("pilot"[Title/Abstract]) NOT ("preliminary"[Title/Abstract]) NOT ("validation"[Title/Abstract]) NOT ("treatment"[Title/Abstract]) NOT ("interventions"[Title/Abstract])

Insomnia (MSLT): Insomnia[Title] AND "Multiple Sleep Latency Test"[Title/Abstract] NOT ("animal models"[Title/Abstract]) NOT ("pilot"[Title/Abstract]) NOT ("preliminary"[Title/Abstract]) NOT ("validation"[Title/Abstract]) NOT ("treatment"[Title/Abstract]) NOT ("interventions"[Title/Abstract])

Circadian Rhythm Sleep-Wake Disorders

Filters applied to all searches within Circadian Rhythm Sleep-Wake Disorders: Clinical Trial, Randomized Controlled Trial, Review, Meta-Analysis English, from 2012/1/1 - 2020/12/31

Delayed Sleep-Wake Phase Disorder: (delayed sleep phase) [All fields] OR (delayed sleep-wake phase) [All fields]

Advanced Sleep-Wake Phase Disorder: (advanced sleep phase) [All Fields] OR (advanced sleep-wake phase)[All fields]

Irregular Sleep-Wake Rhythm Disorder: (irregular sleep-wake rhythm disorder) [All Fields] OR (irregular sleep-wake cycle disorder)) [All Fields] OR (irregular sleep-wake rhythm type) [All Fields]

Non-24-Hour Sleep-Wake Rhythm Disorder: (non-24-hour sleep-wake rhythm disorder) [All Fields] OR (free-running disorder)) [All Fields] OR (non-entrained disorder)) [All Fields] OR (hypernychthemeral syndrome) [All Fields]

Shift Work Disorder: (shift work disorder) [All Fields] OR (shift work sleep disorder)) [All Fields] OR (shiftwork disorder)) [All Fields] OR (shiftwork sleep disorder)) [All Fields] OR (shift work type) [All Fields]

Jet Lag Disorder: (jet lag disorder) [All Fields] OR (jet lag)) [All Fields] OR (time zone change syndrome)) [All Fields] OR (jet lag syndrome)) [All Fields] OR (jet lag type) [All Fields]

Circadian Sleep-Wake Disorder, NOS: (circadian sleep-wake disorder not otherwise specified (NOS)) [All Fields]

Hypersomnolence

Narcolepsy Type 1 & 2, Idiopathic Hypersomnia, Kleine-Levin Syndrome: (Disorders of Excessive Somnolence[Mesh]) OR (Narcolepsy[Mesh]) OR (Narcolepsy Type 1) OR (narcolepsy-cataplexy) OR (narcolepsy with cataplexy) OR (Narcolepsy Type 2) OR (Narcolepsy without cataplexy) OR (Hypersomnolence[Mesh]) OR (idiopathic hypersomnia) OR (Kleine-Levin Syndrome [Mesh]) OR (Kleine-Levin Syndrome) OR (Recurrent hypersomnia) OR (periodic hypersomnolence)

Hypersomnia Due to a Medical Disorder: ((Disorders of Excessive Somnolence[Mesh]) OR (hypersomnia)) AND ((Parkinson Disease[Mesh]) OR (brain injuries, traumatic[Mesh]) OR (genetic diseases, inborn[Mesh]) OR (Niemann Pick type C) OR (Norrie) OR (Moebius syndrome) OR (fragile X syndrome) OR (brain neoplasms[Mesh]) OR (infections[Mesh]) OR (central nervous system lesions) OR (endocrine system diseases[Mesh]) OR (brain diseases, metabolic[Mesh]) OR (residual hypersomnia))

Hypersomnia Due to a Medication or Substance: ((Disorders of Excessive Somnolence[Mesh]) OR (hypersomnia)) AND ((substance-related disorders[Mesh]) OR (substance abuse, intravenous[Mesh]) OR (substance abuse, oral[Mesh]) OR (withdrawal) OR (substance withdrawal syndrome[Mesh]) OR (sedative) OR (toxic hypersomnia) OR (neurotoxicity syndromes[Mesh]))

Hypersomnia Associated with a Psychiatric Disorder: ((Disorders of Excessive Somnolence[Mesh]) OR (hypersomnia)) AND ((mental disorders[Mesh]) OR (nonorganic hypersomnia) OR (pseudohypersomnia) OR (pseudonarcolepsy))

Insufficient Sleep Syndrome: (Sleep deprivation[Mesh]) OR (insufficient sleep syndrome) OR (sleep restriction) OR (insufficient nocturnal sleep)

Long Sleeper: (Long sleeper syndrome*) OR (sleep syndrome, long sleeper*)

Movement Disorders

Restless Legs Syndrome: (("restless legs syndrome" [MeSH terms]) OR ("willis-ekbom disease"[Title/Abstract] OR "RLS"[Title/Abstract])) AND ("diagnosis"[Title/Abstract] OR "prevalence"[Title/Abstract] OR "cause"[Title/Abstract] OR "risk factor"[Title/Abstract]); (("restless legs syndrome" [MeSH terms]) OR ("willis-ekbom disease"[Title/Abstract] OR "RLS"[Title/Abstract])) AND ("diagnosis"[Title/Abstract] OR "cause"[Title/Abstract] OR "risk factor"[Title/Abstract])

Periodic Limb Movement Disorder: (Periodic Limb Movement Disorder[MeSH terms]) OR (("periodic movement disorder of sleep"[Title/Abstract] OR "sleep myoclonus syndrome"[Title/Abstract] OR "nocturnal myoclonus syndrome"[Title/Abstract] OR "periodic leg movements"[Title/Abstract] OR "propriospinal myoclonus"[Title/Abstract] OR "spinal myoclonus"[Title/Abstract] AND "sleep")

Sleep-Related Leg Cramps: ((Sleep Related Leg Cramps[MeSH terms])) OR ("leg cramps"[Title/Abstract] OR "charley horse"[Title/Abstract] OR "nocturnal leg cramps"[Title/Abstract]); ((Sleep Related Leg Cramps[MeSH terms]) OR ("leg cramps"[Title/Abstract] OR "charley horse"[Title/Abstract] OR "nocturnal leg cramps"[Title/Abstract])) NOT ("intervention"[Title/Abstract] OR "treatment"[Title/Abstract])

Sleep-Related Bruxism (((Sleep Related Bruxism[MeSH terms]) OR ("nocturnal bruxism"[Title/Abstract] OR "oromandibular myoclonus"[Title/Abstract] OR "rhythmic masticatory muscle activity"[Title/Abstract] OR "RMMA"[Title/Abstract] OR "MMA"[Title/Abstract] OR "masticatory"[Title/Abstract]) OR ("muscle activity"[Title/Abstract] OR "tooth grinding"[Title/Abstract] OR "teeth clenching"[Title/Abstract] OR "tooth clenching"[Title/Abstract] OR "nocturnal tooth grinding"[Title/Abstract] OR "rhythmic jaw movement"[Title/Abstract] AND "sleep"[Title/Abstract])); (Sleep Related Bruxism[MeSH terms]) OR ("nocturnal bruxism"[Title/Abstract] OR "nocturnal tooth grinding"[Title/Abstract] OR "tooth clenching"[Title/Abstract])

Sleep-Related Rhythmic Movement Disorder: (Sleep Related Rhythmic Movement Disorder[MeSH terms]) OR ("body rocking" OR "head banging" OR "head rolling" OR "body rolling" OR "rhythmie du sommeil")

Benign Sleep Myoclonus Infancy: (Benign Sleep Myoclonus Infancy[MeSH terms])) OR (benign neonatal sleep myoclonus"[Title/Abstract])

Propriospinal Myoclonus Sleep Onset: (Propriospinal Myoclonus Sleep Onset[MeSH terms]) OR (("spinal myoclonus"[Title/Abstract] OR "plurisegmental myoclonus"[Title/Abstract] OR "intersegmental myoclonus"[Title/Abstract] OR "axial myoclonus") [Title/Abstract])

Sleep-Related Movement Disorder Due to a Medical Disorder: (Sleep Related Movement Disorder Due to a Medical Disorder[MeSH terms])

Sleep-Related Movement Disorder Due to Medical or Substance: (Sleep Related Movement Disorder Due to a Medical Disorder[MeSH terms]); (Sleep Related Movement Disorder[MeSH terms]) AND (Medical OR Substance)

Excessive Fragmentary Myoclonus: (Excessive Fragmentary Myoclonus[MeSH terms])

Sleep Start: (Sleep Start[MeSH terms]) OR ("hypnic jerks"[Title/Abstract])

Parasomnias

Confusional Arousals: ("sleep arousal disorders"[MeSH Terms] OR ("sleep"[All Fields] AND "arousal"[All Fields] AND "disorders"[All Fields]) OR "sleep arousal disorders"[All Fields] OR ("confusional"[All Fields] AND "arousals"[All Fields]) OR "confusional arousals"[All Fields]) OR ((("sleep"[All Fields] AND "drunkenness"[All Fields]) OR "sleep drunkenness"[All Fields]) OR (elpenor[All Fields] OR ("nocturnal"[All Fields] AND "scratching"[All Fields]) AND ("syndrome"[MeSH Terms] OR "syndrome"[All Fields]) OR ("sleep"[All Fields] AND "scratching"[All Fields]) OR "sleep-related scratching"[All Fields]) OR ("sex-somnia"[All Fields] OR "sleepsex"[All Fields]) OR ((("sexual behavior"[MeSH Terms] OR ("sexual"[All Fields] AND "behavior"[All Fields]) OR "sexual behavior"[All Fields] OR ("sexual"[All Fields] AND "behaviors"[All Fields]) OR "sexual behaviors"[All Fields]) AND ("sleep"[MeSH Terms] OR "sleep"[All Fields])) OR (atypical[All Fields] AND ("sexual behavior"[MeSH Terms] OR ("sexual"[All Fields] AND "behavior"[All Fields]) OR "sexual behavior"[All Fields]) AND ("sleep"[MeSH Terms] OR "sleep"[All Fields])) OR ((("sleep"[MeSH Terms] OR "sleep"[All Fields]) AND abnormal[All Fields] AND ("sexual behavior"[MeSH Terms] OR ("sexual"[All Fields] AND "behavior"[All Fields]) OR "sexual behavior"[All Fields]) OR ("sexual"[All Fields] AND "behaviors"[All Fields]) OR "sexual behaviors"[All Fields])) OR "gamma hydroxy-butyrate"[All Fields] OR ("oxybate"[All Fields] AND "sleep"[All Fields]) OR ("hypnotics"[All Fields] AND "sleep"[All Fields]) OR "GABA agonist"[All Fields] OR ("zolpidem"[All Fields] AND "sleep"[All Fields]) OR "partial arousals"[All Fields] OR "partial-arousal parasomnia"[All Fields] OR "non-REM parasomnia"[All Fields] OR "NREM parasomnia"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT]))

Sleepwalking: "somnambulism"[MeSH Terms] OR "somnambulism"[All Fields] OR "sleepwalking"[All Fields] OR "somnambulism"[All Fields] OR "sleep-driving"[All Fields] OR "gamma hydroxy-butyrate"[All Fields] OR ("oxybate"[All Fields] AND "sleep"[All Fields]) OR ("hypnotics"[All Fields] AND "sleep"[All Fields]) OR "GABA agonist"[All Fields] OR ("zolpidem"[All Fields] AND "sleep"[All Fields]) OR "partial arousals"[All Fields] OR "partial-arousal parasomnia"[All Fields] OR "non-REM parasomnia"[All Fields] OR "NREM parasomnia"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT]))

Sleep Terrors: "night terrors"[MeSH Terms] OR ("night"[All Fields] AND "terrors"[All Fields]) OR "night terrors"[All Fields] OR ("sleep"[All Fields] AND "terrors"[All Fields]) OR "sleep terrors"[All Fields] OR ("pavor"[All Fields] AND "nocturnus"[All Fields]) OR "pavor nocturnus"[All Fields] OR "partial-arousal parasomnia"[All Fields] OR "non-REM parasomnia"[All Fields] OR "NREM parasomnia"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT]))

Sleep-Related Eating Disorder: "sleep eating"[All Fields] OR ("sleep"[All Fields] AND "eating"[All Fields]) OR ("sleep"[MeSH Terms] OR "sleep"[All Fields]) AND related[All Fields] AND ("eating disorders"[MeSH Terms] OR ("eating"[All Fields] AND "disorders"[All Fields]) OR "eating disorders"[All Fields]) OR "partial-arousal parasomnia"[All Fields] OR "non-REM parasomnia"[All Fields] OR "NREM parasomnia"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT]))

REM Sleep Behavior Disorder: ("rem sleep behaviour disorder"[All Fields] OR "rem sleep behavior disorder"[MeSH Terms] OR ("rem"[All Fields] AND "sleep"[All Fields] AND "behavior"[All Fields] AND "disorder"[All Fields]) OR "rem sleep behavior disorder"[All Fields]) OR ((("sleep, rem"[MeSH Terms] OR ("sleep"[All Fields] AND "rem"[All Fields]) OR "rem sleep"[All Fields] OR ("rem"[All Fields] AND "sleep"[All Fields]))) AND atonia[All Fields]) OR oneirism[All Fields] OR dream-enactment[All Fields] OR "rem behavior disorder"[All Fields] OR "RBD"[All Fields] OR "rem sleep parasomnias"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT]))

Sleep Paralysis: "sleep paralysis"[MeSH Terms] OR ("sleep"[All Fields] AND "paralysis"[All Fields]) OR "sleep paralysis"[All Fields] OR "old hag"[All Fields] OR ("hypnagogic"[All Fields] AND ("paralysis"[MeSH Terms] OR "paralysis"[All Fields])) OR ("hypnopompic"[All Fields] AND ("paralysis"[MeSH Terms] OR "paralysis"[All Fields])) OR ("predormital"[All Fields] AND ("paralysis"[MeSH Terms] OR "paralysis"[All Fields])) OR ("postdormital"[All Fields] AND ("paralysis"[MeSH Terms] OR "paralysis"[All Fields])) OR "kanashibari"[All Fields] OR "ghost oppression"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Nightmare Disorder: ("nightmare"[All Fields] AND "disorder"[All Fields]) OR "nightmare disorder"[All Fields] OR ("recurrent"[All Fields] AND "nightmares"[All Fields]) OR "recurrent nightmares"[All Fields] OR ("REM"[All Fields] AND "nightmares"[All Fields]) OR "REM nightmares"[All Fields] OR "dream anxiety disorder"[All Fields] OR ("anxiety"[MeSH Terms] OR "anxiety"[All Fields]) AND ("dreams"[MeSH Terms] OR "dreams"[All Fields])) OR "anxiety dreams"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Exploding Head Syndrome: (exploding[All Fields] AND ("head"[MeSH Terms] OR "head"[All Fields]) AND ("syndrome"[MeSH Terms] OR "syndrome"[All Fields])) OR (sensory[All Fields] AND "sleep-wake transition disorders"[MeSH Terms]) OR ("sleep-wake"[All Fields] AND "transition"[All Fields] AND "disorders"[All Fields]) OR "sleep-wake transition disorders"[All Fields] OR ("sleep"[All Fields] AND "starts"[All Fields]) OR "sleep starts"[All Fields] OR ("sensory"[All Fields] AND ("sleep"[MeSH Terms] OR "sleep"[All Fields])) AND ("shock"[MeSH Terms] OR "shock"[All Fields] OR "shocks"[All Fields])) AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep-Related Hallucinations: "sleep-related hallucinations"[All Fields] OR ("sleep"[All Fields] AND "hallucinations"[All Fields]) OR ("sleep-related"[All Fields] AND ("hallucinations"[MeSH Terms] OR "hallucinations"[All Fields] OR "hallucination"[All Fields])) OR ("hypnagogic"[All Fields] AND ("hallucinations"[MeSH Terms] OR "hallucinations"[All Fields] OR "hallucination"[All Fields])) OR ("hypnopompic"[All Fields] AND ("hallucinations"[MeSH Terms] OR "hallucinations"[All Fields] OR "hallucination"[All Fields])) OR ("nocturnal"[All Fields] AND ("hallucinations"[MeSH Terms] OR "hallucinations"[All Fields] OR "hallucination"[All Fields])) AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep Enuresis: "sleep enuresis"[All Fields] OR "nocturnal enuresis"[All Fields] OR ("sleep"[All Fields] AND "enuresis"[All Fields]) OR "sleep-related"[All Fields] AND ("enuresis"[All Fields] OR "enuresis"[MeSH Terms]) OR "nocturnal bedwetting"[All Fields] OR "night wetting"[All Fields] OR "bedwetting"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep Talking: "sleep talking"[All Fields] OR ("sleep"[All Fields] AND "talking"[All Fields]) OR "somniloquy"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep-Related Breathing Disorders

Filters applied to all Sleep-Related Breathing Disorders searches: RCTs, review, English, from 2012-2021

Adult Obstructive Sleep Apnea: ((*"obstructive sleep apnea"*[All Fields] OR *"sleep apnea syndrome"*[All Fields] OR *"OSA syndrome"*[All Fields] OR *"sleep disordered breathing"*[All Fields] OR *"obstructive sleep apnea hypopnea syndrome"*[All Fields] OR *"obstructive apnea"*[All Fields] OR *"sleep hypopnea syndrome"*[All Fields] OR *"upper airway obstruction"*[All Fields] OR *"upper airway resistance syndrome"*[All Fields]) NOT *"child"*[MeSH Terms]) NOT *"adolescent"*[MeSH Terms]
Filters: Meta-Analysis, Systematic Review, English, from 2012 – 2020

Pediatric Obstructive Sleep Apnea: (*"obstructive sleep apnea"*[All Fields] OR *"sleep apnea syndrome"*[All Fields] OR *"OSA syndrome"*[All Fields] OR *"sleep disordered breathing"*[All Fields] OR *"obstructive sleep apnea hypopnea syndrome"*[All Fields] OR *"obstructive apnea"*[All Fields] OR *"sleep hypopnea syndrome"*[All Fields] OR *"upper airway obstruction"*[All Fields] OR *"upper airway resistance syndrome"*[All Fields]) NOT *"adult"*[MeSH Terms] Filters: Meta-Analysis, Systematic Review, English, from 2012 - 2020

Obstructive Sleep Apnea: (*"obstructive Sleep Apnea"*[All Fields] OR *"Obstructive Sleep Apnoea"*[All Fields]) AND (*"Cluster"*[All Fields] OR *"Endotype"*[All Fields] OR *"Phenotype"*[All Fields])

Central Sleep Apnea: ((*"Cheyne-stokes respiration"*[All Fields] OR *"central sleep apnea"*[All Fields] OR *"treatment emergent central sleep apnea"*[All Fields] OR (*"central sleep apnea"*[All Fields] AND *"Cheyne-Stokes breathing"*[All Fields]) OR (*"narcotic"*[All Fields] AND *"central sleep apnea"*[All Fields]) OR (*"opioid"*[All Fields] AND *"central sleep apnea"*[All Fields]) OR *"primary central sleep apnea"*[All Fields] OR *"idiopathic central sleep apnea"*[All Fields] OR *"complex sleep apnea"*[All Fields] OR (*"high altitude"*[All Fields] AND *"central sleep apnea"*[All Fields]) OR (*"adaptive servo-ventilation"*[All Fields] AND *"sleep apnea"*[All Fields]) OR *"periodic breathing"*[All Fields]) NOT *"child"*[MeSH Terms]) NOT *"adolescent"*[MeSH Terms] Filters: Meta-Analysis, Systematic Review, English, from 2012 - 2020

Central Sleep Apnea Due to High-Altitude Periodic Breathing: (*"Central Sleep Apnea"*[All Fields] OR *"Central Sleep Apnoea"*[All Fields] OR *"Periodic Breathing"*[All Fields]) AND *"Altitude"*[All Fields]

Primary Central Sleep Apnea: ((*"Primary Central Sleep Apnea"*[Title/Abstract] OR *"central sleep apnea"*[Title/Abstract] OR *"Primary Central Sleep Apnea"*[Title/Abstract] OR *"Idiopathic Central Sleep Apnea"*[Title/Abstract] OR *"Idiopathic Central Sleep Apnoea"*[Title/Abstract]) AND ((*"randomized controlled trial"*[Publication Type] OR *"review"*[Publication Type]) AND 2012/01/01:2021/12/31[Date - Publication])) AND ((*randomizedcontrolledtrial*[Filter] OR *review*[Filter]) AND (*english*[Filter]) AND (2012:2021[pdat])))

Pediatric Central Sleep Apnea: (*"Cheyne-stokes respiration"*[All Fields] OR *"central sleep apnea"*[All Fields] OR *"treatment emergent central sleep apnea"*[All Fields] OR (*"central sleep apnea"*[All Fields] AND *"Cheyne-Stokes breathing"*[All Fields]) OR (*"narcotic"*[All Fields] AND *"central sleep apnea"*[All Fields]) OR (*"opioid"*[All Fields] AND *"central sleep apnea"*[All Fields]) OR *"primary central sleep apnea"*[All Fields] OR *"idiopathic central sleep apnea"*[All Fields] OR *"complex sleep apnea"*[All Fields] OR (*"high altitude"*[All Fields] AND *"central sleep apnea"*[All Fields]) OR (*"adaptive servo-ventilation"*[All Fields] AND *"sleep apnea"*[All Fields]) OR *"periodic breathing"*[All Fields] OR (*"central sleep apnea"*[All Fields] AND *"infancy"*[All Fields]) OR (*"central sleep apnea"*[All Fields] AND *"prematurity"*[All Fields])) NOT *"adult"*[MeSH Terms] Filters: Meta-Analysis, Systematic Review, English, from 2012 - 2020

Primary Central Sleep Apnea of Infancy: ((“apnea”[All Fields] AND “infancy”[All Fields]) OR (“apnoea”[All Fields] AND “infancy”[All Fields]) OR (“apnea”[All Fields] AND “newborn”[All Fields]) OR (“apnoea”[All Fields] AND “newborn”[All Fields]) OR “infant sleep apnea”[All Fields] OR “infant sleep apnoea”[All Fields] OR “sudden infant death syndrome”[All Fields] OR “SIDS”[All Fields] OR “apparent life threatening event”[All Fields] OR “ALTE”[All Fields])

Primary Central Sleep Apnea of Prematurity: ((“apnea”[All Fields] AND “prematurity”[All Fields]) OR (“apnoea” AND “prematurity”[All Fields]))

Treatment-Emergent Central Sleep Apnea: “Complex Sleep Apnea”[All Fields] OR “Complex Sleep Apnoea”[All Fields] OR “Treatment Emergent Central Sleep Apnea”[All Fields] OR “Treatment Emergent Central Sleep Apnoea”[All Fields] OR “TECSA”[All Fields])

Sleep-Related Hypoventilation Disorders: ((“sleep related hypoventilation”[All Fields] OR “alveolar hypoventilation”[All Fields] OR (“nonapneic”[All Fields] AND (“hypoventilation”[MeSH Terms] OR “hypoventilation”[All Fields] OR (“alveolar”[All Fields] AND “hypoventilation”[All Fields]) OR “alveolar hypoventilation”[All Fields]))) OR ((“neoplasm metastasis”[MeSH Terms] OR (“neoplasm”[All Fields] AND “metastasis”[All Fields]) OR “neoplasm metastasis”[All Fields] OR “secondaries”[All Fields] OR “secondary”[MeSH Subheading] OR “secondary”[All Fields] AND (“hypoven-tilation”[MeSH Terms] OR “hypoventilation”[All Fields] OR (“alveolar”[All Fields] AND “hypoventilation”[All Fields]) OR “alveolar hypoventilation”[All Fields]))) OR “nocturnal hypoventilation”[All Fields] OR “central alveolar hypoventila-tion”[All Fields] OR ((“idiopathic”[All Fields] OR “idiopathically”[All Fields] OR “idiopathics”[All Fields]) AND (“sleep apnea, central”[MeSH Terms] OR (“sleep”[All Fields] AND “apnea”[All Fields] AND “central”[All Fields]) OR “central sleep apnea”[All Fields] OR (“central”[All Fields] AND “alveolar”[All Fields] AND “hypoventilation”[All Fields]) OR “central alveolar hypoventilation”[All Fields])) OR “primary alveolar hypoventilation”[All Fields] OR (“rapid-onset obe-sity”[All Fields] AND “hypothalamic dysfunction”[All Fields] AND “hypoventilation”[All Fields] AND “autonomic dys-regulation”[All Fields]) OR “ROHHAD”[All Fields] OR “obesity hypoventilation syndrome”[All Fields] OR ((“hypercapnia”[MeSH Terms] OR “hypercapnia”[All Fields] OR “hypercapnic”[All Fields]) AND (“sleep apnoea”[All Fields] OR “sleep apnea syndromes”[MeSH Terms] OR (“sleep”[All Fields] AND “apnea”[All Fields] AND “syndromes”[All Fields]) OR “sleep apnea syndromes”[All Fields] OR (“sleep”[All Fields] AND “apnea”[All Fields]) OR “sleep apnea”[All Fields])) OR (“sleep related hypoventilation”[All Fields] AND “obesity”[All Fields])) NOT “child”[MeSH Terms]) NOT “adoles-cent”[MeSH Terms]

Pediatric Hypoventilation Disorders: sleep related hypoventilation”[All Fields] OR “alveolar hypoventilation”[All Fields] OR (“nonapneic”[All Fields] AND (“hypoventilation”[MeSH Terms] OR “hypoventilation”[All Fields] OR (“alveolar”[All Fields] AND “hypoventilation”[All Fields]) OR “alveolar hypoventilation”[All Fields]))) OR ((“neoplasm metastasis”[MeSH Terms] OR (“neoplasm”[All Fields] AND “metastasis”[All Fields]) OR “neoplasm metastasis”[All Fields] OR “secondaries”[All Fields] OR “secondary”[MeSH Subheading] OR “secondary”[All Fields] AND (“hypoven-tilation”[MeSH Terms] OR “hypoventilation”[All Fields] OR (“alveolar”[All Fields] AND “hypoventilation”[All Fields]) OR “alveolar hypoven-tilation”[All Fields]))) OR “nocturnal hypoventilation”[All Fields] OR “central alveolar hypoventilation”[All Fields] OR ((“idiopathic”[All Fields] OR “idiopathically”[All Fields] OR “idiopathics”[All Fields]) AND (“sleep apnea, central”[MeSH Terms] OR (“sleep”[All Fields] AND “apnea”[All Fields] AND “central”[All Fields]) OR “central sleep apnea”[All Fields] OR (“central”[All Fields] AND “alveolar”[All Fields] AND “hypoventilation”[All Fields]) OR “central alveolar hypoventila-tion”[All Fields])) OR “primary alveolar hypoventilation”[All Fields] OR (“rapid-onset obesity”[All Fields] AND “hypothalamic dysfunction”[All Fields] AND “hypoventilation”[All Fields] AND “autonomic dysregulation”[All Fields]) OR “ROHHAD”[All Fields] OR “obesity hypoventilation syndrome”[All Fields] OR ((“hypercapnia”[MeSH Terms] OR “hypercapnia”[All Fields] OR “hypercapnic”[All Fields]) AND (“sleep apnoea”[All Fields] OR “sleep apnea syndromes”[MeSH Terms] OR (“sleep”[All Fields] AND “apnea”[All Fields] AND “syndromes”[All Fields]) OR “sleep apnea syndromes”[All Fields] OR (“sleep”[All Fields] AND “apnea”[All Fields]) OR “sleep apnea”[All Fields])) OR (“sleep related hypoventilation”[All Fields] AND “obesity”[All Fields])) NOT “child”[MeSH Terms]) NOT “adoles-cent”[MeSH Terms]

Fields] OR ("sleep"[All Fields] AND "apnea"[All Fields]) OR "sleep apnea"[All Fields])) OR ("sleep related hypoventilation"[All Fields] AND "obesity"[All Fields]) OR ((congenital"[MeSH Subheading] OR "congenital"[All Fields] OR "congenitally"[All Fields]) AND "central"[All Fields] AND ("hypoventilation"[MeSH Terms] OR "hypoventilation"[All Fields] OR ("alveolar"[All Fields] AND "hypoventilation"[All Fields]) OR "alveolar hypoventilation"[All Fields])) OR "congenital central hypoventilation"[All Fields] OR "late-onset central hypoventilation"[All Fields] not (Adults[MeSH]) Filters: Meta-Analysis, Systematic Review, English, from 2012 - 2020

Obesity Hypoventilation Syndrome: ("Obesity Hypoventilation Syndrome"[Title/Abstract] OR "Pickwickian"[Title/Abstract]) AND ((randomizedcontrolledtrial[Filter] OR review[Filter]) AND (english[Filter]) AND (2012:2021[pdat]))

Congenital Central Alveolar Hypoventilation Syndrome: ((congenital"[ALL FIELDS] AND hypoventilation"[All Fields] OR "CCHS"[All Fields] OR "CCAHS"[All Fields] OR "Ondine's curse"[All Fields]))

Late-Onset Central Hypoventilation with Hypothalamic Dysfunction: ((hypothalamic"[ALL FIELDS] AND "hypoven-tilation"[All Fields] OR "ROHHAD"[All Fields]))

Idiopathic Central Alveolar Hypoventilation: ("Idiopathic Central Alveolar Hypoventilation"[All Fields] OR "Idiopathic Alveolar Hypoventilation"[All Fields] OR "Idiopathic Hypoventilation"[All Fields]))

Sleep-Related Hypoxemia: "sleep related hypoxemia"[All Fields] OR "nocturnal oxygen desaturation"[All Fields] OR "oxyhemoglobin desaturation"[All Fields] OR "nocturnal hypoxemia"[All Fields] OR "sleep related oxygen desatura-tion"[All Fields] Filters: Meta-Analysis, Systematic Review, English

Catathrenia: "Catathrenia"[All Fields] OR "sleep related groaning"[All Fields] OR ("deep inspiration"[All Fields] AND "prolonged expiration"[All Fields]) OR "bradypnea"[All Fields] OR ("sleep"[All Fields] AND "vocalization"[All Fields])

Snoring: "snoring"[MeSH Terms] OR "snoring"[All Fields] OR "snore"[All Fields] OR "snored"[All Fields] OR "snores"[All Fields] Filters: Meta-Analysis, Systematic Review, English, from 2012 – 2020

Appendix A

Fatal Familial Insomnia: "fatal familial insomnia"[All Fields] OR ("fatal progressive insomnia"[All Fields] AND "dysau-tonomia"[All Fields]) OR "thalamic insomnia"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep-Related Epilepsy: "sleep-related epilepsy"[All Fields] OR ("sleep"[All Fields] AND "epilepsy"[All Fields]) OR ("sleep-related"[All Fields] AND ("epilepsy"[MeSH Terms] OR "epilepsy"[All Fields])) OR "sleep epilepsy"[All Fields] OR "nocturnal seizure"[All Fields] OR "sleep-related seizure"[All Fields] OR ("sleep-related"[All Fields] AND "sei-zure"[All Fields]) OR ("sleep-related"[All Fields] AND "seizures"[All Fields]) OR ("frontal lobe seizure"[All Fields] AND "nocturnal"[All Fields]) OR "ADNFLE"[All Fields] OR ("electrical status epilepticus"[All Fields] AND "slow wave sleep"[All Fields]) OR "paroxysmal hypnogenic dyskinesia"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep-Related Headaches: "sleep-related headache"[All Fields] OR ("sleep"[All Fields] AND "headache"[All Fields]) OR ("sleep-related"[All Fields] AND ("headache"[MeSH Terms] OR "headache"[All Fields])) OR "sleep-related cephalgia"[All Fields] OR (sleep-related[All Fields] AND ("cephalalgia"[MeSH Terms] OR "cephalalgia"[All Fields])) OR ("sleep"[All Fields] AND "cephalalgia"[All Fields]) AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep-Related Laryngospasm: "sleep-related laryngospasm"[All Fields] OR ("sleep-related"[All Fields] AND "laryngospasm"[All Fields]) OR ("sleep"[All Fields] AND "laryngospasm"[All Fields]) OR "sleep-related stridor"[All Fields] OR ("sleep"[All Fields] AND "stridor"[All Fields]) OR "laryngeal dysfunction"[All Fields] AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep-Related Gastroesophageal Reflux: "sleep-related gastroesophageal reflux"[All Fields] OR ("sleep-related"[All Fields] AND ("gastroesophageal reflux"[MeSH Terms] OR "gastroesophageal reflux"[All Fields])) OR ("sleep"[All Fields] AND "gastroesophageal reflux"[All Fields]) OR "nocturnal gastroesophageal reflux"[All Fields] OR ("nocturnal"[All Fields] AND ("gastroesophageal reflux"[MeSH Terms] OR "gastroesophageal reflux"[All Fields])) OR "supine gastroesophageal reflux"[All Fields] OR ("supine"[All Fields] AND ("gastroesophageal reflux"[MeSH Terms] OR "gastroesophageal reflux"[All Fields])) OR "nocturnal heartburn"[All Fields] OR ("nocturnal"[All Fields] AND ("heartburn"[MeSH Terms] OR "heartburn"[All Fields])) OR "sleep-related esophagitis"[All Fields] OR ("sleep-related"[All Fields] AND ("esophagitis"[MeSH Terms] OR "esophagitis"[All Fields])) OR ("sleep"[All Fields] AND "esophagitis"[All Fields]) OR "sleep-related heartburn"[All Fields] OR ("sleep"[All Fields] AND "heartburn"[All Fields]) OR ("sleep-related"[All Fields] AND ("heartburn"[MeSH Terms] OR "heartburn"[All Fields])) AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

Sleep-Related Myocardial Ischemia: "sleep-related myocardial ischemia"[All Fields] OR ("sleep-related"[All Fields] AND ("myocardial ischemia"[MeSH Terms] OR ("sleep"[All Fields] AND "myocardial ischemia"[All Fields]) OR "myocardial ischemia"[All Fields])) OR ("sleep"[All Fields] AND ("myocardial ischemia"[MeSH Terms] OR "myocardial ischemia"[All Fields])) OR "nocturnal angina"[All Fields] OR ("nocturnal"[All Fields] AND ("angina"[MeSH Terms] OR "angina"[All Fields])) OR "sleep-related unstable angina"[All Fields] OR ("sleep-related"[All Fields] AND ("unstable angina"[MeSH Terms] OR "unstable angina"[All Fields])) OR "sleep-related unstable angina"[All Fields] OR ("sleep-related"[All Fields] AND ("unstable angina"[MeSH Terms] OR "unstable angina"[All Fields])) OR ("sleep"[All Fields] AND "unstable angina"[All Fields]) OR "angina decubitus"[All Fields] OR ("decubitus"[All Fields] AND ("angina decubitus"[MeSH Terms] OR "angina decubitus"[All Fields])) OR ((("sleep"[MeSH Terms] OR "sleep"[All Fields]) AND ("Prinzmetal angina"[All Fields] OR "variant angina"[All Fields])) OR ((("sleep"[MeSH Terms] OR "sleep"[All Fields]) AND ("silent ischemia"[MeSH Terms] OR "silent ischemia"[All Fields])) OR ("vasospastic angina"[All Fields] OR ("vasospastic"[All Fields] AND ("angina"[MeSH Terms] OR "angina"[All Fields]))) OR "sleep-related atherosclerosis"[All Fields] OR ("sleep"[All Fields] AND "atherosclerosis"[All Fields]) OR ("sleep-related"[All Fields] AND ("atherosclerosis"[MeSH Terms] OR "atherosclerosis"[All Fields])) AND (English[lang]) AND ("Systematic Review"[Publication Type] OR "Meta-Analysis"[Publication Type]) AND ("2012/01/01"[PDAT] : "2020/12/31"[PDAT])

This resource includes citations for all articles reviewed for the ICSD-3 Text Revision.

Insomnia

Chronic Insomnia Disorder	17
Short-Term Insomnia Disorder.....	21
Other Insomnia	22

Sleep-Related Breathing Disorders

Introduction	22
Obstructive Sleep Apnea, Adult.....	22
Obstructive Sleep Apnea, Pediatric	26
Central Sleep Apnea with Cheyne-Stokes Breathing	27
Central Sleep Apnea Due to a Medical Disorder without Cheyne-Stokes Breathing	29
Central Sleep Apnea Due to High Altitude Periodic Breathing	29
Central Sleep Apnea Due to a Medication or Substance	30
Primary Central Sleep Apnea	32
Primary Central Sleep Apnea of Infancy.....	32
Primary Central Sleep Apnea of Prematurity	33
Treatment-Emergent Central Sleep Apnea	34
Sleep-Related Hypoventilation Disorders	35
Congenital Central Alveolar Hypoventilation Syndrome	36
Late-Onset Central Hypoventilation with Hypothalamic Dysfunction	37

Idiopathic Central Alveolar Hypoventilation.....	38
--	----

Sleep-Related Hypoventilation Due to a Medication or Substance	38
Sleep-Related Hypoventilation Due to a Medical Disorder.....	38

Sleep-Related Hypoxemia Disorder, Sleep-Related Hypoxemia	39
--	----

Isolated Symptoms and Normal Variants, Snoring.....	40
--	----

Isolated Symptoms and Normal Variants, Catathrenia.....	41
--	----

Central Disorders of Hypersomnolence

Introduction	42
Narcolepsy Type 1	43
Narcolepsy Type 2	45
Idiopathic Hypersomnia	46
Kleine-Levin Syndrome	47
Hypersomnia Associated with a Medical Disorder.....	48
Hypersomnia Associated with a Medication or Substance	50
Hypersomnia Associated with a Psychiatric Disorder.....	51
Insufficient Sleep Syndrome	52
Isolated Symptoms and Normal Variants, Long Sleeper	53

Circadian Rhythm Sleep-Wake Disorders

Delayed Sleep-Wake Phase Disorder.....	54
Advanced Sleep-Wake Phase Disorder.....	55
Irregular Sleep-Wake Rhythm Disorder	57
Non-24-Hour Sleep-Wake Rhythm Disorder	58
Shift Work Disorder	59
Jet Lag Disorder	62

Parasomnias

Introduction	64
Disorders of Arousal	64
Sleep-Related Eating Disorder	69
REM Sleep Behavior Disorder.....	70
Recurrent Isolated Sleep Paralysis.....	72
Nightmare Disorder.....	73
Exploding Head Syndrome	75
Sleep-Related Hallucinations.....	76
Sleep-Related Urologic Dysfunction	77
Parasomnia Due to a Medical Disorder, Parasomnia Due to a Medication or Substance, Parasomnia, Unspecified	78
Sleep Talking	78

Sleep-Related Movement Disorders

Restless Legs Syndrome.....	79
Periodic Limb Movement Disorder.....	81
Nocturnal Muscle Cramps	83
Sleep-Related Bruxism.....	84
Sleep-Related Rhythmic Movement Disorder... <td>85</td>	85
Benign Sleep Myoclonus of Infancy.....	86
Propriospinal Myoclonus at Sleep Onset.....	86
Isolated Symptoms and Variants	87
Hypnagogic Foot Tremor and Alternative Leg Muscle Activation	88
Sleep Starts.....	88

Appendix A: Sleep-Related Medical and Neurological Disorders

Fatal Familial Insomnia	89
Sleep-Related Epilepsy	89
Sleep-Related Headaches.....	90
Sleep-Related Laryngospasm	92
Sleep-Related Gastroesophageal Reflux.....	92
Sleep-Related Myocardial Ischemia	94

Insomnia

Chronic Insomnia Disorder

1. * Araújo T, Jarrin DC, Lanza Y, Vallières A, Morin CM. Qualitative studies of insomnia: Current state of knowledge in the field. *Sleep Med Rev.* 2017;31:58-69. doi:10.1016/j.smrv.2016.01.003
2. * Baglioni C, Battagliese G, Feige B, et al. Insomnia as a predictor of depression: a meta-analytic evaluation of longitudinal epidemiological studies. *Journal of affective disorders.* 2011;135(1-3):10-19. doi:10.1016/j.jad.2011.01.011
3. Baglioni C, Regen W, Teghen A, et al. Sleep changes in the disorder of insomnia: a meta-analysis of polysomnographic studies. *Sleep Med Rev.* 2014;18(3):195-213. doi:10.1016/j.smrv.2013.04.001
4. * Barclay NL, Gehrman PR, Gregory AM, Eaves LJ, Silberg JL. The heritability of insomnia progression during childhood/adolescence: results from a longitudinal twin study. *Sleep.* 2015;38(1):109-118. doi:10.5665/sleep.4334
5. Barclay NL, Kocevska D, Brammer WM, Van Someren EJ, Gehrman P. The heritability of insomnia: a meta-analysis of twin studies. *Genes Brain Behav.* 2021;20(4):e12717. doi:10.1111/gbb.12717
6. Bastien CH, Morin CM. Familial incidence of insomnia. *J Sleep Res.* 2000;9(1):49-54. doi:10.1046/j.1365-2869.2000.00182.x
7. * Bathgate CJ, Edinger JD, Wyatt JK, Krystal AD. Objective but not subjective short sleep duration associated with increased risk for hypertension in individuals with insomnia. *Sleep.* 2016;39(5):1037-1045. doi:10.5665/sleep.5748
8. Beaulieu-Bonneau S, LeBlanc M, Mérlette C, Dauvilliers Y, Morin CM. Family history of insomnia in a population-based sample. *Sleep.* 2007;30(12):1739-1745. doi:10.1093/sleep/30.12.1739
9. Bei B, Wiley JF, Trinder J, Manber R. Beyond the mean: a systematic review on the correlates of daily intraindividual variability of sleep/wake patterns. *Sleep Med Rev.* 2016;28:108-124. doi:10.1016/j.smrv.2015.06.003
10. * Bonnet MH, Arand D. 24-Hour metabolic rate in insomniacs and matched normal sleepers. *Sleep.* 1995;18(7):581-88. doi:10.1093/sleep/18.7.581
11. Bonnet MH, Burton GG, Arand DL. Physiological and medical findings in insomnia: implications for diagnosis and care. *Sleep Med Rev.* 2014;18(2):111-122. doi:10.1016/j.smrv.2013.02.003
12. * Bragantini D, Sivertsen B, Gehrman P, Lydersen S, Güzey IC. Genetic polymorphisms associated with sleep-related phenotypes; relationships with individual nocturnal symptoms of insomnia in the HUNT study. *BMC Med Genet.* 2019;20(1):1-7. doi:10.1186/s12881-019-0916-6
13. * Buysse DJ, Angst J, Gamma A, Ajdacic V, Eich D, Rössler W. Prevalence, course, and comorbidity of insomnia and depression in young adults. *Sleep.* 2008;31(4):473-480. doi:10.1093/sleep/31.4.473
14. Chaput JP, Yau J, Rao DP, Morin CM. Prevalence of insomnia for Canadians aged 6 to 79. *Health Rep.* 2018;29(12):16-21.

15. * Chen X, Redline S, Shields AE, Williams DR, Williams MA. Associations of allostatic load with sleep apnea, insomnia, short sleep duration, and other sleep disturbances: findings from the National Health and Nutrition Examination Survey 2005 to 2008. *Ann Epidemiol.* 2014;24(8):612-619. doi:10.1016/j.annepidem.2014.05.014
16. Edinger JD, Wyatt JK, Stepanski EJ, et al. Testing the reliability and validity of DSM-IV-TR and ICSD-2 insomnia diagnoses. Results of a multitrait-multimethod analysis. *Arch Gen Psychiatry.* 2011;68(10):992-1002. doi:10.1001/archgenpsychiatry.2011.64
17. Ellis JG, Perlis ML, Espie CA, et al. The natural history of insomnia: predisposing, precipitating, coping, and perpetuating factors over the early developmental course of insomnia. *Sleep.* 2021;44(9):zsab095. doi:10.1093/sleep/zsab095
18. Espie CA, Kyle SD, Hames P, Cyhlarova E, Benzeval M. The daytime Impact of DSM-5 insomnia disorder: comparative analysis of insomnia subtypes from the great British sleep survey. *J Clin Psychiatry.* 2012;73(12):e1478-e1484. doi:10.4088/jcp.12m07954
19. * Fernandez-Mendoza J, Baker JH, Vgontzas AN, Gaines J, Liao D, Bixler EO. Insomnia symptoms with objective short sleep duration are associated with systemic inflammation in adolescents. *Brain Behav Immun.* 2017;61:110-116. doi:10.1016/j.bbi.2016.12.026
20. Fernandez-Mendoza J, Bourchtein E, Calhoun S, et al. Natural history of insomnia symptoms in the transition from childhood to adolescence: population rates, health disparities, and risk factors. *Sleep.* 2021;44(3):zsaa187. doi:10.1093/sleep/zsaa187
21. * Fernandez-Mendoza J, Calhoun SL, Vgontzas AN, et al. Insomnia phenotypes based on objective sleep duration in adolescents: depression risk and differential behavioral profiles. *Brain Sci.* 2016;6(4):59. doi:10.3390/brainsci6040059
22. * Fernandez-Mendoza J, Li Y, Vgontzas AN, et al. Insomnia is associated with cortical hyperarousal as early as adolescence. *Sleep.* 2016;39(5):1029-1036. doi:10.5665/sleep.5746
23. * Fernandez-Mendoza J, Vgontzas AN, Calhoun SL, et al. Insomnia symptoms, objective sleep duration and hypothalamic-pituitary-adrenal activity in children. *Eur J Clin Invest.* 2014;44(5):493-500. doi:10.1111/eci.12263
24. Flynn-Evans EE, Shekleton JA, Miller B, et al. Circadian phase and phase angle disorders in primary insomnia. *Sleep.* 2017;40(12):zsx163. doi:10.1093/sleep/zsx163
25. Gehrman P, Sengupta A, Harders E, Ubeydullah E, Pack AI, Weljie A. Altered diurnal states in insomnia reflect peripheral hyperarousal and metabolic desynchrony: a preliminary study. *Sleep.* 2018;41(5):zsy043. doi:10.1093/sleep/zsy043
26. * Honaker SM, Meltzer LJ. Bedtime problems and night wakings in young children: an update of the evidence. *Paediatr Resp Rev.* 2014;15(4):333-339. doi:10.1016/j.prrv.2014.04.011
27. Jarrin DC, Alvaro PK, Bouchard MA, Jarrin SD, Drake CL, Morin CM. Insomnia and hypertension: a systematic review. *Sleep Med Rev.* 2018;41:3-38. doi:10.1016/j.smrv.2018.02.003

28. * Kay DB, Buysse DJ. Hyperarousal and beyond: new insights to the pathophysiology of insomnia disorder through functional neuroimaging studies. *Brain Sci.* 2017;7(3):23. doi:10.3390/brainsci7030023
29. * Lane JM, Jones SE, Dashti HS, et al. Biological and clinical insights from genetics of insomnia symptoms. *Nat Genet.* 2019;51(3):387-393. doi:10.1038/s41588-019-0361-7
30. Levenson JC, Kay DB, Buysse DJ. The pathophysiology of insomnia. *Chest.* 2015;147(4):1179-1192. doi:10.1378/chest.14-1617
31. * Levenson JC, Troxel WM, Begley A, et al. A quantitative approach to distinguishing older adults with insomnia from good sleeper controls. *J Clin Sleep Med.* 2013;9(2):125-131. doi:10.5664/jcsm.2404
32. * Lichstein KL, Wilson NM, Johnson CT. Psychological treatment of secondary insomnia. *Psychol Aging.* 2000;15(2):232. doi:10.1037/0882-7974.15.2.232
33. * Lin CL, Chien WC, Chung CH, Wu FL. Risk of type 2 diabetes in patients with insomnia: A population-based historical cohort study. *Diabetes Metab Res Rev.* 2018;34(1):e2930. doi:10.1002/dmrr.2930
34. * Lind MJ, Aggen SH, Kirkpatrick RM, Kendler KS, Amstadter AB. A longitudinal twin study of insomnia symptoms in adults. *Sleep.* 2015;38(9):1423-1430. doi:10.5665/sleep.4982
35. * Lind MJ, Gehrman PR. Genetic pathways to insomnia. *Brain Sci.* 2016;6(4):64. doi:10.3390/brainsci6040064
36. Logan RW, Hasler BP, Forbes EE, et al. Impact of sleep and circadian rhythms on addiction vulnerability in adolescents. *Biol Psychiatry.* 2018;83(12):987-996. doi:10.1016/j.biopsych.2017.11.035
37. Madrid-Valero JJ, Rubio-Aparicio M, Gregory AM, Sánchez-Meca J, Ordoñana JR. The heritability of insomnia: Systematic review and meta-analysis of twin studies. *Sleep Med Rev.* 2021;58:101437. doi:10.1016/j.smrv.2021.101437
38. * Mindell JA, Kuhn B, Lewin DS, Meltzer LJ, Sadeh A. Behavioral treatment of bedtime problems and night wakings in infants and young children. *Sleep.* 2006;29:1263-1276.
39. Mindell JA, Sadeh A, Wiegand B, How TH, Goh DY. Cross-cultural differences in infant and toddler sleep. *Sleep Med.* 2010;11(3):274-280. doi:10.1016/j.sleep.2009.04.012
40. Morin CM, Bélanger L, LeBlanc M, et al. The natural history of insomnia: a population-based 3-year longitudinal study. *Arch Intern Med.* 2009;169(5):447-453. doi:10.1001/archinternmed.2008.610
41. * Natale V, Léger D, Martoni M, Bayon V, Erbacci A. The role of actigraphy in the assessment of primary insomnia: a retrospective study. *Sleep Med.* 2014;15(1):111-115. doi:10.1016/j.sleep.2013.08.792
42. * O'byrne J, Rosa MB, Gouin J-P, Dang-Vu T. Neuroimaging findings in primary insomnia. *Pathol Biol (Paris).* 2014;62(5):262-269. doi:10.1016/j.patbio.2014.05.013

43. Ohayon MM. Epidemiology of insomnia: what we know and what we still need to learn. *Sleep Med Rev.* 2002;6(2):97-111. doi:10.1053/smrv.2002.0186
44. * Ohayon MM, Roberts RE. Comparability of sleep disorders diagnoses using DSM-IV and ICSD classifications with adolescents. *Sleep.* 2001;24(8):920-925. doi:10.1093/sleep/24.8.920
45. Riemann D, Nissen C, Palagini L, Otte A, Perlis ML, Spiegelhalder K. The neurobiology, investigation, and treatment of chronic insomnia. *Lancet Neurol.* 2015;14(5):547-558. doi:10.1016/s1474-4422(15)00021-6
46. Roberts RE, Roberts CR, Chan W. Persistence and change in symptoms of insomnia among adolescents. *Sleep.* 2008;31(2):177-184. doi:10.1093/sleep/31.2.177
47. * Sánchez-Ortuño MM, Carney CE, Edinger JD, Wyatt JK, Harris A. Moving beyond average values: assessing the night-to-night instability of sleep and arousal in DSM-IV-TR insomnia subtypes. *Sleep.* 2011;34(4):531-539. doi:10.1093/sleep/34.4.531
48. Sánchez-Ortuño MM, Edinger JD. Internight sleep variability: its clinical significance and responsiveness to treatment in primary and comorbid insomnia. *J Sleep Res.* 2012;21(5):527-534. doi:10.1111/j.1365-2869.2012.01010.x
49. Smith MT, McCrae CS, Cheung J, et al. Use of actigraphy for the evaluation of sleep disorders and circadian rhythm sleep-wake disorders: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med.* 2018;14(7):1231-1237. doi:10.5664/jcsm.7230
50. Spiegelhalder K, Regen W, Baglioni C, Nissen C, Riemann D, Kyle SD. Neuroimaging insights into insomnia. *Curr Neurol Neurosci Rep.* 2015;15(3):9. doi:10.1007/s11910-015-0527-3
51. * Stein MB, McCarthy MJ, Chen C-Y, et al. Genome-wide analysis of insomnia disorder. *Mol Psychiatry.* 2018;23(11):2238-2350. doi:10.1038/s41380-018-0033-5
52. * Tahmasian M, Noori K, Samea F, et al. A lack of consistent brain alterations in insomnia disorder: an activation likelihood estimation meta-analysis. *Sleep Med Rev.* 2018;42:111-118. doi:10.1016/j.smrv.2018.07.004
53. Touitou Y, Touitou D, Reinberg A. Disruption of adolescents' circadian clock: The vicious circle of media use, exposure to light at night, sleep loss and risk behaviors. *J Physiol Paris.* 2016;110(4 Pt B):467-479. doi:10.1016/j.jphysparis.2017.05.001
54. * Vargas I, Vgontzas AN, Abelson JL, Faghah RT, Morales KH, Perlis ML. Altered ultradian cortisol rhythmicity as a potential neurobiologic substrate for chronic insomnia. *Sleep Med Rev.* 2018;41:234-243. doi:10.1016/j.smrv.2018.03.003
55. * Wardle-Pinkston S, Slavish DC, Taylor DJ. Insomnia and cognitive performance: A systematic review and meta-analysis. *Sleep Med Rev.* 2019;48:101205. doi:10.1016/j.smrv.2019.07.008

56. * Wu MP, Lin HJ, Weng SF, Ho CH, Wang JJ, Hsu YW. Insomnia subtypes and the subsequent risks of stroke: report from a nationally representative cohort. *Stroke*. 2014;45(5):1349-1354. doi:10.1161/STROKEAHA.113.003675
57. * Zhang Y, Ren R, Lei F, et al. Worldwide and regional prevalence rates of co-occurrence of insomnia and insomnia symptoms with obstructive sleep apnea: a systematic review and meta-analysis. *Sleep Med Rev*. 2019;45:1-17. doi:10.1016/j.smrv.2019.01.004
58. Zhao W, Van Someren EJ, Li C, et al. EEG spectral analysis in insomnia disorder: a systematic review and meta-analysis. *Sleep Med Rev*. 2021;59:101457. doi:10.1016/j.smrv.2021.101457

Short-Term Insomnia Disorder

59. * Ellis JG, Perlis ML, Bastien CH, Gardani M, Espie CA. The natural history of insomnia: acute insomnia and first-onset depression. *Sleep*. 2014;37(1):97-106. doi:10.5665/sleep.3316
60. Ellis JG, Perlis ML, Espie CA, et al. The natural history of insomnia: predisposing, precipitating, coping, and perpetuating factors over the early developmental course of insomnia. *Sleep*. 2021;44(9):zsab095. doi:10.1093/sleep/zsab095
61. Ellis JG, Perlis ML, Neal LF, Espie CA, Bastien CM. The natural history of insomnia: focus on prevalence and incidence of acute insomnia. *J Psychiatr Res*. 2012;46(10):1278-1285. doi:10.1016/j.jpsychires.2012.07.001
62. * Fernandez-Mendoza J, Baker JH, Vgontzas AN, Gaines J, Liao D, Bixler EO. Insomnia symptoms with objective short sleep duration are associated with systemic inflammation in adolescents. *Brain Behav Immun*. 2017;61:110-116. doi:10.1016/j.bbi.2016.12.026
63. * Healey ES, Kales A, Monroe LJ, Bixler EO, Chamberlin K, Soldatos CR. Onset of insomnia: role of life-stress events. *Psychosom Med*. 1981. doi:10.1097/00006842-198110000-00007
64. * Johnson KA, Gordon CJ, Chapman JL, et al. The association of insomnia disorder characterised by objective short sleep duration with hypertension, diabetes and body mass index: A systematic review and meta-analysis. *Sleep Med Rev*. 2021;101456. doi:10.1016/j.smrv.2021.101456
65. * Khassawneh BY, Bathgate CJ, Tsai SC, Edinger JD. Neurocognitive performance in insomnia disorder: the impact of hyperarousal and short sleep duration. *J Sleep Res*. 2018;27(6):e12747. doi:10.1111/jsr.12747
66. Perlis ML, Vargas I, Ellis JG, et al. The natural history of insomnia: the incidence of acute insomnia and subsequent progression to chronic insomnia or recovery in good sleeper subjects. *Sleep*. 2020;43(6):zs299. doi:10.1093/sleep/zsz299
67. * Roehrs T. Transient and short-term insomnias. In Kryger, MH, Roth T, Dement WC eds. *Principles and practice of sleep medicine*. 2000:624-632.
68. * Tachibana H, Izumi T, Honda S, Takemoto TI. The prevalence and pattern of insomnia in Japanese industrial workers: relationship between psychosocial stress and type of insomnia. *Psychiatry Clin Neurosci* 1998;52:397-402. doi:10.1046/j.1440-1819.1998.00407.x

69. * Tempaku P, Hirotsu C, Mazzotti D, et al. Long sleep duration, insomnia, and insomnia with short objective sleep duration are independently associated with short telomere length. *J Clin Sleep Med.* 2018;14(12):2037-2045. doi:10.5664/jcsm.7532
70. * Vgontzas AN, Fernandez-Mendoza J, Liao D, Bixler EO. Insomnia with objective short sleep duration: the most biologically severe phenotype of the disorder. *Sleep Med Rev.* 2013;17(4):241-254. doi:10.1016/j.smrv.2012.09.005

Other Insomnia

71. * M. Ohayon M, Caulet M, Guilleminault C. How a general population perceives its sleep and how this relates to the complaint of insomnia. *Sleep.* 1997;20(9):715-723. doi:10.1093/sleep/20.9.715
72. * Webb WB, Friel J. Characteristics of “natural” long and short sleepers: a preliminary report. *Psychol Rep.* 1970;27(1):63-66. doi:10.2466/pr0.1970.27.1.63

Sleep-Related Breathing Disorders

Introduction

73. Badr MS, Toiber F, Skatrud JB, Dempsey J. Pharyngeal narrowing/occlusion during central sleep apnea. *J Appl Physiol.* 1995;78(5):1806-1815. doi:10.1152/jappl.1995.78.5.1806
74. Berry RB, Quan SF, Abreu AR, et al; for the American Academy of Sleep Medicine. *The AASM Manual for the Scoring of Sleep and Associated Events: Rules, Terminology and Technical Specifications.* Version 2.6. Darien, IL: American Academy of Sleep Medicine; 2020.
75. Tkacova R, Niroumand M, Lorenzi-Filho G, Bradley TD. Overnight shift from obstructive to central apneas in patients with heart failure: role of PCO₂ and circulatory delay. *Circulation.* 2001;103(2):238-243. doi:10.1161/01.cir.103.2.238
76. Tkacova R, Wang H, Bradley TD. Night-to-night alterations in sleep apnea type in patients with heart failure. *J Sleep Res.* 2006;15(3):321-328. doi:10.1111/j.1365-2869.2006.00528.x

Obstructive Sleep Apnea, Adult

77. Benjafield AV, Ayas NT, Eastwood PR, et al. Estimation of the global prevalence and burden of obstructive sleep apnoea: a literature-based analysis. *Lancet Respir Med.* 2019;7(8):687-698. doi:10.1016/s2213-2600(19)30198-5
78. Berry RB, Quan SF, Abreu AR, et al; for the American Academy of Sleep Medicine. *The AASM Manual for the Scoring of Sleep and Associated Events: Rules, Terminology and Technical Specifications.* Version 2.6. Darien, IL: American Academy of Sleep Medicine; 2020.
79. * Bonsignore MR, Saaresranta T, Riha RL. Sex differences in obstructive sleep apnoea. *Eur Respir Rev.* 2019;28(154):190030. doi:10.1183/16000617.0030-2019
80. * Brzecka A, Sarul K, Dyła T, et al. The Association of Sleep Disorders, Obesity and Sleep-Related Hypoxia with Cancer. *Curr Genomics.* 2020;21(6):444-453. doi:10.2174/1389202921999200403151720

81. Bubu OM, Andrade AG, Umasabor-Bubu OQ, et al. Obstructive sleep apnea, cognition and Alzheimer's disease: A systematic review integrating three decades of multidisciplinary research. *Sleep Med Rev*. 2020;50:101250. doi:10.1016/j.smrv.2019.101250
82. Chowdhuri S, Quan SF, Almeida F, et al; ATS Ad Hoc Committee on Mild Obstructive Sleep Apnea. An official American Thoracic Society research statement: impact of mild obstructive sleep apnea in adults. *Am J Respir Crit Care Med*. 2016;193(9):e37-e54. doi:10.1164/rccm.201602-0361st
83. Cross N, Lampit A, Pye J, Grunstein RR, Marshall N, Naismith SL. Is obstructive sleep apnoea related to neuropsychological function in healthy older adults? A systematic review and meta-analysis. *Neuropsychol Rev*. 2017;27(4):389-402. doi:10.1007/s11065-017-9344-6
84. * Dalmases M, Solé-Padullés C, Torres M, et al. Effect of CPAP on cognition, brain function, and structure among elderly patients with OSA: a randomized pilot study. *Chest*. 2015;148(5):1214-1223. doi:10.1378/chest.15-0171
85. * Dong R, Dong Z, Liu H, Shi F, Du J. Prevalence, risk factors, outcomes, and treatment of obstructive sleep apnea in patients with cerebrovascular disease: a systematic review. *J Stroke Cerebrovasc Dis*. 2018;27(6):1471-1480. doi:10.1016/j.jstrokecerebrovasdis.2017.12.048
86. Dudley KA, Patel SR. Disparities and genetic risk factors in obstructive sleep apnea. *Sleep Med*. 2016;18:96-102. doi:10.1016/j.sleep.2015.01.015
87. * Eckert DJ. Phenotypic approaches to obstructive sleep apnoea - New pathways for targeted therapy. *Sleep Med Rev*. 2018;37:45-59. doi:10.1016/j.smrv.2016.12.003
88. * Edwards BA, Redline S, Sands SA, Owens RL. More than the sum of the respiratory events: personalized medicine approaches for obstructive sleep apnea. *Am J Respir Crit Care Med*. 2019;200:691-703. doi:10.1164/rccm.201901-0014TR
89. Garbarino S, Bardwell WA, Guglielmi O, Chiorri C, Bonanni E, Magnavita N. Association of anxiety and depression in obstructive sleep apnea patients: a systematic review and meta-analysis. *Behav Sleep Med*. 2020;18(1):35-57. doi:10.1080/15402002.2018.1545649
90. Gosselin N, Baril AA, Osorio RS, Kaminska M, Carrier J. Obstructive sleep apnea and the risk of cognitive decline in older adults. *Am J Respir Crit Care Med*. 2019;199(2):142-148. doi:10.1164/rccm.201801-0204pp
91. * Guimarães TM, Poyares D, Oliveira E, et al. The treatment of mild OSA with CPAP or mandibular advancement device and the effect on blood pressure and endothelial function after one year of treatment. *J Clin Sleep Med*. 2021 Feb 1;17(2):149-158. doi:10.5664/jcsm.8822
92. * Hansrivijit P, Puthenpura MM, Ghahramani N, Thongprayoon C, Cheungpasitporn W. Bidirectional association between chronic kidney disease and sleep apnea: a systematic review and meta-analysis. *Int Urol Nephrol*. 2021;53(6):1209-1222. doi:10.1007/s11255-020-02699-1
93. * Heinzer R, Marti-Soler H, Haba-Rubio J. Prevalence of sleep apnoea syndrome in the middle to old age general population. *Lancet Respir Med*. 2016;4(2):e5-6. doi:10.1016/S2213-2600(16)00006-0

94. * Hirotsu C, Haba-Rubio J, Andries D, et al. Effect of three hypopnea scoring criteria on OSA prevalence and associated comorbidities in the general population. *J Clin Sleep Med.* 2019;15(2):183-194. doi:10.5664/jcsm.7612
95. * Hirsch Allen AJ, Peres B, Ayas NT. Obstructive sleep apnea severity and the risk of occupational injury: a prospective observational cohort. *Lung.* 2020;198(2):283-287. doi:10.1007/s00408-020-00325-6
96. * Hnin K, Mukherjee S, Antic NA, et al. The impact of ethnicity on the prevalence and severity of obstructive sleep apnea. *Sleep Med Rev.* 2018;41:78-86. doi:10.1016/j.smrv.2018.01.003
97. * Huon LK, Liu SY, Camacho M, Guilleminault C. The association between ophthalmologic diseases and obstructive sleep apnea: a systematic review and meta-analysis. *Sleep Breath.* 2016;20(4):1145-1154. doi:10.1007/s11325-016-1358-4
98. Labarca G, Saavedra D, Dreyse J, Jorquera J, Barbe F. Efficacy of CPAP for improvements in sleepiness, cognition, mood, and quality of life in elderly patients with OSA: systematic review and meta-analysis of randomized controlled trials. *Chest.* 2020;158(2):751-764. doi:10.1016/j.chest.2020.03.049
99. * Leng Y, McEvoy CT, Allen IE, Yaffe K. Association of sleep-disordered breathing with cognitive function and risk of cognitive impairment: a systematic review and meta-analysis. *JAMA Neurol.* 2017;74(10):1237-1245. doi:10.1001/jamaneurol.2017.2180
100. * Liu T, Zhan Y, Wang Y, Li Q, Mao H. Obstructive sleep apnea syndrome and risk of renal impairment: a systematic review and meta-analysis with trial sequential analysis. *Sleep Breath.* 2021;25(1):17-27. doi:10.1007/s11325-020-02090-5
101. * Marin JM, Carrizo SJ, Vicente E, Agusti AG. Long-term cardiovascular outcomes in men with obstructive sleep apnoea-hypopnoea with or without treatment with continuous positive airway pressure: an observational study. *Lancet.* 2005;365(9464):1046-1053. doi:10.1016/S0140-6736(05)71141-7
102. * Mazzotti DR, Keenan BT, Lim DC, Gottlieb DJ, Kim J, Pack AI. Symptom subtypes of obstructive sleep apnea predict incidence of cardiovascular outcomes. *Am J Respir Crit Care Med.* 2019;200(4):493-506. doi:10.1164/rccm.201808-1509OC
103. * McMillan A, Bratton DJ, Faria R, et al; PREDICT Investigators. Continuous positive airway pressure in older people with obstructive sleep apnoea syndrome (PREDICT): a 12-month, multicentre, randomised trial. *Lancet Respir Med.* 2014;2(10):804-12. doi:10.1016/S2213-2600(14)70172-9
104. Pamidi S, Aronsohn RS, Tasali E. Obstructive sleep apnea: role in the risk and severity of diabetes. *Best Pract Res Clin Endocrinol Metab.* 2010;24(5):703-715. doi:10.1016/j.beem.2010.08.009
105. Patil SP, Ayappa IA, Caples SM, Kimoff RJ, Patel SR, Harrod CG. Treatment of adult obstructive sleep apnea with positive airway pressure: an American Academy of Sleep Medicine systematic review, meta-analysis, and GRADE assessment. *J Clin Sleep Med.* 2019;15(2):301-334. doi:10.5664/jcsm.7638

106. Patil SP, Ayappa IA, Caples SM, Kimoff RJ, Patel SR, Harrod CG. Treatment of adult obstructive sleep apnea with positive airway pressure: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med*. 2019;15(2):335-343. doi:10.5664/jcsm.7640
107. * Pepin JL, Guillot M, Tamisier R, Levy P. The upper airway resistance syndrome. *Respiration*. 2012;83:559-566. doi:10.1159/000335839
108. * Peppard PE, Taheri S. Excess weight and sleep-disordered breathing. *J Appl Physiol (1985)*. 2005;99:1592-1599. doi:10.1152/japplphysiol.00587.2005
109. * Ponce S, Pastor E, Orosa B, Oscullo G, et al; on behalf the Sleep Respiratory Disorders Group of the Sociedad Valenciana de Neumología. The role of CPAP treatment in elderly patients with moderate obstructive sleep apnoea: a multicentre randomised controlled trial. *Eur Respir J*. 2019;54(2):1900518. doi:10.1183/13993003.00518-2019
110. Randerath W, Bassetti CL, Bonsignore MR, et al. Challenges and perspectives in obstructive sleep apnoea: report by an ad hoc working group of the Sleep Disordered Breathing Group of the European Respiratory Society and the European Sleep Research Society. *Eur Respir J*. 2018;52(3):1702616. doi:10.1183/13993003.02616-2017
111. * Sánchez-de-la-Torre M, Campos-Rodriguez F, Barbé F. Obstructive sleep apnoea and cardiovascular disease. *Lancet Respir Med*. 2013;1(1):61-72. doi:10.1016/S2213-2600(12)70051-6
112. Sarkar P, Mukherjee S, Chai-Coetzer CL, McEvoy RD. The epidemiology of obstructive sleep apnoea and cardiovascular disease. *J Thorac Dis*. 2018; 10(Suppl 34):S4189-S4200. doi:10.21037/jtd.2018.12.56
113. * Seiler A, Camilo M, Korostovtseva L, et al. Prevalence of sleep-disordered breathing after stroke and TIA: a meta-analysis. *Neurology*. 2019;92(7):e648-e654. doi:10.1212/WNL.0000000000006904
114. Senaratna CV, Perret JL, Lodge CJ, et al. Prevalence of obstructive sleep apnea in the general population: a systematic review. *Sleep Med Rev*. 2017;34:70-81. doi:10.1016/j.smrv.2016.07.002
115. * Umbro I, Fabiani V, Fabiani M, Angelico F, Del Ben M. A systematic review on the association between obstructive sleep apnea and chronic kidney disease. *Sleep Med Rev*. 2020;53:101337. doi:10.1016/j.smrv.2020.101337
116. White DP, Younes MK. Obstructive sleep apnea. *Compr Physiol*. 2012; 2(4):2541-2594. doi:10.1002/cphy.c110064
117. * Wimms AJ, Kelly JL, Turnbull CD, et al; MERGE trial investigators. Continuous positive airway pressure versus standard care for the treatment of people with mild obstructive sleep apnoea (MERGE): a multicentre, randomised controlled trial. *Lancet Respir Med*. 2020;8(4):349-358. doi:10.1016/S2213-2600(19)30402-3
118. * Young T, Palta M, Dempsey J, Skatrud J, Weber S, Badr S. The occurrence of sleep disordered breathing among middle-aged adults. *N Engl J Med*. 1993;328:1230-1235. doi:10.1056/NEJM199304293281704
119. * Zinchuk A, Yaggi HK. Phenotypic subtypes of OSA: a challenge and opportunity for precision medicine. *Chest*. 2020;157(2):403-420. doi:10.1016/j.chest.2019.09.002

Obstructive Sleep Apnea, Pediatric

120. * Albdah AA, Alkusayer MM, Al-Kadi M, Almofada H, Alnofal EA, Almutairi S. The impact of drug-induced sleep endoscopy on therapeutic decisions in obstructive sleep apnea: a systematic review and meta-analysis. *Cureus*. 2019;11(10):e6041. doi:10.7759/cureus.6041
121. Baker-Smith CM, Isaiah A, Melendres MC, et al. Sleep-disordered breathing and cardiovascular disease in children and adolescents: a scientific statement from the American Heart Association. *J Am Heart Assoc.* 2021;10(18):e022427. doi:10.1161/jaha.121.022427
122. Brockmann PE, Schaefer C, Poets A, Poets CF, Urschitz MS. Diagnosis of obstructive sleep apnea in children: a systematic review. *Sleep Med Rev*. 2013;17(5):331-340. doi:10.1016/j.smrv.2012.08.004
123. Cortal V, Catumbela E, Winck JC, Azevedo I, Teixeira-Pinto A, Costa-Pereira A. Clinical assessment of pediatric obstructive sleep apnea: a systematic review and meta-analysis. *Laryngoscope*. 2012;122(9):2105-2114. doi:10.1002/lary.23465
124. Cao Y, Wu S, Zhang L, Yang Y, Cao S, Li Q. Association of allergic rhinitis with obstructive sleep apnea: a meta-analysis. *Medicine (Baltimore)*. 2018;97(51):e13783. doi:10.1097/md.00000000000013783
125. Chan KC, Au CT, Hui LL, Wing YK, Li AM. Childhood OSA is an independent determinant of blood pressure in adulthood: longitudinal follow-up study. *Thorax*. 2020;75(5):422-431. doi:10.1136/thoraxjnl-2019-213692
126. Chan KC, Au CT, Hui LL, Ng SK, Wing YK, Li AM. How OSA evolves from childhood to young adulthood: natural history from a 10-year follow-up study. *Chest*. 2019;156(1):120-130. doi:10.1016/j.chest.2019.03.007
127. * Chen LD, Chen MX, Chen GP, et al. Association between obstructive sleep apnea and non-alcoholic fatty liver disease in pediatric patients: a meta-analysis. *Pediatr Obes*. 2021;16(3):e12718. doi:10.1111/ijpo.12718
128. Chervin RD, Ellenberg SS, Hou X, et al; Childhood Adenotonsillectomy Trial. Prognosis for spontaneous resolution of OSA in children. *Chest*. 2015;148(5):1204-1213. doi:10.1378/chest.14-2873
129. da Silva Gusmão Cardoso T, Pompéia S, Miranda MC. Cognitive and behavioral effects of obstructive sleep apnea syndrome in children: a systematic literature review. *Sleep Med*. 2018;46:46-55. doi:10.1016/j.sleep.2017.12.020
130. * Domany KA, Huang G, Hossain MM, et al. Effect of adenotonsillectomy on cardiac function in children age 5-13 years with obstructive sleep apnea. *Am J Cardiol*. 2021;141:120-126. doi:10.1016/j.amjcard.2020.11.019
131. Galland B, Spruyt K, Dawes P, McDowall PS, Elder D, Schaughency E. Sleep disordered breathing and academic performance: a meta-analysis. *Pediatrics*. 2015;136(4):e934-e946. doi:10.1542/peds.2015-1677
132. * Jara SM, Benke JR, Lin SY, Ishman SL. The association between secondhand smoke and sleep-disordered breathing in children: a systematic review. *Laryngoscope*. 2015;125(1):241-247. doi:10.1002/lary.24833
133. Krajewska Wojciechowska J, Krajewski W, Zatoński T. The association between ENT diseases and obesity in pediatric population: a systemic review of current knowledge. *Ear Nose Throat J*. 2019;98(5):E32-E43. doi:10.1177/0145561319840819

134. * Kaditis A, Kheirandish-Gozal L, Gozal D. Pediatric OSAS: oximetry can provide answers when polysomnography is not available. *Sleep Med Rev*. 2016;27:96-105. doi:10.1016/j.smrv.2015.05.008
135. * Kontos A, Willoughby S, Lushington K, et al. Increased platelet aggregation in children and adolescents with sleep-disordered breathing. *Am J Respir Crit Care Med*. 2020;202(11):1560-1566. doi:10.1164/rccm.201911-2229OC
136. Lumeng JC, Chervin RD. Epidemiology of pediatric obstructive sleep apnea. *Proc Am Thorac Soc*. 2008;5(2):242-252. doi:10.1513/pats.200708-135mg
137. Marcus CL, Brooks LJ, Draper KA, et al. Diagnosis and management of childhood obstructive sleep apnea syndrome. *Pediatrics*. 2012;130(3):576-584. doi:10.1542/peds.2012-1671
138. * Michelet D, Julien-Marsollier F, Vacher T, et al. Accuracy of the sleep-related breathing disorder scale to diagnose obstructive sleep apnea in children: a meta-analysis. *Sleep Med*. 2019;54:78-85. doi:10.1016/j.sleep.2018.09.027
139. Redline S, Tishler PV, Schluchter M, Aylor J, Clark K, Graham G. Risk factors for sleep-disordered breathing in children. Associations with obesity, race, and respiratory problems. *Am J Respir Crit Care Med*. 1999;159(5 Pt 1):1527-1532. doi:10.1164/ajrccm.159.5.9809079
140. * Tenero L, Piacentini G, Nosetti L, Gasperi E, Piazza M, Zaffanello M. Indoor/outdoor not-voluntary-habit pollution and sleep-disordered breathing in children: a systematic review. *Transl Pediatr*. 2017;6(2):104-110. doi:10.21037/tp.2017.03.04
141. Yilmaz E, Sedky K, Bennett DS. The relationship between depressive symptoms and obstructive sleep apnea in pediatric populations: a meta-analysis. *J Clin Sleep Med*. 2013;9(11):1213-1220. doi:10.5664/jcsm.3178

Central Sleep Apnea with Cheyne-Stokes Breathing

142. Arzt M, Oldenburg O, Graml A, et al. Phenotyping of sleep-disordered breathing in patients with chronic heart failure with reduced ejection fraction-the SchlaHF registry. *J Am Heart Assoc*. 2017;6(12):e005899. doi:10.1161/jaha.116.005899
143. Arzt M, Woehrle H, Oldenburg O, et al. Prevalence and predictors of sleep-disordered breathing in patients with stable chronic heart failure: the SchlaHF registry. *JACC Heart Fail*. 2016;4(2):116-125. doi:10.1016/j.jchf.2015.09.014
144. * Bixler EO, Vgontzas AN, Lin HM, et al. Prevalence of sleep-disordered breathing in women: effects of gender. *Am J Respir Crit Care Med*. 2001;163(3 Pt 1):608-613. doi:10.1164/ajrccm.163.3.9911064
145. Gabor JY, Newman DA, Barnard-Roberts V, et al. Improvement in Cheyne-Stokes respiration following cardiac resynchronisation therapy. *Eur Respir J*. 2005;26(1):95-100. doi:10.1183/09031936.05.00093904
146. * Hall M, Xie A, Rutherford R, Ando S, Floras J, Bradley T. Cycle length of periodic breathing in patients with and without heart failure. *Am J Respir Crit Care Med*. 1996;154:376-381. doi:10.1164/ajrccm.154.2.8756809

147. Kim Y, Kim S, Ryu DR, Lee SY, Im KB. Factors associated with Cheyne-Stokes respiration in acute ischemic stroke. *J Clin Neurol.* 2018;14(4):542-548. doi:10.3988/jcn.2018.14.4.542
148. Lanfranchi P, Braghioli A, Bosimini E, et al. Prognostic value of nocturnal Cheyne-Stokes respiration in chronic heart failure. *Circulation.* 1999;99(11):1435-1440. doi:10.1161/01.cir.99.11.1435
149. * MacDonald M, Fang J, Pittman SD, White DP, Malhotra A. The current prevalence of sleep disordered breathing in congestive heart failure patients treated with beta-blockers. *J Clin Sleep Med.* 2008;4:38–42.
150. Naughton M, Benard D, Tam A, Rutherford R, Bradley TD. Role of hyperventilation in the pathogenesis of central sleep apnea in patients with congestive heart failure. *Am Rev Respir Dis.* 1993;148(2):330-338. doi:10.1164/ajrccm/148.2.330
151. Naughton MT. PRO: Persistent central sleep apnea/Hunter-Cheyne-stokes breathing, despite best guideline-based therapy of heart failure with reduced ejection fraction, is a compensatory mechanism and should not be suppressed. *J Clin Sleep Med.* 2018;14(6):909-914. doi:10.5664/jcsm.7146
152. * Peer A, Lorber A, Suraiya S, Malhotra A, Pillar G. The occurrence of Cheyne-Stokes respiration in congestive heart failure: the effect of age. *Front Psychiatry.* 2010;1:133. doi:10.3389/fpsyg.2010.00133
153. Pressman MR, Benz RL, Schleifer CR, Peterson DD. Sleep disordered breathing in ESRD: acute beneficial effects of treatment with nasal continuous positive airway pressure. *Kidney Int.* 1993;43(5):1134-1139. doi:10.1038/ki.1993.159
154. Rowley JA, Badr MS. Central sleep apnea in patients with congestive heart failure. *Sleep Med Clin.* 2017; 12(2):221-227. doi:10.1016/j.jsmc.2017.03.001
155. *Sahlin C, Svartberg E, Stenlund H, Franklin KA. Cheyne-Stokes respiration and supine dependency. *Eur Respir J.* 2005;25:829-833. doi:10.1183/09031936.05.00107904
156. Sin DD, Fitzgerald F, Parker JD, Newton G, Floras JS, Bradley TD. Risk factors for central and obstructive sleep apnea in 450 men and women with congestive heart failure. *Am J Respir Crit Care Med.* 1999;160(4):1101-1106. doi:10.1164/ajrccm.160.4.9903020
157. Sin DD, Logan AG, Fitzgerald FS, Liu PP, Bradley TD. Effects of continuous positive airway pressure on cardiovascular outcomes in heart failure patients with and without Cheyne-Stokes respiration. *Circulation.* 2000;102(1):61-66. doi:10.1161/01.cir.102.1.61
158. Wedewardt J, Bitter T, Prinz C, Faber L, Horstkotte D, Oldenburg O. Cheyne-Stokes respiration in heart failure: cycle length is dependent on left ventricular ejection fraction. *Sleep Med.* 2010;11(2):137-142. doi:10.1016/j.sleep.2009.09.004
159. Xie A, Skatrud JB, Puleo DS, Rahko PS, Dempsey JA. Apnea-hypopnea threshold for CO₂ in patients with congestive heart failure. *Am J Respir Crit Care Med.* 2002;165(9):1245-1250. doi:10.1164/rccm.200110-022oc

160. Zhou XS, Shahabuddin S, Zahn BR, Babcock MA, Badr MS. Effect of gender on the development of hypocapnic apnea/hypopnea during NREM sleep. *J Appl Physiol (1985)*. 2000;89(1):192-199. doi:10.1152/jappl.2000.89.1.192

Central Sleep Apnea Due to a Medical Disorder without Cheyne-Stokes Breathing

161. Aboussouan LS. Sleep-disordered breathing in neuromuscular disease. *Am J Respir Crit Care Med.* 2015;191(9):979-989. doi:10.1164/rccm.201412-2224ci
162. Avellaneda Fernández A, Isla Guerrero A, Izquierdo Martínez M, et al. Malformations of the craniocervical junction (Chiari type I and syringomyelia: classification, diagnosis and treatment). *BMC Musculoskelet Disord.* 2009;10(Suppl 1):S1. doi:10.1186/1471-2474-10-s1-s1
163. * Chiodo AE, Sitrin RG, Bauman KA. Sleep disordered breathing in spinal cord injury: a systematic review. *J Spinal Cord Med.* 2016;39:374-382. doi:10.1080/10790268.2015.1126449
164. Javaheri S, Dempsey JA. Central sleep apnea. *Compr Physiol.* 2013;3(1):141-163. doi:10.1002/cphy.c110057
165. Parra O, Arboix A, Bechich S, et al. Time course of sleep-related breathing disorders in first-ever stroke or transient ischemic attack. *Am J Respir Crit Care Med.* 2000;161(2 Pt 1):375-380. doi:10.1164/ajrccm.161.2.9903139
166. * Gillett ES, Perez IA. Disorders of Sleep and Ventilatory Control in Prader-Willi Syndrome. *Diseases.* 2016;4(3):23. doi:10.3390/diseases4030023
167. * Grunstein RR, Ho KY, Berthon-Jones M, Stewart D, Sullivan CE. Central sleep apnea is associated with increased ventilatory response to carbon dioxide and hypersecretion of growth hormone in patients with acromegaly. *Am J Respir Crit Care Med.* 1994;150(2):496-502. doi:10.1164/ajrccm.150.2.8049836
168. * Lin CH, Lurie RC, Lyons OD. Sleep Apnea and Chronic Kidney Disease: A State-of-the-Art Review. *Chest.* 2020;157(3):673-685. doi:10.1016/j.chest.2019.09.004
169. * Sankari A, Bascom AT, Chowdhuri S, Badr MS. Tetraplegia is a risk factor for central sleep apnea. *J Appl Physiol (1985)*. 2014;116:345-53. doi:10.1152/japplphysiol.00731.2013

Central Sleep Apnea Due to High Altitude Periodic Breathing

170. Ainslie PN, Lucas SJE, Burgess KR. Breathing and sleep at high altitude. *Respir Physiol Neurobiol.* 2013;188(3):233-256. doi:10.1016/j.resp.2013.05.020
171. Anholm JD, Powles AC, Downey R 3rd, et al. Operation Everest II: arterial oxygen saturation and sleep at extreme simulated altitude. *Am Rev Respir Dis.* 1992;145(4 Pt 1):817-826. doi:10.1164/ajrccm/145.4_pt_1.817
172. Bloch KE, Latshand TD, Turk AJ, et al. Nocturnal periodic breathing during acclimatization at very high altitude at Mount Muztach Ata (7,546 m). *Am J Respir Crit Care Med.* 2010;182(4):562-568. doi:10.1164/rccm.200911-1694oc
173. Burgess KR, Lucas SJE, Shepherd K, et al. Worsening of central sleep apnea at high altitude – a role for cerebrovascular function. *J Appl Physiol (1985)*. 2013;114(8):1021-1028. doi:10.1152/japplphysiol.01462.2012

174. Caravita S, Faini A, Lombardi C, et al. Sex and acetazolamide effects on chemoreflex and periodic breathing during sleep at altitude. *Chest*. 2015;147(1):120-131. doi:10.1378/chest.14-0317
175. Lombardi C, Meriggi P, Agostoni P, et al. High-altitude hypoxia and periodic breathing during sleep: gender-related differences. *J Sleep Res*. 2013;22(3):322-330. doi:10.1111/jsr.12012
176. Nussbaumer-Ochsner Y, Ursprung J, Siebenmann C, Maggiorini M, Bloch KE. Effect of short-term acclimatization to high altitude on sleep and nocturnal breathing. *Sleep*. 2012;35(3):419-423. doi:10.5665/sleep.1708
177. Pramsohler S, Schilz R, Patzak A, Rausch L, Netzer NC. Periodic breathing in healthy young adults in normobaric hypoxia equivalent to 3500 m, 4500 m, and 5500 m altitude. *Sleep Breath*. 2019;23(2):703-709. doi:10.1007/s11325-019-01829-z
178. Tellez HF, Morrison SA, Neyt X, et al. Exercise during short-term and long-term continuous exposure to hypoxia exacerbates sleep-related periodic breathing. *Sleep*. 2016;39(4):773-783. doi:10.5665/sleep.5626
179. White D, Gleeson K, Pickett C, Rannels A, Cymerman A, Weil J. Altitude acclimatization: influence on periodic breathing and chemoresponsiveness during sleep. *J Appl Physiol (1985)*. 1987;63(1):401-412. doi:10.1152/jappl.1987.63.1.401

Central Sleep Apnea Due to a Medication or Substance

180. Alattar MA, Scharf SM. Opioid-associated central sleep apnea: a case series. *Sleep Breath*. 2009;13(2):201-206. doi:10.1007/s11325-008-0221-7
181. Boudreau D, Von Korff M, Rutter CM, et al. Trends in long-term opioid therapy for chronic non-cancer pain. *Pharmacoepidemiol Drug Saf*. 2009;18(12):1166-1175. doi:10.1002/pds.1833
182. Chowdhuri S, Javaheri S. Sleep disordered breathing caused by chronic opioid use: diverse manifestations and their management. *Sleep Med Clin*. 2017;12(4):573-586. doi:10.1016/j.jsmc.2017.07.007
183. Correa D, Farney RJ, Chung F, Prasad A, Lam D, Wong J. Chronic opioid use and central sleep apnea: a review of the prevalence, mechanisms, and perioperative considerations. *Anesth Analg*. 2015;120(6):1273-1285. doi:10.1213/ane.0000000000000672
184. Farney RJ, Walker JM, Cloward TV, Rhondeau S. Sleep-disordered breathing associated with long-term opioid therapy. *Chest*. 2003;123(2):632-639. doi:10.1378/chest.123.2.632
185. Filiatrault ML, Chauny JM, Daoust R, Roy MP, Denis R, Lavigne G. Medium increased risk for central sleep apnea but not obstructive sleep apnea in long-term opioid users: a systematic review and meta-analysis. *J Clin Sleep Med*. 2016;12(4):617-625. doi:10.5664/jcsm.5704
186. Giannoni A, Borrelli C, Gentile F, et al. Central apnoeas and ticagrelor-related dyspnoea in patients with acute coronary syndrome. *Eur Heart J Cardiovasc Pharmacother*. 2021;7(3):180-188. doi:10.1093/ehjcvp/pvaa089
187. Guilleminault C, Cao M, Yue HJ, Chawla P. Obstructive sleep apnea and chronic opioid use. *Lung*. 2010;188(6):459-468. doi:10.1007/s00408-010-9254-3

188. Harned M, Sloan P. Safety concerns with long-term opioid use. *Expert Opin Drug Saf.* 2016;15(7):955-962. doi:10.1080/14740338.2016.1177509
189. Hassamal S, Miotto K, Wang T, Saxon AJ. A narrative review: the effects of opioids on sleep disordered breathing in chronic pain patients and methadone-maintained patients. *Am J Addict.* 2016;25(6):452-465. doi:10.1111/ajad.12424
190. Hedegaard H, Miniño AM, Warner M. *Drug Overdose Deaths in the United States, 1999–2018.* NCHS Data Brief No. 356. Hyattsville, MD: National Center for Health Statistics; 2020.
191. Lintzeris N, Mitchell TB, Bond AJ, Nestor L, Strang J. Pharmacodynamics of diazepam co-administered with methadone or buprenorphine under high dose conditions in opioid dependent patients. *Drug Alcohol Depend.* 2007;91(2-3):187-194. doi:10.1016/j.drugalcdep.2007.05.019
192. Meurin P, Driss AB, Defrance C, et al. Central sleep apnea after acute coronary syndrome and association with ticagrelor use. *Sleep Med.* 2021;80:39-45. doi:10.1016/j.sleep.2021.01.026
193. Ramar K. Reversal of sleep-disordered breathing with opioid withdrawal. *Pain Pract.* 2009;9(5):394-398. doi:10.1111/j.1533-2500.2009.00295.x
194. Santiago TV, Pugliese AC, Edelman NH. Control of breathing during methadone addiction. *Am J Med.* 1977;62(3):347-354. doi:10.1016/0002-9343(77)90831-2
195. Shook JE, Watkins WD, Camporesi EM. Differential roles of opioid receptors in respiration, respiratory disease, and opiate-induced respiratory depression. *Am Rev Respir Dis.* 1990;142(4):895-909. doi:10.1164/ajrccm/142.4.895
196. Teichtahl H, Prodromidis A, Miller B, Cherry G, Kronborg I. Sleep-disordered breathing in stable methadone programme patients: a pilot study. *Addiction.* 2001;96(3):395-403. doi:10.1046/j.1360-0443.2001.9633954.x
197. Teichtahl H, Wang D, Cunningham D, et al. Ventilatory responses to hypoxia and hypercapnia in stable methadone treatment patients. *Chest.* 2005;128(3):1339-1347. doi:10.1378/chest.128.3.1339
198. Walker JM, Farney RJ, Rhondeau SM, et al. Chronic opioid use is a risk factor for the development of central sleep apnea and ataxic breathing. *J Clin Sleep Med.* 2007;3(5):455-461. doi:10.5664/jcsm.26908
199. Wang D, Teichtahl H, Goodman C, Drummer O, Grunstein RR, Kronborg I. Subjective daytime sleepiness and daytime function in patients on stable methadone maintenance treatment: possible mechanisms. *J Clin Sleep Med.* 2008;4(6):557-562. doi:10.5664/jcsm.27350
200. Webster LR, Smith MD, Mackin S, Iverson M. Comparative effects of morning vs. evening dosing of extended-release hydromorphone on sleep physiology in patients with low back pain: a pilot study. *Pain Med.* 2015;16(3):460-471. doi:10.1111/pme.12577
201. Van Ryswyk E, Antic NA. Opioids and sleep-disordered breathing. *Chest.* 2016;150(4):934-944. doi:10.1016/j.chest.2016.05.022

Primary Central Sleep Apnea

202. Eckert DJ, Jordan AS, Merchia P, Malhotra A. Central sleep apnea: pathophysiology and treatment. *Chest*. 2007;131(2):595-607. doi:10.1378/chest.06.2287
203. * Hernandez AB, Patil SP. Pathophysiology of central sleep apneas. *Sleep Breath*. 2016;20:467-482. doi:10.1007/s11325-015-1290-z
204. * Jamil SM, Conwell WD, T Poston J, et al. ATS core curriculum 2017: part I. Adult sleep medicine. *Ann Am Thorac Soc*. 2017;14(Suppl 2):S150-S164. doi:10.1513/AnnalsATS.201701-028CME
205. * Javaheri S, Brown LK. Positive Airway Pressure Therapy for Hyperventilatory Central Sleep Apnea: Idiopathic, Heart Failure, Cerebrovascular Disease, and High Altitude. *Sleep Med Clin*. 2017;12(4):565-572. doi:10.1016/j.jsmc.2017.07.006
206. * Javaheri S, Dempsey JA. Central sleep apnea. *Compr Physiol*. 2013;3:141-163. doi:10.1002/cphy.c110057
207. Xie A, Rankin F, Rutherford R, Bradley TD. Effects of inhaled CO₂ and added dead space on idiopathic central sleep apnea. *J Appl Physiol (1985)*. 1997;82(3):918-926. doi:10.1152/jappl.1997.82.3.918
208. Xie A, Rutherford R, Rankin F, Wong B, Bradley TD. Hypocapnia and increased ventilatory responsiveness in patients with idiopathic central sleep apnea. *Am J Respir Crit Care Med*. 1995;152(6 Pt 1):1950-1955. doi:10.1164/ajrccm.152.6.8520761

Primary Central Sleep Apnea of Infancy

209. Brockmann PE, Poet A, Poets CF. Reference values for respiratory events in overnight polygraphy from infants aged 1 and 3 months. *Sleep Med*. 2013;14(12):1323-1327. doi:10.1016/j.sleep.2013.07.016
210. Daftary AS, Jaloua HE, Shively L, Slavenb JE, Davisc SD. Polysomnography reference values in healthy newborns. *J Clin Sleep Med*. 2019;15(3):437-443. doi:10.5664/jcsm.7670
211. * Engle WA; American Academy of Pediatrics Committee on Fetus and Newborn. Age terminology during the perinatal period. *Pediatrics*. 2004;114(5):1362-1364. doi:10.1542/peds.2004-1915
212. Grigg-Damberger MM. The visual scoring of sleep in infants 0 to 2 months of age. *J Clin Sleep Med*. 2016;12(3):429-445. doi:10.5664/jcsm.5600
213. Hoppenbrouwers T, Hodgman JE, Harper RM, Hofmann E, Sterman MB, McGinty DJ. Polygraphic studies of normal infants during the first six months of life: III. Incidence of apnea and periodic breathing. *Pediatrics*. 1977;60(4):418-425. doi:10.1542/peds.60.4.418
214. Hunt CE, Hufford DR, Bourguignon C, Oess MA. Home documented monitoring of cardiorespiratory pattern and oxygen saturation in healthy infants. *Pediatr Res*. 1996;39(2):216-222. doi:10.1203/00006450-199602000-00005
215. Kato I, Franco P, Groswasser J, Kelmanson I, Togari H, Kahn A. Frequency of obstructive and mixed sleep apneas in 1,023 infants. *Sleep*. 2000;23(4):487-492. doi:10.1093/sleep/23.4.1b

216. National Institutes of Health Consensus Development Conference on Infantile Apnea and Home Monitoring, Sept 29 to Oct 1, 1986. *Pediatrics*. 1987;79(2):292-299. doi:10.1542/peds.79.2.292
217. Ng DK, Chan CH. A review of normal values of infant sleep polysomnography. *Pediatr Neonatol*. 2013;54(2):82-87. doi:10.1016/j.pedneo.2012.11.011
218. Patrinos ME, Martin RJ. Apnea in the term infant. *Semin Fetal Neonatal Med*. 2017;22(4):240-244. doi:10.1016/j.siny.2017.04.003
219. Ramanathan R, Corwin MJ, Hunt CE, et al. Cardiorespiratory events recorded on home monitors: Comparison of healthy infants with those at increased risk for SIDS. *JAMA*. 2001;285(17):2199-2207. doi:10.1001/jama.285.17.2199
220. * Southall DP, Plunkett MC, Banks MW, Falkov AF, Samuels MP. Covert video recordings of life-threatening child abuse: lessons for child protection. *Pediatrics*. 1997;100:735-760. doi:10.1542/peds.100.5.735
221. * Tieder JS, Bonkowsky JL, Etzel RA, et al. Brief Resolved Unexplained Events (Formerly Apparent Life-Threatening Events) and Evaluation of Lower-Risk Infants. *Pediatrics*. 2016;137:e20160590. doi:10.1542/peds.2016-0590

Primary Central Sleep Apnea of Prematurity

222. Bloch-Salisbury E, Hall MH, Sharma P, Boyd T, Bednarek F, Paydarfar D. Heritability of apnea of prematurity: a retrospective twin study. *Pediatrics*. 2010;126(4):e779-e787. doi:10.1542/peds.2010-0084
223. Eichenwald EC, Watterberg KL, Aucott S, et al. Apnea of Prematurity. *Pediatrics*. 2016;137(1):e20153757. doi:10.1542/peds.2015-3757
224. * Kahn A, Rebuffat E, Sottiaux M, Blum D. Management of an infant with an apparent life-threatening event. *Pediatrician*. 1988;15:204-211.
225. National Institutes of Health Consensus Development Conference on Infantile Apnea and Home Monitoring, Sept 29 to Oct 1, 1986. *Pediatrics*. 1987;79(2):292-299. doi:10.1542/peds.79.2.292
226. Poets CF, Southall DP. Patterns of oxygenation during periodic breathing in preterm infants. *Early Hum Dev*. 1991;26(1):1-12. doi:10.1016/0378-3782(91)90038-5
227. * Ramanathan R, Corwin MJ, Hunt CE, et al. Cardiorespiratory events recorded on home monitors: Comparison of healthy infants with those at increased risk for SIDS. *JAMA*. 2001;285:2199–207. doi:10.1001/jama.285.17.2199
228. * Southall DP, Plunkett MC, Banks MW, Falkov AF, Samuels MP. Covert video recordings of life-threatening child abuse: lessons for child protection. *Pediatrics*. 1997;100:735-760. doi:10.1542/peds.100.5.735
229. * Tieder JS, Bonkowsky JL, Etzel RA, et al. Brief Resolved Unexplained Events (Formerly Apparent Life-Threatening Events) and Evaluation of Lower-Risk Infants. *Pediatrics*. 2016;137:e20160590. doi:10.1542/peds.2016-0590

Treatment-Emergent Central Sleep Apnea

230. Allam JS, Olson EJ, Gay PC, Morgenthaler TI. Efficacy of adaptive servoventilation in treatment of complex and central sleep apnea syndromes. *Chest*. 2007;132(6):1839-1846. doi:10.1378/chest.07-1715
231. * Dernika T, Tawk M, Nazir S, Younis W, Kinasewitz GT. The significance and outcome of continuous positive airway pressure-related central sleep apnea during split-night sleep studies. *Chest*. 2007;132:81–87. doi:10.1378/chest.06-2562
232. * Er LK, Lin SK, Yang SS, Lan CC, Wu YK, Yang MC. Persistent High Residual AHI After CPAP Use. *J Clin Sleep Med*. 2018;14:473-478. doi:10.5664/jcsm.7004
233. * Hanly P, Zuberi N, Gray R. Pathogenesis of Cheyne-Stokes respiration in patients with congestive heart failure. Relationship to arterial PCO₂. *Chest*. 1993;104(4):1079-1084. doi:10.1378/chest.104.4.1079
234. Javaheri S, Smith J, Chung E. The prevalence and natural history of complex sleep apnea. *J Clin Sleep Med*. 2009;5(3):205-211. doi:10.5664/jcsm.27486
235. Johnson KG, Johnson DC. Treatment of sleep-disordered breathing with positive airway pressure devices: technology update. *Med Devices (Auckl)*. 2015;8:425-437. doi:10.2147/mder.s70062
236. Kuźniar TJ, Morgenthaler TI. Treatment of complex sleep apnea syndrome. *Chest*. 2012;142(4):1049-1057. doi:10.1378/chest.11-3223
237. Li QY, Berry RB, Goetting MG, et al. Detection of upper airway status and respiratory events by a current generation positive airway pressure device. *Sleep*. 2015;38(4):597-605. doi:10.5665/sleep.4578
238. * Malhotra A, Bertisch S, Wellman A. Complex sleep apnea: it isn't really a disease. *J Clin Sleep Med*. 2008;4:406-408.
239. * Morgenthaler TI, Kagramanov V, Hanak V, et al. Complex sleep apnea syndrome: is it a unique clinical syndrome? *Sleep*. 2006;29:1203-1209. doi:10.1093/sleep/29.9.1203
240. Morgenthaler TI, Kuzniar TJ, Wolfe LF, Willes L, McLain WC 3rd, Goldberg R. The complex sleep apnea resolution study: a prospective randomized controlled trial of continuous positive airway pressure versus adaptive servoventilation therapy. *Sleep*. 2014;37(5):927-934. doi:10.5665/sleep.3662
241. * Nakazaki C, Noda A, Yasuda Y, et al. Continuous positive airway pressure intolerance associated with elevated nasal resistance is possible mechanism of complex sleep apnea syndrome. *Sleep Breath*. 2012;16:747-752. doi:10.1007/s11325-011-0570-5
242. Nigam G, Pathak C, Riaz M. A systematic review on prevalence and risk factors associated with treatment-emergent central sleep apnea. *Ann Thorac Med*. 2016;11(3):202-210. doi:10.4103/1817-1737.185761
243. Nigam G, Riaz M, Chang ET, Camacho M. Natural history of treatment-emergent central sleep apnea on positive airway pressure: A systematic review. *Ann Thorac Med*. 2018;13(2):86-91. doi:10.4103/atm.atm_321_17

244. Orr JE, Malhotra A, Sands SA. Pathogenesis of central and complex sleep apnoea. *Respirology*. 2017;22(1):43-52. doi:10.1111/resp.12927
245. * Thomas RJ, Daly RW, Weiss JW. Low-concentration carbon dioxide is an effective adjunct to positive airway pressure in the treatment of refractory mixed central and obstructive sleep-disordered breathing. *Sleep*. 2005;28:69-77. doi:10.1093/sleep/28.1.69
246. * Thomas RJ, Mietus JE, Peng CK, et al. Differentiating obstructive from central and complex sleep apnea using an automated electrocardiogram-based method. *Sleep*. 2007;30:1756-1769. doi:10.1093/sleep/30.12.1756
247. * Thomas RJ, Terzano MG, Parrino L, Weiss JW. Obstructive sleep-disordered breathing with a dominant cyclic alternating pattern--a recognizable polysomnographic variant with practical clinical implications. *Sleep*. 2004;27:229-234. doi:10.1093/sleep/27.2.229
248. Westhoff M, Arzt M, Litterst P. Prevalence and treatment of central sleep apnoea emerging after initiation of continuous positive airway pressure in patients with obstructive sleep apnoea without evidence of heart failure. *Sleep Breath*. 2012;16(1):71-78. doi:10.1007/s11325-011-0486-0

Sleep-Related Hypoventilation Disorders

249. Athayde RAB, Oliveira Filho JRB, Lorenzi Filho G, Genta PR. Obesity hypoventilation syndrome: a current review. *J Bras Pneumol*. 2018;44(6):510-518. doi:10.1590/s1806-37562017000000332
250. Balachandran JS, Masa JF, Mokhlesi B. Obesity Hypoventilation Syndrome Epidemiology and Diagnosis. *Sleep Med Clin*. 2014;9(3):341-347. doi:10.1016/j.jsmc.2014.05.007
251. Berger KI, Goldring RM, Rapoport DM. Obesity hypoventilation syndrome. *Semin Respir Crit Care Med*. 2009;30(3):253-261. doi:10.1055/s-0029-1222439
252. Böing S, Randerath WJ. Chronic hypoventilation syndromes and sleep-related hypoventilation. *J Thorac Dis*. 2015;7(8):1273-1285. doi:10.3978/j.issn.2072-1439.2015.06.10
253. Budweiser S, Riedl SG, Jörres RA, et al. Mortality and prognostic factors in patients with obesity-hypoventilation syndrome undergoing noninvasive ventilation. *J Intern Med*. 2007;261(4):375-383. doi:10.1111/j.1365-2796.2007.01765.x
254. Chau EH, Lam D, Wong J, Mokhlesi B, Chung F. Obesity hypoventilation syndrome: a review of epidemiology, pathophysiology, and perioperative considerations. *Anesthesiology*. 2012;117(1):188-205. doi:10.1097/ALN.0b013e31825add60
255. Kaw R, Hernandez AV, Walker E, Aboussouan L, Mokhlesi B. Determinants of hypercapnia in obese patients with obstructive sleep apnea: a systematic review and metaanalysis of cohort studies. *Chest*. 2009;136(3):787-796. doi:10.1378/chest.09-0615
256. Littleton SW, Mokhlesi B. The pickwickian syndrome-obesity hypoventilation syndrome. *Clin Chest Med*. 2009;30(3):467-478. doi:10.1016/j.ccm.2009.05.004

257. Liu C, Chen MS, Yu H. The relationship between obstructive sleep apnea and obesity hypoventilation syndrome: a systematic review and meta-analysis. *Oncotarget*. 2017;8(54):93168-93178. doi:10.18632/oncotarget.21450
258. Masa JF, Pépin JL, Borel JC, Mokhlesi B, Murphy PB, Sánchez-Quiroga M. Obesity hypoventilation syndrome. *Eur Respir Rev*. 2019;28(151):180097. doi:10.1183/16000617.0097-2018
259. Mokhlesi B, Tulaimat A, Evans AT, et al. Impact of adherence with positive airway pressure therapy on hypercapnia in obstructive sleep apnea. *J Clin Sleep Med*. 2006;2(1):57-62. doi:10.5664/jcsm.26436
260. Mokhlesi B. Obesity hypoventilation syndrome: a state-of-the-art review. *Respir Care*. 2010;55(10):1347-1365.
261. Mokhlesi B, Masa JF, Brozek JL, et al. Evaluation and Management of Obesity Hypoventilation Syndrome. An Official American Thoracic Society Clinical Practice Guideline. *Am J Respir Crit Care Med*. 2019;200(3):e6-e24. doi:10.1164/rccm.201905-1071st
262. Nowbar S, Burkart KM, Gonzales R, et al. Obesity-hypoventilation in hospitalized patients: prevalence, effects, and outcome. *Am J Med*. 2004;116(1):1-7. doi:10.1016/j.amjmed.2003.08.022
263. Palm A, Midgren B, Janson C, Lindberg E. Gender differences in patients starting long-term home mechanical ventilation due to obesity hypoventilation syndrome. *Respir Med*. 2016;110:73-78. doi:10.1016/j.rmed.2015.11.010
264. Piper AJ, Grunstein RR. Obesity hypoventilation syndrome: mechanisms and management. *Am J Respir Crit Care Med*. 2011;183(3):292-298. doi:10.1164/rccm.201008-1280ci
265. Piper AJ. Obesity hypoventilation syndrome--the big and the breathless. *Sleep Med Rev*. 2011;15(2):79-89. doi:10.1016/j.smrv.2010.04.002

Congenital Central Alveolar Hypoventilation Syndrome

266. Amiel J, Laudier B, Attie-Bitach T, et al. Polyalanine expansion and frameshift mutations of the paired-like homeobox gene PHOX2B in congenital central hypoventilation syndrome. *Nat Genet*. 2003;33(4):459-461. doi:10.1038/ng1130
267. Bishara J, Keens TG, Perez IA. The genetics of congenital central hypoventilation syndrome: clinical implications. *Appl Clin Genet*. 2018;11:135-144. doi:10.2147/tacg.s140629
268. Gozal D, Marcus CL, Shoseyov D, Keens TG. Peripheral chemoreceptor function in children with the congenital central hypoventilation syndrome. *J Appl Physiol (1985)*. 1993;74(1):379-387. doi:10.1152/jappl.1993.74.1.379
269. * Hernandez-Miranda LR, Ibrahim DM, Ruffault PL, et al. Mutation in LBX1/Lbx1 precludes transcription factor cooperativity and causes congenital hypoventilation in humans and mice. *Proc Natl Acad Sci U S A*. 2018;115(51):13021-13026. doi:10.1073/pnas.1813520115
270. * Macey PM, Woo MA, Macey KE, et al. Hypoxia reveals posterior thalamic, cerebellar, midbrain, and limbic deficits in congenital central hypoventilation syndrome. *J Appl Physiol(1985)*. 2005;98:958-969. doi:10.1152/japplphysiol.00969.2004

271. Paton JY, Swaminathan S, Sargent CW, Hawksworth A, Keens TG. Ventilatory response to exercise in children with congenital central hypoventilation syndrome. *Am Rev Respir Dis*. 1993;147(5):1185-1191. doi:10.1164/ajrccm/147.5.1185
272. Paton JY, Swaminathan S, Sargent CW, Keens TG. Hypoxic and hypercapnic ventilatory responses in awake children with congenital central hypoventilation syndrome. *Am Rev Respir Dis*. 1989;140(2):368-372. doi:10.1164/ajrccm/140.2.368
273. * Spielmann M, Hernandez-Miranda LR, Ceccherini I, et al. Mutations in MYO1H cause a recessive form of central hypoventilation with autonomic dysfunction. *J Med Genet*. 2017;54(11):754-761. doi:10.1136/jmedgenet-2017-104765
274. Trang H, Samuels M, Ceccherini I, et al. Guidelines for diagnosis and management of congenital central hypoventilation syndrome. *Orphanet J Rare Dis*. 2020;15(1):252. doi:10.1186/s13023-020-01460-2
275. Weese-Mayer DE, Berry-Kravis EM, Ceccherini I, Keens TG, Loghmanee DA, Trang H. An official ATS clinical policy statement: Congenital central hypoventilation syndrome: genetic basis, diagnosis, and management. *Am J Respir Crit Care Med*. 2010;181(6):626-644. doi:10.1164/rccm.200807-1069st
276. * Weese-Mayer DE, Rand CM, Zhou A, Carroll MS, Hunt CE. Congenital central hypoventilation syndrome: a bedside-to-bench success story for advancing early diagnosis and treatment and improved survival and quality of life. *Pediatr Res*. 2017;81:192-201. doi:10.1038/pr.2016.196

Late-Onset Central Hypoventilation with Hypothalamic Dysfunction

277. Harvengt J, Gernay C, Mastouri M, et al. ROHHAD (NET) Syndrome: Systematic Review of the Clinical Timeline and Recommendations for Diagnosis and Prognosis. *J Clin Endocrinol Metab*. 2020;105(7):dgaa247. doi:10.1210/clinem/dgaa247
278. Ize-Ludlow D, Gray JA, Sperling MA, et al. Rapid-onset obesity with hypothalamic dysfunction, hypoventilation, and autonomic dysregulation presenting in childhood. *Pediatrics*. 2007;120(1):e179-e188. doi:10.1542/peds.2006-3324
279. Katz ES, McGrath S, Marcus CL. Late-onset central hypoventilation with hypothalamic dysfunction: a distinct clinical syndrome. *Pediatr Pulmonol*. 2000;29(1):62-68. doi:10.1002/(sici)1099-0496(200001)29:1%3C62::aid-ppul10%3E3.0.co;2-m
280. Lee JM, Shin J, Kim S, et al. Rapid-Onset Obesity with Hypoventilation, Hypothalamic, Autonomic Dysregulation, and Neuroendocrine Tumors (ROHHADNET) Syndrome: A Systematic Review. *Biomed Res Int*. 2018;1250721. doi:10.1155/2018/1250721
281. Patwari PP, Wolfe LF. Rapid-onset obesity with hypothalamic dysfunction, hypoventilation, and autonomic dysregulation: review and update. *Curr Opin Pediatr*. 2014;26(4):487-492. doi:10.1097/mop.0000000000000118

Idiopathic Central Alveolar Hypoventilation

282. Brown LK. Hypoventilation syndromes. *Clin Chest Med.* 2010;31(2):249-270. doi:10.1016/j.ccm.2010.03.002
283. Casey KR, Cantillo KO, Brown LK. Sleep-related hypoventilation/hypoxemic syndromes. *Chest.* 2007;131(6):1936-1948. doi:10.1378/chest.06-2334
284. Chebbo A, Tfali A, Jones SF. Hypoventilation syndromes. *Med Clin North Am.* 2011;95(6):1189-1202. doi:10.1016/j.mcna.2011.09.002

Sleep-Related Hypoventilation Due to a Medication or Substance

285. Brown LK. Hypoventilation syndromes. *Clin Chest Med.* 2010;31(2):249-270. doi:10.1016/j.ccm.2010.03.002
286. Casey KR, Cantillo KO, Brown LK. Sleep-related hypoventilation/hypoxemic syndromes. *Chest.* 2007;131(6):1936-1948. doi:10.1378/chest.06-2334
287. Chebbo A, Tfali A, Jones SF. Hypoventilation syndromes. *Med Clin North Am.* 2011;95(6):1189-1202. doi:10.1016/j.mcna.2011.09.002
288. Chowdhuri S, Javaheri S. Sleep Disordered Breathing Caused by Chronic Opioid Use: Diverse Manifestations and Their Management. *Sleep Med Clin.* 2017;12(4):573-586. doi:10.1016/j.jsmc.2017.07.007
289. Hedegaard H, Miniño AM, Warner M. *Drug Overdose Deaths in the United States, 1999–2018.* NCHS Data Brief No. 356. Hyattsville, MD: National Center for Health Statistics; 2020
290. Macintyre PE, Loadsman JA, Scott DA. Opioids, ventilation and acute pain management. *Anaesth Intensive Care.* 2011;39(4):545-558. doi:10.1177/0310057x1103900405
291. Mubashir T, Nagappa M, Esfahanian N, et al. Prevalence of sleep-disordered breathing in opioid users with chronic pain: a systematic review and meta-analysis. *J Clin Sleep Med.* 2020;16(6):961-969. doi:10.5664/jcsm.8392
292. Tassinari D, Sartori S, Tamburini E, et al. Adverse effects of transdermal opiates treating moderate-severe cancer pain in comparison to long-acting morphine: a meta-analysis and systematic review of the literature. *J Palliat Med.* 2008;11(3):492-501. doi:10.1089/jpm.2007.0200

Sleep-Related Hypoventilation Due to a Medical Disorder

293. Ambrosino N, Carpenè N, Gherardi M. Chronic respiratory care for neuromuscular diseases in adults. *Eur Respir J.* 2009;34(2):444-451. doi:10.1183/09031936.00182208
294. Berger KI, Rapoport DM, Ayappa I, Goldring RM. Pathophysiology of hypoventilation during sleep. *Sleep Med Clinic.* 2014; 9(3):289-300. doi:10.1016/j.jsmc.2014.05.014
295. * Biering-Sørensen F, Jennum P, Laub M. Sleep disordered breathing following spinal cord injury. *Respir Physiol Neurobiol.* 2009;169:165-170. doi:10.1016/j.resp.2009.08.014
296. * Boentert M. Sleep and sleep disruption in amyotrophic lateral sclerosis. *Curr Neurol Neurosci Rep.* 2020;20(7):25. doi:10.1007/s11910-020-01047-1

297. * Castriotta RJ, Murthy JN. Hypoventilation after spinal cord injury. *Semin Respir Crit Care Med.* 2009;30:330-338. doi:10.1055/s-0029-1222447
298. * Donath J, Miller A. Restrictive chest wall disorders. *Semin Respir Crit Care Med.* 2009;30(3):275-292. doi:10.1055/s-0029-1222441
299. Hilbert J. Sleep-disordered breathing in neuromuscular and chest wall diseases. *Clin Chest Med.* 2018;39(2):309-324. doi:10.1016/j.ccm.2018.01.009
300. Kennedy JD, Martin AJ. Chronic respiratory failure and neuromuscular disease. *Pediatr Clin North Am.* 2009;56(1):261-273. doi:10.1016/j.pcl.2008.10.011
301. * MacIntosh EW, Chen ML, Benditt JO. Lifetime care of Duchenne muscular dystrophy. *Sleep Med Clinic.* 2020;15(4):485-495. doi:10.1016/j.jsmc.2020.08.011
302. Macrea M, Oczkowski S, Rochwerg B, et al. Long-term noninvasive ventilation in chronic stable hypercapnic chronic obstructive pulmonary disease. An official American Thoracic Society clinical practice guideline. *Am J Respir Crit Care Med.* 2020;202(4):e74-e87. doi:10.1164/rccm.202006-2382st
303. McNicholas WT, Hansson D, Schiza S, Grote L. Sleep in chronic respiratory disease: COPD and hypoventilation disorders. *Eur Respir Rev.* 2019;28(153):190064. doi:10.1183/16000617.0064-2019
304. Wolfe LF, Patwari PP, Mutlu GM. Sleep hypoventilation in neuromuscular and chest wall disorders. *Sleep Med Clinic.* 2014;9(3):409-423. doi:10.1016/j.jsmc.2014.05.010

Sleep-Related Hypoxemia Disorder, Sleep-Related Hypoxemia

305. * Berry RB, Sriram P. Evaluation of hypoventilation. *Semin Respir Crit Care Med.* 2009;30(3):303-314. doi:10.1055/s-0029-1222443
306. * Brown LK. Hypoventilation syndromes. *Clin Chest Med.* 2010;31(2):249-270. doi:10.1016/j.ccm.2010.03.002
307. Casey KR, Cantillo KO, Brown LK. Sleep-related hypoventilation/hypoxic syndromes. *Chest.* 2007;131(6):1936-1948. doi:10.1378/chest.06-2334
308. * Chebbo A, Tfaily A, Jones SF. Hypoventilation syndromes. *Med Clin North Am.* 2011;95(6):1189-1202. doi:10.1016/j.mcna.2011.09.002
309. Kirkham FJ, Hewes DK, Prengler M, Wade A, Lane R, Evans JP. Nocturnal hypoxaemia and central-nervous-system events in sickle-cell disease. *Lancet.* 2001;357(9269):1656-1659. doi:10.1016/s0140-6736(00)04821-2
310. Marin JM, Soriano JB, Carrizo SJ, Boldova A, Celli BR. Outcomes in patients with chronic obstructive pulmonary disease and obstructive sleep apnea: the overlap syndrome. *Am J Respir Crit Care Med.* 2010;182(3):325-331. doi:10.1164/rccm.200912-1869oc
311. McNicholas WT, Verbraecken J, Marin JM. Sleep disorders in COPD: the forgotten dimension. *Eur Respir Rev.* 2013;22(129):365-375. doi:10.1183/09059180.00003213

312. * Mogri M, Desai H, Webster L, Grant BJ, Mador MJ. Hypoxemia in patients on chronic opiate therapy with and without sleep apnea. *Sleep Breath*. 2009;13(1):49-57. doi:10.1007/s11325-008-0208-4
313. Rivas E, Arismendi E, Agustí A, et al. Ventilation/Perfusion distribution abnormalities in morbidly obese subjects before and after bariatric surgery. *Chest*. 2015;147(4):1127-1134. doi:10.1378/chest.14-1749
314. Shawon MS, Perret JL, Senaratna CV, Lodge C, Hamilton GS, Dharmage SC. Current evidence on prevalence and clinical outcomes of co-morbid obstructive sleep apnea and chronic obstructive pulmonary disease: A systematic review. *Sleep Med Rev*. 2017;32:58-68. doi:10.1016/j.smrv.2016.02.007

Isolated Symptoms and Normal Variants, Snoring

315. Amatoury J, Howitt L, Wheatley JR, Avolio AP, Amis TC. Snoring-related energy transmission to the carotid artery in rabbits. *J Appl Physiol (1985)*. 2006;100(5):1547-1553. doi:10.1152/japplphysiol.01439.2005
316. * Deeb R, Judge P, Peterson E, Lin JC, Yaremchuk K. Snoring and carotid artery intima-media thickness. *Laryngoscope*. 2014;124(6):1486-1491. doi:10.1002/lary.24527
317. De Meyer MMD, Jacquet W, Vanderveken OM, Marks LAM. Systematic review of the different aspects of primary snoring. *Sleep Med Rev*. 2019;45:88-94. doi:10.1016/j.smrv.2019.03.001
318. Knuiman M, James A, Divitini M, Bartholomew H. Longitudinal study of risk factors for habitual snoring in a general adult population: the Busselton health study. *Chest*. 2006;130(6):1779-1783. doi:10.1378/chest.130.6.1779
319. * Lee SA, Amis TC, Byth K, et al. Heavy snoring as a cause of carotid artery atherosclerosis. *Sleep*. 2008;31(9):1207-1213.
320. * Li Y, Liu J, Wang W, et al. Association of self-reported snoring with carotid artery intima-media thickness and plaque. *J Sleep Res*. 2012;21(1):87-93. doi:10.1111/j.1365-2869.2011.00936.x
321. Li L, Zhao K, Hua J, Li S. Association between sleep-disordered breathing during pregnancy and maternal and fetal outcomes: an updated systematic review and meta-analysis. *Front Neurol*. 2018;9:91. doi:10.3389/fneur.2018.00091
322. Liu J, Zhang X, Zhao Y, Wang Y. The association between allergic rhinitis and sleep: A systematic review and meta-analysis of observational studies. *PLoS One*. 2020;15(2):e0228533. doi:10.1371/journal.pone.0228533
323. * Marin JM, Carrizo SJ, Vicente E, Agusti AG. Long-term cardiovascular outcomes in men with obstructive sleep apnoea-hypopnoea with or without treatment with continuous positive airway pressure: an observational study. *Lancet*. 2005;365(9464):1046-1053. doi:10.1016/S0140-6736(05)71141-7
324. * Mason RH, Mehta Z, Fonseca AC, Stradling JR, Rothwell PM. Snoring and severity of symptomatic and asymptomatic carotid stenosis: a population- based study. *Sleep*. 2012;35(8):1147-1151. doi:10.5665/sleep.2006
325. * O'Brien LM, Bullough AS, Owusu JT, et al. Pregnancy-onset habitual snoring, gestational hypertension, and preeclampsia: prospective cohort study. *Am J Obstet Gynecol*. 2012;207(6):487.e1-487.e4879. doi:10.1016/j.ajog.2012.08.034

326. Ramos-Sepulveda A, Wohlgemuth W, Gardener H, et al. Snoring and insomnia are not associated with subclinical atherosclerosis in the Northern Manhattan Study. *Int J Stroke*. 2010;5(4):264-268. doi:10.1111/j.1747-4949.2010.00438.x
327. * Rich J, Raviv A, Raviv N, Brietzke SE. An epidemiologic study of snoring and all-cause mortality. *Otolaryngol Head Neck Surg*. 2011;145(2):341-346. doi:10.1177/0194599811402475
328. * Sarberg M, Svanborg E, Wiréhn AB, Josefsson A. Snoring during pregnancy and its relation to sleepiness and pregnancy outcome - a prospective study. *BMC Pregnancy Childbirth*. 2014;14:15. doi:10.1186/1471-2393-14-15
329. Sun K, Zhang Y, Tian Y, Jiang X. Environmental tobacco smoke exposure and risk of habitual snoring in children: a meta-analysis. *J Epidemiol Community Health*. 2018;72(11):1064-1070. doi:10.1136/jech-2018-210820
330. Yeboah J, Redline S, Johnson C, et al. Association between sleep apnea, snoring, incident cardiovascular events and all-cause mortality in an adult population: MESA. *Atherosclerosis*. 2011;219(2):963-968. doi:10.1016/j.atherosclerosis.2011.08.021
331. Young T, Finn L, Palta M. Chronic nasal congestion at night is a risk factor for snoring in a population-based cohort study. *Ann Intern Med*. 2001;161(12):1514-1519. doi:10.1001/archinte.161.12.1514
332. Zhao YY, Javaheri S, Wang R, et al. Associations between sleep apnea and subclinical carotid atherosclerosis: the Multi-Ethnic Study of Atherosclerosis. *Stroke*. 2019;50(12):3340-3346. doi:10.1161/strokeaha.118.022184

Isolated Symptoms and Normal Variants, Catathrenia

333. Abbasi AA, Morgenthaler TI, Slocumb NL, Tippmann-Peikert M, Olson EJ, Ramar K. Nocturnal moaning and groaning-catathrenia or nocturnal vocalizations. *Sleep Breath*. 2012;16(2):367-373. doi:10.1007/s11325-011-0503-3
334. Alonso J, Camacho M, Chhetri DK, Guilleminault C, Zaghi S. Catathrenia (nocturnal groaning): a social media survey and state-of-the-art review. *J Clin Sleep Med*. 2017;13(4):613-622. doi:10.5664/jcsm.6556
335. Iriarte J, Campo A, Alegre M, Fernández S, Urrestarazu E. Catathrenia: respiratory disorder or parasomnia? *Sleep Med*. 2015;16(7):827-830. doi:10.1016/j.sleep.2014.12.026
336. Ott SR, Hamacher J, Seifert E. Bringing light to the sirens of night: laryngoscopy in catathrenia during sleep. *Eur Respir J*. 2011;37(5):1288-1289. doi:10.1183/09031936.00083510
337. * Pevernagie DA, Boon PA, Mariman ANN, Verhaeghen DB, Pauwels RA. Vocalization during episodes of prolonged expiration: a parasomnia related to REM sleep. *Sleep Med*. 2001;2(1):19-30. doi:10.1016/s1389-9457(00)00039-3
338. * Vetrugno R, Lugaresi E, Plazzi G, Provini F, D'Angelo R, Montagna P. Catathrenia (nocturnal groaning): an abnormal respiratory pattern during sleep. *Eur J Neurol*. 2007;14(11):1236-1243. doi:10.1111/j.1468-1331.2007.01954.x
339. * Vetrugno R, Provini F, Plazzi G, Vignatelli L, Lugaresi E, Montagna P. Catathrenia (nocturnal groaning): a new type of parasomnia. *Neurology*. 2001;56(5):681-683. doi:10.1212/wnl.56.5.681

Central Disorders of Hypersomnolence

Introduction

340. Arand D, Bonnet M, Hurwitz T, Mitler M, Rosa R, Sangal RB. The clinical use of the MSLT and MWT. *Sleep*. 2005;28(1):123-144. doi:10.1093/sleep/28.1.123
341. Baumann-Vogel H, Hoff S, Valko PO, Poryazova R, Werth E, Baumann CR. Extending sleep to confirm insufficient sleep syndrome is challenging. *J Sleep Res*. 2021;30(3):e13109. doi:10.1111/jsr.13109
342. Baumann CR, Mignot E, Lammers GJ, et al. Challenges in diagnosing narcolepsy without cataplexy: a consensus statement. *Sleep*. 2014;37(6):1035-1042. doi:10.5665/sleep.3756
343. Evangelista E, Lopez R, Barateau L, et al. Alternative diagnostic criteria for idiopathic hypersomnia: a 32-hour protocol. *Ann Neurol*. 2018;83(2):235-247. doi:10.1002/ana.25141
344. Fronczek R, Arnulf I, Baumann CR, Maski K, Pizza F, Trotti LM. To split or to lump? Classifying the central disorders of hypersomnolence. *Sleep*. 2020;43(8):zsaa044. doi:10.1093/sleep/zsaa044
345. Goldbart A, Peppard P, Finn L, et al. Narcolepsy and predictors of positive MSLTs in the Wisconsin Sleep Cohort. *Sleep*. 2014;37(6):1043-1051. doi:10.5665/sleep.3758
346. * Janssen KC, Phillipson S, O'Connor J, Johns MW. Validation of the Epworth sleepiness scale for children and adolescents using rasch analysis. *Sleep Med*. 2017;33:30-35. doi:10.1016/j.sleep.2017.01.014
347. * Johns MW. A new method for measuring daytime sleepiness: the Epworth sleepiness scale. *Sleep*. 1991;14(6):540-545. doi:10.1093/sleep/14.6.540
348. Kotagal S, Nichols CD, Grigg-Damberger MM, et al. Non-respiratory indications for polysomnography and related procedures in children: an evidence-based review. *Sleep*. 2012;35(11):1451-1466. doi:10.5665/sleep.2188
349. Krahn LE, Arand DL, Avidan AY, et al. Recommended protocols for the Multiple Sleep Latency Test and Maintenance of Wakefulness Test in adults: guidance from the American Academy of Sleep Medicine. *J Clin Sleep Med*. 2021;17(12):2489-2498. doi:10.5664/jcsm.9620
350. Lammers GJ, Bassetti CL, Dolenc-Groselj L, et al. Diagnosis of central disorders of hypersomnolence: a reappraisal by European experts. *Sleep Med Rev*. 2020;52:101306. doi:10.1016/j.smrv.2020.101306
351. Littner MR, Kushida C, Wise M, et al. Practice parameters for clinical use of the Multiple Sleep Latency Test and the Maintenance of Wakefulness Test. *Sleep*. 2005;28(1):113-121. doi:10.1093/sleep/28.1.113
352. Paruthi S, Brooks LJ, D'Ambrosio C, et al. Recommended amount of sleep for pediatric populations: a consensus statement of the American Academy of Sleep Medicine. *J Clin Sleep Med*. 2016;12(6):785-786. doi:10.5664/jcsm.5866
353. Paruthi S, Brooks LJ, D'Ambrosio C, et al. Pediatric sleep duration consensus statement: a step forward. *J Clin Sleep Med*. 2016;12(12):1705-1706. doi:10.5664/jcsm.6368

354. Van Schie MK, Thijs RD, Fronczek R, Middelkoop HA, Lammers GJ, Van Dijk JG. Sustained attention to response task (SART) shows impaired vigilance in a spectrum of disorders of excessive daytime sleepiness. *J Sleep Res.* 2012;21(4):390-395. doi:10.1111/j.1365-2869.2011.00979.x
355. * Wang YG, Menno D, Chen A, et al. Validation of the Epworth sleepiness scale for children and adolescents (ESS-CHAD) questionnaire in pediatric patients with narcolepsy with cataplexy aged 7–16 years. *Sleep Med.* 2022;89:78-84. doi:10.1016/j.sleep.2021.11.003
356. Watson NF, Badr MS, Belenky G, et al. Recommended amount of sleep for a healthy adult: a joint consensus statement of the American Academy of Sleep Medicine and Sleep Research Society. *Sleep.* 2015;38(6):843-844. doi:10.5665/sleep.4716

Narcolepsy Type 1

357. Andlauer O, Moore H, Jouhier L, et al. Nocturnal rapid eye movement sleep latency for identifying patients with narcolepsy/hypocretin deficiency. *JAMA Neurol.* 2013;70(7):891-902. doi:10.1001/jamaneurol.2013.1589
358. Bassetti CLA, Adamantidis A, Burdakov D, et al. Narcolepsy - clinical spectrum, aetiopathophysiology, diagnosis and treatment. *Nat Rev Neurol.* 2019;15(9):519-539. doi:10.1038/s41582-019-0226-9
359. Baumann-Vogel H, Hor H, Poryazova R, Valko P, Werth E, Baumann CR. REM sleep behavior in Parkinson disease: frequent, particularly with higher age. *PLoS One.* 2020;15(12):e0243454. doi:10.1371/journal.pone.0243454
360. * Capittini C, De Silvestri A, Terzaghi M, et al. Correlation between HLA-DQB1*06:02 and narcolepsy with and without cataplexy: approving a safe and sensitive genetic test in four major ethnic groups. A systematic meta-analysis. *Sleep Med.* 2018;52:150-157. doi:10.1016/j.sleep.2018.08.024
361. Dauvilliers Y, Jennum P, Plazzi G. Rapid eye movement sleep behavior disorder and rapid eye movement sleep without atonia in narcolepsy. *Sleep Med.* 2013;14(8):775-781. doi:10.1016/j.sleep.2012.10.006
362. Dauvilliers Y, Abril B, Mas E, Michel F, Tafti M. Normalization of hypocretin-1 in narcolepsy after intravenous immunoglobulin treatment. *Neurology.* 2009;73(16):1333-1334. doi:10.1212/wnl.0b013e3181bd1344
363. Dauvilliers Y, Gosselin A, Paquet J, Touchon J, Billiard M, Montplaisir J. Effect of age on MSLT results in patients with narcolepsy-cataplexy. *Neurology.* 2004;62(1):46-50. doi:10.1212/01.wnl.0000101725.34089.1e
364. Dauvilliers Y, Carlander B, Rivier F, Touchon J, Tafti M. Successful management of cataplexy with intravenous immunoglobulins at narcolepsy onset. *Ann Neurol.* 2004;56(6):905-908. doi:10.1002/ana.20339
365. Dodet P, Chavez M, Leu-Semenescu S, Golmard JL, Arnulf I. Lucid dreaming in narcolepsy. *Sleep.* 2015;38(3):487-497. doi:10.5665/sleep.4516
366. Hecht M, Lin L, Kushida CA, et al. Report of a case of immunosuppression with prednisone in an 8-year-old boy with an acute onset of hypocretin-deficiency narcolepsy. *Sleep.* 2003;26(7):809-810. doi:10.1093/sleep/26.7.809

367. Krahn LE, Arand DL, Avidan AY, et al. Recommended protocols for the Multiple Sleep Latency Test and Maintenance of Wakefulness Test in adults: guidance from the American Academy of Sleep Medicine. *J Clin Sleep Med.* 2021;17(12):2489-2498. doi:10.5664/jcsm.9620
368. Mazzetti M, Bellucci C, Mattarozzi K, Plazzi G, Tuozzi G, Cipolli C. REM-dreams recall in patients with narcolepsy-cataplexy. *Brain Res Bull.* 2010;81(1):133-140. doi:10.1016/j.brainresbull.2009.10.021
369. Mignot E, Lammers GJ, Ripley B, et al. The role of cerebrospinal fluid hypocretin measurement in the diagnosis of narcolepsy and other hypersomnias. *Arch Neurol.* 2002;59(10):1553-1562. doi:10.1001/archneur.59.10.1553
370. Nevsimalova S, Prihodova I, Kemlink D, Lin L, Mignot E. REM sleep behavior disorder (RBD) can be one of the first symptoms of childhood narcolepsy. *Sleep Med.* 2007;8(7-8):784-786. doi:10.1016/j.sleep.2006.11.018
371. * Oksenberg JR, Barcellos LF, Cree BA et al. Mapping multiple sclerosis susceptibility to the HLA-DR locus in African Americans. *Am J Hum Genet.* 2004;74(1):160-167. doi:10.1086/380997
372. Overeem S, van Nues SJ, van der Zande WL, Donjacour CE, van Mierlo P, Lammers GJ. The clinical features of cataplexy: a questionnaire study in narcolepsy patients with and without hypocretin-1 deficiency. *Sleep Med.* 2011;12(1):12-18. doi:10.1016/j.sleep.2010.05.010
373. Pizza F, Barateau L, Jaussent I, et al. Validation of Multiple Sleep Latency Test for the diagnosis of pediatric narcolepsy type 1. *Neurology.* 2019;93(11):e1034-e1044. doi:10.1212/WNL.0000000000008094
374. Pizza F, Franceschini C, Peltola H, et al. Clinical and polysomnographic course of childhood narcolepsy with cataplexy. *Brain.* 2013;136(Pt 12):3787-3795. doi:10.1093/brain/awt277
375. Serra L, Montagna P, Mignot E, Lugaresi E, Plazzi G. Cataplexy features in childhood narcolepsy. *Mov Disord.* 2008;23(6):858-865. doi:10.1002/mds.21965
376. * Tafti M, Lammers GJ, Dauvilliers Y, et al. Narcolepsy-Associated HLA Class I Alleles Implicate Cell-Mediated Cytotoxicity. *Sleep.* 2016;39(3):581-587.
377. van der Heide A, van Schie MK, Lammers GJ, et al. Comparing treatment effect measurements in narcolepsy: the Sustained Attention to Response Task, Epworth Sleepiness Scale and Maintenance of Wakefulness Test. *Sleep.* 2015;38(7):1051-1058. doi:10.5665/sleep.4810
378. van der Hoeven AE, Fronczek R, Schinkelshoek MS, et al. Intermediate hypocretin-1 cerebrospinal fluid levels and typical cataplexy: their significance in the diagnosis of narcolepsy type 1. *Sleep.* 2022;45(5):zsac052. doi:10.1093/sleep/zsac052
379. van Schie MKM, Lammers GJ, Fronczek R, Middelkoop HAM, van Dijk JG. Vigilance: discussion of related concepts and proposal for a definition. *Sleep Med.* 2021;83:175-181. doi:10.1016/j.sleep.2021.04.038

Narcolepsy Type 2

380. Andlauer O, Moore H 4th, Hong SC, et al. Predictors of hypocretin (orexin) deficiency in narcolepsy without cataplexy. *Sleep*. 2012;35(9):1247-1255. doi:10.5665/sleep.2080
381. Bassetti CLA, Adamantidis A, Burdakov D, et al. Narcolepsy - clinical spectrum, aetiopathophysiology, diagnosis and treatment. *Nat Rev Neurol*. 2019;15(9):519-539. doi:10.1038/s41582-019-0226-9
382. Baumann-Vogel H, Schreckenbauer L, Valko PO, Werth E, Baumann CR. Narcolepsy type 2: a rare, yet existing entity. *J Sleep Res*. 2021;30(3):e13203. doi:10.1111/jsr.13203
383. Baumann CR. Clinical sleep-wake disorders I: focus on hypersomnias and movement disorders during sleep. *Handb Exp Pharmacol*. 2019;253:245-259. doi:10.1007/164_2018_126
384. Goldbart A, Peppard P, Finn L, et al. Narcolepsy and predictors of positive MSLTs in the Wisconsin Sleep Cohort. *Sleep*. 2014;37(6):1043-1051. doi:10.5665/sleep.3758
385. Inocente CO, Gustin MP, Lavault S, et al. Quality of life in children with narcolepsy. *CNS Neurosci Ther*. 2014;20(8):763-771. doi:10.1111/cns.12291
386. Krahn LE, Arand DL, Avidan AY, et al. Recommended protocols for the Multiple Sleep Latency Test and Maintenance of Wakefulness Test in adults: guidance from the American Academy of Sleep Medicine. *J Clin Sleep Med*. 2021;17(12):2489-2498. doi:10.5664/jcsm.9620
387. Lammers GJ, Bassetti CL, Dolenc-Groselj L, et al. Diagnosis of central disorders of hypersomnolence: a reappraisal by European experts. *Sleep Med Rev*. 2020;52:101306. doi:10.1016/j.smrv.2020.101306
388. Lopez R, Barateau L, Evangelista E, et al. Temporal changes in the cerebrospinal fluid level of hypocretin-1 and histamine in narcolepsy. *Sleep*. 2017;40(1):zsw010. doi:10.1093/sleep/zsw010
389. Ruoff C, Pizza F, Trotti LM, et al. The MSLT is repeatable in narcolepsy type 1 but not narcolepsy type 2: a retrospective patient study. *J Clin Sleep Med*. 2018;14(1):65-74. doi:10.5664/jcsm.6882
390. Thannickal TC, Nienhuis R, Siegel JM. Localized loss of hypocretin (orexin) cells in narcolepsy without cataplexy. *Sleep*. 2009;32(8):993-998. doi:10.1093/sleep/32.8.993
391. Trotti LM, Staab BA, Rye DB. Test-retest reliability of the Multiple Sleep Latency Test in narcolepsy without cataplexy and idiopathic hypersomnia. *J Clin Sleep Med*. 2013;9(8):789-795. doi:10.5664/jcsm.2922
392. Zhang Y, Ren R, Yang L, et al. Polysomnographic nighttime features of narcolepsy: a systematic review and meta-analysis. *Sleep Med Rev*. 2021;58:101488. doi:10.1016/j.smrv.2021.101488

Idiopathic Hypersomnia

393. Arnulf I, Leu-Semenescu S, Dodet P. Precision medicine for idiopathic hypersomnia. *Sleep Med Clin.* 2019;14(3):333-350. doi:10.1016/j.jsmc.2019.05.007
394. Bassetti C, Aldrich MS. Idiopathic hypersomnia: a series of 42 patients. *Brain.* 1997;120(8):1423-1435. doi:10.1093/brain/120.8.1423
395. Cook JD, Rumble ME, Plante DT. Identifying subtypes of hypersomnolence disorder: a clustering analysis. *Sleep Med.* 2019;64:71-76. doi:10.1016/j.sleep.2019.06.015
396. Dauvilliers Y, Evangelista E, Lopez R, et al. Absence of gamma-aminobutyric acid-a receptor potentiation in central hypersomnolence disorders. *Ann Neurol.* 2016;80(2):259-268. doi:10.1002/ana.24710
397. Evangelista E, Lopez R, Barateau L, et al. Alternative diagnostic criteria for idiopathic hypersomnia: a 32-hour protocol. *Ann Neurol.* 2018;83(2):235-247. doi:10.1002/ana.25141
398. Fronczek R, Arnulf I, Baumann CR, et al. To split or to lump? Classifying the central disorders of hypersomnolence. *Sleep.* 2020;43(8):zsaa044. doi:10.1093/sleep/zsaa044
399. Honda M, Kimura S, Sasaki K, Wada M, Ito W. Evaluation of pathological sleepiness by Multiple Sleep Latency Test and 24-hour polysomnography in patients suspected of idiopathic hypersomnia. *Psychiatry Clin Neurosci.* 2021;75(4):149-151. doi:10.1111/pcn.13196
400. Kanbayashi T, Kodama T, Kondo H, et al. CSH histamine contents in narcolepsy, idiopathic hypersomnia and obstructive sleep apnea syndrome. *Sleep.* 2009;32(2):181-187. doi:10.1093/sleep/32.2.181
401. Kim T, Lee JH, Lee CS, Yoon IY. Different fates of excessive daytime sleepiness: survival analysis for remission. *Acta Neurolo Scand.* 2016;134(1):35-41. doi:10.1111/ane.12504
402. Lammers GJ, Bassetti CL, Dolenc-Groselj L et al. Diagnosis of central disorders of hypersomnolence: a reappraisal by European experts. *Sleep Med Rev.* 2020;52:101306. doi:10.1016/j.smrv.2020.101306
403. Krahn LE, Arand DL, Avidan AY, et al. Recommended protocols for the Multiple Sleep Latency Test and Maintenance of Wakefulness Test in adults: guidance from the American Academy of Sleep Medicine. *J Clin Sleep Med.* 2021;17(12):2489-2498. doi:10.5664/jcsm.9620
404. Maski KP, Colclasure A, Little E, et al. Stability of nocturnal wake and sleep stages defines CNS disorders of hypersomnolence. *Sleep.* 2021;44(7):zsab021. doi:10.1093/sleep/zsab021
405. Materna L, Halfer H, Heidbreder A, et al. Idiopathic hypersomnia patients revealed longer circadian period length in peripheral skin fibroblasts. *Front Neurol.* 2018;9:424. doi:10.3389/fneur.2018.00424
406. Nevsimalova S, Susta M, Prihodova I, et al. Idiopathic hypersomnia: a homogeneous or heterogeneous disease? *Sleep Med.* 2021;80:86-91. doi:10.1016/j.sleep.2021.01.031

407. Plante DT. Nocturnal sleep architecture in idiopathic hypersomnia: a systematic review and meta-analysis. *Sleep Med.* 2018;45:17-24. doi:10.1016/j.sleep.2017.10.005
408. Ruoff C, Pizza F, Trott LM, et al. The MSLT is repeatable in narcolepsy type 1 but not narcolepsy type 2: a retrospective patient study. *J Clin Sleep Med.* 2018;14(1):65-74. doi:10.5664/jcsm.6882
409. Rye DB, Blilwise DL, Parker K, et al. Modulation of vigilance in the primary hypersomnias by endogenous enhancement of GABA_A receptors. *Sci Transl Med.* 2012;4(161):161ra151. doi:10.1126/scitranslmed.3004685
410. Smith MT, McCrae CS, Cheung J, et al. Use of actigraphy for the evaluation of sleep disorders and circadian rhythm sleep-wake disorders: an American Academy of Sleep Medicine systematic review, meta-analysis, and GRADE assessment. *J Clin Sleep Med.* 2018;14(7):1209-1230. doi:10.5664/jcsm.7228
411. Sonka K, Susta M, Billiard M. Narcolepsy with and without cataplexy, idiopathic hypersomnia with and without long sleep time: a cluster analysis. *Sleep Med.* 2015;16(2):225-231. doi:10.1016/j.sleep.2014.09.016
412. Sowa NA. Idiopathic hypersomnia and hypersomnolence disorder: a systematic review of the literature. *Psychosomatics.* 2016;57(2):152-164. doi:10.1016/j.psym.2015.12.006
413. Trott LM, Staab BA, Rye DB. Test-retest reliability of the Multiple Sleep Latency Test in narcolepsy without cataplexy and idiopathic hypersomnia. *J Clin Sleep Med.* 2013;9(8):789-795. doi:10.5664/jcsm.2922
414. Vernet C, Leu-Semenescu S, Buzare MA, Arnulf I. Subjective sleepiness in idiopathic hypersomnia: beyond excessive sleepiness. *J Sleep Res.* 2010;19(4):525-534. doi:10.1111/j.1365-2869.2010.00824.x
415. Vernet C, Arnulf I. Idiopathic hypersomnia with and without long sleep time: a controlled series of 75 patients. *Sleep.* 2009;32(6):753-759. doi:10.1093/sleep/32.6.753

Kleine-Levin Syndrome

416. Ambati A, Hillary R, Semenescu SL, et al. 0026 Strong gene-environment interactions of Trank1 gene polymorphisms with birth difficulties in Kleine Levin syndrome. *Sleep.* 2020;43(Suppl 1):A10–11. <https://doi.org/10.1093/sleep/zsaa056.025>
417. Arnulf I, Lin L, Gadoth N, et al. Kleine-Levin syndrome: a systematic study of 108 patients. *Ann Neurol.* 2008;63(4):482-493. doi:10.1002/ana.21333
418. Arnulf I, Zeitzer JM, File J, Farber N, Mignot E. Kleine-Levin syndrome: a systematic review of 186 cases in the literature. *Brain.* 2005;128(Pt 12):2763-2776. doi:10.1093/brain/awh620
419. Billiard M, Jaussent I, Dauvilliers Y, Besset A. Recurrent hypersomnia: a review of 339 cases. *Sleep Med Rev.* 2011;15(4):247-257. doi:10.1016/j.smrv.2010.08.001
420. Dauvilliers Y, Mayer G, Lecendreux M, et al. Kleine-Levin syndrome: an autoimmune hypothesis based on clinical and genetic analyses. *Neurology.* 2002;59(11):1739-1745. doi:10.1212/01.wnl.0000036605.89977.d0

421. Dudoignon B, Tainturier LE, Dodet P et al. Functional brain imaging using FDG-PET/CT in 138 patients with Kleine-Levin syndrome: an early marker? *Brain Comm.* 2021;3(2):fcab130. doi:10.1093/braincomms/fcab130
422. Groos E, Chaumereuil C, Flamand M, et al. Emerging psychiatric disorders in Kleine-Levin syndrome. *J Sleep Res.* 2018;27(5):e12690. doi:10.1111/jsr.12690
423. Huang Y, Guilleminault C, Lin K, Hwang F, Liu F, Kung Y. Relationship between Kleine-Levin syndrome and upper respiratory infection in Taiwan. *Sleep.* 2012;35(1):123-129. doi:10.5665/sleep.1600
424. Huang Y, Lin Y, Guilleminault C. Polysomnography in Kleine-Levin syndrome. *Neurology.* 2008;70(10):795-801. doi:10.1212/01.wnl.0000304133.00875.2b
425. Kas A, Lavault S, Habert MO, Arnulf I. Feeling unreal: a functional imaging study in patients with Kleine-Levin syndrome. *Brain.* 2014; 137(7):2077-2087. doi:10.1093/brain/awu112
426. Lavault S, Golmard JL, Groos E et al. Kleine–Levin syndrome in 120 patients: differential diagnosis and long episodes. *Ann Neurol.* 2015;77(3):529-540. doi:10.1002/ana.24350
427. Lin C, Chin WC, Huang YS, et al. Different circadian rest-active rhythms in Kleine-Levin syndrome: a prospective and case-control study. *Sleep.* 2021;44(9):zsab096. doi:10.1093/sleep/zsab096
428. Nguyen QT, Groos E, Leclair-Visonneau L, et al. Familial Kleine-Levin syndrome: a specific entity? *Sleep.* 2016;39(8):1535-1542. doi:10.5665/sleep.6014
429. Uguccioni G, Lavault S, Chaumereuil C, Golmard JL, Gagnon JF, Arnulf I. Long-term cognitive impairment in Kleine-Levin syndrome. *Sleep.* 2015;39(2):429-438. doi:10.5665/sleep.5458
430. Wang JY, Han F, Dong SX, et al. Cerebrospinal fluid orexin A levels and autonomic function in Kleine-Levin syndrome. *Sleep.* 2016;39(4):855-860. doi:10.5665/sleep.5642

Hypersomnia Associated with a Medical Disorder

431. Castriotti RJ, Wilde MC, Lai JM, Atanasov S, Masel BE, Kuna ST. Prevalence and consequences of sleep disorders in traumatic brain injury. *J Clin Sleep Med.* 2007;3(4):349-356. doi:10.5664/jcsm.26855
432. Dubessy AL, Tezenas du Montcel S, et al. Association of central hypersomnia and fatigue in patients with multiple sclerosis: a polysomnographic study. *Neurology.* 2021;97(1):e23-e33. doi:10.1212/wnl.0000000000012120
433. Ghergan A, Coupaye M, Leu-Semenescu S, et al. Prevalence and phenotype of sleep disorders in 60 adults with Prader-Willi syndrome. *Sleep.* 2017;40(12):zsx162. doi:10.1093/sleep/zsx162
434. Guilleminault C, Yuen KM, Gulevich MG, Karadeniz D, Leger D, Philip D. Hypersomnia after head-neck trauma: a medico-legal dilemma. *Neurology.* 2000;54(3):653-659. doi:10.1212/wnl.54.3.653
435. Hirotsu C, Haba-Rubio J, Andries D, et al. Effect of three hypopnea scoring criteria on OSA prevalence and associated comorbidities in the general population. *J Clin Sleep Med.* 2019;15(2):183-194. doi:10.5664/jcsm.7612

436. Imbach LL, Valko PO, Li T, et al. Increased sleep need and daytime sleepiness 6 months after traumatic brain injury: a prospective controlled clinical trial. *Brain*. 2015;138(Pt 3):726-735. doi:10.1093/brain/awu391
437. Kallweit U, Bassetti CLA, Oberholzer M, et al. Coexisting narcolepsy (with and without cataplexy) and multiple sclerosis: six new cases and a literature review. *J Neurol*. 2018;265(9):2071-2078. doi:10.1007/s00415-018-8949-x
438. Kempf J, Werth E, Kaiser PR, et al. Sleep-wake disturbances 3 years after traumatic brain injury. *J Neurol Neurosurg Psychiatry*. 2010;81(12):1402-1405. doi:10.1136/jnnp.2009.201913
439. Laberge L, Gagnon C, Dauvilliers Y. Daytime sleepiness and myotonic dystrophy. *Curr Neurol Neurosci Rep*. 2013;13(4):340. doi:10.1007/s11910-013-0340-9
440. * Mandrell BN, LaRosa K, Hancock D, et al. Predictors of narcolepsy and hypersomnia due to medical disorder in pediatric craniopharyngioma. *J Neurooncol*. 2020;148(2):307-316. doi:10.1007/s11060-020-03519-3
441. Martinez-Rodriguez JE, Lin L, Iranzo A, et al. Decreased hypocretin-1 (orexin-A) levels in the cerebrospinal fluid of patients with myotonic dystrophy and excessive daytime sleepiness. *Sleep*. 2003;26(3):287-290. doi:10.1093/sleep/26.3.287
442. Mathias JL, Alvaro PK. Prevalence of sleep disturbances, disorders, and problems following traumatic brain injury: a meta-analysis. *Sleep Med*. 2012;13(7):898-905. doi:10.1016/j.sleep.2012.04.006
443. * Ono H, Kanbayashi T, Imanishi A, et al. Clinical characteristics of symptomatic narcolepsy or hypersomnia: an analysis of 182 consecutive cases with neurological disorders associated with hypersomnolence. *Sleep Biol Rhythms*. 2019;17:123-140.
444. Panossian L, Veasey S. Daytime sleepiness in obesity: mechanisms beyond obstructive sleep apnea- a review. *Sleep*. 2012;35(5):605-615. doi:10.5665/sleep.1812
445. Pépin J, Viot-Blanc V, Escourrou P, et al. Prevalence of residual excessive sleepiness in CPAP-treated sleep apnoea patients: the French multicentre study. *Eur Resp J*. 2009;33(5):1062-1067. doi:10.1183/09031936.00016808
446. Sandmark DK, Elliott JE, Lim MM. Sleep-wake disturbances after traumatic brain injury: synthesis of human and animal studies. *Sleep*. 2017;40(5):zsx044. doi:10.1093/sleep/zsx044
447. Valko PO, Gavrilov YV, Yamamoto M, et al. Damage to histaminergic tuberomammillary neurons and other hypothalamic neurons with traumatic brain injury. *Ann Neurol*. 2015;77(1):177-182. doi:10.1002/ana.24298
448. Vernet C, Redolfi S, Attali V, et al. Residual sleepiness in obstructive sleep apnoea: phenotype and related symptoms. *Eur Respir J*. 2011;38(1):98-105. doi:10.1183/09031936.00040410
449. Wienecke M, Werth E, Poryazova R, et al. Progressive dopamine and hypocretin deficiencies in Parkinson's disease: is there an impact on sleep and wakefulness? *J Sleep Res*. 2012;21(6):710-717. doi:10.1111/j.1365-2869.2012.01027.x

450. Xiong Y, Zhou XJ, Nisi RA, et al. Brain white matter changes in CPAP-treated obstructive sleep apnea patients with residual sleepiness. *J Magn Reson Imaging*. 2017;45(5):1371-1378. doi:10.1002/jmri.25463
451. Zhang J, Weaver TE, Zhong Z, et al. White matter structural differences in OSA patients experiencing residual daytime sleepiness with high CPAP use: a non-Gaussian diffusion MRI study. *Sleep Med*. 2019;53:51-59. doi:10.1016/j.sleep.2018.09.011
452. Zhu Y, Fenik P, Zhan G, et al. Selective loss of catecholaminergic wake active neurons in a murine sleep apnea model. *J Neurosci*. 2007;27(37):10060-10071. doi:10.1523/jneurosci.0857-07.2007
453. Zhu Y, Fenik P, Zhan G, Xin R, Veasey SC. Degeneration in Arousal Neurons in Chronic Sleep Disruption Modeling Sleep Apnea. *Front Neurol*. 2015;6:109. doi:10.3389/fneur.2015.00109

Hypersomnia Associated with a Medication or Substance

454. Ancoli-Israel S. Sleep and its disorders in aging populations. *Sleep Med*. 2009;10(Suppl 1):S7–S11. doi:10.1016/j.sleep.2009.07.004
455. España RA, Scammell TE. Sleep neurobiology from a clinical perspective. *Sleep*. 2011;34(7):845-858. doi:10.5665/sleep.1112
456. Gillin JC, Smith TL, Irwin M, Butters N, Demodena A, Schuckit M. Increased pressure for rapid eye movement sleep at time of hospital admission predicts relapse in nondepressed patients with primary alcoholism at 3-month follow-up. *Arch Gen Psychiatry*. 1994;51(3):189-197. doi:10.1001/archpsyc.1994.03950030025003
457. Guilleminault C, Brooks SN. Excessive daytime sleepiness: a challenge for the practicing neurologist. *Brain*. 2001;124(Pt 8):1482-1491. doi:10.1093/brain/124.8.1482
458. Juliano LM, Griffiths RR. A critical review of caffeine withdrawal: empirical validation of symptoms and signs, incidence, severity, and associated features. *Psychopharmacology (Berl)*. 2004;176(1):1-29. doi:10.1007/s00213-004-2000-x
459. Mason M, Cates CJ, Smith I. Effects of opioid, hypnotic and sedating medications on sleep-disordered breathing in adults with obstructive sleep apnea. *Cochrane Database Syst Rev*. 2015(7):CD011090. doi:10.1002/14651858.cd011090.pub2
460. McGregor C, Srisurapanont M, Jittiwitikarn J, Laobhripatr S, Wongtan T, White JM. The nature, time course and severity of methamphetamine withdrawal. *Addiction*. 2005;100(9):1320-1329. doi:10.1111/j.1360-0443.2005.01160.x
461. Mogri M, Desai H, Webster L, Grant BJ, Mador MJ. Hypoxemia in patients on chronic opiate therapy with and without sleep apnea. *Sleep Breath*. 2009;13(1):49-57. doi:10.1007/s11325-008-0208-4
462. Nigam G, Camacho M, Riaz M. The effect of nonbenzodiazepines sedative hypnotics on apnea-hypopnea index: A meta-analysis. *Ann Thorac Med*. 2019;14(1):49-55. doi:10.4103/atm.atm_198_18

463. Punjabi NM. The epidemiology of adult obstructive sleep apnea. *Proc Am Thorac Soc*. 2008;5(2):136-143. doi:10.1513/pats.200709-155mg
464. Qureshi A, Lee-Chiong T Jr. Medications and their effects on sleep. *Med Clin North Am*. 2004;88(3):751-766. doi:10.1016/j.mcna.2004.01.007
465. Roehrs T, Bonahoom A, Pedrosi B, Zorick F, Roth T. Nighttime versus daytime hypnotic self-administration. *Psychopharmacology (Berl)*. 2002;161(2):137-142. doi:10.1007/s00213-002-1041-2
466. Roehrs T, Roth T. Sleep, sleepiness, and alcohol use. *Alcohol Res Health*. 2001;25(2):101-109.
467. Schweitzer PK. Drugs that disturb sleep and wakefulness. In: Kryger MH, Roth T, Dement WC, eds. Principles and practice of sleep medicine. 5th ed. St Louis: Elsevier Saunders; 2011:542-560.
468. William Ishak W, Ugochukwu C, Bagot K, Khalili D, Zaky C. Energy drinks: psychological effects and impact on well-being and quality of life-a literature review. *Innov Clin Neurosci*. 2012;9(1):25-34.

Hypersomnia Associated with a Psychiatric Disorder

469. Bassetti C, Gugger M, Bischof M, et al. The narcoleptic borderland: a multimodal diagnostic approach including cerebrospinal fluid levels of hypocretin-1 (orexin A). *Sleep Med*. 2003;4(1):7-12. doi:10.1016/s1389-9457(02)00191-0
470. * Dauvilliers Y, Lopez R, Ohayon M, Bayard S. Hypersomnia and depressive symptoms: methodological and clinical aspects. *BMC Med*. 2013;11(1):1-9. doi:10.1186/1741-7015-11-78
471. Guilleminault C, Brooks SN. Excessive daytime sleepiness: a challenge for the practicing neurologist. *Brain*. 2001;124(Pt 8):1482-1491. doi:10.1093/brain/124.8.1482
472. Kaplan KA, Harvey AG. Hypersomnia across mood disorders: a review and synthesis. *Sleep Med Rev*. 2009;13(4):275-285. doi:10.1016/j.smrv.2008.09.001
473. Kotagal S. Hypersomnia in children: interface with psychiatric disorders. *Child Adolesc Psychiatr Clin N Am*. 2009;18(4):967-977. doi:10.1016/j.chc.2009.04.006
474. Liu X, Buysse DJ, Gentzler AL, et al. Insomnia and hypersomnia associated with depressive phenomenology and comorbidity in childhood depression. *Sleep*. 2007;30(1):83-90. doi:10.1093/sleep/30.1.83
475. Partonen T, Lönnqvist J. Seasonal affective disorder. *Lancet*. 1998;352(9137):1369-1374. doi:10.1016/s0140-6736(98)01015-0
476. Plante DT, Cook JD, Goldstein MR. Objective measures of sleep duration and continuity in major depressive disorder with comorbid hypersomnolence: a primary investigation with contiguous systematic review and meta-analysis. *J Sleep Res*. 2017;26(3):255-265. doi:10.1111/jsr.12498
477. Plante DT. Sleep propensity in psychiatric hypersomnolence: a systematic review and meta-analysis of multiple sleep latency test findings. *Sleep Med Rev*. 2017;31:48-57. doi:10.1016/j.smrv.2016.01.004

478. Sangal RB, Thomas L, Mitler MM. Maintenance of wakefulness test and multiple sleep latency test. Measurement of different abilities in patients with sleep disorders. *Chest*. 1992;101(4):898-902. doi:10.1378/chest.101.4.898
479. van den Berg JF, Luijendijk HJ, Tulen JH, Hofman A, Neven AK, Tiemeier H. Sleep in depression and anxiety disorders: a population-based study of elderly persons. *J Clin Psychiatry*. 2009;70(8):1105-1113. doi:10.4088/jcp.08m04448
480. van den Hoed J, Kraemer H, Guilleminault C, et al. Disorders of excessive daytime somnolence: polygraphic and clinical data for 100 patients. *Sleep*. 1981;4(1):23-37. doi:10.1093/sleep/4.1.23

Insufficient Sleep Syndrome

481. Bartel KA, Gradisar M, Williamson P. Protective and risk factors for adolescent sleep: a meta-analytic review. *Sleep Med Rev*. 2015;21:72-85. doi:10.1016/j.smrv.2014.08.002
482. Baumann-Vogel H, Hoff S, Valko PO, Poryazova R, Werth E, Baumann CR. Extending sleep to confirm insufficient sleep syndrome is challenging. *J Sleep Res*. 2021;30(3):e13109. doi:10.1111/jsr.13109
483. Carskadon MA, Dement WC. Effects of total sleep loss on sleep tendency. *Percept Mot Skills*. 1979;48(2):495-506. doi:10.2466/pms.1979.48.2.495
484. Habeck C, Rakitin BC, Moeller J, et al. An event related fMRI study of the neurobehavioral impact of sleep deprivation on performance of a delayed match to sample task. *Brain Res Cogn Brain Res*. 2004;18(3):306-321. doi:10.1016/j.cogbrainres.2003.10.019
485. Itani O, Jike M, Watanabe N, Kaneita Y. Short sleep duration and health outcomes: a systematic review, meta-analysis, and meta-regression. *Sleep Med*. 2017;32:246-256. doi:10.1016/j.sleep.2016.08.006
486. Krahn LE, Arand DL, Avidan AY, et al. Recommended protocols for the Multiple Sleep Latency Test and Maintenance of Wakefulness Test in adults: guidance from the American Academy of Sleep Medicine. *J Clin Sleep Med*. 2021;17(12):2489-2498. doi:10.5664/jcsm.9620
487. Lowe CJ, Safati A, Hall PA. The neurocognitive consequences of sleep restriction: a meta-analytic review. *Neurosci Biobehav Rev*. 2017;80:586-604. doi:10.1016/j.neubiorev.2017.07.010
488. Merikanto I, Kronholm E, Peltonen M, Laatikainen T, Lahti T, Partonen T. Relation of chronotype to sleep complaints in the general Finnish population. *Chronobiol Int*. 2012;29(3):311-317. doi:10.3109/07420528.2012.655870
489. Mont TH, Buysse DJ, Carrier J, Billy BD, Rose LR. Effects of afternoon “siesta” naps on sleep, alertness, performance, and circadian rhythms in the elderly. *Sleep*. 2001;24(6):680-687. doi:10.1093/sleep/24.6.680
490. Mu Q, Mishory A, Johnson KA, et al. Decreased brain activation during a working memory task at rested wakefulness is associated with vulnerability to sleep deprivation. *Sleep*. 2005;28(4):433-446. doi:10.1093/sleep/28.4.433
491. Roehrs T, Zorick F, Sicklesteel J, Wittig R, Roth T. Excessive daytime sleepiness associated with insufficient sleep. *Sleep*. 1983;6(4):319-325. doi:10.1093/sleep/6.4.319

492. Smith MT, McCrae CS, Cheung J, et al. Use of actigraphy for the evaluation of sleep disorders and circadian rhythm sleep-wake disorders: an American Academy of Sleep Medicine systematic review, meta-analysis, and GRADE assessment. *J Clin Sleep Med.* 2018;14(7):1209-1230. doi:10.5664/jcsm.7228
493. Shochat T, Cohen-Zion M, Tzischinsky O. Functional consequences of inadequate sleep in adolescents: a systematic review. *Sleep Med Rev.* 2014;18(1):75-87. doi:10.1016/j.smrv.2013.03.005
494. Taylor DJ, Bramoweth AD. Patterns and consequences of inadequate sleep among college students: substance use and motor vehicle accidents. *J Adolesc Health.* 2010;46(6):610-612. doi:10.1016/j.jadohealth.2009.12.010
495. Tucker AM, Whitney P, Belenky G, Hinson JM, Van Dongen HPA. Effects of sleep deprivation on dissociated components of executive functioning. *Sleep.* 2010;33(1):47-57. doi:10.1093/sleep/33.1.47
496. Van Dongen HPA, Maislin G, Mullington JM, Dinges DF. The cumulative cost of additional wakefulness: dose-response effects on neurobehavioral functions and sleep physiology from chronic sleep restriction and total sleep deprivation. *Sleep.* 2003;26(2):117-126. doi:10.1093/sleep/26.2.117
497. Xi B, He D, Zhang M, Xue J, Zhou D. Short sleep duration predicts risk of metabolic syndrome: a systematic review and meta-analysis. *Sleep Med Rev.* 2014;18(4):293-297. doi:10.1016/j.smrv.2013.06.001

Isolated Symptoms and Normal Variants, Long Sleeper

498. Aeschbach D, Cajochen C, Landolt H, Borbély AA. Homeostatic sleep regulation in habitual short sleepers and long sleepers. *Am J Physiol.* 1996;270(1 Pt 2):R41-R53. doi:10.1152/ajpregu.1996.270.1.r41
499. Jike M, Itani O, Watanabe N, Buysse DJ, Kaneita Y. Long sleep duration and health outcomes: a systematic review, meta-analysis and meta-regression. *Sleep Med Rev.* 2018;39:25-36. doi:10.1016/j.smrv.2017.06.011
500. Kripke DF, Garfinkel L, Wingard DL, Klauber MR, Marler MR. Mortality associated with sleep duration and insomnia. *Arch Gen Psychiatry.* 2002;59(2):131-136. doi:10.1001/archpsyc.59.2.131
501. Ohayon M, Reynolds CF 3rd, Dauvilliers Y. Excessive sleep duration and quality of life. *Ann Neurol.* 2013;73(6):785-794. doi:10.1002/ana.23818
502. Sawyer E, Heussler H, Gunnarsson R. Defining short and long sleep duration for future paediatric research: a systematic literature review. *J Sleep Res.* 2019;28(6):e12839. doi:10.1111/jsr.12839
503. Siobhan S, Nolan H, Kenny RA, O'Connell MDL. Objective sleep duration in older adults: results from the Irish Longitudinal Study on Ageing. *J Am Geriatr Soc.* 2020;68(1):120-128. doi:10.1111/jgs.16177
504. Webb WB. Are short and long sleepers different? *Psychol Rep.* 1979;44(1):259-264. doi:10.2466/pr0.1979.44.1.259

Circadian Rhythm Sleep-Wake Disorders

Delayed Sleep-Wake Phase Disorder

505. Ancoli-Israel S, Schnierow B, Kelsoe J, Fink R. A pedigree of one family with delayed sleep phase syndrome. *Chronobiol Int.* 2001;18(5):831-840. doi:10.1081/cbi-100107518
506. Archer SN, Carpen JD, Gibson M, et al. Polymorphism in the PER3 promoter associates with diurnal preference and delayed sleep phase disorder. *Sleep.* 2010;33(5):695-701. doi:10.1093/sleep/33.5.695
507. Ayalon L, Borodkin K, Dishon L, Kanety H, Dagan Y. Circadian rhythm sleep disorders following mild traumatic brain injury. *Neurology.* 2007;68(14):1136-40. doi:10.1212/01.wnl.0000258672.52836.30
508. * Becker SP, Lienesch JA. Nighttime media use in adolescents with ADHD: links to sleep problems and internalizing symptoms. *Sleep Med.* 2018;51:171-178. doi:10.1016/j.sleep.2018.06.021
509. Bijlenga D, Van Someren EJ, Gruber R, et al. Body temperature, activity and melatonin profiles in adults with attention-deficit/hyperactivity disorder and delayed sleep: a case-control study. *J Sleep Res.* 2013;22(6):607-616. doi:10.1111/jsr.12075
510. Carmassi C, Palagini L, Caruso D, et al. Systematic review of sleep disturbances and circadian sleep desynchronization in autism spectrum disorder: toward an integrative model of a self-reinforcing loop. *Front Psychiatry.* 2019;10:366. doi:10.3389/fpsyg.2019.00366
511. Danielsson K, Markström A, Bromman JE, von Knorring L, Jansson-Fröjmark M. Delayed sleep phase disorder in a Swedish cohort of adolescents and young adults: prevalence and associated factors. *Chronobiol Int.* 2016;33(10):1331-1339. doi:10.1080/07420528.2016.1217002
512. * Engelhardt CR, Mazurek MO, Sohl K. Media use and sleep among boys with autism spectrum disorder, ADHD, or typical development. *Pediatrics.* 2013;132(6):1081-1089. doi:10.1542/peds.2013-2066
513. Gradisar M, Crowley SJ. Delayed sleep phase disorder in youth. *Curr Opin Psychiatry.* 2013;26(6):580-585. doi:10.1097/yco.0013e328365a1d4
514. * Gruber R, Fontil L, Bergmame L, et al. Contributions of circadian tendencies and behavioral problems to sleep onset problems of children with ADHD. *BMC psychiatry.* 2012;12(1):1-11. doi:10.1186/1471-244X-12-212
515. Lovato N, Gradisar M, Short M, Dohnt H, Micic G. Delayed sleep phase disorder in an Australian school-based sample of adolescents. *J Clin Sleep Med.* 2013; 9(9):939-944. doi:10.5664/jcsm.2998
516. * Marchetti LM, Biello SM, Broomfield NM, Macmahon KM, Espie CA. Who is pre-occupied with sleep? A comparison of attention bias in people with psychophysiological insomnia, delayed sleep phase syndrome and good sleepers using the induced change blindness paradigm. *J Sleep Res.* 2006;15(2):212-221. doi:10.1111/j.1365-2869.2006.00510.x
517. * Mazurek MO, Engelhardt CR, Hilgard J, Sohl K. Bedtime Electronic Media Use and Sleep in Children with Autism Spectrum Disorder. *J Dev Behav Pediatr.* 2016;37(7):525-531. doi:10.1097/DBP.0000000000000314.

518. Murray JM, Sletten TL, Magee M, et al. Prevalence of circadian misalignment and its association with depressive symptoms in delayed sleep phase disorder. *Sleep*. 2017;40(1):zsw002. doi:10.1093/sleep/zsw002
519. Paine SJ, Fink J, Gander PH, Warman GR. Identifying advanced and delayed sleep phase disorders in the general population: a national survey of New Zealand adults. *Chronobiol Int*. 2014;31(5):627-636. doi:10.3109/07420528.2014.885036
520. Patke A, Murphy PJ, Onat OE, et al. Mutation of the human circadian clock gene CRY1 in familial delayed sleep phase disorder. *Cell*. 2017;169(2):203-215. doi:10.1016/j.cell.2017.03.027
521. Rahman SA, Kayumov L, Tchmoutina EA, Shapiro CM. Clinical efficacy of dim light melatonin onset testing in diagnosing delayed sleep phase syndrome. *Sleep Med*. 2009;10(5):549-555. doi:10.1016/j.sleep.2008.03.020
522. Rajaratnam SM, Licamele L, Birznieks G. Delayed sleep phase disorder risk is associated with absenteeism and impaired functioning. *Sleep Health*. 2015;1(2):121-127. doi:10.1016/j.slehd.2015.03.001
523. Reid KJ, Jaksa AA, Eisengart JB, et al. Systematic evaluation of Axis-I DSM diagnoses in delayed sleep phase disorder and evening-type circadian preference. *Sleep Med*. 2012;13(9):1171-1177. doi:10.1016/j.sleep.2012.06.024
524. * Saxvig IW, Pallesen S, Wilhelmsen-Langeland A, Molde H, Bjorvatn B. Prevalence and correlates of delayed sleep phase in high school students. *Sleep Med*. 2012;13(2):193-199. doi:10.1016/j.sleep.2011.10.024
525. * Shibui K, Uchiyama M, Okawa M. Melatonin rhythms in delayed sleep phase syndrome. *J Biol Rhythms*. 1999;14:72-76. doi:10.1177/074873049901400110
526. Sivertsen B, Pallesen S, Stormark KM, Bøe T, Lundervold AJ, Hysing M. Delayed sleep phase syndrome in adolescents: prevalence and correlates in a large population based study. *BMC Public Health*. 2013;13(1):1163. doi:10.1186/1471-2458-13-1163
527. * Sletten TL, Cappuccio FP, Davidson AJ, Van Cauter E, Rajaratnam SM, Scheer FA. Health consequences of circadian disruption. *Sleep*. 2020;43(1):zs194. doi:10.1093/sleep/zs194
528. Uchiyama M, Okawa M, Shibui K, et al. Poor compensatory function for sleep loss as a pathogenic factor in patients with delayed sleep phase syndrome. *Sleep*. 2000;23(4):553-558. doi:10.1093/sleep/23.4.1h
529. * Wyatt JK, Stepanski EJ, Kirkby J. Circadian phase in delayed sleep phase syndrome: predictors and temporal stability across multiple assessments. *Sleep*. 2006;29(8):1075-1080. doi:10.1093/sleep/29.8.1075

Advanced Sleep-Wake Phase Disorder

530. * Ando K, Kripke DF, Ancoli-Israel S. Delayed and advanced sleep phase symptoms. *Isr J Psychiatry*. 2002;39(1):11-18.
531. Ashbrook LH, Krystal AD, Fu YH, Ptáček LJ. Genetics of the human circadian clock and sleep homeostat. *Neuropsychopharmacology*. 2020;45(1):45-54. doi:10.1038/s41386-019-0476-7

532. Auger RR. Advance-related sleep complaints and advanced sleep phase disorder. *Sleep Med Clin.* 2009;4(2):219-227. doi:10.1016/j.jsmc.2009.01.012
533. * Brennan K, Bates EA, Shapiro RE, et al. Casein kinase i δ mutations in familial migraine and advanced sleep phase. *Sci Transl Med.* 2013;5(183):183ra56-11. doi:10.1126/scitranslmed.3005784
534. * Campbell SS, Dawson D, Anderson MW. Alleviation of sleep maintenance insomnia with timed exposure to bright light. *J Am Geriatr Soc.* 1993;41(8):829-836. doi:10.1111/j.1532-5415.1993.tb06179.x
535. Carpen JD, Archer SN, Skene DJ, Smits M, von Schantz M. A single-nucleotide polymorphism in the 5'-untranslated region of the hPER2 gene is associated with diurnal preference. *J Sleep Res.* 2005;14(3):293-297. doi:10.1111/j.1365-2869.2005.00471.x
536. Carpen JD, von Schantz M, Smits M, Skene DJ, Archer SN. A silent polymorphism in the PER1 gene associates with extreme diurnal preference in humans. *J Hum Genet.* 2006;51(12):1122-1125. doi:10.1007/s10038-006-0060-y
537. * Carrier J, Monk TH, Buysse DJ, Kupfer DJ. Sleep and morningness-eveningness in the ‘middle’years of life (20–59y). *J Sleep Res.* 1997;6(4):230-237. doi:10.1111/j.1365-2869.1997.00230.x
538. Curtis BJ, Ashbrook LH, Young T, et al. Extreme morning chronotypes are often familial and not exceedingly rare: the estimated prevalence of advanced sleep phase, familial advanced sleep phase, and advanced sleep-wake phase disorder in a sleep clinic population. *Sleep.* 2019;42(10):zsz148. doi:10.1093/sleep/zsz148
539. * Hirano A, Shi G, Jones CR, et al. A Cryptochrome 2 mutation yields advanced sleep phase in humans. *eLife.* 2016;5:e16695. doi:10.7554/eLife.16695
540. Horne JA, Östberg O. A self-assessment questionnaire to determine morningness-eveningness in human circadian rhythms. *Int J Chronobiol.* 1976;4(2):97-110.
541. Jones C, Campbell SS, Zone SE, et al. Familial advanced sleep phase syndrome: a short-period circadian rhythm variant in humans. *Nature Med.* 1999;5(9):1062-1065. doi:10.1038/12502
542. Jones SE, Lane JM, Wood AR, et al. Genome-wide association analyses of chronotype in 697,828 individuals provides insights into circadian rhythms. *Nat Commun.* 2019;10(1):1-11343. doi:10.1038/s41467-018-08259-7
543. Kamei R, Hughes L, Miles L, et al. Advanced-sleep phase syndrome studied in a time isolation facility. *Chronobiologia.* 1979;6:115.
544. * Kurien P, Hsu PK, Leon J, et al. TIMELESS mutation alters phase responsiveness and causes advanced sleep phase. *Proc Natl Acad Sci USA.* 2019;116(24):12045-12053. doi:10.1073/pnas.1819110116
545. * Moldofsky H, Musisi S, Phillipson E. Treatment of a case of advanced sleep phase syndrome by phase advance chronotherapy. *Sleep.* 1986;9(1):61-65. doi:10.1093/sleep/9.1.61

546. Paine SJ, Fink J, Gander PH, Warman GR. Identifying advanced and delayed sleep phase disorders in the general population: a national survey of New Zealand adults. *Chronobiol Int.* 2014;31(5):627-636. doi:10.3109/07420528.2014.885036
547. Palmer CR, Kripke DF, Savage HC Jr, Cindrich LA, Loving RT, Elliott JA. Efficacy of enhanced evening light for advanced sleep phase syndrome. *Behav Sleep Med.* 2003;1(4):213-226. doi:10.1207/s15402010bsm0104_4
548. Sack RL, Auckley D, Auger RR, et al. Circadian rhythm sleep disorders: part II, advanced sleep phase disorder, delayed sleep phase disorder, free-running disorder, and irregular sleep-wake rhythm. *Sleep.* 2007;30(11):1484-1501. doi:10.1093/sleep/30.11.1484
549. Satoh K, Mishima K, Inoue Y, Ebisawa T, Shimizu T. Two pedigrees of familial advanced sleep phase syndrome in Japan. *Sleep.* 2003;26(4):416-417. doi:10.1093/sleep/26.4.416
550. * Singer C, Lewy A. Case report: Use of the dim light melatonin onset in the treatment of ASPS with bright light. *Sleep Res.* 1989;18:445.
551. * Tafoya SA, Aldrete-Cortez V, Ortiz S, Fouilloux C, Flores F, Monterrosas AM. Resilience, sleep quality and morningness as mediators of vulnerability to depression in medical students with sleep pattern alterations. *Chronobiol Int.* 2019;36(3):381-391. doi:10.1080/07420528.2018.1552290
552. * Toh KL, Jones CR, He Y, et al. An hPer2 phosphorylation site mutation in familial advanced sleep phase syndrome. *Science.* 2001;291(5506):1040-1043. doi:10.1126/science.1057499
553. Xu Y, Padiath QS, Shapiro RE, et al. Functional consequences of a CKI δ mutation causing familial advanced sleep phase syndrome. *Nature.* 2005;434(7003):640-644. doi:10.1038/nature03453
554. Yoon IY, Kripke DF, Elliott JA, Youngstedt SD, Rex KM, Hauger RL. Age-related changes of circadian rhythms and sleep-wake cycles. *J Am Geriatr Soc.* 2003;51(8):1085-1091. doi:10.1046/j.1532-5415.2003.51356.x
555. * Zhang L, Hirano A, Hsu P-K, et al. A PERIOD3 variant causes a circadian phenotype and is associated with a seasonal mood trait. *Proc Natl Acad Sci USA.* 2016;113(11):E1536-E1544. doi:10.1073/pnas.1600039113

Irregular Sleep-Wake Rhythm Disorder

556. Abbott SM, Zee PC. Irregular sleep-wake rhythm disorder. *Sleep Med Clin.* 2015;10(4):517-522. doi:10.1016/j.jsmc.2015.08.005
557. Ancoli-Israel S. Sleep and its disorders in aging populations. *Sleep Med.* 2009;10(Suppl 1):S7-S11. doi:10.1016/j.sleep.2009.07.004
558. * Diem SJ, Blackwell TL, Stone KL, et al. Measures of sleep-wake patterns and risk of mild cognitive impairment or dementia in older women. *Am J Geriatr Psychiatry.* 2016;24(3):248-258. doi:10.1016/j.jagp.2015.12.002
559. * Flynn-Evans EE, Tabandeh H, Skene DJ, Lockley SW. Circadian rhythm disorders and melatonin production in 127 blind women with and without light perception. *J Biol Rhythms.* 2014;29(3):215-224. doi:10.1177/0748730414536852

560. * Gropman AL, Elsea S, Duncan WC Jr, Smith AC. New developments in Smith-Magenis syndrome (del 17p11.2). *Curr Opin Neurol.* 2007 Apr;20(2):125-134. doi:10.1097/WCO.0b013e3280895dba
561. * Hopkins RW, Rindlisbacher P. Fragmentation of activity periods in Alzheimer's disease. *Int J Geriatr Psychiatry.* 1992;7(11):805-812.
562. Oyegbile T, Videnovic A. Irregular sleep-wake rhythm disorder. *Neurol Clin.* 2019;37(3):553-561. doi:10.1016/j.ncl.2019.04.002
563. * Schroder CM, Malow BA, Maras A, et al. Pediatric Prolonged-Release Melatonin for Sleep in Children with Autism Spectrum Disorder: Impact on Child Behavior and Caregiver's Quality of Life. *J Autism Dev Disord.* 2019;49(8):3218-3230. doi:10.1007/s10803-019-04046-5
564. * Shochat T, Martin J, Marler M, Ancoli-Israel S. Illumination levels in nursing home patients: effects on sleep and activity rhythms. *J Sleep Res.* 2000;9(4):373-379. doi:10.1046/j.1365-2869.2000.00221.x
565. * Witting W, Kwa I, Eikelenboom P, Mirmiran M, Swaab DF. Alterations in the circadian rest-activity rhythm in aging and Alzheimer's disease. *Biol Psychiatry.* 1990;27(6):563-572. doi:10.1016/0006-3223(90)90523-5
566. Zhou QP, Jung L, Richards KC. The management of sleep and circadian disturbance in patients with dementia. *Curr Neurol Neurosci Rep.* 2012;12(2):193-204. doi:10.1007/s11910-012-0249-8

Non-24-Hour Sleep-Wake Rhythm Disorder

567. Abbott SM. Non-24-hour Sleep-Wake Rhythm Disorder. *Neurol Clin.* 2019;37(3):545-552. doi:10.1016/j.ncl.2019.03.002
568. * Abbott SM, Choi J, Wilson J, Zee PC. Melanopsin-dependent phototransduction is impaired in delayed sleep-wake phase disorder and sighted non-24-hour sleep-wake rhythm disorder. *Sleep.* 2021;44(2):zsaa184. doi:10.1093/sleep/zsaa184
569. * Ayalon L, Borodkin K, Dishon L, Kanety H, Dagan Y. Circadian rhythm sleep disorders following mild traumatic brain injury. *Neurology.* 2007;68:1136-1140. doi:10.1212/01.wnl.0000258672.52836.30
570. * Czeisler CA, Shanahan TL, Klerman EB, et al. Suppression of melatonin secretion in some blind patients by exposure to bright light. *New Engl J Med.* 1995;332(1):6-11. doi:10.1056/NEJM199501053320102
571. Flynn-Evans EE, Tabandeh H, Skene DJ, Lockley SW. Circadian rhythm disorders and melatonin production in 127 blind women with and without light perception. *J Biol Rhythms.* 2014;29(3):215-224. doi:10.1177/0748730414536852
572. Hartley S, Dauvilliers Y, Quera-Salva MA. Circadian rhythm disturbances in the blind. *Curr Neurol Neurosci Rep.* 2018;18(10):65. doi:10.1007/s11910-018-0876-9
573. * Hayakawa T, Uchiyama M, Kamei Y, et al. Clinical analyses of sighted patients with non-24-hour sleep-wake syndrome: a study of 57 consecutively diagnosed cases. *Sleep.* 2005;28(8):945-952. doi:10.1093/sleep/28.8.945

574. * Lockley SW, DIJK DJ, Kosti O, Skene DJ, Arendt J. Alertness, mood and performance rhythm disturbances associated with circadian sleep disorders in the blind. *J Sleep Res.* 2008;17(2):207-216. doi:10.1111/j.1365-2869.2008.00656.x
575. * McArthur AJ, Lewy AJ, Sack RL. Non-24-hour sleep-wake syndrome in a sighted man: circadian rhythm studies and efficacy of melatonin treatment. *Sleep.* 1996;19(7):544-553. doi:10.1093/sleep/19.7.544
576. * Micic G, Lovato N, Ferguson SA, Burgess HJ, Lack L. Circadian tau differences and rhythm associations in delayed sleep-wake phase disorder and sighted non-24-hour sleep-wake rhythm disorder. *Sleep.* 2021;44(1):zsaa132. doi:10.1093/sleep/zsaa132
577. * Sack RL, Lewy AJ, Blood ML, Keith LD, Nakagawa H. Circadian rhythm abnormalities in totally blind people: incidence and clinical significance. *J Clin Endocrinol Metab.* 1992;75(1):127-134. doi:10.1210/jcem.75.1.1619000
578. Uchiyama M, Lockley SW. Non-24-hour sleep-wake rhythm disorder in sighted and blind patients. *Sleep Med Clin.* 2015;10(4):495-516. doi:10.1016/j.jsmc.2015.07.006
579. * Uchiyama M, Shibui K, Hayakawa T, et al. Larger phase angle between sleep propensity and melatonin rhythms in sighted humans with non-24-hour sleep-wake syndrome. *Sleep.* 2002;25(1):83-88. doi:10.1093/sleep/25.1.83
580. * Zaidi FH, Hull JT, Peirson SN, et al. Short-wavelength light sensitivity of circadian, pupillary, and visual awareness in humans lacking an outer retina. *Curr Biol.* 2007;17(24):2122-2128. doi:10.1016/j.cub.2007.11.034

Shift Work Disorder

581. * Akerstedt T. Shift work and disturbed sleep/wakefulness. *Occupational medicine (oxford, England).* 2003;53(2):89-94. doi:10.1093/occmed/kqg046
582. * Alterman T, Luckhaupt SE, Dahlhamer JM, Ward BW, Calvert GM. Prevalence rates of work organization characteristics among workers in the U.S.: Data from the 2010 National Health Interview Survey. *Am J Ind Med.* 2013;56(6):647-659. doi:10.1002/ajim.22108
583. Ancoli-Israel S, Cole R, Alessi C, Chambers M, Moorcroft W, Pollak CP. The role of actigraphy in the study of sleep and circadian rhythms. *Sleep.* 2003;26(3):342-392. doi:10.1093/sleep/26.3.342
584. Barger LK, Ogeil RP, Drake CL, O'Brien CS, Ng KT, Rajaratnam SM. Validation of a questionnaire to screen for shift work disorder. *Sleep.* 2012;35(12):1693-1703.
585. * Bjorvatn B, Pallesen S, Moen BE, Waage S, Kristoffersen ES. Migraine, tension-type headache and medication-overuse headache in a large population of shift working nurses: a cross-sectional study in Norway. *BMJ open.* 2018;8(11):e022403. doi:10.1136/bmjopen-2018-022403
586. Booker LA, Magee M, Rajaratnam SM, Sletten TL, Howard ME. Individual vulnerability to insomnia, excessive sleepiness and shift work disorder amongst healthcare shift workers. A systematic review. *Sleep Med Rev.* 2018;41:220-233. doi:10.1016/j.smrv.2018.03.005
587. * Cheng P, Drake CL. Psychological impact of shift work. *Curr Sleep Med Reps.* 2018;4(2):104-109.

588. Costa G. Shift work and occupational medicine: an overview. *Occup Med (Lond)*. 2003;53(2):83-88. doi:10.1093/occmed/kqg045
589. Di Milia L, Waage S, Pallesen S, Bjorvatn B. Shift work disorder in a random population sample—prevalence and comorbidities. *PLoS one*. 2013;8(1):e55306. doi:10.1371/journal.pone.0055306
590. Drake CL, Wright KP Jr. Shift work, shift-work disorder, and jet lag. In: Kryger MH, Roth T, Dement WC, eds. *Principles and Practice of Sleep Medicine*. 6th ed. Elsevier; 2017:714-725.
591. Drake CL, Roehrs T, Richardson G, Walsh JK, Roth T. Shift work sleep disorder: prevalence and consequences beyond that of symptomatic day workers. *Sleep*. 2004;27(8):1453-1462. doi:10.1093/sleep/27.8.1453
592. Flo E, Pallesen S, Magerøy N, et al. Shift work disorder in nurses—assessment, prevalence and related health problems. *PLoS one*. 2012;7(4):e33981. doi:10.1371/journal.pone.0033981
593. Folkard S, Tucker P. Shift work, safety and productivity. *Occup Med (Lond)*. 2003;53(2):95-101. doi:10.1093/occmed/kqg047
594. Gumennyuk V, Belcher R, Drake CL, Roth T. Differential sleep, sleepiness, and neurophysiology in the insomnia phenotypes of shift work disorder. *Sleep*. 2015;38(1):119-126. doi:10.5665/sleep.4336
595. Horne J, Reyner L. Vehicle accidents related to sleep: a review. *Occup Environ Med*. 1999;56(5):289-294. doi:10.1136/oem.56.5.289
596. * Juda M, Vetter C, Roenneberg T. The Munich chronotype questionnaire for shift-workers (MCTQShift). *J Biol Rhythms*. 2013;28(2):130-140. doi:10.1177/0748730412475041
597. Kalmbach DA, Anderson JR, Drake CL. The impact of stress on sleep: pathogenic sleep reactivity as a vulnerability to insomnia and circadian disorders. *J Sleep Res*. 2018;27(6):e12710. doi:10.1111/jsr.12710
598. Kalmbach DA, Pillai V, Cheng P, Arnedt JT, Drake CL. Shift work disorder, depression, and anxiety in the transition to rotating shifts: the role of sleep reactivity. *Sleep Med*. 2015;16(12):1532-1538. doi:10.1016/j.sleep.2015.09.007
599. Kervezee L, Kosmadopoulos A, Boivin DB. Metabolic and cardiovascular consequences of shift work: The role of circadian disruption and sleep disturbances. *Eur J Neurosci*. 2020;51(1):396-412. doi:10.1111/ejn.14216
600. * Kervezee L, Shechter A, Boivin DB. Impact of shift work on the circadian timing system and health in women. *Sleep Med Clin*. 2018;13(3):295-306. doi:10.1016/j.jsmc.2018.04.003
601. * Knutsson A. Health disorders of shift workers. *Occup Med*. 2003;53(2):103-108. doi:10.1093/occmed/kqg048
602. * Leso V, Gervetti P, Mauro S, Macrini MC, Ercolano ML, Iavicoli I. Shift work and migraine: A systematic review. *J Occup Health*. 2020;62(1):e12116. doi:10.1002/1348-9585.12116
603. * Leso V, Vetrani I, Sicignano A, Romano R, Iavicoli I. The impact of shift-work and night shift-work on thyroid: a systematic review. *Int J Environ Res Public Health*. 2020;17(5):1527. doi:10.3390/ijerph17051527

604. * López-Soto PJ, Fabbian F, Cappadona R, et al. Chronotype, nursing activity, and gender: A systematic review. *J Adv Nur.* 2019;75(4):734-748. doi:10.1111/jan.13876
605. Moreno CR, Marqueze EC, Sargent C, Wright KP Jr, Ferguson SA, Tucker P. Working Time Society consensus statements: Evidence-based effects of shift work on physical and mental health. *Ind Health.* 2019;57(2):139-157. doi:10.2486/indhealth.sw-1
606. * Morris CJ, Garcia JI, Myers S, Yang JN, Trienekens N, Scheer FA. The human circadian system has a dominating role in causing the morning/evening difference in diet-induced thermogenesis. *Obesity.* 2015;23(10):2053-2058. doi:10.1002/oby.21189
607. * Osum M, Serakinci N. Impact of circadian disruption on health; SIRT1 and Telomeres. *DNA repair.* 2020;102993. doi:10.1016/j.dnarep.2020.102993
608. * Peplonska B, Bukowska A, Sobala W. Association of rotating night shift work with BMI and abdominal obesity among nurses and midwives. *PLoS one.* 2015;10(7):e0133761. doi:10.1371/journal.pone.0133761
609. * Plano SA, Casiraghi LP, García Moro P, Paladino N, Golombek DA, Chiesa JJ. Circadian and metabolic effects of light: implications in weight homeostasis and health. *Front Neurol Neurosci.* 2017;8:558. doi:10.3389/fneur.2017.00558
610. Reid KJ, Abbott SM. Jet lag and shift work disorder. *Sleep Med Clinic.* 2015;10(4):523-535. doi:10.1016/j.jsmc.2015.08.006
611. Ritonja J, Aronson KJ, Matthews RW, Boivin DB, Kantermann T. Working Time Society consensus statements: individual differences in shift work tolerance and recommendations for research and practice. *Ind Health.* 2019;57(2):201-212. doi:10.2486/indhealth.sw-5
612. Rivera AS, Akanbi M, O'Dwyer LC, McHugh M. Shift work and long work hours and their association with chronic health conditions: A systematic review of systematic reviews with meta-analyses. *PLoS one.* 2020;15(4):e0231037. doi:10.1371/journal.pone.0231037
613. * Saksvik-Lehouillier I, Bjorvatn B, Hetland H, et al. Individual, situational and lifestyle factors related to shift work tolerance among nurses who are new to and experienced in night work. *J Adv Nurs.* 2013;69(5):1136-1146. doi:10.1111/j.1365-2648.2012.06105.x
614. * Savarese M, Di Perri MC. Excessive sleepiness in shift work disorder: a narrative review of the last 5 years. *Sleep Breath.* 2020;24(1):297-310. doi:10.1007/s11325-019-01925-0
615. * Sun M, Feng W, Wang F, et al. Night shift work exposure profile and obesity: Baseline results from a Chinese night shift worker cohort. *PLoS one.* 2018;13(5):e0196989. doi:10.1371/journal.pone.0196989
616. Swanson LM, Arnedt JT, Rosekind MR, Belenk G, Balkin TJ, Drake C. Sleep disorders and work performance: findings from the 2008 National Sleep Foundation Sleep in America poll. *J Sleep Res.* 2011;20(3):487-494. doi:10.1111/j.1365-2869.2010.00890.x

617. * Waage S, Moen BE, Pallesen S, et al. Shift work disorder among oil rig workers in the North Sea. *Sleep*. 2009;32(4):558-565. doi:10.1093/sleep/32.4.558
618. * Wickwire EM, Geiger-Brown J, Scharf SM, Drake CL. Shift work and shift work sleep disorder: clinical and organizational perspectives. *Chest*. 2017;151(5):1156-1172. doi:10.1016/j.chest.2016.12.007
619. Wright KP Jr, Bogan RK, Wyatt JK. Shift work and the assessment and management of shift work disorder (SWD). *Sleep Med Rev*. 2013;17(1):41-54. doi:10.1016/j.smrv.2012.02.002
620. * Zhang S, Wang Y, Wang Z, et al. Rotating night shift work and non-alcoholic fatty liver disease among steelworkers in China: a cross-sectional survey. *Occup Environ Med*. 2020;77(5):333-339. doi:10.1136/oemed-2019-106220

Jet Lag Disorder

621. Angelo KM, Haulman NJ, Terry AC, et al. Illness among US resident student travellers after return to the USA: a GeoSentinel analysis, 2007-17. *J Travel Med*. 2018;25(1):tay074. doi:10.1093/jtm/tay074
622. Atkinson G, Batterham AM, Dowdall N, Thompson A, van Drongelen A. From animal cage to aircraft cabin: an overview of evidence translation in jet lag research. *Eur J Appl Physiol*. 2014;114(12):2459-2468. doi:10.1007/s00421-014-3026-3
623. Auger RR, Morgenthaler TI. Jet lag and other sleep disorders relevant to the traveler. *Travel Med Infect Dis*. 2009;7(2):60-68. doi:10.1016/j.tmaid.2008.08.003
624. Burgess HJ, Crowley SJ, Gazda CJ, Fogg LF, Eastman CI. Preflight adjustment to eastward travel: 3 days of advancing sleep with and without morning bright light. *J Biol Rhythms*. 2003;18(4):318-328. doi:10.1177/0748730403253585
625. Cingi C, Emre IE, Muluk NB. Jetlag related sleep problems and their management: a review. *Travel Med Infect Dis*. 2018;24:59-64. doi:10.1016/j.tmaid.2018.05.008
626. * Daan S, Lewy A. Scheduled exposure to daylight: A potential strategy to reduced jet-lag following transmeridian flight. *Psychopharmacol Bull*. 1984;20(3):566-568.
627. * Dawson D, Campbell SS. Timed exposure to bright light improves sleep and alertness during simulated night shifts. *Sleep*. 1991;14(6):511-516. doi:10.1093/sleep/14.6.511
628. * Drake CL, Wright KP Jr. Shift work, shift-work disorder, and jet lag. In: Kryger MH, Roth T,
629. * Dement WC, eds. *Principles and practice of sleep medicine*. 6th ed. Elsevier; 2011:784-798.
630. Eastman CI, Gazda CJ, Burgess HJ, Crowley SJ, Fogg LF. Advancing circadian rhythms before eastward flight: a strategy to prevent or reduce jet lag. *Sleep*. 2005;28(1):33-44. doi:10.1093/sleep/28.1.33
631. Gungoren MS, Topcu DI, Zungun C. The effect of jet-lag on serum concentrations of thyroid stimulating hormone and prolactin: a case report. *Biochem Med (Zagreb)*. 2020;30(1):164-167011003. doi:10.11613/bm.2020.011003

632. Moline ML, Pollak CP, Monk TH, et al. Age-related differences in recovery from simulated jet lag. *Sleep*. 1992;15(1):28-40. doi:10.1093/sleep/15.1.28
633. Muham JM, Rock PB, McMullin DL, et al. Effect of aircraft-cabin altitude on passenger discomfort. *N Engl J Med*. 2007;357(1):18-27. doi:10.1056/nejmoa062770
634. Ng SI, Sambasivan M, Zubaidah S. Antecedents and outcomes of flight attendants' job satisfaction. *J Air Transp Manag*. 2011;17(5):309-313. doi:10.1016/j.jairtraman.2011.03.007
635. Sack RL, Auckley D, Auger RR, et al. Circadian rhythm sleep disorders: part I, basic principles, shift work and jet lag. An American Academy of Sleep Medicine review. *Sleep*. 2007;30(11):1460-1483. doi:10.1093/sleep/30.11.1460
636. Srinivasan V, Spence DW, Pandi-Perumal SR, Trakht I, Cardinali DP. Jet lag: therapeutic use of melatonin and possible application of melatonin analogs. *Travel Med Infect Dis*. 2008;6(1-2):17-28. doi:10.1016/j.tmaid.2007.12.002
637. Suhner A, Schlagenhauf P, Höfer I, Johnson R, Tschopp A, Steffen R. Effectiveness and tolerability of melatonin and zolpidem for the alleviation of jet lag. *Aviat Space Environ Med*. 2001;72(7):638-646.
638. * Thaiss CA, Zeevi D, Levy M, et al. Transkingdom control of microbiota diurnal oscillations promotes metabolic homeostasis. *Cell*. 2014;159(3):514-529. doi:10.1016/j.cell.2014.09.048
639. Tresguerres JA, Ariznavarreta C, Granados B, et al. Circadian urinary 6-sulphatoxymelatonin, cortisol excretion and locomotor activity in airline pilots during transmeridian flights. *J Pineal Res*. 2001;31(1):16-22. doi:10.1034/j.1600-079x.2001.310103.x
640. Walker WH, Walton JC, DeVries AC, Nelson RJ. Circadian rhythm disruption and mental health. *Transl Psychiatry*. 2020;10(1):28. doi:10.1038/s41398-020-0694-0
641. Waterhouse JA, Edwards B, Nevill A, et al. Identifying some determinants of "jet lag" and its symptoms: a study of athletes and other travellers. *Br J Sports Med*. 2002;36(1):54-60. doi:10.1136/bjsm.36.1.54
642. Zhang F, Li W, Li H, et al. The effect of jet lag on the human brain: a neuroimaging study. *Hum Brain Mapp*. 2020;41(9):2281-2291. doi:10.1002/hbm.24945

Parasomnias

Introduction

643. Boeve BF, Silber MH, Ferman TJ, et al. Clinicopathologic correlations in 172 cases of rapid eye movement sleep behavior disorder with or without a coexisting neurologic disorder. *Sleep Med.* 2013;14(8):754-762. doi:10.1016/j.sleep.2012.10.015
644. Iranzo A, Stefani A, Serradell M, et al. Characterization of patients with longstanding idiopathic REM sleep behavior disorder. *Neurology.* 2017;89(3):242-248. doi:10.1212/WNL.0000000000004121
645. Ohayon MM, Caulet M, Priest RG. Violent behavior during sleep. *J Clin Psychiatry.* 1997;58(8):369-376.
646. Ohayon MM, Mahowald MW, Dauvilliers Y, Krystal AD, Leger D. Prevalence and comorbidity of nocturnal wandering in the U.S. adult general population. *Neurology.* 2012;78(20):1583-1589. doi:10.1212/WNL.0b013e3182563be5
647. Schenck CH, Milner DM, Hurwitz TD, Bundlie SR, Mahowald MW. A polysomnographic and clinical report on sleep-related injury in 100 adult patients. *Am J Psychiatry.* 1989;146(9):1166-1173. doi:10.1176/ajp.146.9.1166
648. Siclari F, Khatami R, Urbaniok F, et al. Violence in sleep. *Brain.* 2010;133(Pt 12):3494-3509. doi:10.1093/brain/awq296
649. Tassinari CA, Rubboli G, Gardella E, et al. Central pattern generators for a common semiology in fronto-limbic seizures and in parasomnias. A neuroethologic approach. *Neurol Sci.* 2005;26 Suppl 3:s225-s232. doi:10.1007/s10072-005-0492-8
650. Terzaghi M, Sartori I, Tassi L, et al. Evidence of dissociated arousal states during NREM parasomnia from an intracerebral neurophysiological study. *Sleep.* 2009;32(3):409-412. doi:10.1093/sleep/32.3.409

Disorders of Arousal

651. Baldini T, Loddo G, Sessagesimi E, et al. Clinical features and pathophysiology of disorders of arousal in adults: a window into the sleeping brain. *Front Neurol.* 2019;10:526. doi:10.3389/fneur.2019.00526
652. Bargiotas P, Arnet I, Frei M, Baumann CR, Schindler K, Bassetti CL. Demographic, clinical and polysomnographic characteristics of childhood- and adult-onset sleepwalking in adults. *Eur Neurol.* 2017;78(5-6):307-311. doi:10.1159/000481685
653. Barros A, Uguccioni G, Salkin-Goux V, Leu-Semenescu S, Dodet P, Arnulf I. Simple behavioral criteria for the diagnosis of disorders of arousal. *J Clin Sleep Med.* 2020;16(1):121-128. doi:10.5664/jcsm.8136
654. * Broughton RJ. Sleep disorders: disorders of arousal? Enuresis, somnambulism, and nightmares occur in confusional states of arousal, not in “dreaming sleep”. *Science.* 1968;159(3819):1070-1078. doi:10.1126/science.159.3819.1070
655. * Cankardas S, Schenck CH. Sexual behaviors and sexual health of sexsomnia individuals aged 18–58. *International Journal of Sexual Health.* 2021;33(1):29-39.

656. Carrillo-Solano M, Leu-Semenescu S, Golmard JL, Groos E, Arnulf I. Sleepiness in sleepwalking and sleep terrors: a higher sleep pressure? *Sleep Med.* 2016;26:54-59. doi:10.1016/j.sleep.2015.11.020
657. Castelnovo A, Amacker J, Maiolo M, et al. High-density EEG power topography and connectivity during confusional arousal. *Cortex.* 2022;155:62-74. doi:10.1016/j.cortex.2022.05.021
658. Castelnovo A, Loddo G, Provini F, Manconi M. Frequent, complex and vivid dream-like/hallucinatory experiences during NREM sleep parasomnias episodes. *Sleep Med.* 2021;82:61-64. doi:10.1016/j.sleep.2021.03.032
659. Castelnovo A, Lopez R, Proserpio P, Nobili L, Dauvilliers Y. NREM sleep parasomnias as disorders of sleep-state dissociation. *Nat Rev Neurol.* 2018 ;14(8) :470-481. doi:10.1038/s41582-018-0030-y
660. * Castelnovo A, Riedner BA, Smith RF, Tononi G, Boly M, Benca RM. Scalp and source power topography in sleepwalking and sleep terrors: a high-density EEG study. *Sleep.* 2016;39(10):1815-25. doi:10.5665/sleep.6162
661. * Cramer Bornemann MA, Schenck CH, Mahowald MW. A review of sleep-related violence: the demographics of sleep forensics referrals to a single center. *Chest.* 2019;155(5):1059-1066. doi:10.1016/j.chest.2018.11.010
662. * Dang-Vu TT, Zadra A, Labelle MA, Petit D, Soucy JP, Montplaisir J. Sleep deprivation reveals altered brain perfusion patterns in somnambulism. *PLoS One.* 2015;10(8):e0133474. doi:10.1371/journal.pone.0133474
663. Desautels A, Zadra A, Labelle MA, Dauvilliers Y, Petit D, Montplaisir J. Daytime somnolence in adult sleepwalkers. *Sleep Med.* 2013 ;14(11) :1187-1191. doi:10.1016/j.sleep.2013.04.029
664. * Desjardins ME, Baril AA, Soucy JP, et al. Altered brain perfusion patterns in wakefulness and slow-wave sleep in sleepwalkers. *Sleep.* 2018;41(5):zsy039. doi:10.1093/sleep/zsy039
665. * Desjardins ME, Carrier J, Lina JM, et al. EEG functional connectivity prior to sleepwalking: evidence of interplay between sleep and wakefulness. *Sleep.* 2017;40(4):zsx024. doi:10.1093/sleep/zsx024
666. * Di Fabio N, Poryazova R, Oberholzer M, Baumann CR, Bassetti CL. Sleepwalking, REM sleep behaviour disorder and overlap parasomnia in patients with Parkinson's disease. *Eur Neurol.* 2013;70(5-6):297-303. doi:10.1159/000353378
667. Drakatos P, Marples L, Muza R, et al. Video polysomnographic findings in non-rapid eye movement parasomnias. *J Sleep Res.* 2019 ;28(2) :e12772. doi:10.1111/jsr.12772
668. Dubessy AL, Leu-Semenescu S, Attali V, Maranci JB, Arnulf I. Sexsomnia: a specialized non-REM parasomnia? *Sleep.* 2017;40(2):zsw043. doi:10.1093/sleep/zsw043
669. * Fisher C, Kahn E, Edwards A, Davis DM. A psychophysiological study of nightmares and night terrors. I. Physiological aspects of the stage 4 night terror. *J Nerv Ment Dis.* 1973;157(2):75-98. doi:10.1097/00005053-197308000-00001

670. * Fisher C, Kahn E, Edwards A, Davis DM, Fine J. A psychophysiological study of nightmares and night terrors. 3. Mental content and recall of stage 4 night terrors. *J Nerv Ment Dis.* 1974;158(3):174-188. doi:10.1097/00005053-197403000-00002
671. Guilleminault C, Moscovitch A, Yuen K, Poyares D. Atypical sexual behavior during sleep. *Psychosom Med.* 2002;64(2):328-336. doi:10.1097/00006842-200203000-00017
672. * Heidbreder A, Frauscher B, Mitterling T, et al. Not only sleepwalking but NREM parasomnia irrespective of the type is associated with HLA DQB1*05:01. *J Clin Sleep Med.* 2016;12(4):565-70. doi:10.5664/jcsm.5692
673. Hublin C, Kaprio J, Partinen M, Heikkila K, Koskenvuo M. Prevalence and genetics of sleepwalking: a population-based twin study. *Neurology.* 1997;48(1):177-181. doi:10.1212/wnl.48.1.177
674. Hublin C, Kaprio J, Partinen M, Koskenvuo M. Parasomnias: co-occurrence and genetics. *Psychiatr Genet.* 2001;11(2):65-70. doi:10.1097/00041444-200106000-00002
675. Idir Y, Oudiette D, Arnulf I. Sleepwalking, sleep terrors, sexsomnia and other disorders of arousal: the old and the new. *J Sleep Res.* 2022;31(4):e13596. doi:10.1111/jsr.13596
676. * Irfan M, Schenck CH. Sleep-related orgasms in a 57-year-old woman: a case report. *J Clin Sleep Med.* 2018;14(1):141-44. doi:10.5664/jcsm.6902
677. * Kales A, Soldatos CR, Bixler EO, et al. Hereditary factors in sleepwalking and night terrors. *Br J Psychiatry.* 1980;137:111-118. doi:10.1192/bjp.137.2.111
678. Klackenberg G. Somnambulism in childhood—prevalence, course and behavioral correlations. A prospective longitudinal study (6-16 years). *Acta Paediatr Scand.* 1982;71(3):495-499. doi:10.1111/j.1651-2227.1982.tb09458.x
679. * Lam SP, Fong SY, Ho CK, Yu MW, Wing YK. Parasomnias among psychiatric outpatients: a clinical, epidemiologic, cross-sectional study. *J Clin Psychiatry.* 2008;69(9):1374-1382. doi:10.4088/jcp.v69n0904.
680. * Loddo G, Baldassari L, Zenesini C, et al. Seizures with paroxysmal arousals in sleep-related hypomotor epilepsy (SHE): dissecting epilepsy from NREM parasomnias. *Epilepsia.* 2020;61(10):2194-2202. doi:10.1111/epi.16659
681. Lopez R, Jaussent I, Dauvilliers Y. Objective daytime sleepiness in patients with somnambulism or sleep terrors. *Neurology.* 2014;83(22):2070-2076. doi:10.1212/wnl.0000000000001019
682. * Lopez R, Jaussent I, Dauvilliers Y. Pain in sleepwalking: a clinical enigma. *Sleep.* 2015;38(11):1693-8. doi:10.5665/sleep.5144
683. Lopez R, Shen Y, Chenini S, et al. Diagnostic criteria for disorders of arousal: a video-polysomnographic assessment. *Ann Neurol.* 2018;83(2):341-351. doi:10.1002/ana.25153
684. * Mahowald MW, Schenck CH, Goldner M, Bachelder V, Cramer-Bornemann M. Parasomnia pseudo-suicide. *J Forensic Sci.* 2003;48(5):1158-1162.

685. Muza R, Lawrence M, Drakatos P. The reality of sexsomnia. *Curr Opin Pulm Med.* 2016;22(6):576-582. doi:10.1097/mcp.0000000000000321
686. Ohayon MM, Guilleminault C, Priest RG. Night terrors, sleepwalking, and confusional arousals in the general population: their frequency and relationship to other sleep and mental disorders. *J Clin Psychiatry.* 1999;60(4):268-276. doi:10.4088/jcp.v60n0413
687. Ohayon MM, Priest RG, Zulley J, Smirne S. The place of confusional arousals in sleep and mental disorders: findings in a general population sample of 13,057 subjects. *J Nerv Ment Dis.* 2000;188(6):340-348. doi:10.1097/00005053-200006000-00004
688. Oudiette D, Leu S, Pottier M, Buzare MA, Brion A, Arnulf I. Dreamlike mentations during sleepwalking and sleep terrors in adults. *Sleep.* 2009;32(12):1621-1627. doi:10.1093/sleep/32.12.1621
689. Petit D, Pennestri MH, Paquet J, et al. Childhood sleepwalking and sleep terrors: a longitudinal study of prevalence and familial aggregation. *JAMA Pediatr.* 2015;169(7):653-658. doi:10.1001/jamapediatrics.2015.127
690. Pillmann F. Complex dream-enacting behavior in sleepwalking. *Psychosom Med.* 2009;71(2):231-234. doi:10.1097/psy.0b013e318190772e
691. * Pilon M, Zadra A, Joncas S, Montplaisir J. Hypersynchronous delta waves and somnambulism: brain topography and effect of sleep deprivation. *Sleep.* 2006;29(1):77-84. doi:10.1093/sleep/29.1.77
692. * Pirzada A, Almeneessier AS, BaHammam AS. Abnormal sexual behavior during sleep: sexsomnia and more. *Sleep and Vigilance.* 2019;3(1):81-89.
693. Pressman MR. Factors that predispose, prime and precipitate NREM parasomnias in adults: clinical and forensic implications. *Sleep Med Rev.* 2007;11(1):5-30. doi:10.1016/j.smrv.2006.06.003
694. * Pressman MR. Hypersynchronous delta sleep EEG activity and sudden arousals from slow-wave sleep in adults without a history of parasomnias: clinical and forensic implications. *Sleep.* 2004;27(4):706-710. doi:10.1093/sleep/27.4.706
695. Pressman MR. Sleepwalking into a paradigm shift? *Sleep Med.* 2014;15(12):1431-1432. doi:10.1016/j.sleep.2014.09.010
696. * Pressman MR, Mahowald MW, Schenck CH, Bornemann MC. Alcohol-induced sleepwalking or confusional arousal as a defense to criminal behavior: a review of scientific evidence, methods and forensic considerations. *J Sleep Res.* 2007;16(2):198-212. doi:10.1111/j.1365-2869.2007.00586.x
697. * Proserpio P, Loddo G, Zubler F, et al. Polysomnographic features differentiating disorder of arousals from sleep-related hypermotor epilepsy. *Sleep.* 2019;42(12):zs166. doi:10.1093/sleep/zs166
698. * Schenck CH. Update on sexsomnia, sleep related sexual seizures, and forensic implications. *NeuroQuantology.* 2015;13(4).

699. Schenck CH, Arnulf I, Mahowald MW. Sleep and sex: what can go wrong? A review of the literature on sleep related disorders and abnormal sexual behaviors and experiences. *Sleep*. 2007;30(6):683-702. doi:10.1093/sleep/30.6.683
700. Schenck CH, Boyd JL, Mahowald MW. A parasomnia overlap disorder involving sleepwalking, sleep terrors, and REM sleep behavior disorder in 33 polysomnographically confirmed cases. *Sleep*. 1997;20(11):972-981. doi:10.1093/sleep/20.11.972
701. * Schenck CH, Cramer Bornemann M, Kaplish N, Eiser AS. Sleep-related (psychogenic) dissociative disorders as parasomnias associated with a psychiatric disorder: update on reported cases. *J Clin Sleep Med*. 2021;17(4):803-810. doi:10.5664/jcsm.9048
702. * Schenck CH, Mahowald MW. On the reported association of psychopathology with sleep terrors in adults. *Sleep*. 2000;23(4):448-449.
703. Schenck CH, Milner DM, Hurwitz TD, Bundlie SR, Mahowald MW. A polysomnographic and clinical report on sleep-related injury in 100 adult patients. *Am J Psychiatry*. 1989;146(9):1166-1173. doi:10.1176/ajp.146.9.1166
704. * Siclari F, Bernardi G, Cataldi J, Tononi G. Dreaming in NREM sleep: a high-density EEG Study of slow waves and spindles. *J Neurosci*. 2018;38(43):9175-9185. doi:10.1523/JNEUROSCI.0855-18.2018
705. Stallman HM, Kohler M. Prevalence of sleepwalking: a systematic review and meta-analysis. *PloS One*. 2016;11(11):e0164769. doi:10.1371/journal.pone.0164769
706. Stallman HM, Kohler M, White J. Medication induced sleepwalking: a systematic review. *Sleep Med Rev*. 2018;37:105-113. doi:10.1016/j.smrv.2017.01.005
707. * Terzaghi M, Manni R. Sleepiness and sleep propensity in sleepwalkers: an additional way to study arousal parasomnias. *Sleep Med*. 2016;26:60-61. doi:10.1016/j.sleep.2016.01.004
708. * Tinuper P, Bisulli F, Cross JH, et al. Definition and diagnostic criteria of sleep-related hypermotor epilepsy. *Neurology*. 2016;86(19):1834-1842. doi:10.1212/WNL.0000000000002666
709. Uguccioni G, Golmard JL, de Fontreux AN, Leu-Semenescu S, Brion A, Arnulf I. Fight or flight? Dream content during sleepwalking/sleep terrors vs. rapid eye movement sleep behavior disorder. *Sleep Med*. 2013;14(5):391-398. doi:10.1016/j.sleep.2013.01.014
710. * Voges BR, Schmitt FC, House PM, Stodieck SR, Schenck CH. Complex sexual behaviors during sleep as a manifestation of epilepsy: a case series. *Sleep*. 2019;42(3):zsy233. doi:10.1093/sleep/zsy233
711. Zadra A, Desautels A, Petit D, Montplaisir J. Somnambulism: clinical aspects and pathophysiological hypotheses. *Lancet Neurol*. 2013;12(3):285-294. doi:10.1016/s1474-4422(12)70322-8

Sleep-Related Eating Disorder

712. Brion A, Flamand M, Oudiette D, Voillary D, Golmard JL, Arnulf I. Sleep-related eating disorder versus sleepwalking: a controlled study. *Sleep Med.* 2012;13(8):1094-1101. doi:10.1016/j.sleep.2012.06.012
713. Howell MJ, Schenck CH. Restless nocturnal eating: a common feature of Willis-Ekbom Syndrome (RLS). *J Clin Sleep Med.* 2012;8(4):413-419. doi:10.5664/jcsm.2036
714. * Howell MJ, Schenck CH, Crow SJ. A review of nighttime eating disorders. *Sleep Med Rev.* 2009;13(1):23-34. doi:10.1016/j.smrv.2008.07.005
715. * Komada Y, Takaesu Y, Matsui K, et al. Comparison of clinical features between primary and drug-induced sleep-related eating disorder. *Neuropsychiatr Dis Treat.* 2016;12:1275-1280. doi:10.2147/NDT.S107462
716. * Lam SP, Fong SY, Ho CK, Yu MW, Wing YK. Parasomnia among psychiatric outpatients: a clinical, epidemiologic, cross-sectional study. *J Clin Psychiatry.* 2008;69(9):1374-1382. doi:10.4088/jcp.v69n0904
717. * Loddo G, Zanardi M, Caletti MT, et al. Searching food during the night: the role of video-polysomnography in the characterization of the night eating syndrome. *Sleep Med.* 2019;64:85-91. doi:10.1016/j.sleep.2019.06.018
718. * Matsui K, Komada Y, Nishimura K, Kuriyama K, Inoue Y. Prevalence and associated factors of nocturnal eating behavior and sleep-related eating disorder-like behavior in Japanese young adults: results of an internet survey using Munich parasomnia screening. *J Clin Med.* 2020;9(4):1243. doi:10.3390/jcm9041243
719. * Palaia V, Poli F, Pizza F, et al. Narcolepsy with cataplexy associated with nocturnal compulsive behaviors: a case-control study. *Sleep.* 2011;34(10):1365-1371. doi:10.5665/SLEEP.1280
720. * Santin J, Mery V, Elso MJ, et al. Sleep-related eating disorder: a descriptive study in Chilean patients. *Sleep Med.* 2014;15(2):163-167. doi:10.1016/j.sleep.2013.10.010
721. Schenck CH, Hurwitz TD, Bundlie SR, Mahowald MW. Sleep-related eating disorders: polysomnographic correlates of a heterogeneous syndrome distinct from daytime eating disorders. *Sleep.* 1991;14(5):419-431. doi:10.1093/sleep/14.5.419
722. Schenck CH, Hurwitz TD, O'Connor KA, Mahowald MW. Additional categories of sleep-related eating disorders and the current status of treatment. *Sleep.* 1993;16(5):457-466. doi:10.1093/sleep/16.5.457
723. * Sevincer GM, Hizli Sayar G. Sleep related eating disorder: importance of prebariatric evaluation-a case report. *Obes Res Clin Pract.* 2017;11(3):360-363. doi:10.1016/j.orcp.2016.08.010
724. * Sobreira Neto MA, Pereira MA, Sobreira ES, et al. Sleep-related eating disorder in two patients with early-onset Parkinson's disease. *Eur Neurol.* 2011;66(2):106-109. doi:10.1159/000329577
725. * Takaesu Y, Ishikawa J, Komada Y, et al. Prevalence of and factors associated with sleep-related eating disorder in psychiatric outpatients taking hypnotics. *J Clin Psychiatry.* 2016;77(7):e892-e898. doi:10.4088/JCP.15m10055

726. Vetrugno R, Manconi M, Ferini-Strambi L, Provini F, Plazzi G, Montagna P. Nocturnal eating: sleep-related eating disorder or night eating syndrome? A videopolysomnographic study. *Sleep*. 2006;29(7):949-954. doi:10.1093/sleep/29.7.949
727. * Vinai P, Ferri R, Ferini-Strambi L, et al. Defining the borders between sleep-related eating disorder and night eating syndrome. *Sleep Med*. 2012;13(6):686-690. doi:10.1016/j.sleep.2011.11.017
728. Winkelman JW. Clinical and polysomnographic features of sleep-related eating disorder. *J Clin Psychiatry*. 1998;59(1):14-19. doi:10.4088/jcp.v59n0104
729. Winkelman JW. Sleep-related eating disorder and night eating syndrome: sleep disorders, eating disorders, or both? *Sleep*. 2006;29(7):876-877. doi:10.1093/sleep/29.7.876
730. * Winkelman JW, Herzog DB, Fava M. The prevalence of sleep-related eating disorder in psychiatric and non-psychiatric populations. *Psychol Med*. 1999;29(6):1461-1466. doi:10.1017/s0033291799008272
731. Winkelman JW, Wipper B, Purks J, Mei L, Schoerning L. Topiramate reduces nocturnal eating in sleep-related eating disorder. *Sleep*. 2020;43(9):zsaa060. doi:10.1093/sleep/zsaa060

REM Sleep Behavior Disorder

732. * Boeve BF. REM sleep behavior disorder: Updated review of the core features, the REM sleep behavior disorder-neurodegenerative disease association, evolving concepts, controversies, and future directions. *Ann N Y Acad Sci*. 2010;1184:15-54. doi:10.1111/j.1749-6632.2009.05115.x
733. Boeve BF, Silber MH, Ferman TJ, et al. Clinicopathologic correlations in 172 cases of rapid eye movement sleep behavior disorder with or without a coexisting neurologic disorder. *Sleep Med*. 2013;14(8):754-762. doi:10.1016/j.sleep.2012.10.015
734. * Cesari M, Heidbreder A, St Louis EK, et al. Video-polysomnography procedures for diagnosis of rapid eye movement sleep behavior disorder (RBD) and the identification of its prodromal stages: guidelines from the International RBD Study Group. *Sleep*. 2022;45(3):zsab257. doi:10.1093/sleep/zsab257
735. Dauvilliers Y, Jenni P, Plazzi G. Rapid eye movement sleep behavior disorder and rapid eye movement sleep without atonia in narcolepsy. *Sleep Med*. 2013;14(8):775-781. doi:10.1016/j.sleep.2012.10.006
736. Feemster JC, Jung Y, Timm PC, et al. Normative and isolated rapid eye movement sleep without atonia in adults without REM sleep behavior disorder. *Sleep*. 2019;42(10):zs124. doi:10.1093/sleep/zsz124
737. Fernandez-Arcos A, Iranzo A, Serradell M, Gaig C, Santamaria J. The clinical phenotype of idiopathic rapid eye movement sleep behavior disorder at presentation: a study in 203 consecutive patients. *Sleep*. 2016;39(1):121-132. doi:10.5665/sleep.5332
738. * Frauscher B, Gschliesser V, Brandauer E, et al. REM sleep behavior disorder in 703 sleep-disorder patients: the importance of eliciting a comprehensive sleep history. *Sleep Med*. 2010;11(2):167-171. doi:10.1016/j.sleep.2009.03.011

739. Frauscher B, Iranzo A, Gaig C, et al. Normative EMG values during REM sleep for the diagnosis of REM sleep behavior disorder. *Sleep*. 2012;35(6):835-847. doi:10.5665/sleep.1886
740. Haba-Rubio J, Frauscher B, Marques-Vidal P, et al. Prevalence and determinants of rapid eye movement sleep behavior disorder in the general population. *Sleep*. 2018;41(2):zsx197. doi:10.1093/sleep/zsx197
741. Hogl B, Stefani A, Videnovic A. Idiopathic REM sleep behaviour disorder and neurodegeneration — an update. *Nat Rev Neurol*. 2018;14(1):40-55. doi:10.1038/nrneurol.2017.157
742. Iranzo A, Santamaria J. Severe obstructive sleep apnea/hypopnea mimicking REM sleep behavior disorder. *Sleep*. 2005;28(2):203-206. doi:10.1093/sleep/28.2.203
743. * Iranzo A, Santamaria J, Tolosa E. The clinical and pathophysiological relevance of REM sleep behavior disorder in neurodegenerative diseases. *Sleep Med Rev*. 2009;13(6):385-401. doi:10.1016/j.smrv.2008.11.003
744. Iranzo A, Stefani A, Serradell M, et al. Characterization of patients with longstanding idiopathic REM sleep behavior disorder. *Neurology*. 2017;89(3):242-248. doi:10.1212/WNL.0000000000004121
745. * Iranzo A, Tolosa E, Gelpi E, et al. Neurodegenerative disease status and post-mortem pathology in idiopathic rapid-eye-movement sleep behaviour disorder: an observational cohort study. *Lancet Neurol*. 2013;12(5):443-453. doi:10.1016/S1474-4422(13)70056-5
746. Ju YE. Rapid eye movement sleep behavior disorder in adults younger than 50 years of age. *Sleep Med*. 2013;14(8):768-774. doi:10.1016/j.sleep.2012.09.026
747. Lloyd R, Tippmann-Peikert M, Slocumb N, Kotagal S. Characteristics of REM sleep behavior disorder in childhood. *J Clin Sleep Med*. 2012;8(2):127-131. doi:10.5664/jcsm.1760
748. McCarter SJ, St Louis EK, Sandness DJ, et al. Diagnostic REM sleep muscle activity thresholds in patients with idiopathic REM sleep behavior disorder with and without obstructive sleep apnea. *Sleep Med*. 2017;33:23-29. doi:10.1016/j.sleep.2016.03.013
749. * Olson EJ, Boeve BF, Silber MH. Rapid eye movement sleep behaviour disorder: demographic, clinical and laboratory findings in 93 cases. *Brain*. 2000;123 (Pt 2):331-339. doi:10.1093/brain/123.2.331
750. * Oudiette D, De Cock VC, Lavault S, Leu S, Vidailhet M, Arnulf I. Nonviolent elaborate behaviors may also occur in REM sleep behavior disorder. *Neurology*. 2009;72(6):551-557. doi:10.1212/01.wnl.0000341936.78678.3a
751. * Postuma RB, Gagnon JF, Vendette M, Fantini ML, Massicotte-Marquez J, Montplaisir J. Quantifying the risk of neurodegenerative disease in idiopathic REM sleep behavior disorder. *Neurology*. 2009;72(15):1296-1300. doi:10.1212/01.wnl.0000340980.19702.6e
752. Postuma RB, Iranzo A, Hu M, et al. Risk and predictors of dementia and parkinsonism in idiopathic REM sleep behaviour disorder: a multicentre study. *Brain*. 2019;142(3):744-759. doi:10.1093/brain/awz030

753. Schenck CH, Boeve BF, Mahowald MW. Delayed emergence of a parkinsonian disorder or dementia in 81% of older men initially diagnosed with idiopathic rapid eye movement sleep behavior disorder: a 16-year update on a previously reported series. *Sleep Med*. 2013;14(8):744-748. doi:10.1016/j.sleep.2012.10.009
754. * Schenck CH, Howell MJ. Spectrum of rapid eye movement sleep behavior disorder (overlap between rapid eye movement sleep behavior disorder and other parasomnias). *Sleep and Biological Rhythms*. 2013;11(1):27-34. doi:10.1111/j.1479-8425.2012.00548.x
755. * Schenck CH, Mahowald MW. REM sleep behavior disorder: clinical, developmental, and neuroscience perspectives 16 years after its formal identification in SLEEP. *Sleep*. 2002;25(2):120-138. doi:10.1093/sleep/25.2.120
756. Sixel-Doring F, Zimmermann J, Wegener A, Mollenhauer B, Trenkwalder C. The evolution of REM sleep behavior disorder in early Parkinson disease. *Sleep*. 2016;39(9):1737-1742. doi:10.5665/sleep.6102
757. Stefani A, Gabelia D, Hogl B, et al. Long-term follow-up investigation of isolated rapid eye movement sleep without atonia without rapid eye movement sleep behavior disorder: a pilot study. *J Clin Sleep Med*. 2015;11(11):1273-1279. doi:10.5664/jcsm.5184
758. * Yao C, Fereshtehnejad SM, Dawson BK, et al. Longstanding disease-free survival in idiopathic REM sleep behavior disorder: Is neurodegeneration inevitable? *Parkinsonism Relat Disord*. 2018;54:99-102. doi:10.1016/j.parkreldis.2018.04.010

Recurrent Isolated Sleep Paralysis

759. Cheyne JA. Situational factors affecting sleep paralysis and associated hallucinations: position and timing effects. *J Sleep Res*. 2002;11(2):169-177. doi:10.1046/j.1365-2869.2002.00297.x
760. Denis D, French CC, Gregory AM. A systematic review of variables associated with sleep paralysis. *Sleep Med Rev*. 2018;38:141-157. doi:10.1016/j.smrv.2017.05.005
761. Fukuda K. Sleep paralysis and sleep-onset REM period in normal individuals. In: Ogilvie RD, Harsh JR, eds. *Sleep Onset: Normal and Abnormal Processes*. Washington, DC: American Psychological Association; 1994:161-181.
762. Mainieri G, Maranci JB, Champetier P, et al. Are sleep paralysis and false awakenings different from REM sleep and from lucid REM sleep? A spectral EEG analysis. *J Clin Sleep Med*. 2021;17(4):719-727. doi:10.5664/jcsm.9056
763. Sharpless BA. A clinician's guide to recurrent isolated sleep paralysis. *Neuropsychiatr Dis Treat*. 2016;12:1761-1767. doi:10.2147/ndt.s100307
764. Sharpless BA, Barber JP. Lifetime prevalence rates of sleep paralysis: a systematic review. *Sleep Med Rev*. 2011;15(5):311-315. doi:10.1016/j.smrv.2011.01.007
765. Takeuchi T, Fukuda K, Sasaki Y, Inugami M, Murphy TI. Factors related to the occurrence of isolated sleep paralysis elicited during a multi-phasic sleep-wake schedule. *Sleep*. 2002;25(1):89-96. doi:10.1093/sleep/25.1.89
766. Takeuchi T, Miyasita A, Sasaki Y, Inugami M, Fukuda K. Isolated sleep paralysis elicited by sleep interruption. *Sleep*. 1992;15(3):217-225. doi:10.1093/sleep/15.3.217

Nightmare Disorder

767. Blagrove M, Farmer L, Williams E. The relationship of nightmare frequency and nightmare distress to well-being. *J Sleep Res.* 2004;13(2):129-136. doi:10.1111/j.1365-2869.2004.00394.x
768. * Blaskovich B, Reichardt R, Gombos F, Spoormaker VI, Simor P. Cortical hyperarousal in NREM sleep normalizes from pre- to post- REM periods in individuals with frequent nightmares. *Sleep.* 2020;43(1):zsz201. doi:10.1093/sleep/zsz201
769. Collen JF, Williams SG, Lettieri CJ. Doomed to repeat history: the burden of trauma-related nightmares in military personnel. *J Clin Sleep Med.* 2018;14(3):303-305. doi:10.5664/jcsm.6964
770. Creamer JL, Brock MS, Matsangas P, Motamed V, Mysliwiec V. Nightmares in United States military personnel with sleep disturbances. *J Clin Sleep Med.* 2018;14(3):419-426. doi:10.5664/jcsm.6990
771. Di Pauli F, Stefani A, Holzknecht E, et al. Dream content in patients with sleep apnea: a prospective sleep laboratory study. *J Clin Sleep Med.* 2018;14(1):41-46. doi:10.5664/jcsm.6876
772. Germain A, Nielsen TA. Sleep pathophysiology in posttraumatic stress disorder and idiopathic nightmare sufferers. *Biol Psychiatry.* 2003;54(10):1092-1098. doi:10.1016/s0006-3223(03)00071-4
773. * Hauri PJ, Friedman M, Ravaris CL. Sleep in patients with spontaneous panic attacks. *Sleep.* 1989;12(4):323-337. doi:10.1093/sleep/12.4.323
774. Hedstrom AK, Bellocchio R, Hossjer O, Ye W, Trolle Lagerros Y, Akerstedt T. The relationship between nightmares, depression and suicide. *Sleep Med.* 2021;77:1-6. doi:10.1016/j.sleep.2020.11.018
775. * Hublin C, Kaprio J, Partinen M, Koskenvuo M. Nightmares: familial aggregation and association with psychiatric disorders in a nationwide twin cohort. *Am J Med Genet.* 1999;88(4):329-336. doi:10.1002/(sici)1096-8628(19990820)88:4<329::aid-ajmg8>3.0.co;2-e
776. * Kovachy B, O'Hara R, Hawkins N, et al. Sleep disturbance in pediatric PTSD: current findings and future directions. *J Clin Sleep Med.* 2013;9(5):501-510. doi:10.5664/jcsm.2678
777. * Lavie P. Sleep disturbances in the wake of traumatic events. *N Engl J Med.* 2001;345(25):1825-1832. doi:10.1056/NEJMra012893
778. Levin R, Fireman G. Nightmare prevalence, nightmare distress, and self-reported psychological disturbance. *Sleep.* 2002;25(2):205-212. doi:10.1093/sleep/25.2.205
779. * Levin R, Nielsen TA. Disturbed dreaming, posttraumatic stress disorder, and affect distress: a review and neurocognitive model. *Psychol Bull.* 2007;133(3):482-528. doi:10.1037/0033-2909.133.3.482
780. Littlewood DL, Gooding PA, Panagioti M, Kyle SD. Nightmares and suicide in posttraumatic stress disorder: the mediating role of defeat, entrapment, and hopelessness. *J Clin Sleep Med.* 2016;12(3):393-399. doi:10.5664/jcsm.5592

781. McCall WV, Batson N, Webster M, et al. Nightmares and dysfunctional beliefs about sleep mediate the effect of insomnia symptoms on suicidal ideation. *J Clin Sleep Med.* 2013;9(2):135-140. doi:10.5664/jcsm.2408
782. Miller KE, Jamison AL, Gala S, Woodward SH. Two independent predictors of nightmares in posttraumatic stress disorder. *J Clin Sleep Med.* 2018;14(11):1921-1927. doi:10.5664/jcsm.7494
783. * Morgenthaler TI, Auerbach S, Casey KR, et al. Position paper for the treatment of nightmare disorder in adults: an American Academy of Sleep Medicine position paper. *J Clin Sleep Med.* 2018;14(6):1041-1055. doi:10.5664/jcsm.7178
784. Nadorff MR, Nadorff DK, Germain A. Nightmares: under-reported, undetected, and therefore untreated. *J Clin Sleep Med.* 2015;11(7):747-750. doi:10.5664/jcsm.4850
785. Nadorff MR, Pearson MD, Golding S. Explaining the relation between nightmares and suicide. *J Clin Sleep Med.* 2016;12(3):289-290. doi:10.5664/jcsm.5564
786. * Nielsen T, Zadra A. Idiopathic nightmares and dream disturbances associated with sleep-wake transitions. *Principles and practice of sleep medicine, 5th ed* Philadelphia: Saunders. 2011:1106-1115.
787. * Ollila HM, Sinnott-Armstrong N, Kantojärvi K, et al. Nightmares share strong genetic risk with sleep and psychiatric disorders. *BioRxiv.* 2019:836452.
788. Pagel JF, Helfter P. Drug induced nightmares—an etiology based review. *Hum Psychopharmacol.* 2003;18(1):59-67. doi:10.1002/hup.465
789. Park D, Kim S, Shin C, Suh S. Prevalence of and factors associated with nightmares in the elderly in a population based cohort study. *Sleep Med.* 2021;78:15-23. doi:10.1016/j.sleep.2020.11.039
790. Phelps AJ, Kanaan RAA, Worsnop C, Redston S, Ralph N, Forbes D. An ambulatory polysomnography study of the post-traumatic nightmares of post-traumatic stress disorder. *Sleep.* 2018;41(1):zsx188. doi:10.1093/sleep/zsx188
791. Sandman N, Valli K, Kronholm E, et al. Nightmares: prevalence among the Finnish general adult population and war veterans during 1972-2007. *Sleep.* 2013;36(7):1041-1050. doi:10.5665/sleep.2806
792. Sandman N, Valli K, Kronholm E, Revonsuo A, Laatikainen T, Paunio T. Nightmares: risk factors among the Finnish general adult population. *Sleep.* 2015;38(4):507-514. doi:10.5665/sleep.4560
793. * Schredl M, Goritz AS. Nightmare themes: an online study of most recent nightmares and childhood nightmares. *J Clin Sleep Med.* 2018;14(3):465-471. doi:10.5664/jcsm.7002
794. * Sheaves B, Porcheret K, Tsanas A, et al. Insomnia, nightmares, and chronotype as markers of risk for severe mental illness: results from a student population. *Sleep.* 2016;39(1):173-181. doi:10.5665/sleep.5342
795. Siclari F, Valli K, Arnulf I. Dreams and nightmares in healthy adults and in patients with sleep and neurological disorders. *Lancet Neurol.* 2020;19(10):849-859. doi:10.1016/s1474-4422(20)30275-1

796. * Simor P, Bodizs R, Horvath K, Ferri R. Disturbed dreaming and the instability of sleep: altered nonrapid eye movement sleep microstructure in individuals with frequent nightmares as revealed by the cyclic alternating pattern. *Sleep*. 2013;36(3):413-419. doi:10.5665/sleep.2462
797. * Tribl GG, Wetter TC, Schredl M. Dreaming under antidepressants: a systematic review on evidence in depressive patients and healthy volunteers. *Sleep Med Rev*. 2013;17(2):133-142. doi:10.1016/j.smrv.2012.05.001
798. * Zadra A, Donderi DC. Nightmares and bad dreams: their prevalence and relationship to well-being. *J Abnorm Psychol*. 2000;109(2):273-281.

Exploding Head Syndrome

799. Ceriani CEJ, Nahas SJ. Exploding head syndrome: a review. *Curr Pain Headache Rep*. 2018;22(10):63. doi:10.1007/s11916-018-0717-1
800. Denis D, Poerio GL, Derveeuew S, Badini I, Gregory AM. Associations between exploding head syndrome and measures of sleep quality and experiences, dissociation, and well-being. *Sleep*. 2019;42(2):zsy216. doi:10.1093/sleep/zsy216
801. Feketeova E, Buskova J, Skorvanek M, Mudra J, Gdovinova Z. Exploding head syndrome—a rare parasomnia or a dissociative episode? *Sleep Med*. 2014;15(6):728-730. doi:10.1016/j.sleep.2014.02.011
802. Fulda S, Hornyk M, Muller K, Cerny L, Beiting PA, Wetter TC. Development and validation of the Munich Parasomnia screening (MUPS): a questionnaire for parasomnias and nocturnal behaviors. *Somnologie*. 2008;12:56-65.
803. Gillis K, Ng MC. Exploding head syndrome in the epilepsy monitoring unit: case report and literature review. *Neurodiagn J*. 2017;57(2):133-138. doi:10.1080/21646821.2017.1302264
804. Goadsby PJ, Sharpless BA. Exploding head syndrome, snapping of the brain or episodic cranial sensory shock? *J Neurol Neurosurg Psychiatry*. 2016;87(11):1259-1260. doi:10.1136/jnnp-2015-312617
805. Hayreh SS. Exploding head syndrome: new observations. *Eur J Neurol*. 2020;27(11):2333-2335. doi:10.1111/ene.14464
806. Kirwan E, Fortune DG. Exploding head syndrome, chronotype, parasomnias and mental health in young adults. *J Sleep Res*. 2021;30(2):e13044. doi:10.1111/jsr.13044
807. Pearce JM. Clinical features of the exploding head syndrome. *J Neurol Neurosurg Psychiatry*. 1989;52(7):907-910. doi:10.1136/jnnp.52.7.907
808. Sharpless BA. Characteristic symptoms and associated features of exploding head syndrome in undergraduates. *Cephalgia*. 2018;38(3):595-599. doi:10.1177/0333102417702128
809. Sharpless BA. Exploding head syndrome. *Sleep Med Rev*. 2014;18(6):489-493. doi:10.1016/j.smrv.2014.03.001

810. Sharpless BA. Exploding head syndrome is common in college students. *J Sleep Res.* 2015;24(4):447-449. doi:10.1111/jsr.12292
811. Sharpless BA, Denis D, Perach R, French CC, Gregory AM. Exploding head syndrome: clinical features, theories about etiology, and prevention strategies in a large international sample. *Sleep Med.* 2020;75:251-255. doi:10.1016/j.sleep.2020.05.043

Sleep-Related Hallucinations

812. * Antelmi E, Ferri R, Iranzo A, et al. From state dissociation to status dissociatus. *Sleep Med Rev.* 2016;28:5-17. doi:10.1016/j.smrv.2015.07.003
813. * Armstrong RA. Oculo-visual dysfunction in Parkinson's disease. *J Parkinsons Dis.* 2015;5(4):715-726. doi:10.3233/JPD-150686
814. Arnulf I, Bonnet AM, Damier P, et al. Hallucinations, REM sleep, and Parkinson's disease: a medical hypothesis. *Neurology.* 2000;55(2):281-288. doi:10.1212/wnl.55.2.281
815. Badcock JC, Dehon H, Laroi F. Hallucinations in healthy older adults: an overview of the literature and perspectives for future research. *Front Psychol.* 2017;8:1134. doi:10.3389/fpsyg.2017.01134
816. * Baldelli L, Provini F. Differentiating oneiric stupor in agrypnia excitata from dreaming disorders. *Front Neurol.* 2020;11:565694. doi:10.3389/fneur.2020.565694
817. * Barnes J, David AS. Visual hallucinations in Parkinson's disease: a review and phenomenological survey. *J Neurol Neurosurg Psychiatry.* 2001;70(6):727-733. doi:10.1136/jnnp.70.6.727
818. * Benke T. Peduncular hallucinosis: a syndrome of impaired reality monitoring. *J Neurol.* 2006;253(12):1561-1571. doi:10.1007/s00415-0060-0254-4.
819. * Bertram K, Williams DR. Visual hallucinations in the differential diagnosis of parkinsonism. *J Neurol Neurosurg Psychiatry.* 2012;83(4):448-452. doi:10.1136/jnnp-2011-300980
820. * Denis D. Relationships between sleep paralysis and sleep quality: current insights. *Nat Sci Sleep.* 2018;10:355-67. doi:10.2147/NSS.S158600
821. * Eversfield CL, Orton LD. Auditory and visual hallucination prevalence in Parkinson's disease and dementia with Lewy bodies: a systematic review and meta-analysis. *Psychol Med.* 2019;49(14):2342-2353. doi:10.1017/S0033291718003161
822. * Fénelon G, Mahieux F, Huon R, Ziegler M. Hallucinations in Parkinson's disease: prevalence, phenomenology and risk factors. *Brain.* 2000;123 (Pt 4):733-745. doi:10.1093/brain/123.4.733
823. * Lai S, Bruce V, Collerton D. Visual hallucinations in older people: appraisals but not content or phenomenology influence distress. *Behav Cogn Psychother.* 2016;44(6):705-710. doi:10.1017/S1352465815000727
824. * Mahowald MW, Woods SR, Schenck CH. Sleeping dreams, waking hallucinations, and the central nervous system. *Dreaming.* 1998;8(2):89-102.

825. * Mallapareddi ANS, Judd B. 1254 Sleep Related Hallucinations As Presenting Symptom Of Dementia With Lewy Bodies: A Case Report. *Sleep*. 2020;43:A477-A478.
826. Manford M, Andermann F. Complex visual hallucinations. Clinical and neurobiological insights. *Brain*. 1998;121(Pt 10):1819-1840. doi:10.1093/brain/121.10.1819
827. * Ohayon MM. Prevalence of hallucinations and their pathological associations in the general population. *Psychiatry Res*. 2000;97(2-3):153-164. doi:10.1016/s0165-1781(00)00227-4
828. * Ohayon MM, Priest RG, Caulet M, Guilleminault C. Hypnagogic and hypnopompic hallucinations: pathological phenomena? *Br J Psychiatry*. 1996;169(4):459-467. doi:10.1192/bjp.169.4.459
829. * Oudiette D, Antony JW, Creery JD, Paller KA. The role of memory reactivation during wakefulness and sleep in determining which memories endure. *J Neurosci*. 2013;33(15):6672-6678. doi:10.1523/JNEUROSCI.5497-12.2013
830. * Pang L. Hallucinations experienced by visually impaired: Charles Bonnet syndrome. *Optom Vis Sci*. 2016;93(12):1466-1478. doi:10.1097/OPX.0000000000000959
831. * Provini F. Agrypnia excitata. *Curr Neurol Neurosci Rep*. 2013;13(4):341. doi:10.1007/s11910-013-0341-8
832. Silber MH, Hansen MR, Girish M. Complex nocturnal visual hallucinations. *Sleep Med*. 2005;6(4):363-366. doi:10.1016/j.sleep.2005.03.002

833. Tachibana M, Inada T, Ichida M, Ozaki N. Factors affecting hallucinations in patients with delirium. *Sci Rep*. 2021;11(1):13005. doi:10.1038/s41598-021-92578-1

Sleep-Related Urologic Dysfunction

834. Austin PF, Bauer SB, Bower W, et al. The standardization of terminology of lower urinary tract function in children and adolescents: Update report from the standardization committee of the International Children's Continence Society. *Neurourol Urodyn*. 2016;35(4):471-481. doi:10.1002/nau.22751
835. Dhondt K, Van Herzele C, Roels SP, et al. Sleep fragmentation and periodic limb movements in children with monosymptomatic nocturnal enuresis and polyuria. *Pediatr Nephrol*. 2015;30(7):1157-1162. doi:10.1007/s00467-015-3044-3
836. Hashim H, Blanck MH, Drake MJ, et al. International Continence Society (ICS) report on the terminology for nocturia and nocturnal lower urinary tract function. *Neurourol Urodyn*. 2019;38(2):499-508. doi:10.1002/nau.23917
837. Hashim H, Drake MJ. Basic concepts in nocturia, based on international continence society standards in nocturnal lower urinary tract function. *Neurourol Urodyn*. 2018;37(S6):S20-S24. doi:10.1002/nau.23781
838. Krystal AD, Preud'homme XA, Amundsen CL, Webster GD. Detrusor overactivity persisting at night and preceding nocturia in patients with overactive bladder syndrome: a nocturnal cystometrogram and polysomnogram study. *J Urol*. 2010;184(2):623-628. doi:10.1016/j.juro.2010.03.148

839. Monaghan TF, Blwise DL, Denys MA, et al. Phenotyping nocturnal polyuria: circadian and age-related variations in diuresis rate, free water clearance and sodium clearance. *Age Ageing*. 2020;49(3):439-445. doi:10.1093/ageing/afz200
840. Pesonen JS, Cartwright R, Vernoij RWM, et al. The impact of nocturia on mortality: a systematic review and meta-analysis. *J Urol*. 2020;203(3):486-495. doi:10.1097/ju.0000000000000463
841. Pesonen JS, Vernoij RWM, Cartwright R, et al. The impact of nocturia on falls and fractures: a systematic review and meta-analysis. *J Urol*. 2020;203(4):674-683. doi:10.1097/ju.0000000000000459

Parasomnia Due to a Medical Disorder, Parasomnia Due to a Medication or Substance, Parasomnia, Unspecified

842. Alkaabi S, Meyerovich MD, Yakubov B, Shapiro CM. Triggers of parasomnias - what sleep experts think? *J Neurol Psychiatr Disord*. 2018;1(1):101.
843. Cochen V, Arnulf I, Demeret S, et al. Vivid dreams, hallucinations, psychosis and REM sleep in Guillain-Barre syndrome. *Brain*. 2005;128(Pt 11):2535-2545. doi:10.1093/brain/awh585
844. Maschauer EL, Gabryelska A, Morrison I, et al. Alcohol as a trigger affecting symptom severity and frequency of slow wave sleep disorders. *J Clin Sleep Med*. 2017;13(9):1111. doi:10.5664/jcsm.6738
845. Stallman HM, Kohler M, White J. Medication induced sleepwalking: a systematic review. *Sleep Med Rev*. 2018;37:105-113. doi:10.1016/j.smrv.2017.01.005
846. Wong JC, Li J, Pavlova M, et al. Risk factors for probable REM sleep behavior disorder: a community-based study. *Neurology*. 2016;86(14):1306-1312. doi:10.1212/wnl.0000000000002414

Sleep Talking

847. Alfonsi V, D'Atri A, Scarpelli S, Mangiaruga A, De Gennaro L. Sleep talking: a viable access to mental processes during sleep. *Sleep Med Rev*. 2019;44:12-22. doi:10.1016/j.smrv.2018.12.001
848. Alonso J, Camacho M, Chhetri DK, Guillemainault C, Zaghi S. Catathrenia (nocturnal groaning): a social media survey and state-of-the-art review. *J Clin Sleep Med*. 2017;13(4):613-622. doi:10.5664/jcsm.6556
849. Arkin AM, Toth MF, Baker J, Hastey JM. The frequency of sleep talking in the laboratory among chronic sleep talkers and good dream recallers. *J Nerv Ment Dis*. 1970;151(6):369-374. doi:10.1097/00005053-197012000-00002
850. Arnulf I, Uguccioni G, Gay F, et al. What does the sleeping brain say? Syntax and semantics of sleep talking in healthy subjects and in parasomnia patients. *Sleep*. 2017;40(11):zsx159. doi:10.1093/sleep/zsx159
851. Bjorvatn B, Gronli J, Pallesen S. Prevalence of different parasomnias in the general population. *Sleep Med*. 2010;11(10):1031-1034. doi:10.1016/j.sleep.2010.07.011
852. Blumberg MS, Plumeau AM. A new view of “dream enactment” in REM sleep behavior disorder. *Sleep Med Rev*. 2016;30:34-42. doi:10.1016/j.smrv.2015.12.002

853. Honda K, Hashimoto M, Yatabe Y, et al. The usefulness of monitoring sleep talking for the diagnosis of Dementia with Lewy bodies. *Int Psychogeriatr*. 2013;25(5):851-858. doi:10.1017/s1041610213000185
854. Hublin C, Kaprio J, Partinen M, Koskenvuo M. Sleep-talking in twins: epidemiology and psychiatric comorbidity. *Behav Genet*. 1998;28(4):289-298. doi:10.1023/a:1021623430813
855. Pevernagie DA. Why catathrenia is a parasomnia. *Sleep Med*. 2017;32:227-228. doi:10.1016/j.sleep.2016.11.008
856. Reimao RN, Lefevre AB. Prevalence of sleep-talking in childhood. *Brain Dev*. 1980;2(4):353-357. doi:10.1016/s0387-7604(80)80047-7
857. Yu M, Wen Y, Xu L, Han F, Gao X. Polysomnographic characteristics and acoustic analysis of catathrenia (nocturnal groaning). *Physiol Meas*. 2020;41(12):125012. doi:10.1088/1361-6579/abd235

Sleep-Related Movement Disorders

Restless Legs Syndrome

858. * Allen RP, Picchietti D, Hening WA, Trenkwalder C, Walters AS, Montplaisi J. Restless legs syndrome: diagnostic criteria, special considerations, and epidemiology: a report from the restless legs syndrome diagnosis and epidemiology workshop at the National Institutes of Health. *Sleep Med*. 2003;4(2):101-119. doi:10.1016/s1389-9457(03)00010-8
859. Allen RP, Picchietti DL, Garcia-Borreguero D, et al; International Restless Legs Syndrome Study Group. Restless legs syndrome/Willis-Ekbom disease diagnostic criteria: updated International Restless Legs Syndrome Study Group (IRLSSG) consensus criteria—history, rationale, description, and significance. *Sleep Med*. 2014;15(8):860-873. doi:10.1016/j.sleep.2014.03.025
860. Chen SJ, Shi L, Bao YP, et al. Prevalence of restless legs syndrome during pregnancy: a systematic review and meta-analysis. *Sleep Med Rev*. 2018;40:43-54. doi:10.1016/j.smrv.2017.10.003
861. Cubo E, Gallego-Nieto C, Elizari-Roncal M, et al. Is restless legs syndrome associated with an increased risk of mortality? A meta-analysis of cohort studies. *Tremor Other Hyperkinet Mov (N Y)*. 2019;9. doi:10.7916/tohm.v0.650
862. DelRosso LM, Ferri R, Allen R, et al. International Restless Legs Syndrome Study Group. Consensus diagnostic criteria for a newly defined pediatric sleep disorder (RSD). *Sleep Med*. 2020;75:335-340. doi:10.1016/j.sleep.2020.08.011
863. * DelRosso LM, Mogavero MP, Baroni A, Bruni O, Ferri R. Restless legs syndrome in children and adolescents. *Child Adolesc Psychiatr Clin N Am*. 2021;30(1):143-157. doi:10.1016/j.chc.2020.08.010
864. * Ekbom K. Restless legs: a clinical study. *Acta Med Scand (suppl)*. 1945;159:1-122.
865. * Ferini-Strambi L, Walters AS, Sica D. The relationship among restless legs syndrome (Willis-Ekbom Disease), hypertension, cardiovascular disease, and cerebrovascular disease. *J Neurol*. 2014;261(6):1051-1068. doi:10.1007/s00415-013-7065-1

866. * Ferri R, DelRosso LM, Aricò D, et al. Leg movement activity during sleep in school-age children and adolescents: a detailed study in normal controls and participants with restless legs syndrome and narcolepsy type 1. *Sleep*. 2018;41(4):10.1093/sleep/zsy010. doi:10.1093/sleep/zsy010
867. Ferri R, DelRosso LM, Silvani A, et al. Peculiar lifespan changes of periodic leg movements during sleep in restless legs syndrome. *J Sleep Res*. 2020;29(3):e12896. doi:10.1111/jsr.12896
868. Hening WA, Allen RP, Washburn M, Lesage SR, Earley CJ. The four diagnostic criteria for restless legs syndrome are unable to exclude confounding conditions (“mimics”). *Sleep Med*. 2009;10(9):976-981. doi:10.1016/j.sleep.2008.09.015
869. Jiménez-Jiménez FJ, Alonso-Navarro H, García-Martín E, Agúndez JA. Genetics of restless legs syndrome: an update. *Sleep Med Rev*. 2018;39:108-121. doi:10.1016/j.smrv.2017.08.002
870. Kocar TD, Müller HP, Kassubek J. Differential functional connectivity in thalamic and dopaminergic pathways in restless legs syndrome: a meta-analysis. *Ther Adv Neurol Disord*. 2020;13: 1756286420941670. doi:10.1177/1756286420941670
871. Kolla BP, Mansukhan, MP, Bostwick JM. The influence of antidepressants on restless legs syndrome and periodic limb movements: a systematic review. *Sleep Med Rev*. 2018;38:131-140. doi:10.1016/j.smrv.2017.06.002
872. * Lanza G, Ferri R. The neurophysiology of hyperarousal in restless legs syndrome: hints for a role of glutamate/GABA. *Adv Pharmacol*. 2019;84:101-119. doi:10.1016/bs.apha.2018.12.002
873. * Makumi CW, Paska W, Rolfe K, Shulman KJ. A retrospective, pooled suicidality evaluation of ropinirole immediate release and controlled release for the treatment of restless legs syndrome. *Clin Ther*. 2015;37(5):1122-1127. doi:10.1016/j.clinthera.2015.02.012
874. Ning P, Hu F, Yang B, et al. Systematic review and meta-analysis of observational studies to understand the prevalence of restless legs syndrome in multiple sclerosis: an update. *Sleep Med*. 2018;50:97-104. doi:10.1016/j.sleep.2018.05.039
875. Ohayon MM, O’Hara R, Vitiello MV. Epidemiology of restless legs syndrome: a synthesis of the literature. *Sleep Med Rev*. 2012;16(4):283-295. doi:10.1016/j.smrv.2011.05.002
876. Para KS, Chow CA, Nalamada K, et al. Suicidal thought and behavior in individuals with restless legs syndrome. *Sleep Med*. 2019;54:1-7. doi:10.1016/j.sleep.2018.09.019
877. Picchietti DL, Arbuckle RA, Abetz L, et al. Pediatric restless legs syndrome: analysis of symptom descriptions and drawings. *J Child Neurol*. 2011;26(11):1365-1376. doi:10.1177/0883073811405852
878. Picchietti DL, Bruni O, de Weerd A, et al; International Restless Legs Syndrome Study Group. Pediatric restless legs syndrome diagnostic criteria: an update by the International Restless Legs Syndrome Study Group. *Sleep Med*. 2013;14(12):1253-1259. doi:10.1016/j.sleep.2013.08.778

879. Srifuengfung, M, Bussaratid S, Ratta-Apha W, Sanguanpanich N, Hosiri T. Restless legs syndrome in children and adolescents with attention-deficit/hyperactivity disorder: prevalence, mimic conditions, risk factors, and association with functional impairment. *Sleep Med.* 2020;73:117-124. doi:10.1016/j.sleep.2020.05.037
880. * Steinweg K, Nippita T, Cistulli PA, Bin YS. Maternal and neonatal outcomes associated with restless legs syndrome in pregnancy: A systematic review. *Sleep Med Rev.* 2020;54:101359. doi:10.1016/j.smrv.2020.101359
881. * Stubbs PH, Walters AS. Tools for the assessment of pediatric restless legs syndrome. *Front Psychiatry.* 2020;11:356. doi:10.3389/fpsyg.2020.00356
882. Trenkwalder C, Allen R, Högl B, Paulus W, Winkelmann J. Restless legs syndrome associated with major diseases: a systematic review and new concept. *Neurology.* 2016;86(14):1336-1343. doi:10.1212/WNL.0000000000002542
883. Wang J, Gao Y, Liu L, et al. The association between migraine and restless legs syndrome: an updated systematic review and meta-analysis. *Sleep Med.* 2019;57:21-29. doi:10.1016/j.sleep.2019.01.027
884. Wipper B, Winkelman JW. The long-term psychiatric and cardiovascular morbidity and mortality of restless legs syndrome and periodic limb movements of sleep. *Sleep Med Clin.* 2021;16(2):279-288. doi:10.1016/j.jsmc.2021.02.005
885. * Yeh P, Ondo WG, Picchietti DL, et al. Depth and distribution of symptoms in restless legs syndrome/Willis-Ekbom disease. *J Clin Sleep Med.* 2016;12(12):1669-1680. doi:10.5664/jcsm.6356

Periodic Limb Movement Disorder

886. * Claman DM, Ewing SK, Redline S, et al. Periodic leg movements are associated with reduced sleep quality in older men: the MrOS Sleep Study. *J Clin Sleep Med.* 2013;9(11):1109-1117. doi:10.5664/jcsm.3146
887. * El-Ad B, Chervin RD. The case of a missing PLM. *Sleep.* 2000;23(4):450-451.
888. Ferini-Strambi L, Bonati MT, Oldani A, Aridon P, Zucconi M, Casari G. Genetics in restless legs syndrome. *Sleep Med.* 2004;5(3):301-304. doi:10.1016/j.sleep.2004.01.005
889. * Ferri R. The time structure of leg movement activity during sleep: the theory behind the practice. *Sleep Med.* 2012;13(4):433-441. doi:10.1016/j.sleep.2011.10.027
890. Ferri R, Fulda S, Allen R, et al. World Association of Sleep Medicine (WASM) 2016 standards for recording and scoring leg movements in polysomnograms developed by a joint task force from the International and the European Restless Legs Syndrome Study Groups (IRLSSG and EURLSSG). *Sleep Med.* 2016;26:86-95. doi:10.1016/j.sleep.2016.10.010
891. Ferri R, Manconi M, Lanuzza B, et al. Age-related changes in periodic leg movements during sleep in patients with restless legs syndrome. *Sleep Med.* 2008;9(7):790-798. doi:10.1016/j.sleep.2007.08.020
892. * Ferri R, Zucconi M, Manconi M, et al. Different periodicity and time structure of leg movements during sleep in narcolepsy/cataplexy and restless legs syndrome. *Sleep.* 2006;29(12):1587-1594. doi:10.1093/sleep/29.12.1587

893. Gaig C, Iranzo A, Pujol M, Perez H, Santamaria J. Periodic limb movements during sleep mimicking REM sleep behavior disorder: a new form of periodic limb movement disorder. *Sleep*. 2017;40(3):zsw063. doi:10.1093/sleep/zsw063
894. * Gingras JL, Gaultney JF, Picchietti DL. Pediatric periodic limb movement disorder: sleep symptom and polysomnographic correlates compared to obstructive sleep apnea. *J Clin Sleep Med*. 2011;7(6):603-9A. doi:10.5664/jcsm.1460
895. Haba-Rubio J, Marti-Soler H, Marques-Vidal P, et al. Prevalence and determinants of periodic limb movements in the general population. *Ann Neurol*. 2016;79(3):464-474. doi:10.1002/ana.24593
896. Hornyak M, Feige B, Riemann D, Voderholzer U. Periodic leg movements in sleep and periodic limb movement disorder: prevalence, clinical significance and treatment. *Sleep Med Rev*. 2006;10(3):169-177. doi:10.1016/j.smrv.2005.12.003
897. * Koo BB, Blackwell T, Ancoli-Israel S, et al. Association of incident cardiovascular disease with periodic limb movements during sleep in older men: outcomes of sleep disorders in older men (MrOS) study. *Circulation*. 2011;124(11):1223-1231. doi:10.1161/CIRCULATIONAHA.111.038968
898. * Manconi M, Ferri R, Zucconi M, Fantini ML, Plazzi G, Ferini-Strambi L. Time structure analysis of leg movements during sleep in REM sleep behavior disorder. *Sleep*. 2007;30(12):1779-1785. doi:10.1093/sleep/30.12.1779
899. Pennestri MH, Whittom S, Adam B, Petit D, Carrier J, Montplaisir J. PLMS and PLMW in healthy subjects as a function of age: prevalence and interval distribution. *Sleep*. 2006;29(9):1183-1187. doi:10.1093/sleep/29.9.1183
900. * Picchietti D. Periodic limb movements in sleep: irrelevant epiphomenon, marker for a potential problem, or a disorder? *J Clin Sleep Med*. 2006;2(4):446-447.
901. Picchietti DL, Rajendran RR, Wilson MP, Picchietti MA. Pediatric restless legs syndrome and periodic limb movement disorder: parent-child pairs. *Sleep Med*. 2009;10(8):925-931. doi:10.1016/j.sleep.2008.10.006
902. Salminen AV, Manconi M, Rimpilä V, et al. Disconnection between periodic leg movements and cortical arousals in spinal cord injury. *J Clin Sleep Med*. 2013;9(11):1207-1209. doi:10.5664/jcsm.3174
903. * Scofield H, Roth T, Drake CL. Periodic limb movements during sleep: population prevalence, clinical correlates, and racial differences. *Sleep*. 2008;31(9):1221-1227.
904. Smith MT, McCrae CS, Cheung J, et al. Use of actigraphy for the evaluation of sleep disorders and circadian rhythm sleep-wake disorders: an American Academy of Sleep Medicine clinical practice guideline. *J Clin Sleep Med*. 2018;14(7):1231-1237. doi:10.5664/jcsm.7230
905. Stefansson H, Rye DB, Hicks A, et al. A genetic risk factor for periodic limb movements in sleep. *N Engl J Med*. 2007;357(7):639-647. doi:10.1056/nejmoa072743

906. * Walters AS, Rye DB. Review of the relationship of restless legs syndrome and periodic limb movements in sleep to hypertension, heart disease, and stroke. *Sleep*. 2009;32(5):589-597. doi:10.1093/sleep/32.5.589
- ### Nocturnal Muscle Cramps
907. * Allen RE, Kirby KA. Nocturnal leg cramps. *Am Fam Physician*. 2012;86(4):350-355.
908. * Bahk JW, Kim H, Jung-Choi K, Jung MC, Lee I. Relationship between prolonged standing and symptoms of varicose veins and nocturnal leg cramps among women and men. *Ergonomics*. 2012;55(2):133-139. doi:10.1080/00140139.2011.582957
909. Brown TM. Sleep-related leg cramps: a review and suggestions for future research. *Sleep Med Clin*. 2015;10(3):385-392. doi:10.1016/j.jsmc.2015.05.002
910. Butler JV, Mulkerrin EC, O'Keeffe ST. Nocturnal leg cramps in older people. *Postgrad Med J*. 2002;78(924):596-598. doi:10.1136/pmj.78.924.596
911. * Garrison SR, Dormuth CR, Morrow RL, Carney GA, Khan KM. Nocturnal leg cramps and prescription use that precedes them: a sequence symmetry analysis. *JAMA Intern Med*. 2012;172(2):120-126. doi:10.1001/archinternmed.2011.1029
912. Hawke F, Chuter V, Burns J. Factors associated with night-time calf muscle cramps: a case control study. *Muscle Nerve*. 2013;47(3):339-343. doi:10.1002/mus.23531
913. Hawke F, Chuter V, Burns J. Impact of nocturnal calf cramping on quality of sleep and health-related quality of life. *Qual Life Res*. 2013;22(6):1281-1286. doi:10.1007/s11136-012-0274-8
914. * Heimisdottir F, Gudnason V, Sigurdsson G, Benediktsson R. Foot disease in Icelandic patients with established type 2 diabetes. *Laeknabladid*. 2008;94(2):109-114.
915. Hurst RL, Hobson-Webb LD. Therapeutic implications of peripheral nerve hyperexcitability in muscle cramping: a retrospective review. *J Clin Neurophysiol*. 2016;33(6):560-563. doi:10.1097/wnp.0000000000000291
916. Katzberg HD. Neurogenic muscle cramps. *J Neurol*. 2015;262(8):1814-1821. doi:10.1007/s00415-015-7659-x
917. Leung AK, Wong BE, Chan PY, Cho HY. Nocturnal leg cramps in children: incidence and clinical characteristics. *J Natl Med Assoc*. 1999;91(6):329-332.
918. Maisonneuve H, Chambe J, Delacour C, et al. Prevalence of cramps in patients over the age of 60 in primary care: a cross sectional study. *BMC Fam Pract*. 2016;17(1):111. doi:10.1186/s12875-016-0509-9
919. Miller KC, Long BC, Edwards JE. Muscle cramp susceptibility increases following a volitionally induced muscle cramp. *Muscle Nerve*. 2017;56(6):E95-E99. doi:10.1002/mus.25562
920. * Norris FH Jr, Gasteiger EL, Chatfield PO. An electromyographic study of induced and spontaneous muscle cramps. *Clin Neurophysiol*. 1957;9(1):139-147. doi:10.1016/0013-4694(57)90118-9

921. * Parisi L, Serrao M, Rossi P, et al. Afterdischarge activity in neuropathic patients with frequent muscle cramps. *Acta Neurol Scand.* 2000;102(6):359-362. doi:10.1034/j.1600-0404.2000.102006359.x
922. * Saskin P, Whelton C, Moldofsky H, Akin F. Sleep and nocturnal leg cramps. *Sleep.* 1988;11(3):307-308. 1988;11(3):307-308. doi:10.1093/sleep/11.3.307
923. Swash M, Czesnik D, De Carvalho M. Muscular cramp: causes and management. *Eur J Neurol.* 2019;26(2):214-221. doi:10.1111/ene.13799
924. Weiner IH, Weiner HL. Nocturnal leg muscle cramps. *JAMA.* 1980;244(20):2332-2333. doi:10.1001/jama.1980.03310200066033

Sleep-Related Bruxism

925. * Abe S, Yamaguchi T, Rompre PH, De Grandmont P, Chen YJ, Lavigne GJ. Tooth wear in young subjects: a discriminator between sleep bruxers and controls? *Int J Prosthodont.* 2009;22(4):342-350.
926. * Carra MC, Macaluso GM, Rompré PH, et al. Clonidine has a paradoxical effect on cyclic arousal and sleep bruxism during NREM sleep. *Sleep.* 2010;33(12):1711-1716. doi:10.1093/sleep/33.12.1711
927. Casett E, Réus JC, Stuginski-Barbosa J, et al. Validity of different tools to assess sleep bruxism: a meta-analysis. *J Oral Rehabil.* 2017;44(9):722-734. doi:10.1111/joor.12520
928. de Baat C, Verhoeff M, Ahlberg J, et al. Medications and addictive substances potentially inducing or attenuating sleep bruxism and/or awake bruxism. *J Oral Rehabil.* 2021;48(3):343-354. doi:10.1111/joor.13061
929. Hublin C, Kaprio J, Partinen M, Koskenvuo M. Sleep bruxism based on self-report in a nationwide twin cohort. *J Sleep Res.* 1998;7(1):61-67. doi:10.1046/j.1365-2869.1998.00091.x
930. * Huynh N, Desplats E, Bellerive A. Sleep bruxism in children: sleep studies correlate poorly with parental reports. *Sleep Med.* 2016;19:63-68. doi:10.1016/j.sleep.2015.09.023
931. * Khachatrian SG, Ghahramanyan L, Tavadyan Z, Yeghiazaryan N, Attarian HP. Sleep-related movement disorders in a population of patients with epilepsy: prevalence and impact of restless legs syndrome and sleep bruxism. *J Clin Sleep Med.* 2020;16(3):409-414. doi:10.5664/jcsm.8218
932. * Lavigne G, Manzini C, Huynh NT. In: Kryger MH, Roth T, Dement WC, eds. Sleep bruxism. *Principles and Practice of Sleep Medicine.* St Louis: Elsevier Saunders. 2011:1129-1139.
933. Lavigne G, Kato T, Herrero Babiloni A, et al. Research routes on improved sleep bruxism metrics: Toward a standardized approach. *J Sleep Res.* 2021;30(5):e13320. doi:10.1111/jsr.13320
934. * Liegmann JK, DelRosso LM, Hoque R. Nocturnal oral movements in a patient with schizophrenia. *J Clin Sleep Med.* 2013;9(12):1358-1360. doi:10.5664/jcsm.3292
935. Lobbezoo F, Ahlberg J, Raphael KG, et al. International consensus on the assessment of bruxism: report of a work in progress. *J Oral Rehabil.* 2018;45(11):837-844. doi:10.1111/joor.12663

936. Maluly M, Dal Fabbro C, Andersen ML, Herrero Babiloni A, Lavigne GJ, Tufik S. Sleep bruxism and its associations with insomnia and OSA in the general population of Sao Paulo. *Sleep Med.* 2020;75:141-148. doi:10.1016/j.sleep.2020.06.016
937. * Mayer P, Heinzer R, Lavigne G. Sleep bruxism in respiratory medicine practice. *Chest.* 2016;149(1):262-271. doi:10.1378/chest.15-0822
938. Michalek-Zrabkowska M, Wieckiewicz M, Smardz J, et al. Determination of inflammatory markers, hormonal disturbances, and sleepiness associated with sleep bruxism among adults. *Nat Sci Sleep.* 2020;12:969-979. doi:10.2147/nss.s268470
939. * Miettinen T, Myllymaa K, Hukkanen T, Töyräs J, Sipilä K, Myllymaa S. Home polysomnography reveals a first-night effect in patients with low sleep bruxism activity. *J Clin Sleep Med.* 2018;14(8):1377-1386. doi:10.5664/jcsm.7278
940. Ohayon MM, Li KK, Guilleminault C. Risk factors for sleep bruxism in the general population. *Chest.* 2001;119(1):53-61. doi:10.1378/chest.119.1.53
941. Polmann H, Réus JC, Massignan C, et al. Association between sleep bruxism and stress symptoms in adults: a systematic review and meta-analysis. *J Oral Rehabil.* 2021;48(5):621-631. doi:10.1111/joor.13142
942. * Rompré P, Daigle-Landry D, Guitard F, Montplaisir J, Lavigne G. Identification of a sleep bruxism subgroup with a higher risk of pain. *J Dent Res.* 2007;86(9):837-842. doi:10.1177/154405910708600906
943. * Vetrugno R, Provini F, Plazzi G, et al. Familial nocturnal facio-mandibular myoclonus mimicking sleep bruxism. *Neurology.* 2002;58(4):644-647. doi:10.1212/wnl.58.4.644

Sleep-Related Rhythmic Movement Disorder

944. Dyken M, Lin-Dyken DC, Yamada T. Diagnosing rhythmic movement disorder with video-polysomnography. *Pediatr Neurol.* 1997;16(1):37-41. doi:10.1016/s0887-8994(96)00259-7
945. * Gwyther AR, Walters AS, Hill CM. Rhythmic movement disorder in childhood: an integrative review. *Sleep Med Rev.* 2017;35:62-75. doi:10.1016/j.smrv.2016.08.003
946. * Hayward-Koennecke HK, Werth E, Valko PO, Baumann CR, Poryazova R. Sleep-related rhythmic movement disorder in triplets: evidence for genetic predisposition? *J Clin Sleep Med.* 2019;15(1):157-158. doi:10.5664/jcsm.7594
947. Kohyama J, Matsukura F, Kimura K, Tachibana N. Rhythmic movement disorder: polysomnographic study and summary of reported cases. *Brain Dev.* 2002;24(1):33-38. doi:10.1016/s0387-7604(01)00393-x
948. Laberge L, Tremblay RE, Vitaro F, Montplaisir J. Development of parasomnias from childhood to early adolescence. *Pediatrics.* 2000;106(1 Pt 1):67-74. doi:10.1542/peds.106.1.67

949. * Laganière C, Gaudreau H, Pokhvisneva I, Atkinson L, Meaney M, Pennestri MH. Maternal characteristics and behavioural/emotional problems in preschoolers: how they relate to sleep rhythmic movements at sleep onset. *J Sleep Res.* 2019;28(3):e12707. doi:10.1111/jsr.12707
950. Laganière C, Pennestri MH, Rassu AL, et al. Disturbed nighttime sleep in children and adults with rhythmic movement disorder. *Sleep.* 2020;43(12):zsaa105. doi:10.1093/sleep/zsaa105
951. Manni R, Terzaghi M. Rhythmic movements during sleep: a physiological and pathological profile. *Neurol Sci.* 2005;26(Suppl 3):s181-s185. doi:10.1007/s10072-005-0484-8
952. * Mayer G, Wilde-Frenz J, Kurella B. Sleep related rhythmic movement disorder revisited. *J Sleep Res.* 2007;16(1):110-116. doi:10.1111/j.1365-2869.2007.00577.x
953. * Yeh S-B, Schenck CH. Atypical headbanging presentation of idiopathic sleep related rhythmic movement disorder: three cases with video-polysomnographic documentation. *J Clin Sleep Med.* 2012;8(4):403-411. doi:10.5664/jcsm.2034

Benign Sleep Myoclonus of Infancy

954. * Alfonso I, Papazian O, Aicardi J, Jeffries HE. A simple maneuver to provoke benign neonatal sleep myoclonus. *Pediatrics.* 1995;96(6):1161-1163.
955. Di Capua M, Fusco L, Ricci S, Vigevano F. Benign neonatal sleep myoclonus: clinical features and video-polygraphic recordings. *Mov Disord.* 1993;8(2):191-194. doi:10.1002/mds.870080213
956. * Held-Egli K, Rüegger C, Das-Kundu S, Schmitt B, Bucher HU. Benign neonatal sleep myoclonus in newborn infants of opioid dependent mothers. *Acta Paediatr.* 2009;98(1):69-73. doi:10.1111/j.1651-2227.2008.01010.x
957. Hrastovec A, Hostnik T, Neubauer D. Benign convulsions in newborns and infants: occurrence, clinical course and prognosis. *Eur J Paediatr Neurol.* 2012;16(1):64-73. doi:10.1016/j.ejpn.2011.10.006
958. Losito E, Eisermann M, Vignolo P, Hovhannisyan S, Magny JF, Kaminska A. Benign neonatal sleep myoclonus evokes somatosensory responses. *J Clin Neurophysiol.* 2017;34(6):484-491. doi:10.1097/WNP.0000000000000412
959. Maurer VO, Rizzi M, Bianchetti MG, Ramelli GP. Benign neonatal sleep myoclonus: a review of the literature. *Pediatrics.* 2010;125(4):e919-e924. doi:10.1542/peds.2009-1839

Propriospinal Myoclonus at Sleep Onset

960. Antelmi E, Provini F. Propriospinal myoclonus: the spectrum of clinical and neurophysiological phenotypes. *Sleep Med Rev.* 2015;22:54-63. doi:10.1016/j.smrv.2014.10.007
961. * Facini C, Barsacchi M, Piccolo B, Turco EC, Pisani F. Early onset of propriospinal-like myoclonus in a child following a vertebral fracture. *Neurology.* 2016;87(9):956. doi:10.1212/WNL.0000000000003053
962. * Montagna P, Provini F, Plazzi G, Liguori R, Lugaresi E. Propriospinal myoclonus upon relaxation and drowsiness: a cause of severe insomnia. *Mov Disord.* 1997;12(1):66-72. doi:10.1002/mds.870120112

963. Montagna P, Provini F, Vetrugno R. Propriospinal myoclonus at sleep onset. *Neurophysiol Clin.* 2006;36(5-6):351-355. doi:10.1016/j.neucli.2006.12.004
964. Roze E, Bounolleau P, Ducreux D, et al. Propriospinal myoclonus revisited. Clinical, neurophysiologic, and neuroradiologic findings. *Neurology.* 2009;72(15):1301-1309. doi:10.1212/WNL.0b013e3181a0fd50
965. * Tison F, Arne P, Dousset V, Paty J, Henry P. Propriospinal myoclonus induced by relaxation and drowsiness. *Rev Neurol (Paris).* 1998;154(5):423-425.
966. Vetrugno R, Provini F, Meletti S, et al. Propriospinal myoclonus at the sleep-wake transition: a new type of parasomnia. *Sleep.* 2001;24(7):835-843. doi:10.1093/sleep/24.7.835
967. * Wolfensberger B, Ferri R, Bianco G, et al. From physiological neck myoclonus to sleep related head jerk. *J Sleep Res.* 2019;28(5):e12831. doi:10.1111/jsr.12831

Isolated Symptoms and Variants

968. Broughton R. Pathological fragmentary myoclonus, intensified hypnic jerks and hypnagogic foot tremor: three unusual sleep related movement disorders. In: Koella WP, Obal F, Schulz H, Visser P, eds. *Sleep '86.* New York: Gustav Fischer Verlag; 1988:240-243.
969. * Broughton R, Tolentino MA. Fragmentary pathological myoclonus in NREM sleep. *Electroencephalogr Clin Neurophysiol.* 1984;57(4):303-309. doi:10.1016/0013-4694(84)90152-4
970. Broughton R, Tolentino MA, Krelina M. Excessive fragmentary myoclonus in NREM sleep: a report of 38 cases. *Electroencephalogr Clin Neurophysiol.* 1985;61(2):123-133. doi:10.1016/0013-4694(85)91050-8
971. Frauscher B, Kunz A, Brandauer E, Ulmer H, Poewe W, Högl B. Fragmentary myoclonus in sleep revisited: A polysomnographic study in 62 patients. *Sleep Med.* 2011;12(4):410-415. doi:10.1016/j.sleep.2010.08.016
972. * Goyal MK, Kumar G, Sivaraman M, Sahota P. Teaching NeuroImages: excessive fragmentary hypnic myoclonus. *Neurology.* 2011;77(10):e59-e60. doi:10.1212/WNL.0b013e31822cfbf7
973. * Lins O, Castonguay M, Dunham W, Nevsimalova S, Broughton R. Excessive fragmentary myoclonus: time of night and sleep stage distributions. *Can J Neurol Sci.* 1993;20(2):142-146. doi:10.1017/s0317167100047715
974. Montagna P, Liguori R, Zucconi M, et al. Physiological hypnic myoclonus. *Electroencephalogr Clin Neurophysiol.* 1988;70(2):172-176. doi:10.1016/0013-4694(88)90116-2
975. Raccagni C, Löscher W N, Stefani A, et al. Peripheral nerve function in patients with excessive fragmentary myoclonus during sleep. *Sleep Med.* 2016;22:61-64. doi:10.1016/j.sleep.2016.04.018
976. * Vankova J, Stepanova I, Jech R, et al. Sleep disturbances and hypocretin deficiency in Niemann-Pick disease type C. *Sleep.* 2003;26(4):427-430. doi:10.1093/sleep/26.4.427
977. Vetrugno R, Plazzi G, Provini F, Liguori R, Lugaresi E, Montagna P. Excessive fragmentary hypnic myoclonus: clinical and neurophysiological findings. *Sleep Med.* 2002;3(1):73-76. doi:10.1016/s1389-9457(01)00123-x

Hypnagogic Foot Tremor and Alternative Leg Muscle Activation

978. Bergmann M, Stefani A, Brandauer E, Holzknecht E, Hackner H, Högl B. Hypnagogic foot tremor, alternating leg muscle activation or high frequency leg movements: clinical and phenomenological considerations in two cousins. *Sleep Med.* 2019;54:177-180. doi:10.1016/j.sleep.2018.10.024
979. Chervin RD, Consens FB, Kutluay E. Alternating leg muscle activation during sleep and arousals: a new sleep-related motor phenomenon? *Mov Disord.* 2003;18(5):551-559. doi:10.1002/mds.10397
980. Consentino FI, Iero I, Lanuzza B, Tripodi M, Ferri R. The neurophysiology of the alternating leg muscle activation (ALMA) during sleep: study of one patient before and after treatment with pramipexole. *Sleep Med.* 2006;7(1):63-71. doi:10.1016/j.sleep.2005.06.007
981. * Wichniak A, Tracik F, Geisler P, Ebersbach G, Morrissey SP, Zulley J. Rhythmic feet movements while falling asleep. *Mov Disord.* 2001;16(6):1164-1170. doi:10.1002/mds.1216
982. Yang C, Winkelman JW. Clinical and polysomnographic characteristics of high frequency leg movements. *J Clin Sleep Med.* 2010;6(5):431-438. doi:10.5664/jcsm.27931
983. * Zellini F, Ferri R, Abbafati M, et al. Video-polysomnographic aspects of painful legs and moving toes syndrome. *Sleep Med.* 2017;33:43-46. doi:10.1016/j.sleep.2017.01.008

Sleep Starts

984. Chiaro G, Calandra-Buonaura G, Sambati L, et al. Hypnic jerks are an underestimated sleep motor phenomenon in patients with parkinsonism. A video-polysomnographic and neurophysiological study. *Sleep Med.* 2016;26:37-44. doi:10.1016/j.sleep.2016.07.011
985. Chokroverty S, Bhat S, Gupta D. Intensified hypnic jerks: a polysomnographic and polymyographic analysis. *J Clin Neurophysiol.* 2013;30(4):403-410. doi:10.1097/wnp.0b013e31829dde98
986. * Kennard MA, Schwartzman A, Millar T. Sleep, consciousness, and the alpha electroencephalographic rhythm. *AMA Arch of Neurol Psychiatry.* 1958;79(3):328-335. doi:10.1001/archneurpsyc.1958.02340030092015
987. Oswald I. Sudden bodily jerks on falling asleep. *Brain.* 1959;82(1):92-103. doi:10.1093/brain/82.1.92
988. * Salih F, Klingebiel R, Zschenderlein R, Grosse P. Acoustic sleep starts with sleep-onset insomnia related to a brainstem lesion. *Neurology.* 2008;70(20):1935-1937. doi:10.1212/01.wnl.0000312336.92028.9b
989. Vetrugno R, Montagna P. Sleep-to-wake transition movement disorders. *Sleep Med.* 2011;12(Suppl 2):S11-S16. doi:10.1016/j.sleep.2011.10.005

Appendix A: Sleep-Related Medical and Neurological Disorders

Fatal Familial Insomnia

990. Baldelli L, Provini F. Fatal familial insomnia and Agrypnia Excitata: autonomic dysfunctions and pathophysiological implications. *Auton Neurosci.* 2019;218:68-86. doi:10.1016/j.autneu.2019.02.007
991. * Cortelli P, Fabbri M, Calandra-Buonaura G, et al. Gait disorders in fatal familial insomnia. *Mov Disord.* 2014;29(3):420-424. doi:10.1002/mds.25786
992. * Cracco L, Appleby BS, Gambetti P. Fatal familial insomnia and sporadic fatal insomnia. *Handb Clin Neurol.* 2018;153:271-99. 2018;153:271-299. doi:10.1016/B978-0-444-63945-5.00015-5
993. * Khan Z, Bollu PC. Fatal Familial Insomnia. *StatPearls.* Treasure Island (FL); 2022.
994. Krasnianski A, Bartl M, Sanchez Juan PJ, et al. Fatal familial insomnia: clinical features and early identification. *Ann Neurol.* 2008;63(5):658-661. doi:10.1002/ana.21358
995. Krasnianski A, Sanchez Juan P, Ponto C, et al. A proposal of new diagnostic pathway for fatal familial insomnia. *J Neurol Neurosurg Psychiatry.* 2014;85(6):654-659. doi:10.1136/jnnp-2013-305978
996. Takeuchi A, Mohri S, Kai H, et al. Two distinct prions in fatal familial insomnia and its sporadic form. *Brain Commun.* 2019;1(1):fcz045. doi:10.1093/braincomms/fcz045
997. Wu LY, Zhan SQ, Huang ZY, et al. Expert consensus on clinical diagnostic criteria for fatal familial insomnia. *Chin Med J (Engl).* 2018;131(13):1613-1617. doi:10.4103/0366-6999.235115

Sleep-Related Epilepsy

998. Balcik ZE, Senadim S, Tekin B, et al. Do interictal EEG findings reflect cognitive function in juvenile myoclonic epilepsy? *Epilepsy Behav.* 2020;111:107281. doi:10.1016/j.yebeh.2020.107281
999. Bazil CW. Seizure modulation by sleep and sleep state. *Brain Res.* 2019;1703:13-17. doi:10.1016/j.brainres.2018.05.003
1000. Derry CP, Duncan S. Sleep and epilepsy. *Epilepsy Behav.* 2013;26(3):394-404. doi:10.1016/j.yebeh.2012.10.033
1001. Fisher RS, Cross JH, French JA, et al. Operational classification of seizure types by the International League Against Epilepsy: position paper of the ILAE Commission for Classification and Terminology. *Epilepsia.* 2017;58(4):522-530. doi:10.1111/epi.13670
1002. * Frauscher B, Gotman J. Sleep, oscillations, interictal discharges, and seizures in human focal epilepsy. *Neurobiol Dis.* 2019;127:545-553. doi:10.1016/j.nbd.2019.04.007
1003. Genton P, Kasteleijn-Nolst Trenite DG. Juvenile myoclonic epilepsy. *Epilepsy Behav.* 2013;28(Suppl 1):S1. doi:10.1016/j.yebeh.2012.11.038

1004. Gibbs SA, Proserpio P, Francione S, et al. Clinical features of sleep-related hypermotor epilepsy in relation to the seizure-onset zone: a review of 135 surgically treated cases. *Epilepsia*. 2019;60(4):707-717. doi:10.1111/epi.14690
1005. Gibbs SA, Proserpio P, Terzaghi M, et al. Sleep-related epileptic behaviors and non-REM-related parasomnias: insights from stereo-EEG. *Sleep Med Rev*. 2016;25:4-20. doi:10.1016/j.smrv.2015.05.002
1006. * Giuliano L, Mainieri G, Cicero CE, et al. Parasomnias, sleep-related movement disorders and physiological sleep variants in focal epilepsy: a polysomnographic study. *Seizure*. 2020;81:84-90. doi:10.1016/j.seizure.2020.07.026
1007. * Grigg-Damberger MM, Ralls F. Sleep disorders in adults with epilepsy: past, present, and future directions. *Curr Opin Pulm Med*. 2014;20(6):542-549. doi:10.1097/MCP.0000000000000101
1008. Issa NP. Neurobiology of continuous spike-wave in slow-wave sleep and Landau-Kleffner syndromes. *Pediatr Neurol*. 2014;51(3):287-296. doi:10.1016/j.pediatrneurol.2014.04.029
1009. Kessi M, Peng J, Yang L, et al. Genetic etiologies of the electrical status epilepticus during slow wave sleep: systematic review. *BMC Genet*. 2018;19(1):40. doi:10.1186/s12863-018-0628-5
1010. Licchetta L, Bisulli F, Vignatelli L, et al. Sleep-related hypermotor epilepsy: long-term outcome in a large cohort. *Neurology*. 2017;88(1):70-77. doi:10.1212/WNL.0000000000003459
1011. * McLeod GA, Ghassemi A, Ng MC. Can REM sleep localize the epileptogenic zone? A systematic review and analysis. *Frontiers in neurology*. 2020;11:584. doi:10.3389/fneur.2020.00584
1012. * Menghi V, Bisulli F, Tinuper P, Nobili L. Sleep-related hypermotor epilepsy: prevalence, impact and management strategies. *Nature and Science of Sleep*. 2018;10:317-326. doi:10.2147/NSS.S152624
1013. Nobili L, de Weerd A, Rubboli G, et al. Standard procedures for the diagnostic pathway of sleep-related epilepsies and comorbid sleep disorders: a European Academy of Neurology, European Sleep Research Society and International League Against Epilepsy-Europe consensus review. *J Sleep Res*. 2020;29(6):e13184. doi:10.1111/jsr.13184
1014. Proserpio P, Loddo G, Zubler F, et al. Polysomnographic features differentiating disorder of arousals from sleep-related hypermotor epilepsy. *Sleep*. 2019;42(12):zs166. doi:10.1093/sleep/zsz166
1015. * Scheffer IE. A new classification and class 1 evidence transform clinical practice in epilepsy. *Lancet Neurol*. 2018;17(1):7-8. doi:10.1016/S1474-4422(17)30432-5
1016. * Sivathamboo S, Perucca P, Velakoulis D, et al. Sleep-disordered breathing in epilepsy: epidemiology, mechanisms, and treatment. *Sleep*. 2018;41(4):10.1093/sleep/zsy015. doi:10.1093/sleep/zsy015

Sleep-Related Headaches

1017. * Headache Classification Committee of the International Headache Society (IHS) The International Classification of Headache Disorders, 3rd edition. *Cephalgia*. 2018;38(1):1-211. doi:10.1177/0333102417738202
2018;38(1):1-211.

1018. * Armoni Domany K, Nahman-Averbuch H, King CD, et al. Clinical presentation, diagnosis and polysomnographic findings in children with migraine referred to sleep clinics. *Sleep Med.* 2019;63:57-63. doi:10.1016/j.sleep.2019.04.023
1019. * Barloese MC. Neurobiology and sleep disorders in cluster headache. *J Headache Pain.* 2015;16:562. doi:10.1186/s10194-015-0562-0
1020. Brennan KC, Charles A. Sleep and headache. *Semin Neurol.* 2009;29(4):406-418. doi:10.1055/s-0029-1237113
1021. * Buture A, Ahmed F, Dikomitis L, Boland JW. Systematic literature review on the delays in the diagnosis and misdiagnosis of cluster headache. *Neurol Sci.* 2019;40(1):25-39. doi:10.1007/s10072-018-3598-5
1022. * Buture A, Boland JW, Dikomitis L, Ahmed F. Update on the pathophysiology of cluster headache: imaging and neuropeptide studies. *J Pain Res.* 2019;12:269-81. doi:10.2147/JPR.S175312
1023. * Holle D, Naegel S, Krebs S, et al. Hypothalamic gray matter volume loss in hypnic headache. *Ann Neurol.* 2011;69(3):533-539. doi:10.1002/ana.22188
1024. Holle D, Wessendorf TE, Zaremba S, et al. Serial polysomnography in hypnic headache. *Cephalgia.* 2011;31(3):286-290. doi:10.1177/0333102410381146
1025. * Li D, Rozen TD. The clinical characteristics of new daily persistent headache. *Cephalgia.* 2002;22(1):66-69. doi:10.1046/j.1468-2982.2002.00326.x
1026. * May A, Ashburner J, Buchel C, et al. Correlation between structural and functional changes in brain in an idiopathic headache syndrome. *Nat Med.* 1999;5(7):836-838. doi:10.1038/10561
1027. * Negro A, Delaruelle Z, Ivanova TA, et al. Headache and pregnancy: a systematic review. *J Headache Pain.* 2017;18(1):106. doi:10.1186/s10194-017-0816-0
1028. * O'Connor E, Simpson BS, Houlden H, Vandrovčová J, Matharu M. Prevalence of familial cluster headache: a systematic review and meta-analysis. *J Headache Pain.* 2020;21(1):37. doi:10.1186/s10194-020-01101-w
1029. * Osman C, Bahra A. Paroxysmal Hemicrania. *Ann Indian Acad Neurol.* 2018;21(Suppl 1):S16-S22. doi:10.4103/aian.AIAN_317_17
1030. * Pearce CF, Hansen WF. Headache and neurological disease in pregnancy. *Clin Obstet Gynecol.* 2012;55(3):810-828. doi:10.1097/GRF.0b013e31825d7b68
1031. Pellegrino ABW, Davis-Martin RE, Houle TT, Turner DP, Smitherman TA. Perceived triggers of primary headache disorders: a meta-analysis. *Cephalgia.* 2018;38(6):1188-1198. doi:10.1177/0333102417727535
1032. * Yamani N, Olesen J. New daily persistent headache: a systematic review on an enigmatic disorder. *J Headache Pain.* 2019;20(1):80. doi:10.1186/s10194-019-1022-z

1033. Yang CP, Wang SJ. Sleep in patients with chronic migraine. *Curr Pain Headache Rep.* 2017;21(9):39. doi:10.1007/s11916-017-0641-9

Sleep-Related Laryngospasm

1034. Aloe FS, Thorpy MJ. Sleep-related laryngospasm. *Arq Neuropsiquiatr.* 1995;53(1):46-52. doi:10.1590/s0004-282x1995000100008

1035. * Campbell AH, Pierce R. Brief upper airway dysfunction. *Respir Med.* 1994;88(2):125-9. 1994;88(2):125-129. doi:10.1016/0954-6111(94)90024-8

1036. * Guilleminault C, Eldridge FL, Phillips JR, Dement WC. Two occult causes of insomnia and their therapeutic problems. *Arch Gen Psychiatry.* 1976;33(10):1241-1245. doi:10.1001/archpsyc.1976.01770100103010

1037. Iriarte J, Urrestarazu E, Alegre M, Goni C, Viteri C, Artieda J. Sleep-related laryngospasm: a video-polysomnographic recording. *Epileptic Disord.* 2006;8(1):70-72.

1038. Kavey NB, Whyte J, Blitzer A, Gidro-Frank S. Sleep-related laryngeal obstruction presenting as snoring or sleep apnea. *Laryngoscope.* 1989;99(8 Pt 1):851-854. doi:10.1288/00005537-198908000-00014

1039. Ozawa T, Sekiya K, Aizawa N, Terajima K, Nishizawa M. Laryngeal stridor in multiple system atrophy: clinicopathological features and causal hypotheses. *J Neurol Sci.* 2016;361:243-249. doi:10.1016/j.jns.2016.01.007

1040. Roland MM, Baran AS, Richert AC. Sleep-related laryngospasm caused by gastroesophageal reflux. *Sleep Med.* 2008;9(4):451-453. doi:10.1016/j.sleep.2007.07.012

1041. * Thorpy M. Choking during sleep. *Sleep Res.* 1989;18:314.

1042. * Thorpy M, Aloe F. Sleep related laryngospasm. *Sleep Res.* 1989;18:313.

1043. * Thurnheer R, Henz S, Knoblauch A. Sleep-related laryngospasm. *Eur Respir J.* 1997;10(9):2084-2086. doi:10.1183/09031936.97.10092084

Sleep-Related Gastroesophageal Reflux

1044. * Allen L, Poh CH, Gasiorowska A, et al. Increased oesophageal acid exposure at the beginning of the recumbent period is primarily a recumbent-aware phenomenon. *Aliment Pharmacol Ther.* 2010;32(6):787-794. doi:10.1111/j.1365-2036.2010.04403.x

1045. Bajaj JS, Bajaj S, Dua KS, et al. Influence of sleep stages on esophago-upper esophageal sphincter contractile reflex and secondary esophageal peristalsis. *Gastroenterology.* 2006;130(1):17-25. doi:10.1053/j.gastro.2005.10.003

1046. Chen CL, Robert JJ, Orr WC. Sleep symptoms and gastroesophageal reflux. *J Clin Gastroenterol.* 2008;42(1):13-17. doi:10.1097/mcg.0b013e31802fc1bc

1047. * Dent J, Holloway RH, Eastwood PR. Systematic review: relationships between sleep and gastro-oesophageal reflux. *Aliment Pharmacol Ther.* 2013;38(7):657-673. doi:10.1111/apt.12445

1048. * Dubois RW, Aguilar D, Fass R, et al. Consequences of frequent nocturnal gastro-oesophageal reflux disease among employed adults: symptom severity, quality of life and work productivity. *Aliment Pharmacol Ther.* 2007;25(4):487-500. doi:10.1111/j.1365-2036.2006.03189.x
1049. * El-Serag HB, Sweet S, Winchester CC, Dent J. Update on the epidemiology of gastro-oesophageal reflux disease: a systematic review. *Gut.* 2014;63(6):871-880. doi:10.1136/gutjnl-2012-304269
1050. * Fass R, Johnson DA, Orr WC, et al. The effect of dexlansoprazole MR on nocturnal heartburn and GERD-related sleep disturbances in patients with symptomatic GERD. *Am J Gastroenterol.* 2011;106(3):421-431. doi:10.1038/ajg.2010.458
1051. Fass R, Quan SF, O'Connor GT, Ervin A, Iber C. Predictors of heartburn during sleep in a large prospective cohort study. *Chest.* 2005;127(5):1658-1666. doi:10.1378/chest.127.5.1658
1052. * Fujiwara Y, Arakawa T, Fass R. Gastroesophageal reflux disease and sleep disturbances. *J Gastroenterol.* 2012;47(7):760-769. doi:10.1007/s00535-012-0601-4
1053. * Gagliardi GS, Shah AP, Goldstein M, et al. Effect of zolpidem on the sleep arousal response to nocturnal esophageal acid exposure. *Clin Gastroenterol Hepatol.* 2009;7(9):948-952. doi:10.1016/j.cgh.2009.04.026
1054. * Gerson LB, Fass R. A systematic review of the definitions, prevalence, and response to treatment of nocturnal gastroesophageal reflux disease. *Clin Gastroenterol Hepatol.* 2009;7(4):372-367. doi:10.1016/j.cgh.2008.11.021
1055. * Green BT, Broughton WA, O'Connor JB. Marked improvement in nocturnal gastroesophageal reflux in a large cohort of patients with obstructive sleep apnea treated with continuous positive airway pressure. *Arch Intern Med.* 2003;163(1):41-45. doi:10.1001/archinte.163.1.41
1056. * Harding SM. Gastroesophageal reflux during sleep. *Sleep Medicine Clinics.* 2007;2(1):41-50.
1057. * Lee AS, Lee JS, He Z, Ryu JH. Reflux-aspiration in chronic lung disease. *Ann Am Thorac Soc.* 2020;17(2):155-164. doi:10.1513/AnnalsATS.201906-427CME
1058. Lindam A, Ness-Jensen E, Jansson C, et al. Gastroesophageal reflux and sleep disturbances: a bidirectional association in a population-based cohort study, the HUNT study. *Sleep.* 2016;39(7):1421-1427. doi:10.5665/sleep.5976
1059. * Mainie I, Tutuian R, Shay S, et al. Acid and non-acid reflux in patients with persistent symptoms despite acid suppressive therapy: a multicentre study using combined ambulatory impedance-pH monitoring. *Gut.* 2006;55(10):1398-1402. doi:10.1136/gut.2005.087668
1060. Orr WC, Goodrich S, Estep ME, Shepherd K. The relationship between complaints of night-time heartburn and sleep-related gastroesophageal reflux. *Dis Esophagus.* 2014;27(4):303-310. doi:10.1111/dote.12131
1061. * Schey R, Dickman R, Parthasarathy S, et al. Sleep deprivation is hyperalgesic in patients with gastroesophageal reflux disease. *Gastroenterology.* 2007;133(6):1787-1795. doi:10.1053/j.gastro.2007.09.039

1062. * Shepherd K, Hillman D, Eastwood P. CPAP-induced aerophagia may precipitate gastroesophageal reflux. *J Clin Sleep Med.* 2013;9(6):633-4. doi:10.5664/jcsm.2776
1063. Shepherd K, Ockelford J, Ganasan V, Holloway R, Hillman D, Eastwood P. Temporal relationship between night-time gastroesophageal reflux events and arousals from sleep. *Am J Gastroenterol.* 2020;115(5):697-705. doi:10.14309/ajg.0000000000000627
1064. * Shepherd K, Orr W. Mechanism of gastroesophageal reflux in obstructive sleep apnea: airway obstruction or obesity? *J Clin Sleep Med.* 2016;12(1):87-94. doi:10.5664/jcsm.5402
1065. Shibli F, Skeans J, Yamasaki T, Fass R. Nocturnal gastroesophageal reflux disease (GERD) and sleep: an important relationship that is commonly overlooked. *J Clin Gastroenterol.* 2020;54(8):663-674. doi:10.1097/mcg.0000000000001382
1066. * Sontag SJ, O'Connell S, Miller TQ, Bernsen M, Seidel J. Asthmatics have more nocturnal gasping and reflux symptoms than nonasthmatics, and they are related to bedtime eating. *Am J Gastroenterol.* 2004;99(5):789-796. doi:10.1111/j.1572-0241.2004.04141.x
1067. Suzuki M, Saigusa H, Kurogi R, et al. Arousals in obstructive sleep apnea patients with laryngopharyngeal and gastroesophageal reflux. *Sleep Med.* 2010;11(4):356-360. doi:10.1016/j.sleep.2009.09.008
1068. * Tamanna S, Campbell D, Warren R, Ullah MI. Effect of CPAP Therapy on Symptoms of Nocturnal Gastroesophageal Reflux among Patients with Obstructive Sleep Apnea. *J Clin Sleep Med.* 2016;12(9):1257-1261. doi:10.5664/jcsm.6126
1069. Xavier SD, Eckley CA, Duprat AC, et al. Temporal association between respiratory events and reflux in patients with obstructive sleep apnea and laryngopharyngeal reflux. *J Clin Sleep Med.* 2019;15(10):1397-1402. doi:10.5664/jcsm.7960

Sleep-Related Myocardial Ischemia

1070. Alonso-Fernandez A, Garcia-Rio F, Racionero MA, et al. Cardiac rhythm disturbances and ST-segment depression episodes in patients with obstructive sleep apnea-hypopnea syndrome and its mechanisms. *Chest.* 2005;127(1):15-22. doi:10.1378/chest.127.1.15
1071. Arzt M, Hetzenegger A, Steiner S, Buchner S. Sleep-disordered breathing and coronary artery disease. *Can J Cardiol.* 2015;31(7):909-917. doi:10.1016/j.cjca.2015.03.032
1072. * Caples SM, Rosen CL, Shen WK, et al. The scoring of cardiac events during sleep. *J Clin Sleep Med.* 2007;3(2):147-154.
1073. Cepeda-Valery B, Acharjee S, Romero-Corral A, Pressman GS, Gami AS. Obstructive sleep apnea and acute coronary syndromes: etiology, risk, and management. *Curr Cardiol Rep.* 2014;16(10):535. doi:10.1007/s11886-014-0535-y
1074. Cowie MR, Linz D, Redline S, Somers VK, Simonds AK. Sleep disordered breathing and cardiovascular disease: JACC state-of-the-art review. *J Am Coll Cardiol.* 2021;78(6):608-624. doi:10.1016/j.jacc.2021.05.048

1075. * Franklin KA, Nilsson JB, Sahlin C, Naslund U. Sleep apnoea and nocturnal angina. *Lancet*. 1995;345(8957):1085-1087. doi:10.1016/s0140-6736(95)90820-x
1076. * Gami AS, Howard DE, Olson EJ, Somers VK. Day-night pattern of sudden death in obstructive sleep apnea. *N Engl J Med*. 2005;352(12):1206-1214. doi:10.1056/NEJMoa041832
1077. Inami T, Seino Y, Otsuka T, et al. Links between sleep disordered breathing, coronary atherosclerotic burden, and cardiac biomarkers in patients with stable coronary artery disease. *J Cardiol*. 2012;60(3):180-186. doi:10.1016/j.jcc.2012.03.003
1078. * Jaffe LM, Kjekshus J, Gottlieb SS. Importance and management of chronic sleep apnoea in cardiology. *Eur Heart J*. 2013;34(11):809-815. doi:10.1093/eurheartj/ehs046
1079. * Kuniyoshi FH, Garcia-Touchard A, Gami AS, et al. Day-night variation of acute myocardial infarction in obstructive sleep apnea. *J Am Coll Cardiol*. 2008;52(5):343-346. doi:10.1016/j.jacc.2008.04.027
1080. * Mansukhani MP, Wang S, Somers VK. Sleep, death, and the heart. *Am J Physiol Heart Circ Physiol*. 2015;309(5):H739-H749. doi:10.1152/ajpheart.00285.2015
1081. Mehra R, Stone KL, Varosy PD, et al. Nocturnal arrhythmias across a spectrum of obstructive and central sleep-disordered breathing in older men: outcomes of sleep disorders in older men (MrOS sleep) study. *Arch Intern Med*. 2009;169(12):1147-1155. doi:10.1001/archinternmed.2009.138
1082. Morra S, Roubille F. Obstructive sleep apnoea: from respiratory events to coronary microvascular dysfunction. *Acta Cardiol*. 2018;73(4):319-324. doi:10.1080/00015385.2017.1384183
1083. * Muller JE, Ludmer PL, Willich SN, et al. Circadian variation in the frequency of sudden cardiac death. *Circulation*. 1987;75(1):131-138. doi:10.1161/01.cir.75.1.131
1084. * Nowlin JB, Troyer WG, Jr., Collins WS, et al. The association of nocturnal angina pectoris with dreaming. *Ann Intern Med*. 1965;63(6):1040-1046. doi:10.7326/0003-4819-63-6-1040
1085. Peled N, Abinader EG, Pillar G, Sharif D, Lavie P. Nocturnal ischemic events in patients with obstructive sleep apnea syndrome and ischemic heart disease: effects of continuous positive air pressure treatment. *J Am Coll Cardiol*. 1999;34(6):1744-1749. doi:10.1016/s0735-1097(99)00407-6
1086. Roche F, Xuong AN, Court-Fortune I, et al. Relationship among the severity of sleep apnea syndrome, cardiac arrhythmias, and autonomic imbalance. *Pacing Clin Electrophysiol*. 2003;26(3):669-677. doi:10.1046/j.1460-9592.2003.00116.x
1087. Sakakibara M, Yamada S, Kamiya K, Yokota T, Oba K, Tsutsui H. Sleep-disordered breathing is an independent risk factor of aborted sudden cardiac arrest in patients with coronary artery spasm. *Circ J*. 2012;76(9):2204-2210. doi:10.1253/circj.cj-12-0210
1088. * Verrier RL, Muller JE, Hobson JA. Sleep, dreams, and sudden death: the case for sleep as an autonomic stress test for the heart. *Cardiovasc Res*. 1996;31(2):181-211.