

Table 19-1(a) Population by Five Year Age Group and Gender
Number and Relative Proportion (%) : 2012 - 2016
Aizawl district

| Age Group | Males | | Females | |
|--------------|----------------|---------------|----------------|---------------|
| | Number | % | Number | % |
| 00-04 | 100506 | 9.51 | 98434 | 9.05 |
| 05-09 | 94691 | 8.96 | 94033 | 8.64 |
| 10-14 | 96705 | 9.15 | 95189 | 8.75 |
| 15-19 | 106511 | 10.07 | 105260 | 9.67 |
| 20-24 | 109399 | 10.35 | 113979 | 10.48 |
| 25-29 | 103910 | 9.83 | 109180 | 10.03 |
| 30-34 | 93444 | 8.84 | 101881 | 9.36 |
| 35-39 | 75235 | 7.12 | 79247 | 7.28 |
| 40-44 | 62467 | 5.91 | 63562 | 5.84 |
| 45-49 | 59087 | 5.59 | 63962 | 5.88 |
| 50-54 | 47374 | 4.48 | 50173 | 4.61 |
| 55-59 | 35162 | 3.33 | 35071 | 3.22 |
| 60-64 | 25566 | 2.42 | 27115 | 2.49 |
| 65-69 | 16468 | 1.56 | 17797 | 1.64 |
| 70-74 | 12957 | 1.23 | 13481 | 1.24 |
| 75+ | 17894 | 1.69 | 19656 | 1.81 |
| Total | 1057376 | 100.00 | 1088020 | 100.00 |

Area(Sq.Km): 3576

Figure 19-1(a) Population Pyramid showing Five Year Age Distribution : 2012 - 2016
Aizawl district




Table 19-1(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10) : 2012 - 2016 Males
%= Relative Proportion of Cancers of All Sites
Aizawl district

| ICD-10 | Site | 00-04 | 05-09 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|---------|-----------------------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|----------|-------------|--------------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | 0.05 |
| C01-C02 | Tongue | - | - | - | - | 1 | 1 | 2 | 1 | 8 | 8 | 10 | 7 | 6 | 2 | 2 | 1 | - | 49 | 2.25 |
| C03-C06 | Mouth | - | - | - | - | - | 2 | - | - | 3 | 4 | 10 | 8 | 6 | 2 | 4 | 4 | - | 43 | 1.97 |
| C07-C08 | Salivary Gland | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - | 3 | - | 1 | 1 | - | 8 | 0.37 |
| C09 | Tonsil | - | - | - | - | - | 1 | 1 | 2 | 4 | 3 | 9 | 3 | 6 | 1 | 1 | 1 | - | 32 | 1.47 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | 1 | 1 | 1 | 3 | 1 | 1 | - | 1 | - | - | - | 9 | 0.41 |
| C11 | Nasopharynx | - | - | 1 | 1 | - | 1 | 2 | 1 | 2 | 7 | 6 | 5 | 6 | 2 | 2 | 6 | - | 42 | 1.93 |
| C12-C13 | Hypopharynx | - | - | - | - | 2 | - | 1 | 4 | 12 | 9 | 40 | 19 | 22 | 10 | 10 | 11 | - | 140 | 6.42 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | 1 | 1 | 2 | 6 | - | - | 1 | - | - | 11 | 0.50 |
| C15 | Oesophagus | - | - | - | - | 1 | 1 | 3 | 14 | 25 | 67 | 96 | 97 | 40 | 27 | 16 | 11 | - | 398 | 18.26 |
| C16 | Stomach | - | - | - | - | - | 1 | 1 | 8 | 15 | 22 | 43 | 47 | 48 | 46 | 39 | 71 | 1 | 342 | 15.69 |
| C17 | Small Intestine | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 2 | 1 | 1 | 1 | - | 7 | 0.32 |
| C18 | Colon | - | - | - | - | - | 2 | 3 | 1 | - | 6 | 3 | 4 | 7 | 9 | 8 | 13 | - | 56 | 2.57 |
| C19-C20 | Rectum | - | - | - | - | - | 1 | 1 | 2 | 5 | 8 | 6 | 12 | 7 | 8 | 6 | 14 | - | 70 | 3.21 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 1 | 0.05 |
| C22 | Liver | - | - | 1 | - | 1 | 1 | 3 | 6 | 14 | 16 | 6 | 11 | 16 | 10 | 6 | 11 | - | 102 | 4.68 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | - | - | 1 | 6 | 4 | 5 | 3 | 3 | 2 | - | 24 | 1.10 |
| C25 | Pancreas | - | - | - | - | - | - | - | - | - | 1 | 4 | 7 | 4 | 1 | 8 | 2 | - | 27 | 1.24 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | 2 | - | 2 | - | 6 | 0.28 |
| C32 | Larynx | - | - | - | - | - | - | 1 | 1 | 5 | 2 | 16 | 14 | 6 | 7 | 4 | 2 | - | 58 | 2.66 |
| C33-C34 | Lung etc. | 1 | - | - | - | - | - | 2 | 2 | 8 | 14 | 24 | 28 | 48 | 51 | 36 | 73 | - | 287 | 13.17 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | 2 | 0.09 |
| C40-C41 | Bone | - | 1 | - | - | 2 | - | - | - | - | - | - | 1 | 1 | - | - | 2 | - | 7 | 0.32 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | - | - | 1 | - | - | 2 | - | 2 | - | - | 3 | 3 | 1 | 3 | - | 15 | 0.69 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | - | 1 | - | - | - | - | - | - | 2 | - | - | - | - | - | - | 3 | 0.14 |
| C50 | Breast | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 0.05 |
| C60 | Penis | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 | 3 | 2 | - | 10 | 0.46 |
| C61 | Prostate | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | 2 | 9 | 23 | - | 37 | 1.70 |
| C62 | Testis | 1 | - | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - | 6 | 0.28 |
| C63 | Other Male Genital | - | - | - | - | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | 2 | 0.09 |
| C64 | Kidney etc. | 2 | - | - | - | - | 2 | - | - | - | 1 | 2 | - | 1 | 1 | - | 2 | - | 11 | 0.50 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | 3 | 0.14 |
| C67 | Bladder | - | - | - | - | - | - | 1 | 1 | 1 | - | 1 | 1 | 4 | 8 | 1 | 15 | - | 33 | 1.51 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 1 | 0.05 |
| C69 | Eye | 2 | - | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - | 1 | - | - | 6 | 0.28 |
| C70-C72 | Brain, Nervous System | 3 | 1 | 3 | - | - | - | 3 | 2 | - | 1 | 1 | 3 | 2 | 1 | 2 | 3 | - | 25 | 1.15 |
| C73 | Thyroid | - | - | - | - | 1 | - | 1 | 1 | - | 1 | - | - | 1 | 1 | 3 | 5 | - | 14 | 0.64 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85 | NHL | - | - | 3 | 3 | 1 | 1 | 2 | 4 | 2 | 5 | 3 | 5 | 4 | 4 | 1 | 5 | - | 43 | 1.97 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | 5 | 0.23 |
| C91 | Lymphoid Leuk. | 4 | 4 | 2 | 3 | - | 1 | 1 | - | 1 | - | 2 | 1 | - | 2 | 1 | 1 | - | 23 | 1.06 |
| C92-C94 | Myeloid Leukaemia | 1 | - | 1 | 2 | 2 | 2 | - | 3 | - | 2 | 1 | 5 | 2 | 1 | 2 | 3 | - | 27 | 1.24 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | 1 | - | 1 | 1 | 1 | 2 | - | 1 | 1 | - | - | 8 | 0.37 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | 1 | - | 1 | - | - | - | 1 | 1 | - | 2 | - | 6 | 0.28 |
| O&U * | Other and Uns | 2 | 2 | 3 | - | 1 | 1 | 3 | 6 | 10 | 16 | 17 | 18 | 23 | 19 | 15 | 43 | - | 179 | 8.21 |
| | All Sites | 16 | 8 | 15 | 11 | 13 | 20 | 35 | 66 | 124 | 204 | 315 | 314 | 279 | 230 | 190 | 339 | 1 | 2180 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

Table 19-1(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10) : 2012 - 2016 Females
%= Relative Proportion of Cancers of All Sites
Aizawl district

| ICD-10 | Site | 00-04 | 05-09 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | Unkn | Total | % |
|---------|-----------------------|-----------|----------|-----------|----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----------|-------------|--------------|
| C00 | Lip | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | 2 | - | 4 | 0.21 |
| C01-C02 | Tongue | - | - | - | - | - | - | - | - | - | 1 | 3 | 3 | 2 | 1 | 1 | 3 | - | 14 | 0.74 |
| C03-C06 | Mouth | - | - | - | - | - | - | 1 | 1 | 8 | 1 | 1 | 5 | 2 | - | 9 | - | 28 | 1.47 | |
| C07-C08 | Salivary Gland | - | - | - | - | - | - | - | 1 | - | 3 | - | 2 | - | - | - | - | - | 6 | 0.32 |
| C09 | Tonsil | - | - | - | - | - | - | 1 | 1 | 1 | - | - | 2 | - | - | - | 1 | - | 6 | 0.32 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | Nasopharynx | - | - | - | - | - | 1 | - | 5 | 5 | 1 | 3 | 4 | 2 | 3 | - | 2 | - | 26 | 1.37 |
| C12-C13 | Hypopharynx | - | - | - | - | - | - | 1 | 2 | 2 | 4 | - | 3 | 2 | - | - | - | - | 14 | 0.74 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C15 | Oesophagus | - | - | - | - | - | - | - | - | 3 | 12 | 14 | 13 | 12 | 13 | 6 | 5 | - | 78 | 4.11 |
| C16 | Stomach | - | - | - | - | - | 3 | 3 | 3 | 5 | 7 | 21 | 23 | 29 | 24 | 23 | 34 | - | 175 | 9.21 |
| C17 | Small Intestine | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - | 2 | 1 | - | 6 | 0.32 |
| C18 | Colon | - | - | - | - | 2 | 2 | 1 | - | 2 | 4 | 5 | 7 | 2 | 9 | 4 | 11 | - | 49 | 2.58 |
| C19-C20 | Rectum | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 4 | 6 | 8 | 5 | 6 | 9 | - | 47 | 2.47 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 | - | 3 | 0.16 |
| C22 | Liver | - | - | - | - | - | 1 | 2 | - | 1 | 6 | 6 | 7 | 4 | 4 | 2 | 10 | - | 43 | 2.26 |
| C23-C24 | Gallbladder etc. | - | - | - | - | - | - | - | 2 | 2 | 4 | 7 | 6 | 4 | 8 | 7 | 10 | - | 50 | 2.63 |
| C25 | Pancreas | - | - | - | - | - | - | - | 2 | 1 | - | 1 | 2 | 2 | 9 | 4 | 11 | - | 32 | 1.68 |
| C30-C31 | Nose, Sinuses etc. | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | 1 | - | 3 | 0.16 |
| C32 | Larynx | - | - | - | - | - | - | - | - | - | 1 | 2 | - | - | 1 | 3 | 3 | - | 10 | 0.53 |
| C33-C34 | Lung etc. | - | - | - | 1 | - | - | 4 | 3 | 3 | 5 | 14 | 33 | 30 | 45 | 54 | 112 | - | 304 | 160 |
| C37-C38 | Other Thoracic Organs | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 0.11 |
| C40-C41 | Bone | 2 | - | 2 | - | - | - | - | - | - | - | 3 | - | 1 | 1 | 1 | - | - | 10 | 0.53 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | - | - | - | - | - | - | 1 | - | 2 | 1 | 3 | 2 | 4 | 4 | - | 17 | 0.89 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | 0.11 |
| C50 | Breast | - | - | - | - | 3 | 7 | 13 | 35 | 50 | 44 | 51 | 24 | 21 | 23 | 14 | 8 | - | 293 | 15.42 |
| C51 | Vulva | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 1 | - | 3 | 0.16 |
| C52 | Vagina | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | 0.05 |
| C53 | Cervix Uteri | - | - | - | - | 1 | 3 | 19 | 38 | 65 | 47 | 51 | 24 | 21 | 4 | 4 | 4 | - | 281 | 14.79 |
| C54 | Corpus Uteri | - | - | - | - | 1 | 1 | 1 | 2 | 4 | 3 | 6 | 8 | 6 | - | 2 | - | - | 34 | 1.79 |
| C55 | Uterus Unspecified | - | - | - | 1 | 1 | - | 1 | 1 | 1 | 1 | 2 | - | - | - | - | 1 | - | 9 | 0.47 |
| C56 | Ovary etc. | - | - | - | 1 | 2 | 1 | 5 | 5 | 9 | 12 | 11 | 3 | 4 | 2 | 6 | 4 | - | 65 | 3.42 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | 2 | 0.11 |
| C64 | Kidney etc. | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | 2 | - | 1 | - | 5 | 0.26 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | - | - | - | - | 1 | 1 | 1 | - | 2 | - | - | 2 | 3 | 1 | - | 11 | 0.58 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 | 0.11 |
| C70-C72 | Brain, Nervous System | - | 1 | 4 | 1 | - | - | 1 | 1 | 1 | 1 | 4 | 1 | 2 | 3 | 4 | 2 | - | 26 | 1.37 |
| C73 | Thyroid | - | - | - | - | 5 | 5 | 7 | 5 | 5 | 3 | 8 | 4 | 3 | 3 | - | 5 | - | 53 | 2.79 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | 0.05 |
| C82-C85 | NHL | - | - | 1 | - | 2 | 1 | 2 | 2 | - | 1 | 3 | 3 | 2 | 1 | 3 | 3 | - | 24 | 1.26 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - | - | 2 | 0.11 |
| C91 | Lymphoid Leuk. | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 5 | 0.26 |
| C92-C94 | Myeloid Leukaemia | 2 | - | 1 | 1 | - | 2 | 1 | 4 | 3 | 1 | - | - | 2 | - | 1 | - | - | 18 | 0.95 |
| C95 | Leukaemia Uns | 1 | - | - | - | - | 1 | - | 1 | 1 | - | - | 1 | - | - | - | - | - | 5 | 0.26 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | 2 | - | 3 | 0.16 |
| O&U * | Other and Uns | 3 | - | 1 | 1 | 2 | 2 | 1 | 3 | 4 | 9 | 14 | 20 | 14 | 13 | 17 | 24 | - | 128 | 6.74 |
| | All Sites | 12 | 3 | 12 | 7 | 21 | 32 | 63 | 118 | 175 | 178 | 248 | 198 | 187 | 182 | 175 | 289 | - | 1900 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

Table 19-1(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2016 Males Aizawl district

| ICD-10 | 00-04 | 05-09 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | CR | AAR | SE | TR |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|-------|-------|------|-------|
| C00 | - | - | - | - | - | - | - | - | - | - | 2.1 | - | - | - | - | - | 0.1 | 0.11 | 0.11 | 0.3 |
| C01-C02 | - | - | - | - | 0.9 | 1.0 | 2.1 | 1.3 | 12.8 | 13.5 | 21.1 | 19.9 | 23.5 | 12.1 | 15.4 | 5.6 | 4.6 | 5.51 | 0.81 | 14.4 |
| C03-C06 | - | - | - | - | - | 1.9 | - | - | 4.8 | 6.8 | 21.1 | 22.8 | 23.5 | 12.1 | 30.9 | 22.4 | 4.1 | 5.18 | 0.81 | 11.6 |
| C07-C08 | - | - | - | - | - | 1.0 | - | 1.3 | 1.6 | - | - | - | 11.7 | - | 7.7 | 5.6 | 0.8 | 0.99 | 0.36 | 2.1 |
| C09 | - | - | - | - | - | 1.0 | 1.1 | 2.7 | 6.4 | 5.1 | 19.0 | 8.5 | 23.5 | 6.1 | 7.7 | 5.6 | 3.0 | 3.67 | 0.67 | 9.9 |
| C10 | - | - | - | - | - | - | 1.1 | 1.3 | 1.6 | 5.1 | 2.1 | 2.8 | - | 6.1 | - | - | 0.9 | 0.95 | 0.33 | 2.3 |
| C11 | - | - | 1.0 | 0.9 | - | 1.0 | 2.1 | 1.3 | 3.2 | 11.8 | 12.7 | 14.2 | 23.5 | 12.1 | 15.4 | 33.5 | 4.0 | 4.85 | 0.77 | 10.1 |
| C12-C13 | - | - | - | - | 1.8 | - | 1.1 | 5.3 | 19.2 | 15.2 | 84.4 | 54.0 | 86.1 | 60.7 | 77.2 | 61.5 | 13.2 | 17.02 | 1.48 | 39.4 |
| C14 | - | - | - | - | - | - | - | - | 1.6 | 1.7 | 4.2 | 17.1 | - | - | 7.7 | - | 1.0 | 1.25 | 0.38 | 3.5 |
| C15 | - | - | - | - | 0.9 | 1.0 | 3.2 | 18.6 | 40.0 | 113.4 | 202.6 | 275.9 | 156.5 | 164.0 | 123.5 | 61.5 | 37.6 | 46.71 | 2.40 | 121.8 |
| C16 | - | - | - | - | - | 1.0 | 1.1 | 10.6 | 24.0 | 37.2 | 90.8 | 133.7 | 187.7 | 279.3 | 301.0 | 396.8 | 32.3 | 44.18 | 2.45 | 70.0 |
| C17 | - | - | - | - | - | - | 1.1 | - | - | - | - | 2.8 | 7.8 | 6.1 | 7.7 | 5.6 | 0.7 | 0.94 | 0.37 | 1.4 |
| C18 | - | - | - | - | - | 1.9 | 3.2 | 1.3 | - | 10.2 | 6.3 | 11.4 | 27.4 | 54.7 | 61.7 | 72.7 | 5.3 | 7.23 | 1.00 | 8.2 |
| C19-C20 | - | - | - | - | - | 1.0 | 1.1 | 2.7 | 8.0 | 13.5 | 12.7 | 34.1 | 27.4 | 48.6 | 46.3 | 78.2 | 6.6 | 8.64 | 1.06 | 14.7 |
| C21 | - | - | - | - | - | - | - | - | - | - | - | - | - | 6.1 | - | - | 0.1 | 0.18 | 0.18 | - |
| C22 | - | - | 1.0 | - | 0.9 | 1.0 | 3.2 | 8.0 | 22.4 | 27.1 | 12.7 | 31.3 | 62.6 | 60.7 | 46.3 | 61.5 | 9.6 | 12.25 | 1.26 | 25.3 |
| C23-C24 | - | - | - | - | - | - | - | - | - | 1.7 | 12.7 | 11.4 | 19.6 | 18.2 | 23.2 | 11.2 | 2.3 | 3.21 | 0.67 | 6.4 |
| C25 | - | - | - | - | - | - | - | - | - | 1.7 | 8.4 | 19.9 | 15.6 | 6.1 | 61.7 | 11.2 | 2.6 | 3.59 | 0.70 | 6.3 |
| C30-C31 | - | - | - | - | - | - | - | 1.3 | 1.6 | - | - | - | - | 12.1 | - | 11.2 | 0.6 | 0.76 | 0.33 | 0.6 |
| C32 | - | - | - | - | - | - | 1.1 | 1.3 | 8.0 | 3.4 | 33.8 | 39.8 | 23.5 | 42.5 | 30.9 | 11.2 | 5.5 | 7.16 | 0.97 | 16.1 |
| C33-C34 | 1.0 | - | - | - | - | - | 2.1 | 2.7 | 12.8 | 23.7 | 50.7 | 79.6 | 187.7 | 309.7 | 277.8 | 408.0 | 27.1 | 38.83 | 2.35 | 50.3 |
| C37-C38 | - | - | - | - | - | - | - | - | - | - | 2.1 | - | 3.9 | - | - | - | 0.2 | 0.26 | 0.19 | 0.8 |
| C40-C41 | - | 1.1 | - | - | 1.8 | - | - | - | - | - | - | 2.8 | 3.9 | - | - | 11.2 | 0.7 | 0.75 | 0.29 | 0.9 |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | - | - | 0.9 | - | - | 2.7 | - | 3.4 | - | - | 11.7 | 18.2 | 7.7 | 16.8 | 1.4 | 1.94 | 0.52 | 2.7 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | - | 0.9 | - | - | - | - | - | - | 4.2 | - | - | - | - | - | 0.3 | 0.30 | 0.17 | 0.7 |
| C50 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5.6 | 0.1 | 0.11 | 0.11 | - |
| C60 | - | - | - | - | - | - | - | - | 1.6 | 1.7 | 2.1 | - | 3.9 | 6.1 | 23.2 | 11.2 | 0.9 | 1.33 | 0.43 | 1.5 |
| C61 | - | - | - | - | - | - | - | - | - | - | - | 2.8 | 7.8 | 12.1 | 69.5 | 128.5 | 3.5 | 4.75 | 0.79 | 1.4 |
| C62 | 1.0 | - | 1.0 | 0.9 | - | - | - | 1.3 | 1.6 | 1.7 | - | - | - | - | - | - | 0.6 | 0.57 | 0.24 | 0.9 |
| C63 | - | - | - | - | - | - | - | 1.3 | - | - | - | 2.8 | - | - | - | - | 0.2 | 0.19 | 0.14 | 0.6 |
| C64 | 2.0 | - | - | - | - | 1.9 | - | - | - | 1.7 | 4.2 | - | 3.9 | 6.1 | - | 11.2 | 1.0 | 1.27 | 0.39 | 1.5 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | 2.8 | - | - | 7.7 | 5.6 | 0.3 | 0.38 | 0.22 | 0.4 |
| C67 | - | - | - | - | - | - | 1.1 | 1.3 | 1.6 | - | 2.1 | 2.8 | 15.6 | 48.6 | 7.7 | 83.8 | 3.1 | 4.37 | 0.79 | 3.3 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5.6 | 0.1 | 0.11 | 0.11 | - |
| C69 | 2.0 | - | - | - | - | 1.0 | - | - | 1.6 | 1.7 | - | - | - | - | 7.7 | - | 0.6 | 0.67 | 0.28 | 0.6 |
| C70-C72 | 3.0 | 1.1 | 3.1 | - | - | - | 3.2 | 2.7 | - | 1.7 | 2.1 | 8.5 | 7.8 | 6.1 | 15.4 | 16.8 | 2.4 | 2.78 | 0.58 | 3.3 |
| C73 | - | - | - | - | 0.9 | - | 1.1 | 1.3 | - | 1.7 | - | - | 3.9 | 6.1 | 23.2 | 27.9 | 1.3 | 1.68 | 0.47 | 1.1 |
| C74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85 | - | - | 3.1 | 2.8 | 0.9 | 1.0 | 2.1 | 5.3 | 3.2 | 8.5 | 6.3 | 14.2 | 15.6 | 24.3 | 7.7 | 27.9 | 4.1 | 4.78 | 0.76 | 8.2 |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | - | - | - | 2.8 | 3.9 | 6.1 | 7.7 | 5.6 | 0.5 | 0.72 | 0.33 | 0.9 |
| C91 | 4.0 | 4.2 | 2.1 | 2.8 | - | 1.0 | 1.1 | - | 1.6 | - | 4.2 | 2.8 | - | 12.1 | 7.7 | 5.6 | 2.2 | 2.53 | 0.55 | 1.4 |
| C92-C94 | 1.0 | - | 1.0 | 1.9 | 1.8 | 1.9 | - | 4.0 | - | 3.4 | 2.1 | 14.2 | 7.8 | 6.1 | 15.4 | 16.8 | 2.6 | 2.94 | 0.59 | 4.6 |
| C95 | - | - | - | - | - | - | 1.1 | - | 1.6 | 1.7 | 2.1 | 5.7 | - | 6.1 | 7.7 | - | 0.8 | 0.93 | 0.34 | 1.7 |
| C96 | - | - | - | - | - | - | 1.1 | - | 1.6 | - | - | - | 3.9 | 6.1 | - | 11.2 | 0.6 | 0.72 | 0.31 | 0.8 |
| O&U * | 2.0 | 2.1 | 3.1 | - | 0.9 | 1.0 | 3.2 | 8.0 | 16.0 | 27.1 | 35.9 | 51.2 | 90.0 | 115.4 | 115.8 | 240.3 | 16.9 | 22.16 | 1.70 | 33.9 |
| All Sites | 15.9 | 8.4 | 15.5 | 10.3 | 11.9 | 19.2 | 37.5 | 87.7 | 198.5 | 345.3 | 664.9 | 893.0 | 1091.3 | 1396.6 | 1466.4 | 1894.5 | 206.2 | 269.4 | 5.91 | 485.5 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

Table 19-1(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2016 Females Aizawl district

| ICD-10 | 00-04 | 05-09 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75+ | CR | AAR | SE | TR |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|-------|------|-------|
| C00 | - | - | - | - | - | - | - | - | - | - | 2.0 | 2.9 | - | - | - | 10.2 | 0.4 | 0.42 | 0.21 | 0.7 |
| C01-C02 | - | - | - | - | - | - | - | - | - | 1.6 | 6.0 | 8.6 | 7.4 | 5.6 | 7.4 | 15.3 | 1.3 | 1.65 | 0.45 | 3.3 |
| C03-C06 | - | - | - | - | - | - | - | 1.3 | 1.6 | 12.5 | 2.0 | 2.9 | 18.4 | 11.2 | - | 45.8 | 2.6 | 3.12 | 0.61 | 6.0 |
| C07-C08 | - | - | - | - | - | - | - | - | 1.6 | - | 6.0 | - | 7.4 | - | - | - | 0.6 | 0.69 | 0.29 | 2.2 |
| C09 | - | - | - | - | - | - | - | 1.3 | 1.6 | 1.6 | - | - | 7.4 | - | - | 5.1 | 0.6 | 0.66 | 0.28 | 1.8 |
| C10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | - | - | - | - | - | 0.9 | - | 6.3 | 7.9 | 1.6 | 6.0 | 11.4 | 7.4 | 16.9 | - | 10.2 | 2.4 | 2.78 | 0.56 | 6.4 |
| C12-C13 | - | - | - | - | - | - | - | 1.3 | 3.1 | 3.1 | 8.0 | - | 11.1 | 11.2 | - | - | 1.3 | 1.63 | 0.45 | 4.2 |
| C14 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C15 | - | - | - | - | - | - | - | - | 4.7 | 18.8 | 27.9 | 37.1 | 44.3 | 73.0 | 44.5 | 25.4 | 7.2 | 9.65 | 1.12 | 19.5 |
| C16 | - | - | - | - | - | 2.7 | 2.9 | 3.8 | 7.9 | 10.9 | 41.9 | 65.6 | 107.0 | 134.9 | 170.6 | 173.0 | 16.1 | 21.66 | 1.68 | 33.4 |
| C17 | - | - | - | - | - | - | - | - | - | - | 2.0 | 2.9 | 3.7 | - | 14.8 | 5.1 | 0.6 | 0.76 | 0.31 | 1.2 |
| C18 | - | - | - | - | 1.8 | 1.8 | 1.0 | - | 3.1 | 6.3 | 10.0 | 20.0 | 7.4 | 50.6 | 29.7 | 56.0 | 4.5 | 5.73 | 0.85 | 7.0 |
| C19-C20 | - | - | - | 1.0 | 0.9 | 0.9 | 1.0 | 1.3 | 1.6 | 4.7 | 8.0 | 17.1 | 29.5 | 28.1 | 44.5 | 45.8 | 4.3 | 5.65 | 0.85 | 8.8 |
| C21 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 15.3 | 0.3 | 0.31 | 0.18 | - |
| C22 | - | - | - | - | - | 0.9 | 2.0 | - | 1.6 | 9.4 | 12.0 | 20.0 | 14.8 | 22.5 | 14.8 | 50.9 | 4.0 | 4.82 | 0.76 | 8.5 |
| C23-C24 | - | - | - | - | - | - | - | 2.5 | 3.1 | 6.3 | 14.0 | 17.1 | 14.8 | 45.0 | 51.9 | 50.9 | 4.6 | 6.09 | 0.89 | 8.7 |
| C25 | - | - | - | - | - | - | - | 2.5 | 1.6 | - | 2.0 | 5.7 | 7.4 | 50.6 | 29.7 | 56.0 | 2.9 | 4.10 | 0.75 | 2.8 |
| C30-C31 | - | - | - | - | - | - | - | 1.3 | - | - | - | - | - | - | 7.4 | 5.1 | 0.3 | 0.33 | 0.20 | 0.2 |
| C32 | - | - | - | - | - | - | - | - | - | 1.6 | 4.0 | - | - | 5.6 | 22.3 | 15.3 | 0.9 | 1.21 | 0.39 | 0.9 |
| C33-C34 | - | - | - | 1.0 | - | - | 3.9 | 3.8 | 4.7 | 7.8 | 27.9 | 94.1 | 110.6 | 252.9 | 400.6 | 569.8 | 27.9 | 37.88 | 2.22 | 34.1 |
| C37-C38 | - | 1.1 | 1.1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 0.2 | 0.20 | 0.14 | - |
| C40-C41 | 2.0 | - | 2.1 | - | - | - | - | - | - | - | 6.0 | - | 3.7 | 5.6 | 7.4 | - | 0.9 | 1.20 | 0.39 | 1.4 |
| C43 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | - | - | - | - | - | - | - | - | 1.6 | - | 4.0 | 2.9 | 11.1 | 11.2 | 29.7 | 20.4 | 1.6 | 2.19 | 0.54 | 2.7 |
| C45 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | - | - | 1.1 | - | - | - | - | - | - | - | - | - | - | - | - | 5.1 | 0.2 | 0.20 | 0.14 | - |
| C50 | - | - | - | - | 2.6 | 6.4 | 12.8 | 44.2 | 78.7 | 68.8 | 101.6 | 68.4 | 77.4 | 129.2 | 103.8 | 40.7 | 26.9 | 30.67 | 1.86 | 72.3 |
| C51 | - | - | - | - | - | - | - | - | - | 1.6 | - | - | - | - | 7.4 | 5.1 | 0.3 | 0.34 | 0.20 | 0.3 |
| C52 | - | - | - | - | - | - | - | - | - | - | 2.0 | - | - | - | - | - | 0.1 | 0.10 | 0.10 | 0.3 |
| C53 | - | - | - | - | 0.9 | 2.7 | 18.6 | 48.0 | 102.3 | 73.5 | 101.6 | 68.4 | 77.4 | 22.5 | 29.7 | 20.4 | 25.8 | 27.42 | 1.68 | 78.5 |
| C54 | - | - | - | - | 0.9 | 0.9 | 1.0 | 2.5 | 6.3 | 4.7 | 12.0 | 22.8 | 22.1 | - | 14.8 | - | 3.1 | 3.70 | 0.65 | 10.3 |
| C55 | - | - | - | 1.0 | 0.9 | - | 1.0 | 1.3 | 1.6 | 1.6 | 4.0 | - | - | - | - | 5.1 | 0.8 | 0.78 | 0.26 | 1.5 |
| C56 | - | - | - | 1.0 | 1.8 | 0.9 | 4.9 | 6.3 | 14.2 | 18.8 | 21.9 | 8.6 | 14.8 | 11.2 | 44.5 | 20.4 | 6.0 | 6.61 | 0.85 | 14.1 |
| C57 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | - | - | - | - | 0.9 | 0.9 | - | - | - | - | - | - | - | - | - | - | 0.2 | 0.14 | 0.10 | - |
| C64 | 1.0 | - | - | - | - | - | - | - | 1.6 | - | - | - | - | 11.2 | - | 5.1 | 0.5 | 0.66 | 0.30 | 0.3 |
| C65 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | - | - | - | - | - | - | 1.0 | 1.3 | 1.6 | - | 4.0 | - | - | 11.2 | 22.3 | 5.1 | 1.0 | 1.31 | 0.41 | 1.2 |
| C68 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | 1.0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5.1 | 0.2 | 0.22 | 0.16 | - |
| C70-C72 | - | 1.1 | 4.2 | 1.0 | - | - | 1.0 | 1.3 | 1.6 | 1.6 | 8.0 | 2.9 | 7.4 | 16.9 | 29.7 | 10.2 | 2.4 | 3.00 | 0.61 | 3.5 |
| C73 | - | - | - | - | 4.4 | 4.6 | 6.9 | 6.3 | 7.9 | 4.7 | 15.9 | 11.4 | 11.1 | 16.9 | - | 25.4 | 4.9 | 4.97 | 0.71 | 9.1 |
| C74 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | - | - | - | - | - | - | - | - | - | - | - | 2.9 | - | - | - | - | 0.1 | 0.11 | 0.11 | 0.4 |
| C82-C85 | - | - | 1.1 | - | 1.8 | 0.9 | 2.0 | 2.5 | - | 1.6 | 6.0 | 8.6 | 7.4 | 5.6 | 22.3 | 15.3 | 2.2 | 2.53 | 0.54 | 3.8 |
| C88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | - | - | - | - | - | - | - | - | 1.6 | - | - | - | - | - | 7.4 | - | 0.2 | 0.24 | 0.18 | 0.3 |
| C91 | 2.0 | 1.1 | 1.1 | - | - | - | - | - | - | - | - | - | - | - | 7.4 | - | 0.5 | 0.59 | 0.27 | - |
| C92-C94 | 2.0 | - | 1.1 | 1.0 | - | 1.8 | 1.0 | 5.0 | 4.7 | 1.6 | - | - | 7.4 | - | 7.4 | - | 1.7 | 1.75 | 0.43 | 3.1 |
| C95 | 1.0 | - | - | - | - | 0.9 | - | 1.3 | 1.6 | - | - | 2.9 | - | - | - | - | 0.5 | 0.48 | 0.22 | 0.9 |
| C96 | - | - | - | - | - | - | - | - | - | - | - | 2.9 | - | - | - | 10.2 | 0.3 | 0.32 | 0.18 | 0.4 |
| O&U * | 3.0 | - | 1.1 | 1.0 | 1.8 | 1.8 | 1.0 | 3.8 | 6.3 | 14.1 | 27.9 | 57.0 | 51.6 | 73.0 | 126.1 | 122.1 | 11.8 | 15.24 | 1.38 | 23.2 |
| All Sites | 12.2 | 3.2 | 12.6 | 6.7 | 18.4 | 29.3 | 61.8 | 148.9 | 275.3 | 278.3 | 494.3 | 564.6 | 689.7 | 1022.6 | 1298.1 | 1470.3 | 174.6 | 214.1 | 5.06 | 377.5 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 19-1(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10)
and Method of Diagnosis : 2012 - 2016 Males
Aizawl district**

| ICD-10 | Site | Clinical | | Microscopic | | X-ray/Imaging | | D.C.O | | Others | | Unknown | | Total | |
|---------|-----------------------|----------|------------|-------------|-------------|---------------|------------|-----------|------------|------------|------------|----------|------------|-------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C01-C02 | Tongue | - | - | 49 | 100.0 | - | - | - | - | - | - | - | - | 49 | 100.0 |
| C03-C06 | Mouth | - | - | 43 | 100.0 | - | - | - | - | - | - | - | - | 43 | 100.0 |
| C07-C08 | Salivary Gland | - | - | 8 | 100.0 | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C09 | Tonsil | 1 | 3.1 | 31 | 96.9 | - | - | - | - | - | - | - | - | 32 | 100.0 |
| C10 | Oth. Oropharynx | - | - | 9 | 100.0 | - | - | - | - | - | - | - | - | 9 | 100.0 |
| C11 | Nasopharynx | - | - | 40 | 95.2 | 1 | 2.4 | - | - | 1 | 2.4 | - | - | 42 | 100.0 |
| C12-C13 | Hypopharynx | 1 | 0.7 | 134 | 95.7 | 1 | 0.7 | - | - | 4 | 2.9 | - | - | 140 | 100.0 |
| C14 | Pharynx Unspecified | - | - | 10 | 90.9 | - | - | - | - | 1 | 9.1 | - | - | 11 | 100.0 |
| C15 | Oesophagus | 1 | 0.3 | 377 | 94.7 | 1 | 0.3 | 1 | 0.3 | 18 | 4.5 | - | - | 398 | 100.0 |
| C16 | Stomach | - | - | 313 | 91.5 | 1 | 0.3 | 7 | 2.0 | 21 | 6.1 | - | - | 342 | 100.0 |
| C17 | Small Intestine | - | - | 7 | 100.0 | - | - | - | - | - | - | - | - | 7 | 100.0 |
| C18 | Colon | 1 | 1.8 | 52 | 92.9 | 1 | 1.8 | - | - | 2 | 3.6 | - | - | 56 | 100.0 |
| C19-C20 | Rectum | 1 | 1.4 | 66 | 94.3 | - | - | - | - | 3 | 4.3 | - | - | 70 | 100.0 |
| C21 | Anus & Anal Canal | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C22 | Liver | - | - | 82 | 80.4 | 9 | 8.8 | - | - | 11 | 10.8 | - | - | 102 | 100.0 |
| C23-C24 | Gallbladder etc. | - | - | 20 | 83.3 | 2 | 8.3 | - | - | 2 | 8.3 | - | - | 24 | 100.0 |
| C25 | Pancreas | - | - | 8 | 29.6 | 6 | 22.2 | 2 | 7.4 | 11 | 40.7 | - | - | 27 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | 1 | 16.7 | 4 | 66.7 | - | - | - | - | 1 | 16.7 | - | - | 6 | 100.0 |
| C32 | Larynx | - | - | 53 | 91.4 | 1 | 1.7 | 1 | 1.7 | 3 | 5.2 | - | - | 58 | 100.0 |
| C33-C34 | Lung etc. | 1 | 0.3 | 239 | 83.3 | 27 | 9.4 | 3 | 1.0 | 17 | 5.9 | - | - | 287 | 100.0 |
| C37-C38 | Other Thoracic Organs | - | - | 1 | 50.0 | - | - | - | - | 1 | 50.0 | - | - | 2 | 100.0 |
| C40-C41 | Bone | - | - | 6 | 85.7 | 1 | 14.3 | - | - | - | - | - | - | 7 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | 15 | 100.0 | - | - | - | - | - | - | - | - | 15 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C50 | Breast | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C60 | Penis | - | - | 10 | 100.0 | - | - | - | - | - | - | - | - | 10 | 100.0 |
| C61 | Prostate | - | - | 34 | 91.9 | - | - | - | - | 3 | 8.1 | - | - | 37 | 100.0 |
| C62 | Testis | - | - | 5 | 83.3 | - | - | - | - | 1 | 16.7 | - | - | 6 | 100.0 |
| C63 | Other Male Genital | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C64 | Kidney etc. | - | - | 11 | 100.0 | - | - | - | - | - | - | - | - | 11 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C67 | Bladder | - | - | 27 | 81.8 | 3 | 9.1 | - | - | 3 | 9.1 | - | - | 33 | 100.0 |
| C68 | Uns. Urinary Organs | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C69 | Eye | - | - | 6 | 100.0 | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C70-C72 | Brain, Nervous System | - | - | 8 | 32.0 | 7 | 28.0 | - | - | 10 | 40.0 | - | - | 25 | 100.0 |
| C73 | Thyroid | - | - | 14 | 100.0 | - | - | - | - | - | - | - | - | 14 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85 | NHL | - | - | 42 | 97.7 | - | - | 1 | 2.3 | - | - | - | - | 43 | 100.0 |
| C88 | Malig Imn. Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | 23 | 100.0 | - | - | - | - | - | - | - | - | 23 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | 27 | 100.0 | - | - | - | - | - | - | - | - | 27 | 100.0 |
| C95 | Leukaemia Uns | - | - | 8 | 100.0 | - | - | - | - | - | - | - | - | 8 | 100.0 |
| C96 | CMD,O&U LHM | - | - | 6 | 100.0 | - | - | - | - | - | - | - | - | 6 | 100.0 |
| O&U * | Other and Uns | - | - | 133 | 74.3 | 1 | 0.6 | 39 | 21.8 | 5 | 2.8 | 1 | 0.6 | 179 | 100.0 |
| | All Sites | 8 | 0.4 | 1937 | 88.9 | 62 | 2.8 | 54 | 2.5 | 118 | 5.4 | 1 | 0.0 | 2180 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 19-1(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10)
and Method of Diagnosis : 2012 - 2016 Females
Aizawl district**

| ICD-10 | Site | Clinical | | Microscopic | | X-ray/Imaging | | D.C.O | | Others | | Unknown | | Total | |
|---------|-----------------------|-----------|------------|-------------|-----------|---------------|------------|-----------|------------|-----------|------------|----------|------------|-------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | - | - | 4 | 100.0 | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C01-C02 | Tongue | - | - | 14 | 100.0 | - | - | - | - | - | - | - | - | 14 | 100.0 |
| C03-C06 | Mouth | - | - | 28 | 100.0 | - | - | - | - | - | - | - | - | 28 | 100.0 |
| C07-C08 | Salivary Gland | - | - | 6 | 100.0 | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C09 | Tonsil | - | - | 6 | 100.0 | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | Nasopharynx | - | - | 26 | 100.0 | - | - | - | - | - | - | - | - | 26 | 100.0 |
| C12-C13 | Hypopharynx | - | - | 14 | 100.0 | - | - | - | - | - | - | - | - | 14 | 100.0 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C15 | Oesophagus | - | - | 73 | 93.6 | 1 | 1.3 | 1 | 1.3 | 3 | 3.8 | - | - | 78 | 100.0 |
| C16 | Stomach | - | - | 157 | 89.7 | 2 | 1.1 | 3 | 1.7 | 13 | 7.4 | - | - | 175 | 100.0 |
| C17 | Small Intestine | - | - | 6 | 100.0 | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C18 | Colon | 1 | 2.0 | 44 | 89.8 | 1 | 2.0 | - | - | 3 | 6.1 | - | - | 49 | 100.0 |
| C19-C20 | Rectum | 1 | 2.1 | 40 | 85.1 | 2 | 4.3 | - | - | 4 | 8.5 | - | - | 47 | 100.0 |
| C21 | Anus & Anal Canal | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C22 | Liver | - | - | 34 | 79.1 | 6 | 14.0 | 2 | 4.7 | 1 | 2.3 | - | - | 43 | 100.0 |
| C23-C24 | Gallbladder etc. | 1 | 2.0 | 33 | 66.0 | 10 | 20.0 | 1 | 2.0 | 5 | 10.0 | - | - | 50 | 100.0 |
| C25 | Pancreas | - | - | 7 | 21.9 | 15 | 46.9 | - | - | 10 | 31.3 | - | - | 32 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | - | - | 2 | 66.7 | 1 | 33.3 | - | - | - | - | - | - | 3 | 100.0 |
| C32 | Larynx | - | - | 8 | 80.0 | - | - | - | - | 2 | 20.0 | - | - | 10 | 100.0 |
| C33-C34 | Lung etc. | 1 | 0.3 | 237 | 78.0 | 39 | 12.8 | 5 | 1.6 | 21 | 6.9 | 1 | 0.3 | 304 | 100.0 |
| C37-C38 | Other Thoracic Organs | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C40-C41 | Bone | - | - | 9 | 90.0 | - | - | - | - | 1 | 10.0 | - | - | 10 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | - | - | 17 | 100.0 | - | - | - | - | - | - | - | - | 17 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C50 | Breast | 2 | 0.7 | 288 | 98.3 | 2 | 0.7 | 1 | 0.3 | - | - | - | - | 293 | 100.0 |
| C51 | Vulva | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C52 | Vagina | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C53 | Cervix Uteri | 4 | 1.4 | 266 | 94.7 | 2 | 0.7 | 7 | 2.5 | 2 | 0.7 | - | - | 281 | 100.0 |
| C54 | Corpus Uteri | - | - | 34 | 100.0 | - | - | - | - | - | - | - | - | 34 | 100.0 |
| C55 | Uterus Unspecified | - | - | 8 | 88.9 | 1 | 11.1 | - | - | - | - | - | - | 9 | 100.0 |
| C56 | Ovary etc. | - | - | 60 | 92.3 | 3 | 4.6 | - | - | 2 | 3.1 | - | - | 65 | 100.0 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C64 | Kidney etc. | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | - | - | 11 | 100.0 | - | - | - | - | - | - | - | - | 11 | 100.0 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | 1 | 50.0 | - | - | - | - | - | - | 1 | 50.0 | - | - | 2 | 100.0 |
| C70-C72 | Brain, Nervous System | - | - | 8 | 30.8 | 9 | 34.6 | - | - | 9 | 34.6 | - | - | 26 | 100.0 |
| C73 | Thyroid | - | - | 52 | 98.1 | - | - | - | - | 1 | 1.9 | - | - | 53 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | 1 | 100.0 | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C82-C85 | NHL | - | - | 24 | 100.0 | - | - | - | - | - | - | - | - | 24 | 100.0 |
| C88 | Malig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | 2 | 100.0 | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C92-C94 | Myeloid Leukaemia | - | - | 18 | 100.0 | - | - | - | - | - | - | - | - | 18 | 100.0 |
| C95 | Leukaemia Uns | - | - | 5 | 100.0 | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C96 | CMD,O&U LHM | - | - | 3 | 100.0 | - | - | - | - | - | - | - | - | 3 | 100.0 |
| O&U * | Other and Uns | 1 | 0.8 | 85 | 66.4 | 4 | 3.1 | 32 | 25.0 | 6 | 4.7 | - | - | 128 | 100.0 |
| | All Sites | 12 | 0.6 | 1653 | 87 | 98 | 5.2 | 52 | 2.7 | 84 | 4.4 | 1 | 0.1 | 1900 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 19-1(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10)
and Detailed Microscopic Diagnosis : 2012 - 2016 Males
Aizawl district**

| ICD-10 | Site | Pri. Hist | | Sec. Hist | | Cytology | | Blood Film | | Bone Marrow | | Others | | Total | |
|---------|-----------------------|-------------|-------------|-----------|------------|------------|-------------|------------|------------|-------------|------------|------------|-------------|-------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C01-C02 | Tongue | 48 | 98.0 | - | - | 1 | 2.0 | - | - | - | - | - | - | 49 | 100.0 |
| C03-C06 | Mouth | 41 | 95.3 | - | - | 2 | 4.7 | - | - | - | - | - | - | 43 | 100.0 |
| C07-C08 | Salivary Gland | 6 | 75.0 | - | - | 2 | 25.0 | - | - | - | - | - | - | 8 | 100.0 |
| C09 | Tonsil | 30 | 93.8 | - | - | 1 | 3.1 | - | - | - | - | 1 | 3.1 | 32 | 100.0 |
| C10 | Oth. Oropharynx | 8 | 88.9 | - | - | 1 | 11.1 | - | - | - | - | - | - | 9 | 100.0 |
| C11 | Nasopharynx | 36 | 85.7 | - | - | 4 | 9.5 | - | - | - | - | 2 | 4.8 | 42 | 100.0 |
| C12-C13 | Hypopharynx | 120 | 85.7 | - | - | 14 | 10.0 | - | - | - | - | 6 | 4.3 | 140 | 100.0 |
| C14 | Pharynx Unspecified | 9 | 81.8 | - | - | 1 | 9.1 | - | - | - | - | 1 | 9.1 | 11 | 100.0 |
| C15 | Oesophagus | 365 | 91.7 | - | - | 12 | 3.0 | - | - | - | - | 21 | 5.3 | 398 | 100.0 |
| C16 | Stomach | 308 | 90.1 | - | - | 5 | 1.5 | - | - | - | - | 29 | 8.5 | 342 | 100.0 |
| C17 | Small Intestine | 6 | 85.7 | - | - | 1 | 14.3 | - | - | - | - | - | - | 7 | 100.0 |
| C18 | Colon | 51 | 91.1 | - | - | 1 | 1.8 | - | - | - | - | 4 | 7.1 | 56 | 100.0 |
| C19-C20 | Rectum | 66 | 94.3 | - | - | - | - | - | - | - | - | 4 | 5.7 | 70 | 100.0 |
| C21 | Anus & Anal Canal | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 | 1 | 100.0 |
| C22 | Liver | 39 | 38.2 | 1 | 1.0 | 42 | 41.2 | - | - | - | - | 20 | 19.6 | 102 | 100.0 |
| C23-C24 | Gallbladder etc. | 17 | 70.8 | - | - | 3 | 12.5 | - | - | - | - | 4 | 16.7 | 24 | 100.0 |
| C25 | Pancreas | 5 | 18.5 | 1 | 3.7 | 2 | 7.4 | - | - | - | - | 19 | 70.4 | 27 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | 3 | 50.0 | - | - | 1 | 16.7 | - | - | - | - | 2 | 33.3 | 6 | 100.0 |
| C32 | Larynx | 51 | 87.9 | - | - | 2 | 3.4 | - | - | - | - | 5 | 8.6 | 58 | 100.0 |
| C33-C34 | Lung etc. | 86 | 30.0 | - | - | 153 | 53.3 | - | - | - | - | 48 | 16.7 | 287 | 100.0 |
| C37-C38 | Other Thoracic Organs | - | - | - | - | 1 | 50.0 | - | - | - | - | 1 | 50.0 | 2 | 100.0 |
| C40-C41 | Bone | 5 | 71.4 | - | - | 1 | 14.3 | - | - | - | - | 1 | 14.3 | 7 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | 15 | 100.0 | - | - | - | - | - | - | - | - | - | - | 15 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 3 | 100.0 | - | - | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C50 | Breast | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C60 | Penis | 10 | 100.0 | - | - | - | - | - | - | - | - | - | - | 10 | 100.0 |
| C61 | Prostate | 34 | 91.9 | - | - | - | - | - | - | - | - | 3 | 8.1 | 37 | 100.0 |
| C62 | Testis | 3 | 50.0 | - | - | 2 | 33.3 | - | - | - | - | 1 | 16.7 | 6 | 100.0 |
| C63 | Other Male Genital | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C64 | Kidney etc. | 10 | 90.9 | - | - | 1 | 9.1 | - | - | - | - | - | - | 11 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | 3 | 100.0 | - | - | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C67 | Bladder | 27 | 81.8 | - | - | - | - | - | - | - | - | 6 | 18.2 | 33 | 100.0 |
| C68 | Uns.Urinary Organs | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C69 | Eye | 6 | 100.0 | - | - | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C70-C72 | Brain, Nervous System | 8 | 32.0 | - | - | - | - | - | - | - | - | 17 | 68.0 | 25 | 100.0 |
| C73 | Thyroid | 8 | 57.1 | - | - | 6 | 42.9 | - | - | - | - | - | - | 14 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C82-C85 | NHL | 28 | 65.1 | - | - | 13 | 30.2 | - | - | 1 | 2.3 | 1 | 2.3 | 43 | 100.0 |
| C88 | Maliig Imn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | 1 | 20.0 | - | - | - | - | - | - | 4 | 80.0 | - | - | 5 | 100.0 |
| C91 | Lymphoid Leuk. | 1 | 4.3 | - | - | - | - | 2 | 8.7 | 20 | 87.0 | - | - | 23 | 100.0 |
| C92-C94 | Myeloid Leukaemia | 1 | 3.7 | - | - | 1 | 3.7 | 2 | 7.4 | 23 | 85.2 | - | - | 27 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | 8 | 100.0 | - | - | 8 | 100.0 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | - | - | 6 | 100.0 | - | - | 6 | 100.0 |
| O&U * | Other and Uns | 31 | 17.3 | 5 | 2.8 | 96 | 53.6 | - | - | 1 | 0.6 | 46 | 25.7 | 179 | 100.0 |
| | All Sites | 1494 | 68.5 | 7 | 0.3 | 369 | 16.9 | 4 | 0.2 | 63 | 2.9 | 243 | 11.1 | 2180 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 19-1(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10)
and Detailed Microscopic Diagnosis : 2012 - 2016 Females
Aizawl district**

| ICD-10 | Site | Pri. Hist | | Sec. Hist | | Cytology | | Blood Film | | Bone Marrow | | Others | | Total | |
|---------|-----------------------|-------------|-------------|-----------|------------|------------|-------------|------------|------------|-------------|------------|------------|-----------|-------------|--------------|
| | | # | % | # | % | # | % | # | % | # | % | # | % | # | % |
| C00 | Lip | 4 | 100.0 | - | - | - | - | - | - | - | - | - | - | 4 | 100.0 |
| C01-C02 | Tongue | 13 | 92.9 | - | - | 1 | 7.1 | - | - | - | - | - | - | 14 | 100.0 |
| C03-C06 | Mouth | 27 | 96.4 | - | - | 1 | 3.6 | - | - | - | - | - | - | 28 | 100.0 |
| C07-C08 | Salivary Gland | 3 | 50.0 | - | - | 3 | 50.0 | - | - | - | - | - | - | 6 | 100.0 |
| C09 | Tonsil | 6 | 100.0 | - | - | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C10 | Oth. Oropharynx | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C11 | Nasopharynx | 24 | 92.3 | - | - | 2 | 7.7 | - | - | - | - | - | - | 26 | 100.0 |
| C12-C13 | Hypopharynx | 13 | 92.9 | - | - | 1 | 7.1 | - | - | - | - | - | - | 14 | 100.0 |
| C14 | Pharynx Unspecified | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C15 | Oesophagus | 70 | 89.7 | - | - | 3 | 3.8 | - | - | - | - | 5 | 6.4 | 78 | 100.0 |
| C16 | Stomach | 151 | 86.3 | - | - | 6 | 3.4 | - | - | - | - | 18 | 10.3 | 175 | 100.0 |
| C17 | Small Intestine | 6 | 100.0 | - | - | - | - | - | - | - | - | - | - | 6 | 100.0 |
| C18 | Colon | 44 | 89.8 | - | - | - | - | - | - | - | - | 5 | 10.2 | 49 | 100.0 |
| C19-C20 | Rectum | 40 | 85.1 | - | - | - | - | - | - | - | - | 7 | 14.9 | 47 | 100.0 |
| C21 | Anus & Anal Canal | 2 | 66.7 | - | - | 1 | 33.3 | - | - | - | - | - | - | 3 | 100.0 |
| C22 | Liver | 14 | 32.6 | - | - | 20 | 46.5 | - | - | - | - | 9 | 20.9 | 43 | 100.0 |
| C23-C24 | Gallbladder etc. | 25 | 50.0 | - | - | 8 | 16.0 | - | - | - | - | 17 | 34.0 | 50 | 100.0 |
| C25 | Pancreas | 3 | 9.4 | - | - | 4 | 12.5 | - | - | - | - | 25 | 78.1 | 32 | 100.0 |
| C30-C31 | Nose, Sinuses etc. | 2 | 66.7 | - | - | - | - | - | - | - | - | 1 | 33.3 | 3 | 100.0 |
| C32 | Larynx | 7 | 70.0 | - | - | 1 | 10.0 | - | - | - | - | 2 | 20.0 | 10 | 100.0 |
| C33-C34 | Lung etc. | 88 | 28.9 | 2 | 0.7 | 147 | 48.4 | - | - | - | - | 67 | 22.0 | 304 | 100.0 |
| C37-C38 | Other Thoracic Organs | 1 | 50.0 | - | - | 1 | 50.0 | - | - | - | - | - | - | 2 | 100.0 |
| C40-C41 | Bone | 7 | 70.0 | - | - | 2 | 20.0 | - | - | - | - | 1 | 10.0 | 10 | 100.0 |
| C43 | Melanoma of Skin | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C44 | Other Skin | 17 | 100.0 | - | - | - | - | - | - | - | - | - | - | 17 | 100.0 |
| C45 | Mesothelioma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C50 | Breast | 192 | 65.5 | 1 | 0.3 | 95 | 32.4 | - | - | - | - | 5 | 1.7 | 293 | 100.0 |
| C51 | Vulva | 3 | 100.0 | - | - | - | - | - | - | - | - | - | - | 3 | 100.0 |
| C52 | Vagina | 1 | 100.0 | - | - | - | - | - | - | - | - | - | - | 1 | 100.0 |
| C53 | Cervix Uteri | 259 | 92.2 | - | - | 7 | 2.5 | - | - | - | - | 15 | 5.3 | 281 | 100.0 |
| C54 | Corpus Uteri | 33 | 97.1 | - | - | 1 | 2.9 | - | - | - | - | - | - | 34 | 100.0 |
| C55 | Uterus Unspecified | 7 | 77.8 | - | - | 1 | 11.1 | - | - | - | - | 1 | 11.1 | 9 | 100.0 |
| C56 | Ovary etc. | 55 | 84.6 | - | - | 4 | 6.2 | - | - | 1 | 1.5 | 5 | 7.7 | 65 | 100.0 |
| C57 | Other Female Genital | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C58 | Placenta | 2 | 100.0 | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 |
| C64 | Kidney etc. | 5 | 100.0 | - | - | - | - | - | - | - | - | - | - | 5 | 100.0 |
| C65 | Renal Pelvis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C66 | Ureter | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C67 | Bladder | 11 | 100.0 | - | - | - | - | - | - | - | - | - | - | 11 | 100.0 |
| C68 | Uns.Urinary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C69 | Eye | - | - | - | - | - | - | - | - | - | - | 2 | 100.0 | 2 | 100.0 |
| C70-C72 | Brain, Nervous System | 7 | 26.9 | - | - | 1 | 3.8 | - | - | - | - | 18 | 69.2 | 26 | 100.0 |
| C73 | Thyroid | 41 | 77.4 | - | - | 10 | 18.9 | 1 | 1.9 | - | - | 1 | 1.9 | 53 | 100.0 |
| C74 | Adrenal Gland | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - | 1 | 100.0 | - | - | - | - | - | - | 1 | 100.0 |
| C82-C85 | NHL | 16 | 66.7 | - | - | 8 | 33.3 | - | - | - | - | - | - | 24 | 100.0 |
| C88 | Malig lmn.Prol D | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C90 | Multiple Myeloma | - | - | - | - | - | - | - | - | 2 | 100.0 | - | - | 2 | 100.0 |
| C91 | Lymphoid Leuk. | - | - | - | - | - | - | - | - | 5 | 100.0 | - | - | 5 | 100.0 |
| C92-C94 | Myeloid Leukaemia | 1 | 5.6 | - | - | - | - | 4 | 22.2 | 13 | 72.2 | - | - | 18 | 100.0 |
| C95 | Leukaemia Uns | - | - | - | - | - | - | - | - | 5 | 100.0 | - | - | 5 | 100.0 |
| C96 | CMD,O&U LHM | - | - | - | - | - | - | - | - | 3 | 100.0 | - | - | 3 | 100.0 |
| O&U * | Other and Uns | 24 | 18.8 | 3 | 2.3 | 58 | 45.3 | - | - | - | - | 43 | 33.6 | 128 | 100.0 |
| | All Sites | 1226 | 64.5 | 6 | 0.3 | 387 | 20.4 | 5 | 0.3 | 29 | 1.5 | 247 | 13 | 1900 | 100.0 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 19-1(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10)
Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Males
Aizawl district**

| ICD-10 | Site | 0-64 Years | | 0-74 Years | |
|---------|-----------------------|--------------|--------------|--------------|--------------|
| | | Cu.Rate % | Cu.Risk | Cu.Rate % | Cu.Risk |
| C00 | Lip | 0.0 | 0.0 | 0.0 | 0.0 |
| C01-C02 | Tongue | 0.5 | 0.5 | 0.6 | 0.6 |
| C03-C06 | Mouth | 0.4 | 0.4 | 0.6 | 0.6 |
| C07-C08 | Salivary Gland | 0.1 | 0.1 | 0.1 | 0.1 |
| C09 | Tonsil | 0.3 | 0.3 | 0.4 | 0.4 |
| C10 | Oth. Oropharynx | 0.1 | 0.1 | 0.1 | 0.1 |
| C11 | Nasopharynx | 0.4 | 0.4 | 0.5 | 0.5 |
| C12-C13 | Hypopharynx | 1.3 | 1.3 | 2.0 | 2.0 |
| C14 | Pharynx Unspecified | 0.1 | 0.1 | 0.2 | 0.2 |
| C15 | Oesophagus | 4.1 | 4.0 | 5.5 | 5.3 |
| C16 | Stomach | 2.4 | 2.4 | 5.3 | 5.2 |
| C17 | Small Intestine | 0.1 | 0.1 | 0.1 | 0.1 |
| C18 | Colon | 0.3 | 0.3 | 0.9 | 0.9 |
| C19-C20 | Rectum | 0.5 | 0.5 | 1.0 | 1.0 |
| C21 | Anus & Anal Canal | - | - | 0.0 | 0.0 |
| C22 | Liver | 0.9 | 0.8 | 1.4 | 1.4 |
| C23-C24 | Gallbladder etc. | 0.2 | 0.2 | 0.4 | 0.4 |
| C25 | Pancreas | 0.2 | 0.2 | 0.6 | 0.6 |
| C30-C31 | Nose, Sinuses etc. | 0.0 | 0.0 | 0.1 | 0.1 |
| C32 | Larynx | 0.6 | 0.6 | 0.9 | 0.9 |
| C33-C34 | Lung etc. | 1.8 | 1.8 | 4.7 | 4.6 |
| C37-C38 | Other Thoracic Organs | 0.0 | 0.0 | 0.0 | 0.0 |
| C40-C41 | Bone | 0.0 | 0.0 | 0.0 | 0.0 |
| C43 | Melanoma of Skin | - | - | - | - |
| C44 | Other Skin | 0.1 | 0.1 | 0.2 | 0.2 |
| C45 | Mesothelioma | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 0.0 | 0.0 | 0.0 | 0.0 |
| C50 | Breast | - | - | - | - |
| C60 | Penis | 0.0 | 0.0 | 0.2 | 0.2 |
| C61 | Prostate | 0.1 | 0.1 | 0.5 | 0.5 |
| C62 | Testis | 0.0 | 0.0 | 0.0 | 0.0 |
| C63 | Other Male Genital | 0.0 | 0.0 | 0.0 | 0.0 |
| C64 | Kidney etc. | 0.1 | 0.1 | 0.1 | 0.1 |
| C65 | Renal Pelvis | - | - | - | - |
| C66 | Ureter | 0.0 | 0.0 | 0.1 | 0.1 |
| C67 | Bladder | 0.1 | 0.1 | 0.4 | 0.4 |
| C68 | Uns. Urinary Organs | - | - | - | - |
| C69 | Eye | 0.0 | 0.0 | 0.1 | 0.1 |
| C70-C72 | Brain, Nervous System | 0.2 | 0.2 | 0.3 | 0.3 |
| C73 | Thyroid | 0.0 | 0.0 | 0.2 | 0.2 |
| C74 | Adrenal Gland | - | - | - | - |
| C81 | Hodgkins Disease | - | - | - | - |
| C82-C85 | NHL | 0.3 | 0.3 | 0.5 | 0.5 |
| C88 | Malig Imn.Prol D | - | - | - | - |
| C90 | Multiple Myeloma | 0.0 | 0.0 | 0.1 | 0.1 |
| C91 | Lymphoid Leuk. | 0.1 | 0.1 | 0.2 | 0.2 |
| C92-C94 | Myeloid Leukaemia | 0.2 | 0.2 | 0.3 | 0.3 |
| C95 | Leukaemia Uns | 0.1 | 0.1 | 0.1 | 0.1 |
| C96 | CMD,O&U LHM | 0.0 | 0.0 | 0.1 | 0.1 |
| O&U * | Other and Uns | 1.2 | 1.2 | 2.4 | 2.3 |
| | All Sites | 17.00 | 15.63 | 31.31 | 26.88 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**Table 19-1(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10)
Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Females
Aizawl district**

| ICD-10 | Site | 0-64 Years | | 0-74 Years | |
|---------|-----------------------|--------------|--------------|--------------|--------------|
| | | Cu.Rate % | Cu.Risk | Cu.Rate % | Cu.Risk |
| C00 | Lip | 0.0 | 0.0 | 0.0 | 0.0 |
| C01-C02 | Tongue | 0.1 | 0.1 | 0.2 | 0.2 |
| C03-C06 | Mouth | 0.2 | 0.2 | 0.2 | 0.2 |
| C07-C08 | Salivary Gland | 0.1 | 0.1 | 0.1 | 0.1 |
| C09 | Tonsil | 0.1 | 0.1 | 0.1 | 0.1 |
| C10 | Oth. Oropharynx | - | - | - | - |
| C11 | Nasopharynx | 0.2 | 0.2 | 0.3 | 0.3 |
| C12-C13 | Hypopharynx | 0.1 | 0.1 | 0.2 | 0.2 |
| C14 | Pharynx Unspecified | - | - | - | - |
| C15 | Oesophagus | 0.7 | 0.7 | 1.3 | 1.2 |
| C16 | Stomach | 1.2 | 1.2 | 2.7 | 2.7 |
| C17 | Small Intestine | 0.0 | 0.0 | 0.1 | 0.1 |
| C18 | Colon | 0.3 | 0.3 | 0.7 | 0.7 |
| C19-C20 | Rectum | 0.3 | 0.3 | 0.7 | 0.7 |
| C21 | Anus & Anal Canal | - | - | - | - |
| C22 | Liver | 0.3 | 0.3 | 0.5 | 0.5 |
| C23-C24 | Gallbladder etc. | 0.3 | 0.3 | 0.8 | 0.8 |
| C25 | Pancreas | 0.1 | 0.1 | 0.5 | 0.5 |
| C30-C31 | Nose, Sinuses etc. | 0.0 | 0.0 | 0.0 | 0.0 |
| C32 | Larynx | 0.0 | 0.0 | 0.2 | 0.2 |
| C33-C34 | Lung etc. | 1.3 | 1.3 | 4.5 | 4.4 |
| C37-C38 | Other Thoracic Organs | 0.0 | 0.0 | 0.0 | 0.0 |
| C40-C41 | Bone | 0.1 | 0.1 | 0.1 | 0.1 |
| C43 | Melanoma of Skin | - | - | - | - |
| C44 | Other Skin | 0.1 | 0.1 | 0.3 | 0.3 |
| C45 | Mesothelioma | - | - | - | - |
| C46 | Kaposi Sarcoma | - | - | - | - |
| C47+C49 | Conn. & Soft Tissue | 0.0 | 0.0 | 0.0 | 0.0 |
| C50 | Breast | 2.3 | 2.3 | 3.5 | 3.4 |
| C51 | Vulva | 0.0 | 0.0 | 0.0 | 0.0 |
| C52 | Vagina | 0.0 | 0.0 | 0.0 | 0.0 |
| C53 | Cervix Uteri | 2.5 | 2.4 | 2.7 | 2.7 |
| C54 | Corpus Uteri | 0.4 | 0.4 | 0.4 | 0.4 |
| C55 | Uterus Unspecified | 0.1 | 0.1 | 0.1 | 0.1 |
| C56 | Ovary etc. | 0.5 | 0.5 | 0.7 | 0.7 |
| C57 | Other Female Genital | - | - | - | - |
| C58 | Placenta | 0.0 | 0.0 | 0.0 | 0.0 |
| C64 | Kidney etc. | 0.0 | 0.0 | 0.1 | 0.1 |
| C65 | Renal Pelvis | - | - | - | - |
| C66 | Ureter | - | - | - | - |
| C67 | Bladder | 0.0 | 0.0 | 0.2 | 0.2 |
| C68 | Uns.Urinary Organs | - | - | - | - |
| C69 | Eye | 0.0 | 0.0 | 0.0 | 0.0 |
| C70-C72 | Brain, Nervous System | 0.1 | 0.1 | 0.4 | 0.4 |
| C73 | Thyroid | 0.4 | 0.4 | 0.4 | 0.4 |
| C74 | Adrenal Gland | - | - | - | - |
| C81 | Hodgkins Disease | 0.0 | 0.0 | 0.0 | 0.0 |
| C82-C85 | NHL | 0.2 | 0.2 | 0.3 | 0.3 |
| C88 | Malig Imn.Prol D | - | - | - | - |
| C90 | Multiple Myeloma | 0.0 | 0.0 | 0.0 | 0.0 |
| C91 | Lymphoid Leuk. | 0.0 | 0.0 | 0.1 | 0.1 |
| C92-C94 | Myeloid Leukaemia | 0.1 | 0.1 | 0.2 | 0.2 |
| C95 | Leukaemia Uns | 0.0 | 0.0 | 0.0 | 0.0 |
| C96 | CMD,O&U LHM | 0.0 | 0.0 | 0.0 | 0.0 |
| O&U * | Other and Uns | 0.9 | 0.8 | 1.8 | 1.8 |
| | All Sites | 12.98 | 12.17 | 24.58 | 21.79 |

* O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)