





Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 28(a) Population by Five Year Age Group and Gender Number and Relative Proportion (%): 2012 - 2016

Kamrup urban

	Mal	es	Fem	ales
Age Group	Number	%	Number	%
00-04	207543	6.35	196011	6.17
05-09	229090	7.01	214056	6.74
10-14	259294	7.94	244961	7.71
15-19	286086	8.76	276094	8.69
20-24	309211	9.47	327182	10.30
25-29	308478	9.44	341609	10.76
30-34	284362	8.71	306474	9.65
35-39	292524	8.96	304130	9.58
40-44	264321	8.09	247188	7.78
45-49	234366	7.18	216310	6.81
50-54	185679	5.68	155355	4.89
55-59	136410	4.18	112335	3.54
60-64	110396	3.38	91757	2.89
65-69	66215	2.03	56608	1.78
70-74	45836	1.40	39217	1.23
75+	46525	1.42	46945	1.48
Total	3266336	100.00	3176232	100.00

Area(Sq.Km): 336

Figure 28(a) Population Pyramid showing Five Year Age Distribution : 2012 - 2016 Kamrup urban












Table 28(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10) : 2012 - 2016 Males %= Relative Proportion of Cancers of All Sites

Kamrup urban

100.40	011-	00.04	05.00	40.44	45.40	00.04	05.00	00.04	05.00	10.11	45.40	F0 F4	FF F0	00.04	05.00	70.74	76.	11212	T.111	0/
ICD-10	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34		40-44		50-54			65-69 7		75+	Unkn	Total 37	% 0.59
C00	Lip	- 5	15 to	- 12	150		-	1	2	3	1	7	8	1		3	4	0.56	LANGE CO.	200000000
C01-C02	Tongue	- 5		- 5	107	1	2	6	7	22	19	32	37	51	25	28	31	151	261	4.19
C03-C06	Mouth			- 12	1	2	3	8	19	32	37	50	62	67	39	33	32	· *.	385	6.19
C07-C08	Salivary Gland			i≆	1.0	549	1	: :	2	3	2	3	2	3	1	1	3) e)	21	0.34
C09	Tonsil			S#	1	1	2	1	3	13	14	18	21	22	17	7	16	1 40	136	2.19
C10	Oth. Oropharynx	14		77	(-	=	1	14	6	4	19	17	28	19	12	14	12	-	132	2.12
C11	Nasopharynx	-	-	1	1 -		1	1	1	3	5	4	3	-	3	2	1	12	25	0.40
C12-C13	Hypopharynx	2	-	14	12	2	2	8	20	38	65	76	102	87	71	59	66	1	595	9.56
C14	Pharynx Unspecified	÷	~	-	-	9	-		1	1	5	15	15	10	16	13	18	1/2	94	1.51
C15	Oesophagus					ŧ	2	9	19	54	84	134	146	120	136	89	94) Š	887	14.25
C16	Stomach	15		15	125	1	10	5	10	12	32	49	73	50	50	46	51	1.5	389	6.25
C17	Small Intestine	2	1.5	1.00	8 5		ħ.	1	2	2	1	2	2	3	2	17.			13	0.21
C18	Colon	=		1	1	1	-	4	9	11	16	16	28	17	22	13	22	-	161	2.59
C19-C20	Rectum			1	1	3	7	4	7	7	25	25	25	14	20	13	17): * :	169	2.72
C21	Anus & Anal Canal	=	-	34	1	20	+	2	1	1	2	2	3	1	1	2	1	7-3	17	0.27
C22	Liver	-	-	-	184	20	3	2	10	13	12	10	28	28	31	29	25	12	191	3.07
C23-C24	Gallbladder etc.	12	12	(2	84	1	2	5	10	12	18	29	41	41	25	28	23		235	3.78
C25	Pancreas	12	-	- 4	1/2	2	1	12	2	4	11	9	10	17	11	11	12	12	88	1.41
C30-C31	Nose, Sinuses etc.	-				- 2	-	-	-	1	1	1	1	1	2	1	3		11	0.18
C32	Larynx					1	-	3	4	11	30	25	36	31	34	31	23		229	3.68
C33-C34	Lung etc.	-	-			1	1	3	8	16	27	48	76	74	72	83	85		494	7.94
C37-C38	Other Thoracic Organs	-	-			1	1	-	1	_	3	2	2	6	2	3	-	_	21	0.34
C40-C41	Bone		1	1	7	6	4	3	1	3	4	2	5	6	2	3	1	_	49	0.79
C43	Melanoma of Skin	-		1	1	1	1	2	2	2	3	11	5	6	2	4	3		44	0.71
C44	Other Skin		-	7.4	2	2	2	5	9	4	11	11	8	13	7	6	13		93	1.49
C45	Mesothelioma			190	, 5		2	2	2	(T)	(5,5)	- 11	9	1	- A		10	122	1	0.02
C46	Kaposi Sarcoma	8	100	198	170	8	0	1 1 T	150	988	70	9	9	8		255	100	121	1 to	0.02
C47+C49	CONTRACTOR	- 10			1	2	4	1	2	(2)	1	2	95	1	2	3	1	1/2	20	0.32
C50	Breast	5							1	2		2	4	.57.	-	2	2		20	0.32
No record	Contraction.	3	(B)	100	1.5	5	-	2	1	-	3	3	3	4	4	200	.04,54	N-8	2000000	0.63
C60	Penis			\$ 5	題	5	2	2		2	4	2000	10000	9		4	5	1.71	39	
C61	Prostate			活	15%	-	-			1	2	13	29	36	59	45	85	(5)	270	4.34
C62	Testis				1	3	2	2		4	2	1	1	1	2				19	0.31
C63	Other Male Genital		-	-			*	*		: -	-	- 1/20	*	- 5	1	8		7.0	1	0.02
C64	Kidney etc.	5	1	-	1 +	1	1	(4)	3	1	10	10	15	8	8	9	6	7.2	78	1.25
C65	Renal Pelvis	- 4	*	194	174	-	=	*	:4		1544		¥:	- 2	-		14	19	¥	-
C66	Ureter	82	**	22	- 1	20	2	9	1	-	-	1	<u> </u>	- 2	12	-		12	2	0.03
C67	Bladder	-	-	-	(-	-	-	2	2	4	5	7	10	22	12	15	18	14	95	1.53
C68	Uns.Urinary Organs	ě			-	-	•		•	•	•	•	-	1	2	•		85	3	0.05
C69	Eye	1	-	1	1350	5	9		1	120	1	5	7:		5	1	1	1.7	6	0.10
C70-C72	Brain, Nervous System	1	5	3	3	2	5	3	11	12	10	13	12	6	15	6	8	:=:	115	1.85
C73	Thyroid				198	4	7		7	2	5	9	8	4	3	3	3	1.5	55	0.88
C74	Adrenal Gland	8		1	ji n	- 50	1		(#)	2	()	1		1	2	-	: -	(+)	8	0.13
C81	Hodgkins Disease		. 1	3	4	2	2	1	2	2	2	1	1	1	3	2	1): 4 3	28	0.45
C82-C85	NHL	12	2	4	4	2	1	5	7	10	19	15	15	10	26	12	13	1-1	145	2.33
C88	Malig Imn.Prol D	12	12	12	(2)	2	2	=	12	-	74	2	¥.	- 2	= =	92	-			12
C90	Multiple Myeloma	12	=	12	174	2	0	喧	1	1	3	5	11	12	11	10	8	72	62	1
C91	Lymphoid Leuk.	7	6	4	1	3	1	2	2	2	4	3	3	3	1	3	-	14	45	0.72
C92-C94	Myeloid Leukaemia	3	1		2	3	•	4	3	4	3	7	3	3	1	3	6		43	0.69
C95	Leukaemia Uns	1	ia.	1	157	50	1		1	1.5	3	50	2	1	1		1	1.5	12	0.19
C96	CMD,O&U LHM				(j .		5		1	:=	(-							1.50	1	0.02
O&U *	Other and Uns		-	4	3	4	2	5	16	29	36	48	53	50	45	37	46		378	6.07
	All Sites	15	17	26	20070000	48	75	98	218	350	560	737	937	862	808	677	760	1	6223	Contract Contract
					_							-						-		

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 28(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2016 Females %= Relative Proportion of Cancers of All Sites

Kamrup urban

ICD-10	Cita	00.04	05.00	10 11	15 10	20.24	25.20	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70.74	75.	United	Total	%
C00	Site Lip	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	3	3	3	65-69	70-74	75+	Unkn	Total 16	0.33
C01-C02	Tongue	10%			_ <u></u>	- 2	2	4	3	8	7	7	12	10	12	11	10		86	1.80
C03-C06	Mouth		13		4	2	4	2	5	10	21	25	20	24	13	19	26	100	172	3.59
C07-C08	Salivary Gland	079	107		2	-		3	1	5	1	1	3	24	3	2	20		21	0.44
C09	Tonsil		107	1.0			2	3	4	3	4	7	4	10	4	3	5		49	1.02
C10	Oth. Oropharynx				-	-	2		4	3	3	5	6	2	7	7	6	-	45	0.94
C11	Nasopharynx	100	920		:4					٥	1	4	5	1		1	0	-	13	0.27
C12-C13		1. 4 .	1				1		4	3	15	8	10	12	21	12	4	-	91	1.90
C12-C13	Hypopharynx	993	34				1	0.5	1	3	4	4	3	2	21	3	5	-	23	0.48
C15	Pharynx Unspecified		-	54	-	- 4	2	7	9	27	47	53	83	71	62	50	45		457	9.54
C15	Oesophagus Stomach				-	1 2	3	8	17	18	31	33	24	20	21	16	30	- 1	223	4.66
C17	Small Intestine	67.0 1	(27)	0.7	2		3	0	1	10	1	33	3	20	21	10	1	1,17.1	10	0.21
C18	Colon	1.71		1.7	3	3	2	5	5	10	10	12	10	8	19	12	12		108	2.25
Towns against a constant	2907 - A 1	3.P.			-	3	100	3	15	2002	1202000	8		21	270.00	6		-	Designation of	2017/03/04/05
C19-C20	Rectum	•		-	2	8740	4	200		8	13	7.00	8	96	10	200	10	-	111	2.32
C21	Anus & Anal Canal		-	-		1		2	3	2	44	2	3	1	2	1	4.4	-	17	0.35
C22	Liver	1	(-)	1	-	1	1	1	8 21	9	11	19	9	6	6	6	14	-	93	1.94
C23-C24	Gallbladder etc.	(a)	7-	-	-	1	6	6	21	20	70	65	58	59	45	41	44	-	436	9.10
C25 C30-C31	Pancreas	1744 Alexander	-	(A)	-	190	-	1	-	2	8	7	4	8	6	8	10	-	54	1.13
	Nose, Sinuses etc.			-	-	1	1	2	=	1	1	-	1		1	1	-		9	0.19
C32	Larynx	1.70	3	0.7	5	E 699		1	- 15 	1	2	3	6	5	3	3	2	1.5	26	0.54
C33-C34	Lung etc.	(2)	(F)	I.R	1	1	2	8	7	11	18	16	34	33	16	13	21		181	3.78
C37-C38	Other Thoracic Organs	1.00	-	1.5	5	5		(f)	(#)	1	1	1	2		17 22	1		- 5	6	0.13
C40-C41	Bone	· · ·	3	1	2		3	3	1	3	1	4	1	2	1	-	1		26	0.54
C43	Melanoma of Skin	1	130			-	1) (A)	1	4	2	3	1	3	3	5	2		26	0.54
C44	Other Skin			2			4	3	2	5	4	-1	5	6	2	1	9	-	44	0.92
C45	Mesothelioma	74	*	-	-	-	=	(4)	-	-	-	¥!	-	14		*	**	-	*	-
C46	Kaposi Sarcoma	-	-	-	-		-		-	-	-		-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	1	1	1	1	4	3	1	2	1	2	1	2	1	-	1	-	23	0.48
C50	Breast	•	•	-	•	5	29	53	93	102	130	123	93	77	60	45	30	-	840	17.54
C51	Vulva	107	27.		5		20	65	1	2	2	1	3	27	1		3	1,75	13	0.27
C52	Vagina	3.53	135	-		7029		1	2	2	1	1	4	5	1	2	125	, E	19	0.40
C53	Cervix Uteri		· **			2	5	11	22	54	58	74	56	52	37	19	22		412	8.60
C54	Corpus Uteri	*			*	1	2	1	13	9	13	10	14	15	13	7	8	-	106	2.21
C55	Uterus Unspecified		*	-			72	1	3	1	11 4 0	4	1	1	-	1	(*)	-	12	0.25
C56	Ovary etc.	140	(-)	1	5	3	13	15	26	26	49	50	34	25	25	11	14	-	297	6.20
C57	Other Female Genital		-	-			-	12	1	-	-	া	-	1	1-	-	1		4	0.08
C58	Placenta	12			-	0	~	12	92	-	-	21	1	2	7-2	-	12	-	1	0.02
C64	Kidney etc.	1	•	-	1		-	1	3	-	3	2	7	4	3	4	2	- 5	31	0.65
C65	Renal Pelvis	17.	3	0.7	5	7	7		53		1.5	7.	2	17	2	-	157	1.5	7.	- 5
C66	Ureter		13	1.5	Description of the Control of the Co			(2) (2)	(E)	: = : :::::::::::::::::::::::::::::::::	3.75	∄: po±o			5	5. € 27 6	15.5	-	7/45431	(20,2200
C67	Bladder	-	57	-	1	5	2	1	1	2	3	2	2	3	3	4	4	5	26	0.54
C68	Uns.Urinary Organs	1.50 124		-	=	*		:::	-		-		5	1	(*	(* .	2.00		1	0.02
C69	Eye	2	12±0	-	# E	17 <u>2</u> 5	Ħ	18	(**)	3 € . 924	1.0	<u>₩</u>	#. 7/2/	₩ <u>₩</u>	· ·	1	(**)	-	3	0.06
7910600	Brain, Nervous System	4	3	*	7	2	8	-	9	5	7	11	12	6	8	2	2	-	86	1.80
C73	Thyroid	9 4 9	*	2	8	11	19	16	15	14	19	13	8	11	7	3	4	-	150	3.13
C74	Adrenal Gland	1	-	-	-		-	iii	-	-		1	-	—	-	-	-	-	2	0.04
C81	Hodgkins Disease	-		3	4	3	3	1	1	1	-	1	1	74	72	1	2	7.4	21	0.44
C82-C85	NHL	•		•	3	1	6	1	2	4	12	11	13	12	8	4	5	3	82	1.71
C88	Malig Imn.Prol D	157.0	- 7	0.7	=		馬	福	(5)	0.5 200	1.7		8		17	15€ 100	25	\.\ \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		ing reasons
C90	Multiple Myeloma	3. 7 3	137	11.5	5	E Valo		15	3	3	6	7	4	8	2	5			38	0.79
C91	Lymphoid Leuk.	1	6	1		1	3	1	1	1	3			1	(1	1	1. **		20	0.42
C92-C94	Myeloid Leukaemia	: ***	1	1	1	4	3	2	2	2	(-	4	2	4	1	4	4	-	35	0.73
C95	Leukaemia Uns	1	194	-	1		*	T H	1	1	2	1	-	1		1	(*	-	9	0.19
C96	CMD,O&U LHM	19	14	-	-	-	2	(#	7=		-	#	-	温	14	(4)	-	1141	2	-
O&U *	Other and Uns	12	1	14	1	3	7	6	16	12	24	37	24	18	22	30	15	F (4)	216	4.51
	All Sites	13	16	13	1000	53	143	176	329	397	612	647	598	556	451	370	374	72	4790	100.0
* 0811 in	cludes the Sites(ICE	10.0	26 02	0 01	0 075	076	C77	C70	C70 C	00 0	071									

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 28(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2016 Males Kamrup urban

	- Company		The second								V-1-10-10-1	Version				1100000		W//ZES		The state of the s
ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	15	17				-	0.4	0.7	1.1	0.4	3.8	5.9	0.9	10.6	6.5	8.6	1.1	1.24	0.21	1.9
C01-C02		-		-	0.3	0.6	2.1	2.4	8.3	8.1	17.2	27.1	46.2	37.8	61.1	66.6	8.0	8.82	0.56	15.9
C03-C06	-	-	~	0.3	0.6	1.0	2.8	6.5	12.1	15.8	26.9	45.5	60.7	58.9	72.0	68.8	11.8	12.57	0.66	24.7
C07-C08	52	- 12		12/2/	-	0.3		0.7	1.1	0.9	1.6	1.5	2.7	1.5	2.2	6.4	0.6	0.65	0.15	1.3
C09	3	- 3	¥	0.3	0.3	0.6	0.4	1.0	4.9	6.0	9.7	15.4	19.9	25.7	15.3	34.4	4.2	4.51	0.40	8.4
C10	9.0	17		-	- 5	0.3	(±	2.1	1.5	8.1	9.2	20.5	17.2	18.1	30.5	25.8	4.0	4.36	0.39	8.6
C11	35	- 12	0.4	5	7.	0.3	0.4	0.3	1.1	2.1	2.2	2.2	(5)	4.5	4.4	2.1	0.8	0.76	0.16	1.3
C12-C13		-	=		-	0.6	2.8	6.8	14.4	27.7	40.9	74.8	78.8	107.2	128.7	141.9	18.2	19.98	0.84	35.9
C14		-	2			-	902	0.3	0.4	2.1	8.1	11.0	9.1	24.2	28.4	38.7	2.9	3.44	0.36	4.4
C15	-	- 12	- 4	2	2000	0.6	3.2	6.5	20.4	35.8	72.2	107.0	108.7	205.4	194.2	202.0	27.2	30.33	1.05	51.6
C16	(*)	(4)	-	-	0.3	3.2	1.8	3.4	4.5	13.7	26.4	53.5	45.3	75.5	100.4	109.6	11.9	13.42	0.70	21.2
C17	:#)		#	-		(-	0.4	0.7	0.8	0.4	₩	1.5	2.7	3.0	39		0.4	0.39	0.11	0.9
C18	:#:	-	0.4	0.3	0.3		1.4	3.1	4.2	6.8	8.6	20.5	15.4	33.2	28.4	47.3	4.9	5.40	0.44	8.7
C19-C20	-	<u> </u>	0.4	0.3	1.0	2.3	1.4	2.4	2.6	10.7	13.5	18.3	12.7	30.2	28.4	36.5	5.2	5.47	0.43	9.2
C21		-	•	0.3	-	-	0.7	0.3	0.4	0.9	1.1	2.2	0.9	1.5	4.4	2.1	0.5	0.52	0.13	0.9
C22	(4)	12	担	- 2	2	1.0	0.7	3.4	4.9	5.1	5.4	20.5	25.4	46.8	63.3	53.7	5.8	6.78	0.50	9.4
C23-C24	323	12	¥	2	0.3	0.6	1.8	3.4	4.5	7.7	15.6	30.1	37.1	37.8	61.1	49.4	7.2	7.93	0.53	14.2
C25	(4)		· ·	-		0.3	-	0.7	1.5	4.7	4.8	7.3	15.4	16.6	24.0	25.8	2.7	3.09	0.34	5.0
C30-C31	7.00	100		*	-	(-)	(+)	-	0.4	0.4	0.5	0.7	0.9	3.0	2.2	6.4	0.3	0.40	0.12	0.5
C32	275	-	æ	=	0.3	157	1.1	1.4	4.2	12.8	13.5	26.4	28.1	51.3	67.6	49.4	7.0	7.92	0.54	12.7
C33-C34	-	-		-	0.3	0.3	1.1	2.7	6.1	11.5	25.9	55.7	67.0	108.7	181.1	182.7	15.1	18.07	0.83	23.9
C37-C38	-	-	9	<u> </u>	0.3	0.3	- 4	0.3	4	1.3	1.1	1.5	5.4	3.0	6.5	2	0.6	0.70	0.16	1.4
C40-C41	12	0.4	0.4	2.4	1.9	1.3	1.1	0.3	1.1	1.7	1.1	3.7	5.4	3.0	6.5	2.1	1.5	1.49	0.22	2.0
C43	140	- 14	0.4	0.3	0.3	0.3	0.7	0.7	0.8	1.3	5.9	3.7	5.4	3.0	8.7	6.4	1.3	1.38	0.21	2.7
C44	190	· -	18	0.7	0.6	0.6	1.8	3.1	1.5	4.7	5.9	5.9	11.8	10.6	13.1	27.9	2.8	2.97	0.32	5.0
C45	100	-	5	5	-	0.0	£7.	-	15	-		-	0.9	-	標		0.0	0.04	0.04	0.1
C46	17	-	- 5	5		13.7	570		15	-	20	-	255	Į.		25		-). 	0.7
C47+C49		- 4	1	0.3	0.6	1.3	0.4	0.7	32	0.4	1.1		0.9	3.0	6.5	2.1	0.6	0.63	0.15	0.5
C50	12	92	(2	2	20	-	12	0.3	0.8	1.3	1.1	2.9	3.6	14	4.4	4.3	0.6	0.63	0.15	1.5
C60	74	(4	湟	2	-	0.6	0.7	0.3	0.8	1.7	1.6	2.2	8.2	6.0	8.7	10.7	1.2	1.33	0.22	2.1
C61	-) -		-		E=	:=	-	0.4	0.9	7.0	21.3	32.6	89.1	98.2	182.7	8.3	10.87	0.67	8.3
C62	19	£		0.3	1.0	0.6	0.7		1.5	0.9	0.5	0.7	0.9	3.0	28	:#	0.6	0.53	0.12	0.8
C63	1.75			7	-	6.5	1.7		e e					1.5		. 	0.0	0.05	0.05	: -
C64	2.4	0.4	9		0.3	0.3		1.0	0.4	4.3	5.4	11.0	7.2	12.1	19.6	12.9	2.4	2.74	0.32	4.3
C65	125	72	2	2	2	174	72		12			20	-	-	72	12	9	2	7/2	- 1
C66	323	82	2	2	- 2	94	(4	0.3	2	12	0.5	-	74	120	- 14	¥	0.1	0.05	0.03	0.2
C67	(-	194			-	-		0.7	1.5	2.1	3.8	7.3	19.9	18.1	32.7	38.7	2.9	3.51	0.37	5.0
C68	(+)) *	*	-		3 9 3	·		-		+	*	0.9	3.0		×	0.1	0.13	0.07	0.1
C69	0.5	9=	0.4	-	-	9.0	5 -	0.3	je.	0.4	н.	_	(-		2.2	2.1	0.2	0.23	0.10	0.1
C70-C72	0.5	2.2	1.2	1.0	0.6	1.6	1.1	3.8	4.5	4.3	7.0	8.8	5.4	22.7	13.1	17.2	3.5	3.68	0.36	5.4
C73	-		3	=	1.3	2.3	3	2.4	0.8	2.1	4.8	5.9	3.6	4.5	6.5	6.4	1.7	1.62	0.23	3.0
C74	72	12	0.4		2	0.3	14	-	0.8	-	0.5	2	0.9	3.0	353.5	-	0.2	0.26	0.10	0.4
C81	12	0.4	1.2	1.4	0.6	0.6	0.4	0.7	0.8	0.9	0.5	0.7	0.9	4.5	4.4	2.1	0.9	0.89	0.17	0.7
C82-C85	1-	0.9	1.5	1.4	0.6	0.3	1.8	2.4	3.8	8.1	8.1	11.0	9.1	39.3	26.2	27.9	4.4	4.86	0.42	6.7
C88		-	-	-	-	0.0	-		-	-	5.1		-	50.5				-	-	-
C90				_		-	5.0	0.3	0.4	1.3	2.7	8.1	10.9	16.6	21.8	17.2	1.9	2.29	0.30	3.3
C91	3.4	2.6	1.5	0.3	1.0	0.3	0.7	0.7	0.8	1.7	1.6	2.2	2.7	1.5	6.5		1.4	1.63	0.26	1.5
C92-C94	0.4	0.4	12	0.7	1.0	0.0	1.4	1.0	1.5	1.3	3.8	2.2	2.7	1.5	6.5	12.9	1.3	1.32	0.21	2.0
C95	0.5	0.4	0.4	0.7	1.0	0.3	1,-4	0.3	1.0	1.3	0.0	1.5	0.9	1.5	- 0.5	2.1	0.4	0.40	0.12	0.6
C96	0.5		0.4	_		0.3	22-	0.3	,	1.0		1.0	0.0	1.0		2.1	0.0	0.40	0.12	0.0
O&U *			1.5	1.0	1.3	0.6	1.8	5.5	11.0	15.4	25.9	38.9	45.3	68.0	80.7	98.9	11.6	12.69	0.67	21.2
array transportation and	7.2	7.4	10.0		15.5	24.3	or many services		and the second second			686.9			1477.0		190.5			339.7
All Sites	1.2	7.4	10.0	11.9	10.0	24.3	34.3	74.5	132.4	230.9	390.9	6.000	700.0	1220.3	1477.0	1000.0	190.3	213.0	2.77	339.1

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 28(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population: 2012 - 2016 Females Kamrup urban

ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	7.4	-	:¥	-	- 4		-	0.3		1.4	1.9	2.7	3.3	-	7.6	-	0.5	0.59	0.15	1.4
C01-C02	[#]	1-	:-	-	-	0.6	1.3	1.0	3.2	3.2	4.5	10.7	10.9	21.2	28.0	21.3	2.7	3.28	0.37	5.0
C03-C06	(C#)		1993	0.4	0.6	1.2	0.7	1.6	4.0	9.7	16.1	17.8	26.2	23.0	48.4	55.4	5.4	6.47	0.51	11.2
C07-C08	8.7	(#	12	0.7	i7.	-	1.0	0.3	2.0	0.5	0.6	2.7	***	5.3	5.1	40.7	0.7	0.69	0.16	1.0
C09		-		-		0.6	1.0	1.3	1.2	1.8	4.5	3.6	10.9	7.1	7.6	10.7	1.5	1.75	0.26	3.4
C10	7: 4 :	-		- 0.4	-	0.6		1.3	1.2	1.4	3.2	5.3	2.2	12.4	17.8	12.8	1.4	1.73	0.27	2.2
C11	(i=)	- 0.5	120	0.4	=	- 0.2	-	4.0	- 40	0.5	2.6	4.5	1.1	27.4	2.5	- 0.5	0.4	0.46	0.13	1.2
C12-C13	17.	0.5	-	-	-	0.3		1.3	1.2	6.9	5.1	8.9	13.1	37.1	30.6	8.5	2.9	3.67	0.40	5.5
C14	155	(A)	(#.)		- 0.0	0.3	- 0.0	0.3	40.0	1.8	2.6	2.7	2.2	400 F	7.6	10.7	0.7	0.84	0.18	1.5
C15	155 201	85	120	- IS	0.3	0.6	2.3	3.0	10.9	21.7	34.1	73.9	77.4	109.5	127.5	95.9	14.4	17.85	0.86	31.9
C16			5.70 6.00		0.6	0.9	2.6	5.6	7.3	14.3	21.2	21.4	21.8	37.1	40.8	63.9	7.0	7.90	0.55	14.3
C17	174	1942	: =	-	0.0	0.6	4.6	0.3	4.0	0.5	77	2.7	2.2	3.5	9888383	2.1	0.3	0.39	0.13	0.8
C18	(A)	-	:-	0.7	0.9	0.6	1.6	1.6	4.0	4.6	7.7	8.9	8.7	33.6	30.6	25.6	3.4	4.06	0.41	5.5
C19-C20	8=	-	:-	0.7	0.9	1.2	1.0	4.9	3.2	6.0	5.1	7.1	22.9	17.7	15.3	21.3	3.5	3.86	0.38	7.4
C21	0.5	15	- 0.4		0.3	- 0.0	0.7	1.0	0.8		1.3	2.7	1.1	3.5	2.5		0.5	0.54	0.14	1.0
C22	0.5	ST.	0.4		0.3	0.3	0.3	2.6	3.6	5.1	12.2	8.0	6.5	10.6	15.3	29.8	2.9	3.26	0.35	6.0
C23-C24	1.5	-		-	0.3	1.8	2.0	6.9	8.1	32.4	41.8	51.6	64.3	79.5	104.5	93.7	13.7	16.20	0.80	30.9
C25	1740	-		-	0.2	0.0	0.3		0.8	3.7	4.5	3.6	8.7	10.6	20.4	21.3	1.7	2.16	0.30	3.2
C30-C31	(E)	-		-	0.3	0.3	0.7	•	0.4	0.5	4.0	0.9		1.8	2.5	4.0	0.3	0.28	0.10	0.3
C32	€	:=:		- 0.4	- 0.2	0.6	0.3	- 0.0	0.4	0.9	1.9	5.3	5.4	5.3	7.6	4.3	0.8	1.02	0.21	2.0
C33-C34	S(#)	-	:=:	0.4	0.3	0.6	2.6	2.3	4.5	8.3	10.3	30.3	36.0	28.3	33.1	44.7	5.7	6.73	0.52	13.1
C37-C38	N	4.4	- 0.4	0.7		- 0.0	4.0	- 0.0	0.4	0.5	0.6	1.8		4.0	2.5	- 0.4	0.2	0.21	0.09	0.5
C40-C41	0.5	1.4	0.4	0.7		0.9	1.0	0.3	1.2	0.5	2.6	0.9	2.2	1.8	40.7	2.1	0.8	0.84	0.17	1.2
C43	0.5	/ <u>=</u>	- 0.0	-		0.3	4.0	0.3	1.6	0.9	1.9	0.9	3.3	5.3	12.7	4.3	0.8	1.02	0.21	1.4
C44	14		0.8			1.2	1.0	0.7	2.0	1.8	0.6	4.5	6.5	3.5	2.5	19.2	1.4	1.51	0.24	2.4
C45) =	:=:	-		*	*	-		-	-	*	-		(*	3 = 3	-	-		-	-
C46	0.5	0.5	0.4	- 0.4	0.0	4.0	4.0	0.0	- 0.0	0.5	4.0	- 0.0		1.8	375	2.4	0.7	0.70	0.46	- 0.0
C47+C49	0.5	0.5	0.4	0.4	0.3	1.2	1.0	0.3	0.8	0.5	1.3	0.9	2.2		114.7	2.1		0.73	0.16	0.9 59.8
C50	10.70 VAN	-		- 5	1.5	8.5	17.3	30.6	41.3	60.1 0.9	79.2	82.8	83.9	106.0	114.7	63.9	26.4	27.14	0.98	0.8
C51 C52	9587	000		-		545	0.2	0.3	0.8	100000	0.6	2.7	5.4	1.8	E 4	6.4	0.4	0.44	0.13	1000
C52	17 <u>2</u> 0	12	39	•	0.6	1.5	0.3 3.6	0.7 7.2	0.8 21.8	0.5 26.8	0.6 47.6	3.6 49.9	56.7	65.4	5.1 48.4	46.9	0.6 13.0	0.68 14.24	0.16	1.6 32.2
C54	77.5		-		0.3	0.6	0.3	4.3	3.6	6.0	6.4	12.5	16.3	23.0	17.8	17.0	3.3	3.79	0.73	7.5
C55	Vo.75	100			0.5	0.0	0.3	1.0	0.4	0.0	2.6	0.9	1.1	23.0	2.5	17.0	0.4	0.36	0.33	0.9
C56	13.5		0.4	1.8	0.9	3.8	4.9	8.5	10.5	22.7	32.2	30.3	27.2	44.2	28.0	29.8	9.4	9.77	0.59	20.7
C57	1/2	200	0.4	1.0	0.5	5.0	4.5	0.3	10.5	22.1	0.6	50.5	1.1	44.2	20.0	2.1	0.1	0.14	0.07	0.3
C58	7724	961	120		2	22	P28	0.0	-	721	0.0	0.9	35.00	1922	32	4.1	0.0	0.04	0.04	0.1
C64	0.5			0.4			0.3	1.0		1.4	1.3	6.2	4.4	5.3	10.2	4.3	1.0	1.19	0.22	2.0
C65	0.0	-		0.4	_	-	0.0	1.0		1	1.0	0.2	7.7	0.0	10.2	7.0	-	1.10	0.22	2.0
C66	125g	1 T		-			-		-	17				12.5	165 165	150				-
C67	3276			0.4		8.	0.3	0.3	0.8	1.4	1.3	1.8	3.3	5.3	10.2	8.5	0.8	1.00	0.20	1.3
C68	12	200	(C)	0.4		D (2)	0.0	0.5	-	-	1.5	1.0	1.1	3.3	10.2	0.0	0.0	0.04	0.20	0.1
C69	1.0	983	120	12	9	20	1741	593	12	711	4		10.1 E	060	2.5	728	0.1	0.17	0.10	5.1
C70-C72	2.0	1.4	190	2.5	0.6	2.3	725	3.0	2.0	3.2	7.1	10.7	6.5	14.1	5.1	4.3	2.7	3.00	0.10	5.0
C73	2.0	1.4	0.8	2.9	3.4	5.6	5.2	4.9	5.7	8.8	8.4	7.1	12.0	12.4	7.6	8.5	4.7	4.40	0.38	7.6
C74	0.5		3.0		-	5.0	J.E.	-	-	5.0	0.6	-	.2.0			5.0	0.1	0.09	0.07	0.1
C81	0.0		1.2	1.4	0.9	0.9	0.3	0.3	0.4	17	0.6	0.9	2		2.5	4.3	0.7	0.65	0.15	0.4
C82-C85	- 12	- 1		1.1	0.3	1.8	0.3	0.7	1.6	5.5	7.1	11.6	13.1	14.1	10.2	10.7	2.6	2.93	0.34	5.8
C88	3324	gie	2	-	5,5	1.0	2.0	2.1	1.00	3.0	9	11.0		172	, 5.2	120		2.00	5.07	5.0
C90	22	(14)	(94)	-		2	-	1.0	1.2	2.8	4.5	3.6	8.7	3.5	12.7	7#1	1.2	1.38	0.23	3.3
C91	0.5	2.8	0.4		0.3	0.9	0.3	0.3	0.4	1.4	-1.0	3.0	1.1	3.0	2.5		0.6	0.71	0.17	0.6
C92-C94	-	0.5	0.4	0.4	1.2	0.9	0.7	0.7	0.8	-	2.6	1.8	4.4	1.8	10.2	8.5	1.1	1.21	0.21	1.5
C95	0.5	-	-	0.4	-	-		0.3	0.4	0.9	0.6	- 1.0	1.1	5	2.5	-	0.3	0.32	0.11	0.6
C96	2.0		-	-	2	2 2	-	-	-	_	3.0	2	2	12	2.0	- 2	2.0	2	2	1
O&U *	19 <u>4</u> 1	0.5	120	0.4	0.9	2.0	2.0	5.3	4.9	11.1	23.8	21.4	19.6	38.9	76.5	32.0	6.8	7.87	0.56	13.2
All Sites	6.6	7.5	5.3	15.2	16.2	41.9	57.4	108.2	5500000000	282.9	416.5	532.3	605.9	796.7	943.5	796.7	150.8	169.6	2.55	320.8
* O&U incl	40 100	DOMESTIC NO.	ryears (VIII)	nersistic les	dental Delivino	Environ Albert		Lyal Strike	11 - 25 - 65 - 1 V	www.yhsi.7-your	245						and the same of			

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 28(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2012 - 2016 Males Kamrup urban

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/lr	naging	D.C	0.0	Oth	ers	Unkn	iown	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	13.5	32	86.5	9. 5		-		-			-	37	100.0
C01-C02	Tongue	16	6.1	231	88.5	2	0.8	12	4.6			-	-	261	100.0
C03-C06	Mouth	30	7.8	337	87.5	2	0.5	9	2.3		-	7	1.8	385	100.0
C07-C08	Salivary Gland	3	14.3	16	76.2	7/4	_	1	4.8		2	1	4.8	21	100.0
C09	Tonsil	9	6.6	121	89.0	1	0.7	4	2.9	2	20	1	0.7	136	100.0
C10	Oth. Oropharynx	4	3.0	115	87.1	Tres	-	11	8.3		-	2	1.5	132	100.0
C11	Nasopharynx	194	7.4	22	88.0	2	8.0	1	4.0		_	-	-	25	100.0
C12-C13	Hypopharynx	13	2.2	557	93.6	4	0.7	18	3.0	_	_	3	0.5	595	100.0
C14	Pharynx Unspecified	3	3.2	49	52.1	2	2.1	40	42.6		-	-	-	94	100.0
C15	Oesophagus	5	0.6	762	85.9	12	1.4	80	9.0	19	2.1	9	1.0	887	100.0
C16	Stomach	4	1.0	289	74.3	51	13.1	38	9.8	4	1.0	3	0.8	389	100.0
C17	Small Intestine	12	1.0	10	76.9	-	10.1	- 00	0.0	1	7.7	2	15.4	13	100.0
C18	Colon	1	0.6	134	83.2	13	8.1	10	6.2		***	3	1.9	161	100.0
C19-C20	Rectum	1	0.6	155	91.7	4	2.4	9	5.3	-		3	1.0	169	100.0
C21	Anus & Anal Canal	1	5.9	16	94.1		2.4		0.0		, R		-	17	100.0
C22	Liver	- 1	5.9	90	47.1	34	17.8	62	32.5	3	1.6	2	1.0	191	100.0
C23-C24		1075	0.4	146	62.1	59	25.1	30	12.8	3	1.0	2	1.0	235	100.0
C25-C24	Gallbladder etc. Pancreas		50	57		19	21.6	12	13.6		in the state of th	,		88	100.0
C30-C31				-	64.8	7/2	2 2	15		-	-		-	32/85	
2000-00-0	Nose, Sinuses etc.	-		9	81.8	1	9.1	1	9.1	-		-	- 4.0	11	100.0
C32	Larynx	8	3.5	177	77.3	2	0.9	39	17.0	-		3	1.3	229	100.0
C33-C34	Lung etc.	1	0.2	344	69.6	79	16.0	63	12.8	1	0.2	6	1.2	494	100.0
C37-C38	Other Thoracic Organs	17.	37.	12	57.1	4	19.0	2	9.5			3	14.3	21	100.0
C40-C41	Bone	2	4.1	36	73.5	5	10.2	4	8.2		5.	2	4.1	49	100.0
C43	Melanoma of Skin	7	15.9	37	84.1	-	-	-				-	2.2	44	100.0
C44	Other Skin	7	7.5	70	75.3	2	2.2	12	12.9	- 2	2	2	2.2	93	100.0
C45	Mesothelioma		14	1	100.0	- 1	-	- 2	*	2	¥	2	-	1	100.0
C46	Kaposi Sarcoma	(#)	()	(±)	E.	(-	-			-	*		-	-	
C47+C49	Conn. & Soft Tissue	2	10.0	17	85.0	1	5.0				*		*	20	100.0
C50	Breast	S#3	la n i	18	90.0	(2)	\ _	2	10.0	5			-	20	100.0
C60	Penis	2	5.1	37	94.9		-					-	•	39	100.0
C61	Prostate	72	(<u>1</u>	235	87.0	20	7.4	13	4.8	- 2	2	2	0.7	270	100.0
C62	Testis	12	12	19	100.0	<u> </u>	-	2	2	2	2	2	2	19	100.0
C63	Other Male Genital	- 4	14	1	100.0	800	-	-	=	=	#	-	-	1	100.0
C64	Kidney etc.	8.0	2.0	62	79.5	9	11.5	4	5.1	-	*	3	3.8	78	100.0
C65	Renal Pelvis	:#	5 7 3	19 8	(-	: -	(-	-	-				-	-	-
C66	Ureter	\$ #	6 5	2	100.0	15.5	0.70	-		-		5	-	2	100.0
C67	Bladder	1	1.1	86	90.5	7	7.4	1	1.1		-	-	-	95	100.0
C68	Uns. Urinary Organs	14	12	1	33.3	172	1/2	2	66.7	-	2	2	2	3	100.0
C69	Eye	煙	92	6	100.0	82	6 - 2	23	2	2	=	2	=	6	100.0
C70-C72	Brain, Nervous System	2	1.7	86	74.8	13	11.3	13	11.3	2	2	1	0.9	115	100.0
C73	Thyroid	4	7.3	48	87.3	2	3.6	1	1.8	-	*		-	55	100.0
C74	Adrenal Gland	S#		2	25.0	5	62.5	1	12.5	*		5		8	100.0
C81	Hodgkins Disease	NE.	8	27	96.4	15	P	1	3.6	5				28	100.0
C82-C85	NHL	2	1.4	132	91.0	1	0.7	9	6.2	9		4	0.7	145	100.0
C88	Malig Imn.Prol D	92	92	94	72	12	-	2:	2	9	25	2	2	=	1
C90	Multiple Myeloma	194	i 4	51	82.3	1	1.6	9	14.5		12	-1	1.6	62	100.0
C91	Lymphoid Leuk.		(#)	43	95.6	561	4.4	-				-		45	100.0
C92-C94	Myeloid Leukaemia		-	31	72.1	-	-	10	23.3	-	+	2	4.7	43	100.0
C95	Leukaemia Uns		2. *	8	66.7	: -	_	3	25.0	-	-	1	8.3	12	100.0
C96	CMD,O&U LHM	9.7	_	1	100.0	10-	_		_	_	_	-	_	1	100.0
O&U *	Other and Uns	19	5.0	256	67.7	13	3.4	84	22.2	2	0.5	4	1.1	378	100.0
Jan 1991 (1991)	All Sites	152	2.4	4994	80.3	372	6.0	611	9.8	30	0.5	64	1.0	6223	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 28(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2012 - 2016 Females Kamrup urban

ICD 40	C:1-	Clin	ical	Micros	copic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkr	nown	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	12.5	14	87.5		-		-	9	=	2		16	100.
C01-C02	Tongue	6	7.0	77	89.5	12	-	2	2.3	2	<u> </u>	1	1.2	86	100
C03-C06	Mouth	10	5.8	155	90.1	14	-	6	3.5	2	2	1	0.6	172	100.
C07-C08	Salivary Gland	2	9.5	18	85.7	1	4.8	-	0.0			- 1	0.0	21	100.
C09	Tonsil	1	2.0	46	93.9		4.0	2	4.1					49	100.
			2.0			17.	0.70	4		5	- 5.		\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
C10	Oth. Oropharynx	1.7	5	41	91.1		- 4	4	8.9	- 5	5	<u></u>		45	100.
C11	Nasopharynx	-		13	100.0	-	-	-	-	-	-	-		13	100.
C12-C13	Hypopharynx	4	4.4	79	86.8	1	1.1	4	4.4	2	2.2	1	1.1	91	100.
C14	Pharynx Unspecified	1	4.3	8	34.8	2	8.7	11	47.8	1	4.3) i	79974	23	100.
C15	Oesophagus	7	1.5	398	87.1	10	2.2	34	7.4	6	1.3	2	0.4	457	100.
C16	Stomach	(+)	-	152	68.2	45	20.2	20	9.0	4	1.8	2	0.9	223	100.
C17	Small Intestine		5	9	90.0	1	10.0	17	2.5	5	7.		(5)	10	100.
C18	Colon	\ -	-	78	72.2	19	17.6	11	10.2	-	-	7	-	108	100.
C19-C20	Rectum	7.23	2	104	93.7	5	4.5	2	1.8	2	2	22	_	111	100.
C21	Anus & Anal Canal		2	17	100.0	- 12		84	-	2	2	2	=	17	100.
C22	Liver	- 1	1.1	40	43.0	31	33.3	21	22.6	2	2	(4)	74	93	100.
C23-C24	Gallbladder etc.	1	0.2	253	58.0	147	33.7	32	7.3		-	3	0.7	436	100.
C25	Pancreas			35	64.8	13	24.1	6	11.1	-			-	54	100.
C30-C31	Nose, Sinuses etc.			8	88.9	1	11.1			_				9	100.
C32	Larynx	1	3.8	18	69.2	12	1101	7	26.9	31	70	2	- N	26	100.
C32-C34		2	1.1	132	72.9	25	13.8	19	10.5	1	0.6	2	1.1	181	100.
	Lung etc.	1,112	1,1			70	1000000	19	10.5	- 4	0.0		1,1	3.5	5555
C37-C38	Other Thoracic Organs	-	-	5	83.3	1	16.7	-	-	-	-		-	6	100.
C40-C41	Bone	-		21	80.8	3	11.5	1	3.8			1	3.8	26	100.
C43	Melanoma of Skin	1	3.8	24	92.3	1	3.8		-		-		(e	26	100.
C44	Other Skin	4	9.1	34	77.3	1	2.3	2	4.5		5	3	6.8	44	100.
C45	Mesothelioma		-			-	-	•	-	- 1				-	
C46	Kaposi Sarcoma	72	2	2	-	- 12		-	-	-	-	- 2		- 12	
C47+C49	Conn. & Soft Tissue	1	4.3	21	91.3	14	14	(4)	74		2	1	4.3	23	100.
C50	Breast	29	3.5	760	90.5	19	2.3	20	2.4	3	0.4	9	1.1	840	100.
C51	Vulva	1	7.7	12	92.3	:=) *)	() ((+	*	*	*) :	13	100.
C52	Vagina	-	70	19	100.0	9 7	:#:		1.5			₩.	9	19	100.
C53	Cervix Uteri	10	2.4	381	92.5	3	0.7	17	4.1	-	5	1	0.2	412	100.
C54	Corpus Uteri	1	0.9	95	89.6	3	2.8	5	4.7	1	0.9	1	0.9	106	100.
C55	Uterus Unspecified	1	8.3	8	66.7	1	8.3	2	16.7	2		2	12	12	100.
C56	Ovary etc.	3	1.0	248	83.5	30	10.1	15	5.1	- 2	2	1	0.3	297	100.
C57	Other Female Genital	-	_	4	100.0	-	-	-	-				-	4	100.
C58	Placenta	_	_			_		1	100.0		_	_	_	1	100.
C64	Kidney etc.	1.5	- 5	29	93.5			1	3.2	-		1	3.2	31	100.
		- 6		25	93.3	- 2	150	330	3.2	5			3.2	31	100.
C65	Renal Pelvis	3.77 578	-	- 5		- 3	-	2.5		7	- 5	5 100) <u>100</u>	\$ 7	
C66	Ureter	-	-	-	-		-	-		-	-		-	-	400
C67	Bladder		-	24	92.3		1-	2	7.7	-		-	-	26	100.
C68	Uns.Urinary Organs		*	1	100.0	(4	(*	-	7 =	=	-	(4	14	1	100.
C69	Eye		-	3	100.0		· +	(9)	1-		-	H		3	100.
C70-C72	Brain, Nervous System	1	1.2	65	75.6	16	18.6	4	4.7		7			86	100.
C73	Thyroid	10	6.7	135	90.0	4	2.7	1	0.7	-	-	2	-	150	100.
C74	Adrenal Gland	72	2	2	100.0	-	-	-	/-	2	-	22	-	2	100.
C81	Hodgkins Disease	143	2	21	100.0	- 4	-	184	12	2	=	14	-	21	100.
C82-C85	NHL	(to)	¥	79	96.3	(#	340	2	2.4	1	1.2	(4)	(2	82	100.
C88	Malig Imn.Prol D	16		-	H		-	(*)	-	-	-		-	-	
C90	Multiple Myeloma		-	36	94.7	9#	(*)	2	5.3	-	_		(-	38	100.
C91	Lymphoid Leuk.			19	95.0	.=		Ī	-	1	5.0			20	100.
C92-C94	Myeloid Leukaemia	1,53	100	28	80.0	15 12		7	20.0		0.0		100	35	100
C92-C94	Leukaemia Uns			4				1			ē.	4	44.4	9	100.
			-	4	44.4	-	-	1,751	11.1	-	-	- 4	44.4		100.
C96	CMD,O&U LHM	-		404	75.0	- 10	4.0	-	410	-	-	,	-	- 246	400
O&U *	Other and Uns	8	3.7	164	75.9	10	4.6	32	14.8	- VALUE OF THE PARTY OF THE PAR		2	0.9	216	100.
	All Sites	108	2.3	3937	82.2	393	8.2	296	6.2	20	0.4	36	0.8	4790	10

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 28(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2016 Males Kamrup urban

ICD 40	64-	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone N	larrow	Oth	ers	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	31	83.8		1.7	1	2.7	-		-	-	5	13.5	37	100.0
C01-C02	Tongue	224	85.8	-	-	7	2.7	-			2	30	11.5	261	100.0
C03-C06	Mouth	334	86.8	1	0.3	2	0.5	12	=	2	2	48	12.5	385	100.0
C07-C08	Salivary Gland	7	33.3	1	4.8	8	38.1)*±3	=	2	2	5	23.8	21	100.0
C09	Tonsil	115	84.6	1	0.7	5	3.7	7-5	-	*	-	15	11.0	136	100.0
C10	Oth. Oropharynx	109	82.6			6	4.5	-			*	17	12.9	132	100.0
C11	Nasopharynx	19	76.0	1	4.0	2	8.0	-	_		_	3	12.0	25	100.0
C12-C13	Hypopharynx	545	91.6	2	0.3	10	1.7	-		-		38	6.4	595	100.0
C14	Pharynx Unspecified	45	47.9	1	1.1	3	3.2	12	2	1 25	2	45	47.9	94	100.0
C15	Oesophagus	757	85.3	1	0.1	4	0.5	(12)	=	2	=	125	14.1	887	100.0
C16	Stomach	277	71.2	3	0.8	9	2.3	5143	-		2	100	25.7	389	100.0
C17	Small Intestine	10	76.9	-	-	-	(-)	-	_		-	3	23.1	13	100.0
C18	Colon	129	80.1	3	1.9	2	1.2	-	_	_	_	27	16.8	161	100.0
C19-C20	Rectum	152	89.9	2	1.2	1	0.6	_	_		_	14	8.3	169	100.0
C21	Anus & Anal Canal	16	94.1	- 0		1		7/2	2	2	2	1	5.9	17	100.0
C22	Liver	58	30.4	(2)	-	32	16.8	140	2	2	2	101	52.9	191	100.0
C23-C24	Gallbladder etc.	90	38.3	9	3.8	47	20.0	y <u>2</u> 1				89	37.9	235	100.0
C25	Pancreas	39	44.3	4	4.5	14	15.9	_	_	_	_	31	35.2	88	100.0
C30-C31	Nose, Sinuses etc.	9	81.8		4.0	14	10.5		_	-		2	18.2	11	100.0
C32	Larynx	172	75.1	1	0.4	4	1.7	-	-	-		52	22.7	229	100.0
C33-C34	Lung etc.	141	28.5	10	2.0	193	39.1	78		75 25	5	150	30.4	494	100.0
C37-C38	Other Thoracic Organs	11	52.4	10	2.0	193	4.8		8 3	5 5s		9	42.9	21	100.0
C40-C41	Bone	33	67.3	1	2.0	2	4.0		_	-	-	13	26.5	49	100.0
C40-C41	Melanoma of Skin	34	77.3	- 1	2.0	3	6.8	-		-	-	7	15.9	49	100.0
C43	Other Skin	60	64.5	1	1.1	9	9.7	-			-	23	24.7	93	100.0
C44 C45	Mesothelioma	1	100.0	21	1.1	9	9.1	1.5	1	5	5	23	24.1	1	100.0
C45			100.0	(E)	1.5	(2			5			5.0	15T	10	100.0
C47+C49	Kaposi Sarcoma Conn. & Soft Tissue	15	75.0		55	2	10.0		5	80	- 2	3	15.0	20	100.0
C50	Breast	15	75.0		-	3	15.0		-			2	10.0	20	100.0
C60	Penis	37	94.9	-		-	15.0		_		-	2	5.1	39	100.0
C61	Prostate	225	83.3	2	0.7	8	3.0	-	-		-	35	13.0	270	100.0
C62	Testis	12	63.2		0.7	7	36.8		-	5.	5.		15.0	19	100.0
C63	Other Male Genital	12	100.0	- 5		- 1	30.0		2		8			19	100.0
C64		52	66.7	2	2.6	8	10.3	100				16	20.5	78	100.0
C65	Kidney etc. Renal Pelvis	32	00.7		2.0	0	10.3		_	26		10	20.5	70	100.0
N 12:32 8:23	NORTH WARRANT SERVICE AND ADDRESS OF THE PARTY OF THE PAR	2	100.0	-							-	-	. 7	2	100.0
C66	Ureter	- color	100.0	-	- 4.4	1		-	-	-	-	-	0.5	95	100.0
C67	Bladder	84	88.4	1	1.1	31	1.1	1.5	-		-	9	9.5	3	100.0
C68	Uns.Urinary Organs		33.3		(5)		1.7	-	-		5		66.7		100.0
C69	Eye	6	100.0	-		-	(5)	13.70	-	E.		-	-	6	100.0
C70-C72	Brain, Nervous System	82	71.3	2	1.7	2	1.7	-	-		-	29	25.2	115	100.0
C73	Thyroid	38	69.1	1	1.8	9	16.4	-	-	-	-	7	12.7	55	100.0
C74	Adrenal Gland	2	25.0	-	-	7-	-	-	-	2	-	6	75.0	8	100.0
C81	Hodgkins Disease	15	53.6	· ·	- 1	12	42.9	-		#	-	1	3.6	28	100.0
C82-C85	NHL	91	62.8	1	0.7	37	25.5	-	-	3	2.1	13	9.0	145	100.0
C88	Malig Imn.Prol D	-	\ -		-	-	15-70	0.7		7.	5			-	
C90	Multiple Myeloma	5	8.1		-	1	1.6	1	1.6	44	71.0	11	17.7	62	100.0
C91	Lymphoid Leuk.	9	20.0	- 2	-	74	12	1	2.2	33	73.3	2	4.4	45	100.0
C92-C94	Myeloid Leukaemia	4	9.3			-	-	1	2.3	26	60.5	12	27.9	43	100.0
C95	Leukaemia Uns	1	8.3			: -	14	3	25.0	4	33.3	4	33.3	12	100.0
C96	CMD,O&U LHM	1	100.0	·			(-	.+		8	5			1	100.0
O&U *	Other and Uns	6	1.6	93	24.6	156	41.3	1.7		1	0.3	122	32.3	378	100.0
e e	All Sites	4122	66.2	144	2.3	611	9.8	6	0.1	111	1.8	1229	19.7	6223	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 28(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis : 2012 - 2016 Females Kamrup urban

ICD-10	Site	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone M	larrow	Oth	ers	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	14	87.5	-	-			-	-	-	-	2	12.5	16	100.0
C01-C02	Tongue	76	88.4	-	-	1	1.2	-			-	9	10.5	86	100.0
C03-C06	Mouth	153	89.0		-	2	1.2		i i	- 3	7	17	9.9	172	100.0
C07-C08	Salivary Gland	12	57.1	1	4.8	5	23.8	2 2	25 P <u>a</u>	12	-	3	14.3	21	100.0
C09	Tonsil	46	93.9		1.0		20.0	2	12	12	12	3	6.1	49	100.0
C10	Oth. Oropharynx	39	86.7	-		2	4.4		10	-		4	8.9	45	100.0
C11	Nasopharynx	13	100.0	-			7.7						0.0	13	100.0
C12-C13	Commence of the control of the contr	77				2	2.2		in	17	: 	12	13.2	91	100.0
C. Commission of the Commissio	Hypopharynx		84.6			2	2.2								
C14	Pharynx Unspecified	8	34.8		-		-			•	-	15	65.2	23	100.0
C15	Oesophagus	393	86.0	- 4	93	5	1.1	- 2		-	-	59	12.9	457	100.0
C16	Stomach	141	63.2	3	1.3	8	3.6	-	4		-	71	31.8	223	100.0
C17	Small Intestine	9	90.0		-	-	7-2		Œ.	34	-	1	10.0	10	100.0
C18	Colon	71	65.7	*	-	7	6.5	×	H		: *	30	27.8	108	100.0
C19-C20	Rectum	104	93.7	洒			\ -		iš	標	: e :	7	6.3	111	100.0
C21	Anus & Anal Canal	16	94.1	5		1	5.9		虚	17		85		17	100.0
C22	Liver	24	25.8			16	17.2	-		-	-	53	57.0	93	100.0
C23-C24	Gallbladder etc.	174	39.9	5	1.1	74	17.0	9	2	95	-	183	42.0	436	100.0
C25	Pancreas	30	55.6	1	0.00	4	7.4	9	- 4	14	92	19	35.2	54	100.0
C30-C31	Nose, Sinuses etc.	8	88.9			_	-	2	Œ	24		1	11.1	9	100.0
C32	Larynx	16	61.5	1	3.8	1	3.8	<u></u>	_	-		8	30.8	26	100.0
C33-C34	Lung etc.	51	28.2	11	6.1	70	38.7		- 1	3.50		49	27.1	181	100.0
	The state of the s	1			0.1	4		- 5	- 5		::T:				
C37-C38	Other Thoracic Organs	- 20	16.7			4	66.7			1.7		1	16.7	6	100.0
C40-C41	Bone	21	80.8	•	-	•	-	-	•	-	-	5	19.2	26	100.0
C43	Melanoma of Skin	24	92.3	- 2	-		-	- 2	-	-	-	2	7.7	26	100.0
C44	Other Skin	32	72.7		-	2	4.5	=	14	(4)	-	10	22.7	44	100.0
C45	Mesothelioma	*	*	*	-	7-6	-	-	*	*	l'æ	(*	×	*	
C46	Kaposi Sarcoma	#3	-				-	=		:=	-	()=	*		9
C47+C49	Conn. & Soft Tissue	20	87.0			1	4.3	=	Ħ		(-	2	8.7	23	100.0
C50	Breast	702	83.6	5	0.6	53	6.3			-		80	9.5	840	100.0
C51	Vulva	12	92.3	2	-		94	2	12	-	14	1	7.7	13	100.0
C52	Vagina	18	94.7	12		1	5.3	2	ä	14	14	9 #	=	19	100.0
C53	Cervix Uteri	377	91.5	2	-	4	1.0	2	*	:=	:4:	31	7.5	412	100.0
C54	Corpus Uteri	93	87.7	-	-	2	1.9	В	14		-	11	10.4	106	100.0
C55	Uterus Unspecified	8	66.7	-	-	-		_	_	-		4	33.3	12	100.0
C56	Ovary etc.	211	71.0	2	0.7	35	11.8					49	16.5	297	100.0
C57	Other Female Genital	4	100.0		0.1	00	11.0	- 2		(7)	170	.40	10.0	4	100.0
C58	Placenta	4	100.0	- 17		1.T	0.57			- 7	15Ts	4	100.0	1	100.0
100000	Day of the second secon		77.4	-	-	-	0.7	-			(-	1			
C64	Kidney etc.	24	77.4	2	6.5	3	9.7	-	-			2	6.5	31	100.0
C65	Renal Pelvis	20	2	2	-	24	-	2	ä	(#)	-	17 <u>0</u>	2	12	
C66	Ureter	€ 0.500×1	₩:	*	-	-	·-	*	9	-	:=	(*)	*	Coordinate	995040400
C67	Bladder	24	92.3	8	-	:=:				-		2	7.7	26	100.0
C68	Uns.Urinary Organs	1	100.0			-		5			17	i =	Ħ.	1	100.0
C69	Eye	3	100.0		.=.	17	-			-	:7:	5975		3	100.0
C70-C72	Brain, Nervous System	64	74.4	2	12	1	1.2	5	E E	12	-	21	24.4	86	100.0
C73	Thyroid	110	73.3	1	0.7	24	16.0		¥	=	*	15	10.0	150	100.0
C74	Adrenal Gland	2	100.0		-	1141	12	¥		144	-	(/ a)	-	2	100.0
C81	Hodgkins Disease	11	52.4	*	-	9	42.9	*	-	1	4.8		-	21	100.0
C82-C85	NHL	49	59.8	1	Secretary Sec.	28	34.1	_	.=	1	1.2	3	3.7	82	100.0
C88	Malig Imn.Prol D	-	-		-			-	_	-	-	_		-	
C90	Multiple Myeloma	7	18.4		55	686 (4)	12	<u> </u>		29	76.3	2	5.3	38	100.0
C90	Lymphoid Leuk.	2	10.4		- S	-		1	5.0	16	80.0	1	5.0	20	100.0
AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	12. 12. 12. 12. 12. 12. 12. 12. 12. 12.	-	222		-	1.			5.0	-		5000		10000	1000000
C92-C94	Myeloid Leukaemia	7	20.0	<u>~</u>	-	-	-	-	· ·	21	60.0	7	20.0	35	100.0
C95	Leukaemia Uns		-	*		:=	/ E	*	*	4	44.4	5	55.6	9	100.0
C96	CMD,O&U LHM		*			1=	(-	*	*	; -		(*	*	77007700	500000000
O&U *	Other and Uns	9	4.2	64	29.6	91	42.1				:	52	24.1	216	100.0
	All Sites	3311	69.1	97	2.0	456	9.5	1	0.0	72	1.5	853	17.8	4790	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 28(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Males Kamrup urban

100.40	Cita	0-64	Years	0-74	Years
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.1	0.1	0.2	0.2
C01-C02	Tongue	0.6	0.6	1.1	1.1
C03-C06	Mouth	0.9	0.9	1.5	1.5
C07-C08	Salivary Gland	0.0	0.0	0.1	0.1
C09	Tonsil	0.3	0.3	0.5	0.5
C10	Oth. Oropharynx	0.3	0.3	0.5	0.5
C11	Nasopharynx	0.0	0.0	0.1	0.1
C12-C13	Hypopharynx	1.2	1.2	2.4	2.4
C14	Pharynx Unspecified	0.2	0.2	0.4	0.4
C15	Oesophagus	1.8	1.8	3.8	3.7
C16	Stomach	0.8	0.8	1.6	1.6
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.3	0.3	0.6	0.6
C19-C20	Rectum	0.3	0.3	0.6	0.6
C21	Anus & Anal Canal	0.0	0.0	0.1	0.1
C22	Liver	0.3	0.3	0.9	0.9
C23-C24	Gallbladder etc.	0.5	0.5	1.0	1.0
C25	Pancreas	0.2	0.2	0.4	0.4
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.4	0.4	1.0	1.0
C33-C34	Lung etc.	0.9	0.8	2.3	2.3
C37-C38	Other Thoracic Organs	0.1	0.1	0.1	0.1
C40-C41	Bone	0.1	0.1	0.2	0.2
C43	Melanoma of Skin	0.1	0.1	0.2	0.2
C44	Other Skin	0.2	0.2	0.3	0.3
C45	Mesothelioma	0.0	0.0	0.0	0.0
C46	Kaposi Sarcoma	0.0	0.0		- 0.0
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.1	0.1
C50	Breast	0.1	0.1	0.1	0.1
C60	Penis	0.1	0.1	0.2	0.2
C61	Prostate	0.3	0.3	1.2	1.2
C62	Testis	0.0	0.0	0.1	0.1
C63	Other Male Genital	-	-	0.0	0.0
C64	Kidney etc.	0.2	0.2	0.3	0.3
C65	Renal Pelvis		-	-	0.0
C66	Ureter	0.0	0.0	0.0	0.0
C67	Bladder	0.2	0.2	0.4	0.4
C68	Uns.Urinary Organs	0.0	0.0	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.2	0.0	0.4	0.4
C73	Thyroid	0.1	0.1	0.4	0.4
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.0	0.0	0.0	0.0
C82-C85	NHL	0.0	0.0	0.6	0.6
C88	White the control of	0.2	0.2	0.0	0.0
C90	Malig Imn.Prol D Multiple Myeloma	0.1	0.1	0.3	0.3
C91	Lymphoid Leuk.	0.1	0.1	0.3	0.3
C92-C94		0.1	0.1	0.1	0.1
C95	Myeloid Leukaemia				
C96	Leukaemia Uns	0.0	0.0	0.0	0.0
O&U *	CMD,O&U LHM	0.0	700	0.0	
Uau	Other and Uns	0.7	0.7	1.5	1.5
	All Sites	12.11	11.40	25.59	22.58

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 28(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2016 Females Kamrup urban

ICD-10	Site	0-64	Years	0-74	Years
100-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.1	0.1
C01-C02	Tongue	0.2	0.2	0.4	0.4
C03-C06	Mouth	0.4	0.4	0.7	0.7
C07-C08	Salivary Gland	0.0	0.0	0.1	0.1
C09	Tonsil	0.1	0.1	0.2	0.2
C10	Oth. Oropharynx	0.1	0.1	0.2	0.2
C11	Nasopharynx	0.0	0.0	0.1	0.1
C12-C13	Hypopharynx	0.2	0.2	0.5	0.5
C14	Pharynx Unspecified	0.0	0.0	0.1	0.1
C15	Oesophagus	1.1	1.1	2.3	2.3
C16	Stomach	0.5	0.5	0.9	0.9
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	0.3	0.3	0.4	0.4
C21	Anus & Anal Canal	0.0	0.0	0.1	0.1
C22	Liver	0.2	0.2	0.3	0.3
C23-C24	Gallbladder etc.	1.0	1.0	2.0	1.9
C25	Pancreas	0.1	0.1	0.3	0.3
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.5	0.5	0.8	0.8
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	0.0	0.0	0.1	0.1
C44	Other Skin	0.1	0.0	0.1	0.1
C45	Mesothelioma	-	0.1	-	0.1
C46	Kaposi Sarcoma				
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50					
C51	Breast	2.0	2.0	3.1	3.1
C52	Vulva	0.0	0.0	0.0	0.0
C52	Vagina	0.1	0.1	0.1	0.1
C54	Cervix Uteri	1.1	1.1	1.6	1.6
C55	Corpus Uteri	0.3	0.3	0.5	0.5
CONTRACTO	Uterus Unspecified	0.0	0.0	0.0	0.0
C56 C57	Ovary etc.	0.7	0.7	1.1	1.1
C57	Other Female Genital	0.0	0.0	0.0	0.0
	Placenta	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.1	0.1	0.2	0.2
C65	Renal Pelvis				13
C66	Ureter		-		(4)
C67	Bladder	0.0	0.0	0.1	0.1
C68	Uns.Urinary Organs	0.0	0.0	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.3	0.3	0.4	0.4
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.0	0.0	0.0	0.0
C82-C85	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	•		
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.0	0.0	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	0.0	0.0	0.0	0.0
C96	CMD,O&U LHM	i a		15	H.
O&U *	Other and Uns	0.5	0.5	1.0	1.0
	All Sites	11.28	10.67	19.98	18.11

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)