





Impacting NCD Public Health Actions and Policies
Collaborate Innovate Inspire

Table 11(a) Population by Five Year Age Group and Gender Number and Relative Proportion (%): 2012 - 2015

Osmanabad & Beed

	Male	es	Fem	ales
Age Group	Number	%	Number	%
00-04	873476	9.44	704298	8.32
05-09	869276	9.40	728419	8.61
10-14	894032	9.66	775385	9.16
15-19	976822	10.56	796640	9.41
20-24	962469	10.40	808971	9.56
25-29	757912	8.19	685044	8.09
30-34	613732	6.63	596783	7.05
35-39	577200	6.24	584855	6.91
40-44	540683	5.84	506611	5.99
45-49	436404	4.72	422325	4.99
50-54	374859	4.05	339850	4.02
55-59	281471	3.04	294533	3.48
60-64	287631	3.11	372017	4.40
65-69	327692	3.54	364206	4.30
70-74	248765	2.69	229367	2.71
75+	228988	2.48	254584	3.01
Total	9251412	100.00	8463888	100.00

Area(Sq.Km): 18262

Figure 11(a) Population Pyramid showing Five Year Age Distribution : 2012 - 2015
Osmanabad & Beed












Table 11(b) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2015 Males %= Relative Proportion of Cancers of All Sites

Osmanabad & Beed

ICD-10	Site	00-04	05-09	10-14	15-19	20.24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	00-04	05-09	10-14	15-19	20-24	25-29	2	2	40-44	45-49	30-54	55-59	2	1	2	75+	Unkn	Total 16	0.44
C01-C02	Tongue	92	72		25	1	11	29	34	50	26	23	26	37	52	15	23	1	328	9.02
C03-C06	Mouth	156			- 6	4	13	27	48	67	56	43	41	37	51	23	22	8	432	11.88
C07-C08	Salivary Gland			2:	1	2	1	3	3	2	1	1	1	1	3	1	150.00.00		20	0.55
C09	Tonsil	- 670	157	7.0		-	,		2	4	2	2	2	3	2	2	3	- 8	22	0.61
C10	CONTROL MAIN PROPERTY OF THE P	15	8-0	- 5	5			1.5		- 4		2	1	2	3	- 2	4	- 5	12	0.33
GUIDAO	Oth. Oropharynx		18.50	-		-		1.00 A	1	1.5	8	1	100	1	3	335	4		110	SCHOOLS
C11 C12-C13	Nasopharynx		()	-		1			1	-	-	1720	1	110000	-	47	- 04		5	0.14
000000	Hypopharynx	-	-	-	*	-	1	1	2	1	2	2	6	13	28	17	24	-	97	2.67
C14	Pharynx Unspecified	-	1	-	*		-	-	1	1	1	3	5	-	3	4	3	-	22	0.61
C15	Oesophagus	-		-	¥	-	-	12	4	5	7	17	24	34	42	31	35	9	199	5.47
C16	Stomach		•	-	•	1	1	1	1	11	14	12	16	23	26	25	31	-	162	4.46
C17	Small Intestine	A.E.))=	5	5		ē	1	17	0.73	5	1	1	1	6	1870	2	8	12	0.33
C18	Colon	- 15	1.5	7	#	2	2	2	5	4	8	8	2	10	9	5	7		64	1.76
C19-C20	Rectum	:=		-		2	2	6	6	10	10	13	7	7	27	14	13		117	3.22
C21	Anus & Anal Canal		: :		×	-	•	1	1	1	1	3	2	3	4	10	2		28	0.77
C22	Liver	2	11-	-	×	-	1	4	4	6	8	14	15	25	40	27	17	1	164	4.51
C23-C24	Gallbladder etc.	74	82	20	¥	2	5	1	74	2	4	5	2	1	6	5	2	2	28	0.77
C25	Pancreas	72	172	2	2	12	12	12	2	1	2	3	3	1	5	3	2	0	22	0.61
C30-C31	Nose, Sinuses etc.	•	•	2				1	1	(-	(e)	1	1.00	3	•			- 6	6	0.17
C32	Larynx	18	1.5	-		2	1	1	1	8	5	6	8	16	28	25	31	5	132	3.63
C33-C34	Lung etc.		(17)	-		1		5	4	2	12	19	17	26	42	25	24		177	4.87
C37-C38	Other Thoracic Organs	-		1			1	1			1		1	4	4	2	4	*	19	0.52
C40-C41	Bone	-	14	2	10	9	4	1	2	4	4	8	7	7	10	7	5		80	2.20
C43	Melanoma of Skin	(-	(*)	1	¥	4	2	3	-	3	3	4	3	5	7	7	8	-	50	1.38
C44	Other Skin	1	7/4		¥	2	=	2	-	5	3	2	5	6	10	6	8	2	50	1.38
C45	Mesothelioma	-	172	- 2	2		×	14	-	1/2	2	- 4	12	-	-	172	-	20	- 2	-
C46	Kaposi Sarcoma	1			- 6	3						- 8	Ž.						1	0.03
C47+C49	Conn. & Soft Tissue	1	1			1	1	1		1	1	4	1	4	6	2	4	-	28	0.77
C50	Breast		1	1		-	-	2	1	6	5	6	3	9	8	3	3	1	49	1.35
C60	Penis	_		Ì		-		3	6	5	8	10	6	15	21	12	14		100	2.75
C61	Prostate				2	_		18			1	5	9	22	41	47	41	1	169	4.65
C62	Testis	1	-		2	2	7	7	7	7	3	3	1	6	8	9	7	2	68	1.87
C63	Other Male Genital	7=	9/44		2	-	- 6		941	122		1	12	-	-	1	2		2	0.06
C64	Kidney etc.	4	2	1		1	1	2	1	3	2	4	6	6	4	4	7	. 5	48	1.32
C65	Renal Pelvis	- St	-	- 1			*	-	18. 12.				,	9			100		40	1.02
C66	Ureter	150	150	- 5	5	8	E.	150	15)	(5)				- 5		172	2	5		- 3
C67	Bladder	150	1	- 5		3	1		- 5		1	10	8	17	14	10	15	8	77	2.12
C68			- 1	-			1	:#:	(a)	-	10		0	317	14	10	13		1	0.03
C69	Uns.Urinary Organs	1		7		- 4	7	(*)		•	, X	1			2	2	-		9	0.03
74 SHEET SHEETS	Eye	3	1		10	1	1	7	-	-	- 40	-	9	-	9	(100)	-		100	
C70-C72	Brain, Nervous System	3	4	4	10	2	8	7	8	6	10	4	120	6	120	5	4	1	100	2.75
C73	Thyroid		-		2	3	-	1	1	2	4	3	4	5	5	3	1		30	0.83
C74	Adrenal Gland	7-	76 -	-			-	12	-	-	-		-	-	-	172	-	-	-	- 0.00
C81	Hodgkins Disease		•	3	3	4	6	1	2		3	5		2		•	1		25	0.69
C82-C85	NHL	- 15	1	4	5	2	ē	7	5	10	4	7	9	14	15	5	8		96	2.64
C88	Malig Imn.Prol D		J.S.	- 5	Ħ			5#S	1.5	(1000		## 92		::	59 7 5	7/28		1000	(m) Namens
C90	Multiple Myeloma	(# <u>.</u>	39	1	1000) B	-	: *	1	1	2	1	1	2		2	3	-	13	0.36
C91	Lymphoid Leuk.	8	6	7	5	5	6	4		2	1	2	3	4	8	6	2		69	1.90
C92-C94	Myeloid Leukaemia	-	1	1	2	6	7	4	4	6	2	5	3	4	8	6	2	2	61	1.68
C95	Leukaemia Uns	-	82	1	2	1	्	1	125	-	20	1	1	2	1	82	1	9	11	0.30
C96	CMD,O&U LHM	-		-	•	9	•	-	-	-		3	•	-	•	-	-	-	•	-
O&U *	Other and Uns	1	6	4	10	2	10	17	13	28	25	33	24	55	72	58	54	2	414	11.39
	All Sites	23	25	30	53	61	88	149	173	268	238	296	284	441	631	431	437	7	3635	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 11(c) Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2012 - 2015 Females %= Relative Proportion of Cancers of All Sites

Osmanabad & Beed

ICD 10	Cito	00.04	05.00	10 14	15 10	20.24	25 20	30-34	35-39	40-44	45-49	50-54	55-59	60-64	6E 60	70.74	75.	Lloke	Total	0/
ICD-10 C00	Site	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	2	65-69 2	70-74	75+ 1	Unkn	Total 9	% 0.20
C01-C02	Tongue	35	12	192		200	3	3	6	14	14	13	11	23	20	14	3	5	121	2.71
C03-C06	Mouth				1	1		2	6	10	9	11	12	22	18	17	11		120	2.69
C07-C08	Salivary Gland	- E		157			2	-	U	1	9	2	12	1	2	4	1	- R	11	0.25
C09	Tonsil	\$35 22	- 原	855	1.5				1	(4)	1	1		1	3	:75%	2		9	0.20
C10	Oth. Oropharynx			NET		. 8		10. (-	31	8.50					1	N. T.			1	0.02
C11	Nasopharynx	10		1970	170		. 5	1	1	1			1	1		1			6	0.13
C12-C13	Hypopharynx			172	725			1	1	1	3	3	1	3	4	6	1		24	0.54
C14	Pharynx Unspecified	10	-	932		2	2	12		1		1	- 3	2	1	12	1	-	6	0.13
C15	Oesophagus	12		172	17		-	1	5	7	13	10	14	23	24	21	10		128	2.87
C16	Stomach			100	72	1	4	1	4	13	6	5	4	26	13	11	12	- 8	100	2.24
C17	Small Intestine	- 55		100			Sag	- 2	1	1	-	1	1		2	2	1,51	- 8	8	0.18
C18	Colon	hid A	Car	1850	100	3	- 0	2	3	3	6	6	6	13	13	3	3	_	61	1.37
C19-C20	Rectum	1.0		100	2		3	3	9	8	10	15	6	12	6	9	8		91	2.04
C21	Anus & Anal Canal	27		1950			-	2	3	1	10	2	1	3	2	1	3	-	18	0.40
C22	Liver	2		104		1	1	1	2	6	4	2	6	13	18	5	7	1	69	1.54
C23-C24	Gallbladder etc.		500	ij <u>e</u>	725	20	1	1	1	-	3	1	2	3	5	4	1	- 1	22	0.49
C25-C24	Pancreas		150	82	18	20	1	1	in the	82	9	2	4	3	3	1	- 1	8	15	0.49
C30-C31	Nose, Sinuses etc.	12		82	72	25	· ·	1	1	2	2	1	7.0	3	2	11. ⁴ / ₂	2	2	9	0.20
C32	Larynx	- 4				- 6	- 3	2	1	1	3	2	- 3	3	6	3	1	- 5	22	0.49
C33-C34	Lung etc.	2	- A	65	1000	1	1	1	5	8	8	8	14	8	19	9	9		93	2.08
C37-C38	Other Thoracic Organs	-		889	_				1	1	1	-	1	1	3	1	1	_	10	0.22
C40-C41	Bone	111	1	2	1	5	4	9.0	1	4	5	1	3	10	9	4	2	_	54	1.21
C43	Melanoma of Skin	1	-	7-	1	-	2	3	2	2	1	5	1	12	4	8	6	_	48	1.07
C44	Other Skin	(4	1=	(-	2	1	2	2	-	-	2	4		10	4	8	3	_	38	0.85
C45	Mesothelioma	12	12	174		2		2	12	374	2	2	2	2	12	-	2			-
C46	Kaposi Sarcoma	74	12	172	12	2	2	4	-	12	2	- 2		2		12	2		12	
C47+C49	Conn. & Soft Tissue		-	-	2			-		2	2		1	5	2	1	শ		16	0.36
C50	Breast	1	_	-	3	7	14	34	82	129	133	120	90	145	158	77	52	4	1049	23.48
C51	Vulva	-	(-		-	_	-		-	-	1	1	2	4	6	4	4	-	22	0.49
C52	Vagina	(=		0(4	-		1	1	2	2	5	8	6	11	6	2	3	_	47	1.05
C53	Cervix Uteri			7(=	7.0	3	12	27	67	100	123	145	121	210	190	95	73	1	1167	26.12
C54	Corpus Uteri	84	-	(i+	120	*	1	2	1	5	14	8	7	11	6	5	4	-	64	1.43
C55	Uterus Unspecified	82	ः	82	10	1	2	14	2	5	4	2	2	12	15	7	3	9	53	1.19
C56	Ovary etc.	12	-1	2	5	5	3	8	8	22	21	20	16	39	50	21	10	0	231	5.17
C57	Other Female Genital	100	-	-		3	-	1		-	-	8	-		-			ş	-	(a)
C58	Placenta		-	13.7	-	77	-		-	-	-	-			-	-	-	-	-	
C64	Kidney etc.	3	2	1				1	1	6	2	2	3	3	4		2	-	30	0.67
C65	Renal Pelvis	9#		(I#				98		2 .	+					2.00		-	:8	
C66	Ureter			1:4:) ()		*			(*	*	_		-			*	-	·	
C67	Bladder	:=		110) -	¥		2	-	3	1	5	2	9	6	7	7		42	0.94
C68	Uns.Urinary Organs	84	1=	() <u>=</u>	12	=	2	14	12	-	43		2	12) =)	-	2	2	12	-
C69	Eye	1	(2)	# <u>=</u>	74	20	2	12	1	12	2	2	2	1	2	12	2		7	0.16
C70-C72	Brain, Nervous System	2	5	6	1	3	5	3	5	8	5	3	2	4	3	1	1	-1	58	1.30
C73	Thyroid	-	1	•	2	3	12	15	7	17	8	11	4	7	11	4	3	1	106	2.37
C74	Adrenal Gland	15	1	j. 	-	5		15	-	1.5	1		-	1			-	5	3	0.07
C81	Hodgkins Disease	15	(=)	2	1	3	5	:=	1	1	1		5	1	1	1	-		12	0.27
C82-C85	NHL	Ş =		2	1	2	3	3	4	2	5	2	5	6	6	3	2	-	46	1.03
C88	Malig Imn.Prol D	19-	-	00	200	*	-) =	-	-	-	-		-	-	:=	-	-		·*
C90	Multiple Myeloma	(4	-	(₹	725	10	=	12	-	1	4	2	1	1	3	() = (-	8	0.18
C91	Lymphoid Leuk.	3	6	3	5	3	2	4	3	1	1	4	1	3	123	-	2		37	0.83
C92-C94	Myeloid Leukaemia	1	1	1	2	4	2	9	3	3	6	8	5	6	4	1	1	5	57	1.28
C95	Leukaemia Uns	1	1	-		-	-	1	•	-	1				1	-			5	0.11
C96	CMD,O&U LHM	15	1.7			7.			1.5). 	-	-	-	-)\ =		-	-	=
O&U *	Other and Uns	2	2	5	6	3	10	6	13	16	22	23	22	52	56	48	25	3	314	7.03
	All Sites	19	21	24	35	50	82	147	255	408	449	460	378	726	714	409	279	11	4467	100.0
* 0811 inc	cludes the Sites(ICD-1	0.026	C20 /	249 0	75 C7	6 C77	C79	C70 C	90 00	7\										

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Table 11(d) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2015 Males Osmanabad & Beed

ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	2	-		-	- 4	9	0.3	0.3	0.7	-	0.8	- 3	0.7	0.3	0.8	-	0.2	0.18	0.05	0.4
C01-C02	29	-		12	0.1	1.5	4.7	5.9	9.2	6.0	6.1	9.2	12.9	15.9	6.0	10.0	3.5	3.66	0.21	7.9
C03-C06	#	(=	(# <u>.</u>	7-	0.4	1.7	4.4	8.3	12.4	12.8	11.5	14.6	12.9	15.6	9.2	9.6	4.7	4.96	0.24	11.9
C07-C08	¥	i (+)	7.	0.1	0.2	0.1	0.5	0.5	0.4	0.2	0.3	0.4	0.3	0.9	0.4	1960	0.2	0.21	0.05	0.4
C09	-	(C +)		7=	5	-		0.3	0.7	0.5	0.5	0.7	1.0	0.6	0.8	1.3	0.2	0.25	0.05	0.6
C10		0,70	-	(*	in 1	-		1.5		1.75	0.5	0.4	0.7	0.9	:=:	1.7	0.1	0.13	0.04	0.2
C11			.=	-	0.1	-		0.2	.=.	-	0.3	0.4	0.3		-	-	0.1	0.06	0.03	0.2
C12-C13	2	-	-	2	14	0.1	0.2	0.3	0.2	0.5	0.5	2.1	4.5	8.5	6.8	10.5	1.0	0.98	0.10	1.1
C14	E E	0.1	- 12	- 12	32	2	¥	0.2	0.2	0.2	0.8	1.8	2	0.9	1.6	1.3	0.2	0.24	0.05	0.5
C15	#	7-3	2.4	-	220000		#2 9000000	0.7	0.9	1.6	4.5	8.5	11.8	12.8	12.5	15.3	2.2	2.17	0.16	4.0
C16	*	(-	S=	(-	0.1	0.1	0.2	0.2	2.0	3.2	3.2	5.7	8.0	7.9	10.0	13.5	1.8	1.77	0.14	3.3
C17	Ħ	1,-	:=	; - ;	S =	3	0.2	1 -	15=	7=	0.3	0.4	0.3	1.8	1.7	0.9	0.1	0.12	0.04	0.1
C18		R#	-	-	0.2	0.3	0.3	0.9	0.7	1.8	2.1	0.7	3.5	2.7	2.0	3.1	0.7	0.72	0.09	1.6
C19-C20		0.7	S.7.	7.7	0.2	0.3	1.0	1.0	1.8	2.3	3.5	2.5	2.4	8.2	5.6	5.7	1.3	1.25	0.12	2.2
C21	2			-	14		0.2	0.2	0.2	0.2	0.8	0.7	1.0	1.2	4.0	0.9	0.3	0.29	0.06	0.5
C22	0.2	1740	9 4	72	14	0.1	0.7	0.7	1.1	1.8	3.7	5.3	8.7	12.2	10.9	7.4	1.8	1.77	0.14	3.1
C23-C24	#	11-0	-	-	:=		0.2		0.4	0.9	1.3	0.7	0.3	1.8	2.0	0.9	0.3	0.31	0.06	0.6
C25	*		2.4	2.40	:=		#: (2)(22)	0.3	0.2	0.5	0.8	1.1	0.3	1.5	1.2	0.9	0.2	0.24	0.05	0.5
C30-C31	Ħ	(-	1.5	-		-	0.2	0.2	(5	-	0.3	10000	1.0	S-	-		0.1	0.08	0.03	0.2
C32		8.5	- 15	7.5	0.2	0.1	0.2	0.2	1.5	1.1	1.6	2.8	5.6	8.5	10.0	13.5	1.4	1.35	0.12	1.9
C33-C34	7.0	11.7	-7	1.7	0.1	-	0.8	0.7	0.4	2.7	5.1	6.0	9.0	12.8	10.0	10.5	1.9	1.94	0.15	3.5
C37-C38		-	0.1	- 4.0	-	0.1	0.2	-		0.2		0.4	1.4	1.2	0.8	1.7	0.2	0.20	0.05	0.3
C40-C41	2	-	0.2	1.0	0.9	0.5	0.2	0.3	0.7	0.9	2.1	2.5	2.4	3.1	2.8	2.2	0.9	0.85	0.10	1.4
C43		-	0.1	-	0.4	0.3	0.5	-	0.6	0.7	1,1	1.1	1.7	2.1	2.8	3.5	0.5	0.52	0.08	8.0
C44	0.1	-	1.9	-	0.2	-	0.3	-	0.9	0.7	0.5	1.8	2.1	3.1	2.4	3.5	0.5	0.54	0.08	0.9
C45 C46	0.1	-	3.5	7.5)=			-	8.	7.5	9.5	:5		67		(#)	0.0	0.01	0.01	- 5
C47+C49	0.1	0.1		- 5	0.1	0.1	0.2		0.2	0.2	1.1	0.4	1.4	1.8	0.8	1.7	0.3	0.01	0.06	0.5
C50	0.1	0.1	0.1		0.1	0.1	0.2	0.2	1.1	1.1	1.6	1.1	3.1	2.4	1.2	1.3	0.5	0.56	0.08	1.3
C60	2	0.1	0.1	721	92	-	0.5	1.0	0.9	1.8	2.7	2.1	5.2	6.4	4.8	6.1	1.1	1.10	0.00	2.1
C61				0.2			0.5	1.0	0.5	0.2	1.3	3.2	7.6	12.5	18.9	17.9	1.8	1.64	0.13	1.7
C62	0.1			0.2	0.2	0.9	1.1	1.2	1.3	0.7	0.8	0.4	2.1	2.4	3.6	3.1	0.7	0.71	0.09	1.1
C63	0.1				0.2	0.5		1.2	1.0	0.7	0.3	0.4	2.1	2.4	0.4	0.1	0.0	0.02	0.02	0.0
C64	0.5	0.2	0.1	_	0.1	0.1	0.3	0.2	0.6	0.5	1.1	2.1	2.1	1.2	1.6	3.1	0.5	0.55	0.08	0.9
C65	-	-	-		-	-	-	-	-	-	-	-		,	1.0	-	-	-	-	-
C66	2		2		2	-	2	94	-		2	-	2	/=	8		- 2	2	2	2
C67	2	0.1	1	123	12	0.1	2	- 12	92	0.2	2.7	2.8	5.9	4.3	4.0	6.6	0.8	0.86	0.10	1.6
C68	2	0.1	94	72	12	-	2	1920	24	-	0.3		0.5	1.5	1.0	-	0.0	0.01	0.01	0.0
C69	0.1	0.1	24	0.1	0.1	0.1	-	-	94	740	-	-		0.6	0.8		0.1	12270000000	0.03	-
C70-C72	0.3	0.5	0.4	1.0	0.2	1.1	1.1	1.4	1.1	2.3	1.1	3.2	2.1	2.7	2.0	1.7	1.1	1.10	0.11	1.8
C73	-			0.2	0.3	-	0.2	0.2	0.4	-	0.8	1.4	1.7	1.5	1.2	0.4	0.3	0.33	0.06	0.6
C74	7.		-	-	-	-	-	-	-	-	-	-	-		-	-		-	-	-
C81	2	- 1	0.3	0.3	0.4	0.8	0.2	0.3		0.7	-	2	0.7	/-	-	0.4	0.3	0.26	0.05	0.3
C82-C85	20	0.1	0.4	0.5	0.2	-	1.1	0.9	1.8	0.9	1.9	3.2	4.9	4.6	2.0	3.5	1.0	1.06	0.11	2.0
C88	- 10	1-3	-	(4)		<u> </u>	12	74	104	14	-	-	-	74	-	140	(4	12	=	-
C90	*	(*)		: .			*	0.2	0.2	0.5	0.3	0.4	0.7	100	0.8	1.3	0.1	0.15	0.04	0.3
C91	0.9	0.7	0.8	0.5	0.5	0.8	0.7	-	0.4	0.2	0.5	1.1	1.4	2.4	2.4	0.9	0.7	0.74	0.09	0.5
C92-C94	ž.	0.1	0.1	0.2	0.6	0.9	0.7	0.7	1.1	0.5	1.3	1.1	1.4	2.4	2.4	0.9	0.7	0.64	0.08	1.0
C95			0.1	0.2	0.1	-	0.2		- 19	-	0.3	0.4	0.7	0.3		0.4	0.1	0.12	0.04	0.2
C96	20	-	-	12	12	<u> </u>	<u> </u>	72	-	¥	12	2	2	12	-	2	1/2	¥	2	2
O&U *	0.1	0.7	0.4	1.0	0.2	1.3	2.8	2.3	5.2	5.7	8.8	8.5	19.1	22.0	23.3	23.6	4.5	4.44	0.22	7.5
All Sites	2.6	2.9	3.4	5.4	6.3	11.6	24.3	30.0	49.6	54.5	79.0	100.9	153.3	192.6	173.3	190.8	39.3	39.5	0.67	71.5

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)







Table 11(e) Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and Truncated (35-64yrs) (TR) Incidence Rate per 100,000 population : 2012 - 2015 Females Osmanabad & Beed

100.40	00.04	05.00	40.44	45.40	00.04	05.00	20.24	05.00	10.44	15.10	F0 F4	FF F0	00.04	05.00	70.74	75.	00	445	0.5	TO
ICD-10	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CR	AAR	SE	TR
C00	0.2	57		=	•		0.2	0.2		0.5	2.0	3.7	0.5	0.5	- 64	0.4	0.1	0.09	0.03	0.2
C01-C02	37.	- 1		0.4	0.1	i.e.	0.5	1.0	2.8	3.3 2.1	3.8		6.2	5.5	6.1	1.2	1.4	1.35	0.13	3.3
C03-C06	15.5 16.5		- 5	0.1	A gard	.T.	0.3	1.0	2000000		3.2	4.1	5.9	4.9	7.4	4.3	1.4	1.29		2.8
C07-C08	(**)	-	-	- 10	100	-	-	0.2	0.2	0.2	0.6	-	0.3	0.5	1.7	0.4	0.1	0.11	0.03	0.2
C09 C10				-		1-2		0.2		0.2	0.3	-	0.3	0.8	74	0.8	0.1	0.09	0.03	0.2
C10		-		-	\ <u>-</u>	: 	0.2	0.2	0.2	-		0.3	0.3	0.3	10000000	-	0.0	\$90,000,000	0.01	0.1
Parameter Manager	O.F.	1.5.					0.2	0.2	0.2	0.7	0.9	0.3	20000000	1.1	0.4	0.4	0.1	0.07	1.0000000000000000000000000000000000000	0.1
C12-C13	1.5				65		0.2		0.2		0.3		0.8	0.3	2.6			0.26	0.05	
C14	(5) (5)				37		0.2	0.0	- Constant	2.4	2.9	4.8	0.5 6.2		9.2	0.4	0.1		0.03	0.2
C15		-	-		0.1	0.6	10 10	0.9	1.4 2.6	3.1	1.5		7.0	6.6	10000	3.9 4.7	1.5	1.37	0.12	2.9
C16		-		-	0.1	0.6	0.2	0.7	0.2	1.4	0.3	1.4		3.6	4.8		1.2	1.05	0.11	2220
C17	19	(*)		-	0.4		0.3	0.2	0007697	- 4.4	200000	0.3	2.5	0.5	0.9	4.0	0.1	0.08	0.03	0.2
C18	S - 9,			0.3	0.4	0.4	0000000	0.5	0.6	1.4	1.8	2.0	3.5	3.6	1.3	1.2	0.7	0.67	0.09	1.5
C19-C20		-		0.3	1.5	0.4	0.5	1.5	1.6	2.4	4.4	2.0	3.2	1.6	3.9	3.1	1.1	1.04	0.11	2.5
C21	- 0.2				0.4	- 0.4	0.3	0.5	0.2	- 0.0	0.6	0.3	0.8	0.5	0.4	1.2	0.2	0.19	0.04	0.4
C22	0.3	-	(40)	-	0.1	0.1	0.2	0.3	1.2	0.9	0.6	2.0	3.5	4.9	2.2	2.7	0.8	0.71	0.09	1.3
C23-C24		-		17.0		0.1	0.2	0.2	120	0.7	0.3	0.7	0.8	1.4	1.7	0.4	0.3	0.23	0.05	0.4
C25				-	- 14	0.1	0.2	0.2	0.4	0.5	0.6	1.4	0.8	0.8	0.4	1	0.2	0.17	0.05	0.4
C30-C31	(#)		_ ~			(=	0.2	0.2	0.4	0.5	and the later	*	- 0.0	0.5	4.0	0.4	0.1	0.10	0.04	0.2
C32	- 0.0	(#)			- 0.4	0.4	0.3	0.2	0.2	0.7	0.6	- 40	0.8	1.6	1.3	0.4	0.3	0.23	0.05	0.4
C33-C34	0.3			- 3	0.1	0.1	0.2	0.9	1.6	1.9	2.4	4.8	2.2	5.2	3.9	3.5	1.1	1.02	0.11	2.1
C37-C38	10.00	0.4	- 0.0	- 0.4	0.0	-	- 0.0	0.2	0.2	0.2	- 0.0	0.3	0.3	0.8	0.4	0.4	0.1	0.10	0.03	0.2
C40-C41	- 0.4	0.1	0.3	0.1	0.6	0.6	0.3	0.2	0.8	1.2	0.3	1.0	2.7	2.5	1.7	0.8	0.6	0.58	0.08	0.9
C43	0.1			0.1	0.4	0.3	0.5	0.3	0.4	0.2	1.5	0.3	3.2	1.1	3.5	2.4	0.6	0.51	0.07	0.9
C44				0.3	0.1	0.3	0.3		*	0.5	1.2	-	2.7	1.1	3.5	1.2	0.4	0.40	0.07	0.6
C45		-	-		:*		75)						28	*	((#)) -	(0	7.	•	:-
C46	3.5	-		- 0.2	- 17	=	Ħ.	0.7	- 0.4	- 0.5	-	0.0	4.0	0.5	- 0.4	- 0.4	- 0.0	0.40	0.04	- 0.4
C47+C49	0.4		- 5	0.3	-	-	-	44.0	0.4	0.5	25.0	0.3	1.3	0.5	0.4	0.4	0.2	0.18	0.04	0.4
C50	0.1	~	-	0.4	0.9	2.0	5.7	14.0	25.5	31.5	35.3	30.6	39.0	43.4	33.6	20.4	12.4	11.81	0.37	28.4
C51		~			-	0.4	0.2	0.2	0.4	0.2	0.3	0.7	1.1	1.6	1.7	1.6	0.3	0.21	0.05	0.3
C52	1.			-	- 0.4	0.1	0.2	0.3	0.4	1.2	2.4	2.0	3.0	1.6	0.9	1.2	0.6	0.54	0.08	1.4
C53	: = :		-		0.4	1.8	4.5	11.5	19.7	29.1	42.7	41.1	56.4	52.2	41.4	28.7	13.8	13.06	0.39	31.1
C54		5 .		7.	0.1	0.1	0.3	0.2	1.0	3.3 0.9	2.4	0.7	3.0	1.6	2.2	1.6	0.8	0.76	0.10	1.9
C55	187	0.1	0.2	0.6	17,2895176	0.4	4 2	0.3	1.0		0.6		3.2	4.1	3.1	1.2	0.6	0.54	0.08	1.0
C56	•	0.1	0.3	0.6	0.6	0.4	1.3	1.4	4.3	5.0	5.9	5.4	10.5	13.7	9.2	3.9	2.7	2.50	0.17	5.1
C57 C58			-	-	100		-	2000		·-	-		-		772		2	-	-	-
C64	0.4	0.3	0.1	-		-	0.2	0.2	1.2	0.5	0.6	1.0	0.8	1.1		0.8	0.4	0.36	0.07	0.7
C65	0.4	0.3	0.1	-	(A)	-	0.2	0.2	1.2	0.5	0.0	1.0	0.0	1.1	()	0.0	0.4	0.30	0.07	0.7
C66	漂		-			通	75)	N.F.	1.5				- 25		0. 5			Ž.		
C67	155.	120			Sto		0.3	15	0.6	0.2	1.5	0.7	2.4	1.6	3.1	2.7	0.5	0.43	0.07	0.8
C68	1	25	5		870	(E)	0.3	100	0.0	0.2	1.5	0.7	2.4	1.0	3.1	2.1	0.5	0.43	0.07	0.0
C69	0.1	-	(II)	-	900	100	100	0.2	-	E.	2		0.3	0.5		0.8	0.1	0.07	0.03	0.1
C70-C72	0.1	0.7	0.8	0.1	0.4	0.7	0.5	0.2	1.6	1.2	0.9	0.7	1.1	0.8	0.4	0.8	0.1	0.67	0.03	1.1
C70-C72	0.3	0.7	0.0	0.1	0.4	1.8	2.5	1.2	3.4	1.2	3.2	1.4	1.1	3.0	1.7	1.2	1.3	1.18	0.09	2.2
C73		0.1		0.3	0.4	1.0	2.0	1.2		0.2	3.2		0.3	3.0	1.7	1.2	0.0	0.04	0.12	0.1
C74 C81		0.1	0.3	0.1	0.4	-		0.2	0.2	0.2	-	-	0.3	0.3	0.4		0.0	0.04	0.02	0.1
C82-C85	(57) (51)	- 5	1400000	0.1	0.4	0.4	0.5	0.2	0.2	1.2	0.6	1.7			1.3	0.8		0.13		
C82-C85		-	0.3	0.1	0.2	0.4	0.5	0.7	0.4	1.2	0.0	1.7	1.6	1.6	1.3	0.8	0.5	0.51	0.08	1.0
C88				-	-	(#)	4		0.2	174	0.6	0.3	0.3	0.8	7. -	-	0.4	0.00	0.03	0.2
C90	0.4	0.8	0.4	0.6	0.4	-	0.7	0.5	0.2	0.2	1.2	0.3	57866			,-	0.1	0.09	0.03	0.2
Constant and the consta	1.420000	WMANA	200204000	100 100 100	CONTRACTOR OF THE PARTY OF THE	- 0.3	Section 1	- OVAC	(192/199)	60611606	2.4	000000	0.8	11	0.4	0.4	20000000	processors and	AATTE SALE	14-15-1000
C92-C94	0.1	0.1	0.1	0.3	0.5	0.3	1.5	0.5	0.6	1.4	2.4	1.7	1.6	1.1	0.4	0.4	0.7	0.67	0.09	1.3
C95	0.1	0.1			3 5		0.2		2	0.2	- 2			0.3	8 5		0.1	0.06	0.03	0.0
C96	0.3	0.2	0.6	0.0	0.4	1.5	1.0	2.2	2.0	F 2		7.5	14.0	15.4	20.0	0.0	27	2 20	0.10	E 0
0&U *	0.3	0.3	0.6	0.8	0.4	1.5	1.0	2.2	3.2	5.2	6.8	7.5	14.0	15.4	20.9	9.8	3.7	3.30	0.19	5.9
* O&LLinch	2.7	2.9	3.1	4.4	6.2	12.0	24.6	43.6	80.5	106.3	135.4	128.3	195.2	196.0	178.3	109.6	52.8	49.4	0.76	108.2

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 11(f) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2012 - 2015 Males Osmanabad & Beed

ICD-10 C00	Site		ical	Micros		X-ray/lr		D.C		Oth		Unkn			al
C00		#	%	#	%	#	%	#	%	#	%	#	%	#	%
	Lip		-	15	93.8	-	-	-3		1	6.3	_	-	16	100.0
C01-C02	Tongue	8	2.4	279	85.1	2.5		_	_	40	12.2	1	0.3	328	100.0
C03-C06	Mouth	9	2.1	374	86.6			_	_	49	11.3	1	-	432	100.0
C07-C08	Salivary Gland	12	201	18	90.0	- 2			5	2	10.0			20	100.0
C09	Tonsil	3	13.6	18	81.8	12				1	4.5	(3 <u>4</u>)	12	22	100.0
C10	Oth. Oropharynx	-	10.0	11	91.7	124	112			1	8.3	9514	71-21	12	100.0
C11	Nasopharynx	_		4	80.0					1	20.0	1	-	5	100.0
C12-C13	Hypopharynx	2	2.1	87	89.7			-		8	8.2	-		97	100.0
C12-C13	Pharynx Unspecified		2.1	17	77.3	7.8	10 To			4	18.2	1	4.5	22	100.0
C14	Oesophagus	8	4.0	160	80.4	5.50 2.5	12	- B	3	31	15.6	- 3	4.5	199	100.0
C16	V II	4	2.5	139	85.8	1	0.6			17	10.5	1	0.6	162	100.0
Name of the last o	Stomach		2.5	-			0.0	-	-		V35F-075	193	100000	-	
C17	Small Intestine	-	- 0.4	9	75.0	12	- 4.0	-	-	2	16.7	1	8.3	12	100.0
C18	Colon	2	3.1	46	71.9	1	1.6	-	-	15	23.4		1.4	64	100.0
C19-C20	Rectum	5	4.3	95	81.2		(=)	-	-	17	14.5		100	117	100.0
C21	Anus & Anal Canal	/-		26	92.9) #)		•		2	7.1	: = :	(. * .	28	100.0
C22	Liver	2.5		130	79.3	7	4.3	5		25	15.2	2	1.2	164	100.0
C23-C24	Gallbladder etc.	1	3.6	19	67.9	1.5		-	-	8	28.6		-	28	100.0
C25	Pancreas	-	2	8	36.4	1	4.5	-	-	13	59.1	- 4	772	22	100.0
C30-C31	Nose, Sinuses etc.	74	=	5	83.3	1	16.7	23	=	- 4	12	32	((4)	6	100.0
C32	Larynx	4	3.0	116	87.9	140	-		-	12	9.1	194	1.	132	100.0
C33-C34	Lung etc.	7	4.0	123	69.5	10	5.6	-	-	35	19.8	2	1.1	177	100.0
C37-C38	Other Thoracic Organs	/.=	₩.	14	73.7	180		•	*	5	26.3	: :	105	19	100.0
C40-C41	Bone	1	1.3	61	76.3	2	2.5	- 5	=	16	20.0	(1	5.	80	100.0
C43	Melanoma of Skin	- 1	2.0	42	84.0	1	2.0	-	-	6	12.0	-	-	50	100.0
C44	Other Skin	1	2.0	47	94.0	(<u>*</u>	12	1	2.0	1	2.0	- 1	772	50	100.0
C45	Mesothelioma	12	<u>=</u>		=	141	15-	2	-	12	. t <u>≅</u>	=	12 4	#	-
C46	Kaposi Sarcoma),€	¥	1	100.0	(*)	()		-	*	-	-	1.4	1	100.0
C47+C49	Conn. & Soft Tissue	(-	*	27	96.4	: - :	3 4)	=	*	1	3.6	: = :	ii e	28	100.0
C50	Breast	2	4.1	42	85.7	22		=		5	10.2	95	((*)	49	100.0
C60	Penis	2	2.0	84	84.0	(2)		70	-	13	13.0	1	1.0	100	100.0
C61	Prostate	4	2.4	141	83.4	1	0.6		-	22	13.0	1	0.6	169	100.0
C62	Testis	-	2	62	91.2	(6)	12	2	9	6	8.8	92	1/2	68	100.0
C63	Other Male Genital	-	<u> </u>	2	100.0	92	-	2	=		<u> </u>	(S 4)	74	2	100.0
C64	Kidney etc.) *		43	89.6		(*)	-	-	5	10.4	-	(*	48	100.0
C65	Renal Pelvis	0.0		-	-	. +:	8,		-		.=	: - :	() = .		-
C66	Ureter	-	-	-	-	1.5	K.	- 5			:=	9 = 0	0.5	=	-
C67	Bladder	3	3.9	60	77.9	2	2.6			12	15.6		115	77	100.0
C68	Uns.Urinary Organs	-		_						1	100.0		-	- 1	100.0
C69	Eye	1/2	9	7	77.8	12	12	- 2	2	2	22.2	-	172	9	100.0
C70-C72	Brain, Nervous System	84	2	76	76.0	4	4.0	2	=	20	20.0	-	22	100	100.0
C73	Thyroid	2	6.7	25	83.3	(=)	-			3	10.0	(=)	-	30	100.0
C74	Adrenal Gland	-	-	-	-		1.0	-	_		-	-	X	-	
C81	Hodgkins Disease	-	_	23	92.0		-	_	_	2	8.0		7.	25	100.0
C82-C85	NHL	-	_	92	95.8) <u>-</u>		_		4	4.2	23t	136	96	100.0
C88	Malig Imn.Prol D	12			50.5	(E)		E 8		1976		· · · · · · · · · · · · · · · · · · ·	192	- 55	.00.0
C90	Multiple Myeloma	i i		10	76.9			2	2	3	23.1	928	12	13	100.0
C91	Lymphoid Leuk.	92		57	82.6	1/24	land.		22	12	17.4	943	1978	69	100.0
C92-C94	Myeloid Leukaemia	1	1.6	47	77.0	/#/ co	-			13	21.3	1621	100	61	100.0
C92-C94	Leukaemia Uns		1.0	9	81.8		-			2	18.2	;=.	-	11	100.0
C95	CMD,O&U LHM	X.E.	-	9	01.0			- 5		2	10.2	100	1.5	1.1.	100.0
O&U *	Other and Uns	1	0.2	312	75.4	10	2.4	5	-	91	- 00.0	3E		44.4	400.0
		270		312	75.4	10	2.4		-	91	22.0	-7	11.7	414	100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 11(g) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2012 - 2015 Females Osmanabad & Beed

ICD-10	Site	Clin	ical	Micros	scopic	X-ray/lr	maging	D.C	0.0	Oth	ers	Unkn	own	Tot	al
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip			8	88.9	- 2				1	11.1			9	100.
C01-C02	Tongue		2	111	91.7	12	- 12	-	100	10	8.3	72)	2	121	100.
C03-C06	Mouth	3	2.5	100	83.3	12	82	1	0.8	16	13.3	149		120	100.0
C07-C08	Salivary Gland			10	90.9		74			1	9.1	(4)	_	11	100.0
C09	Tonsil			8	88.9	_	-	_	_	1	11.1	_	_	9	100.0
C10	Oth. Oropharynx	_	- 100	1	100.0		- A20,	_	-				- 100	1	100.0
C11	Nasopharynx	1	16.7	5	83.3	- 6	- 37	100	250	0.83	(17)	1.61		6	100.0
C12-C13		1	4.2	20	83.3		- I	- 100 124		3	12.5	1.57	E 95	24	100.0
	Hypopharynx	~T:	4.2	231223			(1000		12.5	-	-		
C14	Pharynx Unspecified	-	-	6	100.0		-	-	-	1	-	1 6	-	6	100.
C15	Oesophagus	-	-	106	82.8	1	0.8	7.4		20	15.6	1	8.0	128	100.
C16	Stomach			87	87.0	· ·	-	-	-	13	13.0		*	100	100.
C17	Small Intestine	-	5	7	87.5		i 	1,50		1	12.5	(#)	5	8	100.
C18	Colon	4	6.6	42	68.9		\$ 1		12	15	24.6	1.50	5	61	100.
C19-C20	Rectum	7	75	81	89.0	-	-			10	11.0	(* /	-	91	100.0
C21	Anus & Anal Canal	1	5.6	15	83.3	- 2	- 4	-	-	2	11.1	1/20	<u> </u>	18	100.
C22	Liver	1	1.4	56	81.2	1	1.4	-		11	15.9	12	a a	69	100.0
C23-C24	Gallbladder etc.	2	20	15	68.2	1	4.5	3=3	S=	6	27.3	124	<u></u>	22	100.0
C25	Pancreas	1	6.7	7	46.7	1	6.7	-		6	40.0	(e)	_	15	100.0
C30-C31	Nose, Sinuses etc.	-	-	6	66.7	-	(=	140		2	22.2	1	11.1	9	100.0
C32	Larynx	1	4.5	15	68.2	_		_		6	27.3		_	22	100.0
C33-C34	Lung etc.	4	1.1	63	67.7	5	5.4	-	45	24	25.8	-	7.4	93	100.0
C37-C38	Other Thoracic Organs	2)	(141)	9	90.0	1	10.0	27.	120	24	25.6	1.54	2	10	100.0
200000		-	0.7			9.	10.0				44.0		4.0		
C40-C41	Bone	2	3.7	43	79.6	-		-	-	8	14.8	1	1.9	54	100.0
C43	Melanoma of Skin	1	2.1	44	91.7		(=		-	3	6.3		-	48	100.0
C44	Other Skin	2	5.3	35	92.1	持	: *			1	2.6	(#)	*	38	100.
C45	Mesothelioma		₹6 -:	Ī.	-	i ii	<u>₹</u>		57	(1 1)	V.#.	1.7		Ţ.	
C46	Kaposi Sarcoma	- 5	=	7.0			15	:5	1.5	15		1.70	7.		
C47+C49	Conn. & Soft Tissue	-	•	14	87.5	•	-			1	6.3	1	6.3	16	100.0
C50	Breast	20	1.9	907	86.5	- 12	12	19	92	121	11.5	1	0.1	1049	100.0
C51	Vulva		2	17	77.3	2	84	S26		5	22.7	14	29	22	100.0
C52	Vagina		9	41	87.2	i u	-	-	-	6	12.8	(e)		47	100.0
C53	Cervix Uteri	19	1.6	1008	86.4	æ	9			135	11.6	5	0.4	1167	100.0
C54	Corpus Uteri			62	96.9	:=	S#			2	3.1			64	100.0
C55	Uterus Unspecified		_	48	90.6	-	_	-	-	5	9.4		-	53	100.0
C56	Ovary etc.	3	1.3	183	79.2	7	3.0			38	16.5		2	231	100.0
C57	Other Female Genital	-	1.0	100	70.2	- 1	0.0	120		- 00	10.0	1.0	2	201	100.
C58	Placenta		10	-	-			400	1000	10.00	7940	130	50	-	
6 (0.00)	- HUMBOCKERHOU	-		- 00	00.7	-					40.0	-	-	- 00	400 /
C64	Kidney etc.	-	*	26	86.7	-				4	13.3		*	30	100.0
C65	Renal Pelvis	*				. 	9			/ +		(E.	
C66	Ureter	- 2			*	: 1	(-	:20	67	损	(*	1.5			
C67	Bladder	7.	7.0	32	76.2	1	2.4	17.		8	19.0	1	2.4	42	100.0
C68	Uns.Urinary Organs		÷			- 5	-	-	•	- 4				-	
C69	Eye	21	<u> </u>	5	71.4	12	12	12		2	28.6	12	2	7	100.0
C70-C72	Brain, Nervous System		2	43	74.1	1	1.7) =)	-	14	24.1	(4)	¥	58	100.
C73	Thyroid	3	2.8	93	87.7		-	-		9	8.5	1	0.9	106	100.
C74	Adrenal Gland	-		3	100.0		(+	:=:		: -		5 - 2		3	100.
C81	Hodgkins Disease			12	100.0		.=	100		-	K.	160		12	100.
C82-C85	NHL			45	97.8	2		150	F.		74	1	2.2	46	100.
C88	Malig Imn.Prol D	- B			01.0		02			125 125	1/2	12	Rectar .	-10	.00.
C90	Multiple Myeloma	91	-	7	87.5	1	12.5	200	Contra	-	600	707	-	8	100.0
985-277AW			0.7	0-75-5	180420182	1.	12.5	-		2400	0.4	-	-	0.000	
C91	Lymphoid Leuk.	1	2.7	33	89.2	*	2 -	196 82	-	3	8.1	(+)	-	37	100.
C92-C94	Myeloid Leukaemia	2	3.5	47	82.5		-	1	1.8	7	12.3		*	57	100.0
C95	Leukaemia Uns		5	5	100.0	æ	57	180		2.黄		57		5	100.0
C96	CMD,O&U LHM		2	5	-	恩	17.			ST	62	1 =		5	
O&U *	Other and Uns	4	1.3	241	76.8	8	2.5			61	19.4			314	100.
	All Sites	71	1.6	3772	84.4	28	0.6	2	0.0	581	13.0	13	0.3	4467	100.

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 11(h) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2012 - 2015 Males Osmanabad & Beed

C00 C01-C02 C03-C06 C07-C08	Site	#	%	- 11	2022	1000000									
C01-C02 C03-C06	Lip		70	#	%	#	%	#	%	#	%	#	%	#	%
C03-C06		15	93.8	-	-	-	-	₩.	-	-	-	1	6.3	16	100.0
200100000000000000000000000000000000000	Tongue	267	81.4	2	*	10	3.0	2	0.6	~ ~	~	49	14.9	328	100.0
C07-C08	Mouth	368	85.2	12	-	6	1.4	<u> </u>	-	i i	-	58	13.4	432	100.0
	Salivary Gland	15	75.0	9	-	2	10.0	1	5.0	9	-	2	10.0	20	100.0
C09	Tonsil	12	54.5		-	5	22.7	1	4.5		-	4	18.2	22	100.0
C10	Oth. Oropharynx	11	91.7	.m			U#3		-	æ		1	8.3	12	100.0
C11	Nasopharynx	4	80.0	la.	1.7	1.7	9.76	73		原	1.5	1	20.0	5	100.0
C12-C13	Hypopharynx	86	88.7		-	1	1.0		-		-	10	10.3	97	100.0
C14	Pharynx Unspecified	14	63.6	= =	-	3	13.6	2	2	- 2	-	5	22.7	22	100.0
C15	Oesophagus	159	79.9	12	- 2	1	0.5	¥	-	12	-	39	19.6	199	100.0
C16	Stomach	135	83.3	- 4		3	1.9	1	0.6	94	æ	23	14.2	162	100.0
C17	Small Intestine	9	75.0	*		:=:	-	*	-			3	25.0	12	100.0
C18	Colon	45	70.3	8	:=:	1	1.6	8	-	8	æ.	18	28.1	64	100.0
C19-C20	Rectum	93	79.5		:=:	1	0.9	1	0.9		5 	22	18.8	117	100.0
C21	Anus & Anal Canal	26	92.9	-		-		-		-	-	2	7.1	28	100.0
C22	Liver	68	41.5	- 2	- 2	60	36.6	2	1.2	· ·	_	34	20.7	164	100.0
C23-C24	Gallbladder etc.	18	64.3	92	2	1	3.6	<u> </u>	E	<u>a</u>	=	9	32.1	28	100.0
C25	Pancreas	5	22.7	:	-	3	13.6	8		14	-	14	63.6	22	100.0
C30-C31	Nose, Sinuses etc.	5	83.3			-	-		-	3+	-	1	16.7	6	100.0
C32	Larynx	112	84.8		:*	3	2.3	1	0.8		:=	16	12.1	132	100.0
C33-C34	Lung etc.	75	42.4	1	0.6	47	26.6	-	-	-		54	30.5	177	100.0
C37-C38	Other Thoracic Organs	4	21.1	-	-	10	52.6	-	-	-	-	5	26.3	19	100.0
C40-C41	Bone	53	66.3	12	2	6	7.5	2	2.5	1	-	19	23.8	80	100.0
C43	Melanoma of Skin	38	76.0	1	2.0	3	6.0	22		2	-	8	16.0	50	100.0
C44	Other Skin	43	86.0	ů.		3	6.0	-1	2.0	2	-	3	6.0	50	100.0
C45	Mesothelioma	-	-				-	-		9	-		-	-	-
C46	Kaposi Sarcoma	1	100.0	-	-		/	_	-	-	-		/-	1	100.0
C47+C49	Conn. & Soft Tissue	24	85.7	-	_	3	10.7		-			1	3.6	28	100.0
C50	Breast	34	69.4	-	-	8	16.3	- 3	-	-	_	7	14.3	49	100.0
C60	Penis	80	80.0		12	3	3.0	1	1.0	- 1	-	16	16.0	100	100.0
C61	Prostate	140	82.8	12		_	84	1	0.6	12		28	16.6	169	100.0
C62	Testis	60	88.2	2	_	1	1.5	1	1.5	14		6	8.8	68	100.0
C63	Other Male Genital	2	100.0	-	-	-	-	-	-		-		-	2	100.0
C64	Kidney etc.	41	85.4	-		2	4.2	-	-	-	-	5	10.4	48	100.0
C65	Renal Pelvis	-	-				-		-	-	_	Ĵ	-		-
C66	Ureter	-	_	-		-	_	-	-	-	-	31 T		-	-
C67	Bladder	59	76.6	1	1.3	- 2	72	2	-	<u> </u>	-	17	22.1	77	100.0
C68	Uns.Urinary Organs		-	12	-	(2)	628	¥	5	12		1	100.0	1	100.0
C69	Eye	7	77.8	9		-	1020	<u> </u>	-	92	-	2	22.2	9	100.0
C70-C72	Brain, Nervous System	74	74.0		-	5=	-	2	2.0	12	-	24	24.0	100	100.0
C73	Thyroid	19	63.3			6	20.0		2.0			5	16.7	30	100.0
C74	Adrenal Gland	-	50.0			-	20.0		-	:=	-		10.1	- 50	,00.0
C81	Hodgkins Disease	20	80.0			1	4.0	-		2	8.0	2	8.0	25	100.0
C82-C85	NHL	89	92.7			2	2.1	2		1	1.0	4	4.2	96	100.0
C88	Malig Imn.Prol D	03	02.1	10	23		4.1	25	2	(12	1.0	32	1.4	50	100.0
C90	Multiple Myeloma	6	46.2	92	727	848		Д.	-	4	30.8	3	23.1	13	100.0
C90	Lymphoid Leuk.	11	15.9			044		9	13.0	37	53.6	12	17.4	69	100.0
C92-C94	Myeloid Leukaemia	6	9.8			6- 7 0		8	13.1	33	54.1	14	23.0	61	100.0
C92-C94	Leukaemia Uns	0	9.0	:-	-	S#6		8	72.7	1	9.1	2	18.2	11	NAME OF TAXABLE PARTY.
C95		7.	-			1.7	9.5	0	12.1	1	9.1	2	10.2	130	100.0
O&U *	CMD,O&U LHM	174	42.0	7 2F	0 5	400	24.2	3	0.7	4 <u>7</u>	3 .	400	24.6	744	100.0
Cau	Other and Uns All Sites	2527	69.5	35 38	8.5 1.0	100 295	24.2 8.1	45	1.2	78	2.1	102 652	24.6 17.9	414 3635	100.0 100.0

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 11(i) Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2012 - 2015 Females Osmanabad & Beed

	Site	Pri.	Hist	Sec.	Hist	Cyto	logy	Blood	Film	Bone N	larrow	Oth	ers	To	tal
ICD-10	Site	#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	8	88.9	-	-				-		.=	1	11.1	9	100.
C01-C02	Tongue	107	88.4	-	-	3	2.5	1	0.8	_	-	10	8.3	121	100.
C03-C06	Mouth	98	81.7			2	1.7	7.5	0.0	2	10 Ea	20	16.7	120	100.
BO 000 000 000 000 000 000 000 000 000 0	(Accelerated)	6				4	36.4					1	9.1		
C07-C08	Salivary Gland	7000	54.5		-		555555	-		_	-	201	200000	11	100.
C09	Tonsil	6	66.7	_		2	22.2	-	=	_	-	1	11.1	9	100.
C10	Oth. Oropharynx	1	100.0) +	*			(m)	(III)	1	100.
C11	Nasopharynx	5	83.3	-	-	7.00	1.5	15				1	16.7	6	100.
C12-C13	Hypopharynx	20	83.3	- 5		15	127	2.5	ħ.			4	16.7	24	100.
C14	Pharynx Unspecified	5	83.3	-	-	1	16.7	0.73	₽.			-	7	6	100.
C15	Oesophagus	104	81.3	-	12	2	1.6	74	2		~ 2	22	17.2	128	100
C16	Stomach	84	84.0		但	3	3.0	14	a a		4	13	13.0	100	100
C17	Small Intestine	7	87.5	2	14	12	24	0.25	2	_	12	1	12.5	8	100
C18	Colon	42	68.9		-	7.81	7		_	_		19	31.1	61	100
C19-C20	Rectum	81	89.0								-	10	11.0	91	100
	The second of th				(789		1.7	芫	*					110000000
C21	Anus & Anal Canal	15	83.3		17		-	(5)		-		3	16.7	18	100.
C22	Liver	29	42.0	1	1.4	26	37.7	1.5	7.	-	177	13	18.8	69	100.
C23-C24	Gallbladder etc.	11	50.0	9		4	18.2		-		- 4	7	31.8	22	100.
C25	Pancreas	3	20.0	3	12	4	26.7	72	2	2	2	8	53.3	15	100.
C30-C31	Nose, Sinuses etc.	6	66.7	4	34	140	14	3743	¥	- 4	9	3	33.3	9	100.
C32	Larynx	15	68.2	9	5 +	(#)	3 .) ()		-	×	7	31.8	22	100.
C33-C34	Lung etc.	31	33.3	1	1.1	31	33.3	-	Ħ.		H	30	32.3	93	100.
C37-C38	Other Thoracic Organs	2	20.0	_	_	7	70.0		_	_	_	1	10.0	10	100.
C40-C41	Bone	41	75.9	1	1.9	1	1.9		_	-	-	11	20.4	54	100.
C43	Melanoma of Skin	42	87.5		1.0	2	4.2	105	E			4	8.3	48	100.
		1,100	770,000		-	-	7,700		-	-		- 27	1000000	120	
C44	Other Skin	33	86.8	- 2	~	1	2.6	1	2.6	-	-	3	7.9	38	100.
C45	Mesothelioma	-	2	-	-	14			2	-	-	-	-	((*)	
C46	Kaposi Sarcoma		H				•) -)	¥	-				11#2	151150000
C47+C49	Conn. & Soft Tissue	9	56.3	-	1=	5	31.3		*			2	12.5	16	100.
C50	Breast	718	68.4	2	0.2	173	16.5	14	1.3		-	142	13.5	1049	100.
C51	Vulva	16	72.7		-	1	4.5	1.77	-	-	-	5	22.7	22	100.
C52	Vagina	39	83.0	-	<u> </u>	2	4.3	/c=	<u> </u>		12	6	12.8	47	100.
C53	Cervix Uteri	932	79.9	1	0.1	75	6.4		ū	2	2	159	13.6	1167	100.
C54	Corpus Uteri	61	95.3	2	-	1	1.6	92	<u></u>		12	2	3.1	64	100.
C55	Uterus Unspecified	48	90.6		-	-	1.0			_	-	5	9.4	53	100.
C56	Ovary etc.	113	48.9	2	0.9	59	25.5	9	3.9			48	20.8	231	100.
landa mara	Commence of the commence of th	113	40.9		0.9	59	20.0	9	3.9	-		40	20.0	231	100.
C57	Other Female Genital				17	(5)	137	5.53	*				100	275	
C58	Placenta	- 5			1.5	177	979	0.73	7.				-	0.7/	
C64	Kidney etc.	23	76.7	-	-	2	6.7	1	3.3	-	•	4	13.3	30	100.
C65	Renal Pelvis	2	2	2	. 12	(4)	12	1/2	2	2	12	14	12	192	
C66	Ureter	- 2	*	2	14	949		143	#	-	g		1981	X 2	
C67	Bladder	32	76.2	9	<u> </u>	-	-). *)	H	*	¥	10	23.8	42	100.
C68	Uns.Urinary Organs		-	-	-		3#	(=)			*		-	(1 +)	
C69	Eye	5	71.4	-	_		-	7-	_	_	-	2	28.6	7	100.
C70-C72	Brain, Nervous System	42	72.4	2		(a)	68	1	1.7	- 20 - 2	- 22	15	25.9	58	100.
C73	Thyroid	84	79.2	- 3	100	8	7.5	1	0.9			13	12.3	106	100.
C74	F-17 - 17 - 17 - 17 - 17 - 17 - 17 - 17	3			-	0	7.5	- 1	0.9			13	12.3	3	100.
152160	Adrenal Gland	1000	100.0	-	~				-	-	-		-	vedito	01011010
C81	Hodgkins Disease	10	83.3	257	3 <u>0</u> 88	1	8.3	(*)	2	1	8.3	(¥) (14)	194	12	100.
C82-C85	NHL	39	84.8	1	2.2	4	8.7);•	*	-1	2.2	1	2.2	46	100
C88	Malig Imn.Prol D		H	н	17	7(0)	1977	De:	7.	8		(+)		(t e	
C90	Multiple Myeloma	2	25.0	5	:=	3.5		1.5	B.	5	62.5	1	12.5	8	100.
C91	Lymphoid Leuk.	6	16.2	-	15	(7)	35	10	27.0	17	45.9	4	10.8	37	100.
C92-C94	Myeloid Leukaemia	6	10.5		1	4		12	21.1	29	50.9	10	17.5	57	100
C95	Leukaemia Uns	1	20.0	8	12	(4)	Pal-	3	60.0	1	20.0	-	(32)	5	100
C96	CMD,O&U LHM			12	12	14	997	-	20.5		19	-	(300	-	,00
Control of Control	Other and Uns	131	41.7	23	7.3	86	27.4	1	0.3		-	73	23.2	314	100
O&U *					10.5		//4	550	4.15.75			1.5	131	0.14	100.

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 11(j) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years) : 2012 - 2015 Males Osmanabad & Beed

ICD-10	Site	0-64	Years	0-74 \	ears ears
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.3	0.3	0.4	0.4
C03-C06	Mouth	0.4	0.4	0.5	0.5
C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C09	Tonsil	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	0.0	0.0	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.0
C12-C13	Hypopharynx	0.0	0.0	0.1	0.1
C14	Pharynx Unspecified	0.0	0.0	0.0	0.0
C15	Oesophagus	0.1	0.1	0.3	0.3
C16	Stomach	0.1	0.1	0.2	0.2
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.1	0.1	0.1	0.1
C19-C20	Rectum	0.1	0.1	0.1	0.1
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.0	0.0	0.0	0.0
C25	Pancreas	0.0	0.0	0.0	0.0
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.1	0.0	0.0
C33-C34	Lung etc.	0.1	0.1	0.2	0.2
C37-C38		0.0	0.0	0.2	
C40-C41	Other Thoracic Organs Bone	0.0	0.0	0.0	0.0
C43	Melanoma of Skin			50.00	0.1
C44	15-16-17-17-17-17-17-17-17-17-17-17-17-17-17-	0.0	0.0	0.1	0.1
C45	Other Skin	0.0	0.0	0.1	0.1
C45	Mesothelioma	- 0.0	-	-	-
C47+C49	Kaposi Sarcoma	0.0	0.0	0.0	0.0
50/19401-17:50/2000 -	Conn. & Soft Tissue	0.0	0.0	0.0	0.0
C50	Breast	0.0	0.0	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.1	0.1	0.2	0.2
C62	Testis	0.0	0.0	0.1	0.1
C63	Other Male Genital	0.0	0.0	0.0	0.0
C64	Kidney etc.	0.0	0.0	0.1	0.1
C65	Renal Pelvis	帮		((*	
C66	Ureter			67	
C67	Bladder	0.1	0.1	0.1	0.1
C68	Uns.Urinary Organs	0.0	0.0	0.0	0.0
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.1	0.1	0,1	0.1
C73	Thyroid	0.0	0.0	0.0	0.0
C74	Adrenal Gland	*			-
C81	Hodgkins Disease	0.0	0.0	0.0	0.0
C82-C85	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	9			-
C90	Multiple Myeloma	0.0	0.0	0.0	0.0
C91	Lymphoid Leuk.	0.0	0.0	0.1	0.1
C92-C94	Myeloid Leukaemia	0.0	0.0	0.1	0.1
C95	Leukaemia Uns	0.0	0.0	0.0	0.0
C96	CMD,O&U LHM	*	(#	gr e	
O&U *	Other and Uns	0.3	0.3	0.5	0.5
	All Sites	2.62	2.58	4.45	4.35

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)









Table 11(k) Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) Based on Age Specific rates (from 0-64 and from 0-74 Years): 2012 - 2015 Females Osmanabad & Beed

IOD 40	Cita	0-64	/ears	0-74	/ears
ICD-10	Site	Cu.Rate %	Cu.Risk	Cu.Rate %	Cu.Risk
C00	Lip	0.0	0.0	0.0	0.0
C01-C02	Tongue	0.1	0.1	0.2	0.2
C03-C06	Mouth	0.1	0.1	0.2	0.2
C07-C08	Salivary Gland	0.0	0.0	0.0	0.0
C09	Tonsil	0.0	0.0	0.0	0.0
C10	Oth. Oropharynx	1	-	0.0	0.0
C11	Nasopharynx	0.0	0.0	0.0	0.0
C12-C13	Hypopharynx	0.0	0.0	0.0	0.0
C14	Pharynx Unspecified	0.0	0.0	0.0	0.0
C15	Oesophagus	0.1	0.1	0.2	0.2
C16	Stomach	0.1	0.1	0.1	0.1
C17	Small Intestine	0.0	0.0	0.0	0.0
C18	Colon	0.1	0.1	0.1	0.1
C19-C20	Rectum	0.1	0.1	0.1	0.1
C21	Anus & Anal Canal	0.0	0.0	0.0	0.0
C22	Liver	0.0	0.0	0.1	0.1
C23-C24	Gallbladder etc.	0.0	0.0	0.0	0.0
C25	Pancreas	0.0	0.0	0.0	0.0
C30-C31	Nose, Sinuses etc.	0.0	0.0	0.0	0.0
C32	Larynx	0.0	0.0	0.0	0.0
C33-C34	Lung etc.	0.1	0.1	0.1	0.1
C37-C38	Other Thoracic Organs	0.0	0.0	0.0	0.0
C40-C41	Bone	0.0	0.0	0.1	0.1
C43	Melanoma of Skin	0.0	0.0	0.1	0.1
C44	Other Skin	0.0	0.0	0.0	0.0
C45	Mesothelioma	-	0.0	0.0	0.0
C46	Kaposi Sarcoma	1			72
C47+C49	Conn. & Soft Tissue	0.0	0.0	0.0	0.0
C50	Breast	0.0	0.0	1.3	1.3
C51	Vulva	0.0	0.0	0.0	0.0
C52		0.0	0.0	0.0	0.0
C53	Vagina	Contract	69040	9850000	9901
C54	Cervix Uteri	1.0	1.0	1.5	1.5
2020-000	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	0.0	0.0	0.1	0.1
C56	Ovary etc.	0.2	0.2	0.3	0.3
C57	Other Female Genital	<u> </u>	*	<u>~</u>	174
C58	Placenta			¥	7.4
C64	Kidney etc.	0.0	0.0	0.0	0.0
C65	Renal Pelvis		1.*.		, (-
C66	Ureter				17
C67	Bladder	0.0	0.0	0.1	0.1
C68	Uns.Urinary Organs		-	•	
C69	Eye	0.0	0.0	0.0	0.0
C70-C72	Brain, Nervous System	0.0	0.0	0.1	0.1
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	0.0	0.0	0.0	0.0
C81	Hodgkins Disease	0.0	0.0	0.0	0.0
C82-C85	NHL	0.0	0.0	0.1	0.1
C88	Malig Imn.Prol D	- 1	14	¥	-
C90	Multiple Myeloma	0.0	0.0	0.0	0.0
C91	Lymphoid Leuk.	0.0	0.0	0.0	0.0
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	0.0	0.0	0.0	0.0
C96	CMD,O&U LHM			a	19
O&U *	Other and Uns	0.2	0.2	0.4	0.4
	All Sites	3.73	3.66	5.60	5.44

^{*} O&U includes the Sites(ICD-10:C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)