Name	Category [1]	Expiry	Description
_csrf	Required	10 days	Cross-site request forgery protection
_csrf_token	Required	1 year	To prevent Cross Site Request Forgery (CSRF)
_splunk_rum_sid	Required	1 day	This is a site observability cookie that identifies/monitors site issues.
AnalyticsSyncHistory	Advertising	30 days	This domain is owned by LinkedIn. It typically acts as a third party host where website owners have placed one of its content sharing buttons in their pages, although its content and services can be embedded in other ways. Although such buttons add functionality to the website they are on, cookies are set regardless of whether or not the visitor has an active Linkedin profile, or agreed to their terms and conditions. For this reason it is classified as a primarily tracking/targeting domain.",Used to store information about the time a sync took place with the Ims_analytics cookie
analyze_beta_demo	Functional	180 days	Determines if user should get analyze demo tour
analyze_onboarding_carousel	Functional	1 year	Prevents analyze onboarding modal from appearing multiple times
anwebreqshare	Functional	90 days	Tracks visitors who have request access to a survey from the shared page. We disable the request button if they have already requested. Prevents survey owner from getting spam.
anwebreqshare	Functional	90 days	Keeps track of shared pages for which the user requested access to prevent multiple requests
apexPKB2AB	Functional	99 days	Determines if user sees beta version of Analyze
apexPKB2CB	Functional	99 days	Determines if user sees beta versions of create
apexPKB2SID	Required	session	Session cookie for authentication
apexsm	Required	session/14 days	This cookie is used to save the user's authentication state for the help center.
apexsm_lang	Required	session	Store user's language preference for the session
apexsm_SiteMsg	Functional	session	Determines whether a help center site message exists for a user
apexsurveymonkey	Functional	60 minutes	This cookie tracks the user's account info for use in help center and support requests
apexuid	Required	session	Keeps a user logged into the help center
apex_gdpr	Functional	session	determines if we are in a GDPR country. Takes our country and compares it to a list of countries tied to GDPR.
attr_mp	Functional	4 months	Tracking of newly signed up users visiting marketing landing pages
attr_multitouch	Required	1 year	Used for session stitching (connecting multiple visits to our site) for multiple-source conversion attribution analysis - so that we understand user paths to conversion (sign up, paid conversion, upgrade, renewal, lead form submission) and to measure the efficacy of SurveyMonkey marketing in driving conversion.
attr_params	Required	1 year	This cookie is used for marketing attribution. It stores the values of campaign parameters so that we can measure the efficacy of SurveyMonkey marketing in driving conversion.
attr_utm	Functional	1 year	Cookie used to track users who view marketing pages
	Functional	,	Triggers the audience upsell flow in Create in order to present Audience more prominently as a choice for response collection
audience_upsell_14416 auth	Required		This cookie is used to redirect users to the appropriate language based subdomain or top level domain.
auth0	Required	3 days	Used to implement the Auth0 session layer
auth0_compat	Required	3 days	Fallback cookie for single sign-on on browsers that don't support the sameSite=None attribute
auth_guest	Required	10 days	This cookie is used to allow guest users to preview survey and leave comments
campaign_complete	Functional	30 days	When this cookie is set, users will not see other campaigns after they complete or close a Usabilla campaign. This cookie is set after the user completes a Usabilla campaign across create, collect, and commenting. This cookie adds dependencies across multiple Usabilla campaigns.
cdp_seg	Functional	90 days	Helps track behavior for segmentation
cfu	Functional	6 months	Cookie used to track user engagement
closed_template_views	Functional	1 year	This cookie is used for tracking total survey-closed page views
closed_templates_seen	Functional	1 year	This cookie is used for tracking which survey-closed pages this user has viewed

contribute_sess	Required	1 year	Required for SurveyMonkey Contribute user authentication across a session
create8010minimize	Functional	30 days	Determines whether to shorten the experimental tour
create8018quit	Functional	30 days	Prevents the experimental tour from showing
CSRF-TOKEN	Required	session	This cookie is to secure the Brand Tracker dashboards (prevents cross site request forgery).
cx_xxxxxxx	Required	1 year	This cookie is used to determine if the embedded site collector popup should be shown
dashboard_password_ <dashboard_ke< td=""><td>Required</td><td>1 day</td><td>Authorises user for password-protected dashboard</td></dashboard_ke<>	Required	1 day	Authorises user for password-protected dashboard
dashbreqshare	Functional	90 days	Keeps track of dashboards for which the user requested access to prevent multiple requests
did	Required	1 year	Device identification for attack protection.
did_compat	Required	1 year	Fallback cookie for anomaly detection on browsers that don't support the sameSite=None attribute
email_only_user	Functional	1 year	Tracks whether user should see email-only sign in page
endpage_test	Advertising	6 months	This cookie is used to split traffic between SurveyMonkey endpages and SurveyMonkey Contribute end pages
endpage_views	Functional	1 year	This cookie is used for tracking total endpage views
endpages_seen	Functional	1 year	This cookie is used for tracking which endpages the user has viewed
ep201	Required	30 min	These cookies are used to for load balancing site traffic and preventing site abuse.
ep202	Functional	90 days	This cookie is used for signup source attribution, event stitching, and assigning visitors to AB Testing. Internal health of business reporting, logging and AB testing assignments depend on this cookie being present
ep203	Required	90 days	Enables the system to uniquely identify browsers/devices for the purpose of mitigating account sharing. Identifies devices that could be account sharing which is not allowed under our terms of use.
EPQB_XXXXXXX	Advertising	1 year	This cookie is used to customize the survey end page based on user demographics
fileDownload	Functional	session	Manages file download from group library
gclid	Advertising	30 days	Stores an identifier that associates Google Ads and Google Analytics user information.
gdpr_consent	Functional	1 year	Is added if a user from a GDPR country consents to the GDPR banner that shows on the bottom.
gdpr_consent_denied	Functional	1 week	Is added if a user from a GDPR country does not consent to the GDPR banner that shows on the bottom.
guardrail-complete- <collectorid></collectorid>	Functional	Browser Local St	Keeps track of resolved guardrail violations on a given Audience project/collector
guardrail-errors- <collectorid></collectorid>	Functional	Browser Local St	Keeps track of active guardrail violation errors on a given Audience project/collector
has_closed_automated_reminder_and	Functional	1 year	When this value is set, users will no longer see the automated reminder and thank you dialog more than once on page loads/refreshes after skipping the option or closing out of the dialog within a email collector upon scheduling their first message.
	Functional	30 days	Prevents popout from appearing after user closes it
has seen share modal onboarding	Functional	session	Tracks whether users have seen share onboarding modal
hide_intro_dialog	Functional	1 year (previousl	Controls "Don't show again" checkbox in facebook messenger intro
hide_offline_intro_dialog	Functional	session	Used to show or hide the kiosk mode intro dialog
hide-allowlist-sm-banner	Functional	1 year	Controls display of modal reminding users to set follow up emails to email collectors
hide-pending-message-banner	Functional	1 year	When this cookie is set, users will not see a banner explaining why messages sent from email collector are taking a long time to send.
hide-whitelist-sm-banner	Functional	1 year	When this cookie is set, users will not see a banner explaining to whitelist SurveyMonkey due to a sent email collector not actually being received by the intended recipient.
instant_response	Functional	90 days	Question should auto scroll when opening a survey via first question embedded in email collector
is_logged_in_fetch_request_domain	Functional	90 days	When leaving comment, records domain if it is different from survey domain. Seems to be related to the whitelabel surveys and survey preview

language Functional Browaer Local S (docs Service Service	landing_page	Functional	30 days	Stores the url of the first page from the user's most recent visit to the SurveyMonkey website.
Browser Local Sloces Browser Local Sloces Browser Local Sloces Tracks whether user is sef-serve or enterprise to display different content in the new Legal Center This domain is owned by Linkedin, the business networking platform. It typically acts as a third party host where website owners have content and services can be embedded in other ways. Although profile content sharing buttons in their pages, although it content sharing buttons in their pages, although it content sharing buttons in their pages, although profile or agreed to their terms and conditions. For this reason it is classified as a primarily tracking/largering domain looker session_renewable Tracks whether	landing_page	Turicuoriai	30 days	, ,
legal_type Functional Session Content in the new Legal Center This domain is sowned by Linkedin, the business networking platform. It hybrically acts as a third party host where website owners have placed one of the content sharing buttons in their pages, although its content sharing button in their pages, although its content sharing pages and provided in other ways. Although services or a present of their terms and conditions. For this reason it is classified as a primarily tracking/largeting domain. Interpretation of the pages of the provided in the content page is a primary tracking/largeting domain. It is content sharing pages are presented in the page is a primary tracking sharing page is a primary tracking sharing page. Session cookie for the mobile version of the website of the page is paged in the page is page. Session cookie for the mobile version of the website of the page is page. Session cookie for the mobile version of the website of the page is page. It is paged in the page is paged in the page is page. Session cookie for the mobile version of the website of the page is page. It is paged in the page is paged in the page is page. Session cookie for the mobile version of the website of the page is page. It is the cookie page is page. It is paged in the page is page is paged in the page is page. It is page is page is paged in the page is page. It is the cookie cookie in the page is page is page. It is the cookie content is the page is page is page is page. It is page is page is page is page is page is page in the page is page. It is page is page, page page, page page, page page, with the subsequent page, it is if the cookie page is page is page is page is page. It is page is	language	Functional	Browser Local St	, , , , , , , , , , , , , , , , , , , ,
This domain is owned by Linkedin, the business networking platform. It typically acts as a third party host where website pages, although such buttons add functionality to the website may are no, cookies are set content and severioes can be embedded in other ways. Although such buttons add functionality to the website may are no, cookies are set content and severioes can be embedded in other ways. Although such buttons add functionality to the website may are no, cookies are set of the page of	legal_type	Functional	session	
logged_in_fetch_request_domain	li_gc	Advertising	2 years	This domain is owned by LinkedIn, the business networking platform. It typically acts as a third party host where website owners have placed one of its content sharing buttons in their pages, although its content and services can be embedded in other ways. Although such buttons add functionality to the website they are on, cookies are set regardless of whether or not the visitor has an active Linkedin profile, or agreed to their terms and conditions. For this reason it is
session sextendable session sextendable session sextendable session sextendable session	logged_in_fetch_request_domain	Functional	1 year	
m_opt	looker.session_renewable	Required	30 days	
marmoset_cookie_name Required session / 10 mini, miny never to subsequent requests which tracks Start Session events session / 10 mini, miny panel. Removed when user signs out. mobile_app Required session Determines whether the user has visited the marketing pages MUID Advertising 1 year Bing Tracking Prevents the color suggestion dialog if the user toggles to not see the recommendations. P_XXXXXXXX Required Session Prevents the color suggestion dialog if the user toggles to not see the recommendations. P_XXXXXXXXX Required 1 year Price color suggestion dialog if the user toggles to not see the recommendations. P_XXXXXXXXX Required 1 year Price color suggestion dialog if the user toggles to not see the recommendations. P_XXXXXXXXX Required 1 year Price color suggestion dialog if the user toggles to not see the recommendations. P_XXXXXXXXX Required 1 year Price toggles to not see the recommendations. P_XXXXXXXXX Required 1 year Price toggles to not see the recommendations. P_XXXXXXXXX Required 1 day Price toggles to not see the recommendations. Required 1 day Price toggles to not see the recommendations. Stores the validity of the subsequent page, i.e. if the cookie exists the user is able to pay. One surprise, the user is unable to make a payment as the payment page is no longer valid. Price testing Stores the validity of the subsequent page, i.e. if the cookie exists the user is able to pay. One surprise, the user is unable to make a payment as the payment page is no longer valid. Price testing Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Price testing Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Price testing Price testing Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Price testing Price	m_opt	Functional	session	· · · · ·
mobile_app Required Session Session cookie for the mobile version of the website mp_attr	marmoset cookie name	Required	session / 10 mini	min) reset on subsequent requests which tracks Start Session events
MUID Advertising 1 year Bing Tracking not_show_color_recommendation_age Functional session Prevents the color suggestion dialog if the user toggles to not see the recommendations P_XXXXXXXX Required 1 year Prevents the color suggestion dialog if the user toggles to not see the recommendations This cookie is used to indicate if a pop up survey has been taken and prevent it from being taken again When a user takes a survey that has a payment question type, this cookie exists the user is able to pay. Once it expires, the user is unable to make a payment as the payment page, i.e. if the cookie exists the user is able to pay. Once it expires, the user is unable to make a payment as the payment page, i.e. if the cookie exists the user is able to pay. Once it expires, the user is unable to make a payment as the payment page is no longer valid. POT_{Encrypted_respondent_id} Required 1 day price testing Functional 30 days Functional 30 days Functional 1 year Price testing Stores the value of the SFPC campaign param from the user's most recent visit to the SurveyMonkey website. This cookie saves the project configuration for use later This cookie will be used to track if we should show the tooltip Functional 1 year Pretrains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Required 30 days Functional 1 year Shows/fides the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. Functional 30 days Functional 10 minutes Keeps track of the navigation on the individual responses page Functional 10 minutes Keeps track of the navigation on the individual responses page A client token received from the auth api to exchange with the current graph instance when a user takes a survey. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should no		•		
MUID Advertising 1 year Bing Tracking Prevents the color suggestion dialog if the user toggles to not see the recommendation_aga Functional session P_XXXXXXXX Required 1 year This cookie is used to indicate if a pop up survey has been taken and prevent it from being taken again When a user takes a survey that has a payment question type, this cookie denotes the validity of the subsequent page, i.e. if the cookie exists the user is able to pay, one it expires, the user is unable to make a payment as the payment page is no longer valid. PCT_{Encrypted_respondent_id} Required 1 day session/1 year Price testing Porgram Functional 30 days Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Required 30 days Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. This cookie will be used to track if we should show the toottip Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Required Stores the referrer from the user's most recent visit to the surveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie is used to restrict a users to one response page A client token received from the auth api to exchange with the current graph instance when a user take a survey. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting four. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal.		•		
P_XXXXXXXX Required 1 year prevents the color suggestion dialog if the user toggles to not see the recommendations P_XXXXXXXX Required 1 year prevent it from being taken again preview pure to the survey that has a payment page is not see the recommendations This cookie denotes the validity of the subsequent page, i.e. if the cookie exist the user is able to pay. Onco it expires, the user is unable to make a payment as the payment page is no longer valid. The cookie was the validity of the subsequent page, i.e. if the cookie exist the user is able to pay. Onco it expires, the user is unable to make a payment as the payment again and the user's most recent visit to the SurveyMonkey website. This cookie was the project configuration for use later program are project property in the user's most recent visit to the SurveyMonkey website. Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. This cookie will be used to that if we should show the tootitip Pertains to the activities the user has session are enabled. The cookie saves the project configuration for use later and the cookie and the payment page is not longer again. The cookie saves the project configuration for the user has session are enabled. The coo				
not_show_color_recommendation_aga Functional session recommendations P_XXXXXXXX Required 1 year This cookie is used to indicate if a pop up survey has been taken and prevent it from being taken again When a user takes a survey that has a payment question type, this cookie denotes the validity of the subsequent page, i.e. if the cookie exists the user is able to pay. Once it expires, the user is unable to make a payment as the payment page is no longer valid. POT_{Encrypted_respondent_id} Required 1 day Price testing Porgram Functional session/1 year Price testing Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Potential to the SurveyMonkey website. Required 30 days Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Required 30 days Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Required 30 days Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Required 30 days Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. Required 30 days Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. Required 1 day Required 4 client received from the auth api to exchange		r ta vortaening	. you.	•
P_XXXXXXX Required 1 year prevent it from being taken again When a user takes a survey that has a payment question type, this cookie denotes the validity of the subsequent page, i.e. if the cookie exists the user is able to pay. Once it expires, the user is unable to make a payment page is no longer valid. PQT_(Encrypted_respondent_id)* Required 1 day pricing_ab_new_users Functional session/1 year program Functional 30 days Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Porject_snapshot Functional session/1 year This cookie will be used to track if we should show the tooltip Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Required 30 days Stores the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Required Shows/hides the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie prevents spage respondents from seeing our research endpage more than once in a 30-day period. Repulied Functional 10 minutes Repulied Growth and the individual responses page Aclient token received from the auth api to exchange with the current graph instance when a user takes a survey. RP_XXXXXXXXX Required 90 days This cookie is used to restrict a users to one response per survey Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting our. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the annual preview popup model. Preview & Test for a survey creator. Option set by the user to hide or show the a	not_show_color_recommendation_aga	Functional	session	
cookie denotes the validity of the subsequent page, i.e. if the cookie exists the user is allo by ay. Once if expires, the user is unable to make a payment as the payment page is no longer valid. Pricing_ab_new_users Functional session/1 year Price testing Stores the value of the SFDC campaign param from the user's most recent visit to the SurveyMonkey website. Project_snapshot Functional session/1 year This cookie saves the project configuration for use later qna-resp-metadata-popout Functional 1 year This cookie will be used to track if we should show the tooltip Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Required 30 days Stores the referrer from the user's most recent visit to the SurveyMonkey website. Functional 1 year Shows/hides the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endage more than once in a 30-day period. Repulired 1 day Required 30 days Instance when a user takes a survey. RP_Client_Token 1 day Required 90 days This cookie is used to restrict a users to one response per survey Preview & Test for a survey creator. Flag to indicate that the user has received a toolitp explaining what turning commenting off has done to the user experience. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creato	P_XXXXXXXX	Required	1 year	
Functional program Functional Session/1 year This cookie saves the project configuration for use later qna-resp-metadata-popout Functional 1 year This cookie will be used to track if we should show the tooltip Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent session Required 30 days sessions are nabled. recurrence-tooltip Functional 1 year Shows/hides the recurrence tooltip inside a web link collector session are nabled. referrer_url Functional 30 days Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie will be used to track if we should show the tooltip Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are nabled. Tecurrence-tooltip Functional 1 year Shows/hides the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents deprevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents may also a web link collector survey and the survey of the neticent of the number of the number of the survey of the neticent of the number of the	PQT_{Encrypted_respondent_id}	Required	1 day	cookie denotes the validity of the subsequent page, i.e. if the cookie exists the user is able to pay. Once it expires, the user is unable to
program Functional 30 days recent visit to the SurveyMonkey website. project_snapshot Functional session/1 year This cookie saves the project configuration for use later qna-resp-metadata-popout Functional 1 year This cookie will be used to track if we should show the tooltip Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Required 30 days sessions are enabled. Functional 1 year Shows/hides the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie will be used to track if we should show the tooltip Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Functional 1 year Shows/hides the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. Functional 10 minutes Keeps track of the navigation on the individual responses page A client token received from the auth api to exchange with the current graph instance when a user takes a survey. RP_XXXXXXXXX Required 90 days This cookie is used to restrict a users to one response per survey Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting four. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the	pricing_ab_new_users	Functional	session/1 year	Price testing
qna-resp-metadata-popout Functional 1 year This cookie will be used to track if we should show the tooltip Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Functional 1 year Shows/hides the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. Functional 10 minutes Required Required Required Required Required Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Plag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Plag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Plag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page previ	program	Functional	30 days	
Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Perview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Pertains to the Brand Tracker dashboard feature. This is a session management cookie that expires after 30 days unless persistent sessions are enabled. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate	project_snapshot	Functional	session/1 year	This cookie saves the project configuration for use later
rack.session Required 30 days management cookie that expires after 30 days unless persistent sessions are enabled. Required 50 days Shows/hides the recurrence tooltip inside a web link collector Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. Repulied Functional 10 minutes Keeps track of the navigation on the individual responses page RP_Client_Token 1 day Required graph instance when a user takes a survey. RP_XXXXXXXX Required 90 days This cookie is used to restrict a users to one response per survey Preview & Test for a survey creator. Flag to indicate that the user has received a tooltip explaining what turning commenting off has done to the user experience. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting four. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Preview a purple of the service of the user's most recent to the user's most recent visit to the service of the user's most recent visit to the survey under the user's most recent visit to the service of the user's most recent visit to the survey. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview p	qna-resp-metadata-popout	Functional	1 year	This cookie will be used to track if we should show the tooltip
Stores the referrer from the user's most recent visit to the SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. This cookie prevents s-page respondents from the und individual responses page. This cookie prevents s-page respondents from the auth end individual responses page. This cookie is used to resuit and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from	rack.session	Required	30 days	management cookie that expires after 30 days unless persistent
referrer_url Functional 30 days SurveyMonkey website. This cookie prevents s-page respondents from seeing our research endpage more than once in a 30-day period. respondent_id Functional 10 minutes Keeps track of the navigation on the individual responses page RP_Client_Token 1 day Required Required graph instance when a user takes a survey. RP_XXXXXXXX Required 90 days This cookie is used to restrict a users to one response per survey Preview & Test for a survey creator. Flag to indicate that the user has received a tooltip explaining what turning commenting off has done to the user experience. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal.	recurrence-tooltip	Functional	1 year	Shows/hides the recurrence tooltip inside a web link collector
research_ep Functional 30 days endpage more than once in a 30-day period. respondent_id Functional 10 minutes Keeps track of the navigation on the individual responses page A client token received from the auth api to exchange with the current graph instance when a user takes a survey. RP_XXXXXXXX Required 90 days This cookie is used to restrict a users to one response per survey Preview & Test for a survey creator. Flag to indicate that the user has received a tooltip explaining what turning commenting off has done to the user experience. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from	referrer_url	Functional	30 days	
A client token received from the auth api to exchange with the current graph instance when a user takes a survey. RP_XXXXXXXX Required 90 days This cookie is used to restrict a users to one response per survey Preview & Test for a survey creator. Flag to indicate that the user has received a tooltip explaining what turning commenting off has done to the user experience. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from	research_ep	Functional	30 days	
RP_Client_Token 1 day Required graph instance when a user takes a survey. RP_XXXXXXXXX Required 90 days This cookie is used to restrict a users to one response per survey Preview & Test for a survey creator. Flag to indicate that the user has received a tooltip explaining what turning commenting off has done to the user experience. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from	respondent_id	Functional	10 minutes	Keeps track of the navigation on the individual responses page
Preview & Test for a survey creator. Flag to indicate that the user has received a tooltip explaining what turning commenting off has done to the user experience. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from	RP_Client_Token	1 day	Required	A client token received from the auth api to exchange with the current graph instance when a user takes a survey.
received a tooltip explaining what turning commenting off has done to the user experience. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from	RP_XXXXXXXX	Required	90 days	This cookie is used to restrict a users to one response per survey
Preview & Test for a survey creator. Flag to indicate that the user has seen the survey owner commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Flag to indicate that the user has seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from	s_m_spage_commenting_tour_comme	Functional	1 year	received a tooltip explaining what turning commenting off has done to
s_m_spage_commenting_tour_review Functional 1 year seen the survey reviewer commenting tour. Used to determine if they have seen it and it should not be triggered again. Preview & Test for a survey creator. Option set by the user to hide or show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from			1 year	seen the survey owner commenting tour. Used to determine if they
s_m_spage_hide_preview_warning Functional 1 year show the about page preview popup modal. Prevents analyze sentiment analysis feature announcement bar from	s_m_spage_commenting_tour_review	Functional	1 year	seen the survey reviewer commenting tour. Used to determine if they
	s_m_spage_hide_preview_warning	Functional	1 year	
	sa_show_fab	Functional	1 year	, , , , , , , , , , , , , , , , , , , ,

			Prevents analyze sentiment analysis onboarding from appearing
sa_show_popout	Functional	1 year	multiple times Determines whether or not the user has closed the smart banner that
sb-closed	Functional	1 year	links to the app store in our mobile experience.
sb-installed	Functional	1 year	Mobile experience optimizations.
seen_tbyb_fat_top_bar	Functional	1 days	Hides the top bar section that explains features are unlocked
session	Required	session	Used to prevent CSRF attacks
shared_page_password_ <shared_view< td=""><td>Functional</td><td>1 day</td><td>Authorises user for password-protected shared view</td></shared_view<>	Functional	1 day	Authorises user for password-protected shared view
shared_page_password_XXXXX	Required	1 day	Saves session for user visiting password protected Shared Results
shared_page_visitor_XXXXX	Functional	180 days	Determines if user has visited the shared results view
show_ar_off_survey	Functional	1 year	When a user turns Auto-renew off, the system sets this cookie to make sure we only show the "cancel auto-renew" survey once to eligible users.
show_ar_off_survey	Functional	1 year	We show a survey to users who go to the billing preference page and turn off auto renewal. We only want to show the survey once a year.
show_dashboard_popup	Functional	1 hour	This cookie is used to send selected users to an upgrade path.
signout confirmation seen	Functional	1 year	This cookie is used for tracking which sign out-confirmation pages this user has viewed
signout confirmation views	Functional		This cookie is used for tracking total sign out-confirmation page views
	Functional	1 year	
sitespect_banner	Functional	session/1 year	Tracking for sitespect
sm *	Functional	30 days	Contains info on any polls the user has taken in the last 30 days. It's used by the survey research team to conduct research into public opinion about current events or election prediction.
sm_analyze_commenting_tour	Functional	1 year	Used to show or hide the commenting tour dialog
sm_analyze_commenting_tour	Functional	1 year	Prevents analyze commenting onboarding from appearing multiple times
sm_analyze_disable_survey_gallery_to	Functional	1 year	Record that if the user want to see the survey gallery welcome modal
sm_analyze_disable_survey_gallery_ti		1 year	Hides survey gallery if the user checked the "stop showing modal" option
sm_analyze_word_cloud_tour	Functional	1 year	Prevents analyze word cloud onboarding from appearing multiple times
sm_ao_prediction_viewed_popout	Functional	1 day	Prevents answer options popout from appearing if user clicks on the all options option
sm_auto_scroll_modal	Functional	1 year	Hides a modal explaining the auto scroll feature
	Functional	-	Hides commenting popup on Preview & Score page for subsequent visits after user dismisses it
sm_commenting_cta	Functional	1 days	Helps determine which create sidebar panel to open on page load
sm_create_acc_key sm_create_followup_question_predicti		1 days	When this cookie is set, users will not see the follow-up question dialog while adding questions to their survey on the Design page. This cookie is set after the first time the user has seen the follow-up question dialog.
sm_create_quiz_question_added	Functional	1 year	Hides a tooltip explaining the quiz feature
sm_create_tour	Functional	1 year	Sets a user preference if cookie is present to not show the old tour modal.
sm_dashboard_announcement	Functional	1 year	Prevents dashboard announcement modal from appearing multiple times
sm_dc	Required	session/14 days	This cookie is required for routing the user to the correct data center.
sm_device_management_welcome	Functional	1 year	Shows/hides device management welcome modal
sm_dv	Required	1 day	Enables account verification in a way that reduces traffic to AB testing which improves page load times.
sm_gs_anon_resp_id	Functional	1 year	Captures global setting default set by primary admin for anonymous responses
sm_gs_resp_auth_bool	Functional	1 year	Captures global setting default set by primary admin for respondent authentication
sm_helpcenter_banners	Functional	session	Prevents site wide banners from appearing again after being dismissed.
sm_hww_XXXX	Functional	1 year	Prevents showing workgroup welcome modal more than once
sm_ir	Required	session	This cookie is used by instant results page to display certain data
sm_ir_mpid_cid	Functional	30 days	Analyse conversion traffic from affiliates
sm_library_show_modal	Functional	1 year	Shows/hides full library modal

sm_lite_library_show_modal	Functional	1 year	Shows/hides lite library modal
	- arrearerrar	. you.	Use localStorage entry to detect when user completes an ATLAS
am managa auruaya faadhaak aram	Eupotional	1 year	transfer or delete for the first time. It will be used to prompt
sm_manage_surveys_feedback_prom	Functional	1 year	GetFeedback pop-up. This cookie is used when a user comes to SurveyMonkey from a
sm_opa	Advertising	30 days	media partner for sales attribution.
sm_profile_questions_dismissed	Functional	session	user dismissed module asking them to answer profile questions
sm_profile_questions_dismissed	Functional	session	user dismissed module asking them to answer profile questions
sm_rec	Required	session/14 days	Stores unencrypted user data. Expiry time based on the "remember me" button on login.
sm_show_mobile_video_popout	Functional	1 day	Shows popout to user if in full background layout and the background type is video
			When this cookie is set, users will not see the popout on step 2 letting them know that they can only see the UI for conversational
sm_show_preview_conversation_popo	Functional	1 day	mode in preview and score page.
sm_switch_format	Functional	1 day	When this cookie is set, users will not see the confirmation dialog letting them know that they're updating the survey format from <old format=""> to <new format=""> on preview and score page of create.</new></old>
sm_team_summary_resharing_seen	Functional	1 year	This cookie is used to track whether we should show the survey resharing modal or not.
sm_team_summary_welcome_seen	Functional	1 year	displays a new welcome modal for enterprise admins only once, about the new Power/Casual User seats. Upon dismissal, we won't show the welcome modal again till cookie expires
sm_video_onboarding_modal	Functional	1 year	Hides video onboarding modal
sm-team-splash-screen-library-dismiss	Functional	1 year	Determines whether an Enterprise user has disabled the introductory splash screen for the Team Asset Library page, and therefore whether to show the modal or not
,			This cookie is used by our experiment platform to determine which currently active experiment variations a user has previously been
smasm	Required	90 days	exposed to. Ensure users are logged in across contribute and core. Removed on
smc	Functional	365 days	log out.
smcx {{widget_id}}} last_shown_at	Functional	Session	smcx_{{widget_id}}_last_shown_at is dropped when a user is shown a popup invitation or widget or survey popup user interface, before any user interaction starts. It is used to prevent showing the same popup invitation or survey to the same browser instance after a user on that browser instance had already been given the opportunity to take the survey. Otherwise, in absence of special coding on the hosted website, users would be presented with the survey on every visit.
smexp	Required	30 minutes	This cookie is used by to determine which AB Testing a user has been exposed to in the last 30 minutes.
smf_logged_out_language	Functional	1 Year	Remembers logged out user's language preference
SMkyPaymentRetry	Functional	session	Cookie to send credit card customers in charge retry mode to billing pages.
smpoll	Functional	30 days	This cookie contains info on any polls the user has taken in the last 30 days. It's used by the survey research team to conduct research into public opinion about current events or election prediction.
spagereqshare	Functional	90 days	Used in survey preview and commenting
sso_enabled	Functional	1 year	Stores encrypted SSO group information for SSO notification on login and password reset
sso_user	Required	90 days	This cookie is used to determine if a user is a single sign on user
taken_template_seen	Functional	1 year	This cookie is used for tracking which survey-taken pages this user has viewed
taken_template_views	Functional	1 year	This cookie is used for tracking total survey-taken page views
tld_set	Functional	1 year	Used for cross domain authentication and running AB testing on users visiting the site on different top level domains
tld_user	Functional	1 year	Used for cross domain authentication and running AB testing on users visiting the site on different top level domains
trooking chared dealthours are	Eupotional	24 hours	Enables a user to access the Brand Tracking dashboards multiple times within a 24 hour period without having to reenter the password
tracking-shared-dashboard-session	Functional	24 hours	after that day's initial log in.
ttc_complete	Functional	1 year	Keeps track of insights trends cards completed
ucs_sign_in_module	Functional	1 year	Used for UCS banner - pending deprecation

ucs_sign_in_promo	Functional	1 year	Used by UCS banner - pending deprecation
ucs_topbar_views	Functional	5 years	Records how many times a certain topbar has been viewed in that browser, This was used by UCS V1, and V1 is not called anymore, the legacy v1 code will be removed soon.
upgrade_browser_modal	Functional	1 days	This cookie prevents the unsupported browser warning from displaying multiple times
utm_adgroup	Functional	30 days	Stores the value of the utm_adgroup param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_bu	Functional	30 days	Stores the value of the utm_bu param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_campaign	Functional	30 days	Stores the value of the utm_campaign param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_content	Functional	30 days	Stores the value of the utm_content param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_data	Functional	30 days	Stores the value of the utm_data param from the user's most recent visit to the SurveyMonkey website.
utm_device	Functional	30 days	Stores the value of the utm_device param from the user's most recent visit to the SurveyMonkey website.
utm_medium	Functional	30 days	Stores the value of the utm_medium param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_network	Functional	30 days	Stores the value of the utm_network param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_source	Functional	30 days	Stores the value of the utm_source param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
utm_tag	Functional	30 days	Stores the value of the utm_tag param from the user's most recent visit to the SurveyMonkey website.
utm_term	Functional	30 days	Stores the value of the utm_term param from the user's most recent visit to the SurveyMonkey website. Used to analyze performance of marketing campaigns.
viewed_4878	Functional	30 days	This cookie is used by for AB testing to personalize a returning user's upgrade path
visited_preview_anon	Functional	session/1 year	Record that a person has visited the preview page while signed out. When they sign in, we record that this user visited the preview page anonymously and then delete le cookie.
x-sm-bypass-auth0-redirect	Required	10 seconds	Allows users to revert to the non-Auth0 driven login flow in case of password or email issues.
x-sm-permit-legacy-forgot	Required	1 hour	Allows users to revert to the non-Auth0 driven password reset flow.
OTVariant	Functional	179 days	This cookie is used to measure and optimize OneTrust CMP banner implementation
In_or	Advertising	0 days	used for advertising

[1] See Categories tab for definitions

u	Fto.	0-4	Third Books No.	D dell'o	I to to
Name	Expiry	Category	Third Party Name	Description This cookie is associated with sites using Google Tag Manager to load	Link
				other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function	
_dc_gtm_UA-xxxxxxxxx	1 year	Advertising	Google	correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account.	
	2 years	Advertising	Salesforce	This cookie is used to support Salesforce Interaction Studio	https://www.salesforce.com/eu/products/marketing- cloud/customer-interaction/
_evga_xxxx	L yours	raversong	Calculored	This cookie is associated with sites using Google Tag Manager to load	SOCIO SIGNATURE INCOMENTA
				other scripts and code into a page. Where it is used it may be regarded as Strictly Necessary as without it, other scripts may not function	
ga_C9NYX1KTR9	1 year	Advertising	Google	correctly. The end of the name is a unique number which is also an identifier for an associated Google Analytics account.	
				This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded	
				as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an	
ga_JMDBBLT4C7	1 year	Advertising	Google	identifier for an associated Google Analytics account.	
				This cookie is associated with sites using Google Tag Manager to load other scripts and code into a page. Where it is used it may be regarded	
				as Strictly Necessary as without it, other scripts may not function correctly. The end of the name is a unique number which is also an	
ga_YGSXJ1X7TC	1 year	Advertising	Google	identifier for an associated Google Analytics account. This is a pattern type cookie set by Google Analytics, where the pattern	
				element on the name contains the unique identity number of the account or website it relates to. It appears to be a variation of the _gat cookie	
_gat_UA-nnnnnn-nn	1 year	Advertising	Google	which is used to limit the amount of data recorded by Google on high traffic volume websites.	
				This cookie can be set to prevent the HubSpot tracking code from	https://knowledge.hubspot.com/reports/what-cookies-
_hs_do_not_track	13 months	Required	HubSpot	sending any information to HubSpot. This cookie keeps track of sessions. This is used to determine if	does-hubspot-set-in-a-visitor-s-browser
hssc	30 minutes	Advertising	HubSpot	HubSpot should increment the session number and timestamps in the hstc cookie.	https://knowledge.hubspot.com/reports/what-cookies- does-hubspot-set-in-a-visitor-s-browser
hssrc	session			Whenever HubSpot changes the session cookie, this cookie is also set	https://knowledge.hubspot.com/reports/what-cookies-
_nssrc	session	Advertising	HubSpot	to determine if the visitor has restarted their browser.	does-hubspot-set-in-a-visitor-s-browser https://knowledge.hubspot.com/reports/what-cookies-
_hstc	13 months	Advertising	HubSpot	The main cookie for tracking visitors This is a cookie used in rare cases if Qualified is unable to detect the	does-hubspot-set-in-a-visitor-s-browser
a domainTeet	eassion	Eunctional	Qualified	domain where Qualified is being instantiated. It is set and immediately unset.	
_q_domainTest _sfid_xxxx	2 years	Functional Advertising	Salesforce	Used as an identifier in Salesforce.	
				Used to to aid in fraud detection. For example, this cookie data helps our fraud systems recognize the patterns of fraudulent actors and stops	
_stripe_mid	10 minutes	Required	Stripe	them prior to making a purchase in order to help protect your business.	https://stripe.com/cookies-policy/legal
and a said			Out-	Used to to aid in fraud detection. For example, this cookie data helps our fraud systems recognize the patterns of fraudulent actors and stops	
_stripe_sid	1 year	Required	Stripe	them prior to making a purchase in order to help protect your business.	https://stripe.com/cookies-policy/legal https://developers.google_
_utma	2 years	Functional	Google Analytics	First party cookie set by third party script. Used to distinguish users and sessions	com/analytics/devguides/collection/analyticsis/cookie- usage#gajs
_	,				https://developers.google.
_utmb	30 minutes	Functional	Google Analytics	Used to determine new sessions and visits	com/analytics/devguides/collection/analyticsjs/cookie- usage#gajs
					https://developers.google. com/analytics/devguides/collection/analyticsjs/cookie-
_utmc	session	Functional	Google Analytics	Used for Google Analytics Functionality	usage#gais
ulmt	10 minuto-	Functional	Google Appliet	Liead to throttle request rates	https://developers.google. com/analytics/devguides/collection/analyticsjs/cookie- usage#gajs
_utmt	10 minutes	Functional	Google Analytics	Used to throttle request rates	https://developers.google.
utmv	2 years	Functional	Google Analytics	Used to store visitor-level custom variable data	com/analytics/devguides/collection/analyticsjs/cookie- usage#gais
_			,		https://developers.google.
				Stores the traffic source or camapin that explains how the user reached	com/analytics/devguides/collection/analyticsjs/cookie-
_utmz	6 months	Functional	Google Analytics	your site	usage#gajs
_ce.gtld	1 second	Advertising	Crazy Egg Inc	Used to identify the top level domain.	usage#gajs https://www.crazyegg.com/cookies
ce.gtld ce.cch		+	Crazy Egg Inc Crazy Egg Inc		usage#gajs
ce.gtld ce.cch ceg.s ceg.u	1 second 1 second 3 months 3 months	Advertising Advertising Functional Functional	Crazy Egg Inc Crazy Egg Inc Crazy Egg Inc Crazy Egg Inc	Used to identify the top level domain. Used to check if cookies can be added. Track visitor sessions Track visitors on your site	usagafagis https://www.crazyegg.com/cookies https://www.crazyegg.com/cookies https://www.crazyegg.com/cookies https://www.crazyegg.com/cookies
ce.gtld ce.cch ceg.s ceg.u	1 second 1 second 3 months	Advertising Advertising Functional	Crazy Egg Inc Crazy Egg Inc Crazy Egg Inc	Used to identify the top level domain. Used to check if cookies can be added. Track visitor sessions	Usageffigals INIDEs/Inverse crazyeag.com/cookles INIDES/Inverse crazyeag.com/privacy/ INIDES/Inverse crazyeag.com/privacy/ INIDES/Inverse crazyeag.com/privacy/ INIDES/Inverse crazyeag.com/privacy/
ce.gtld ce.cch ceg.s ceg.u cloudspongea	1 second 1 second 3 months 3 months	Advertising Advertising Functional Functional	Crazy Egg Inc Crazy Egg Inc Crazy Egg Inc Crazy Egg Inc	Used to identify the top level domain. Used to check if cookies can be added. Track visitors sessions Track visitors on your site Behavior tracking Used to throttle request rate.	usagafagis https://www.crazyegg.com/cookies https://www.crazyegg.com/cookies https://www.crazyegg.com/cookies https://www.crazyegg.com/cookies
ce.gtld ce.cch ceg.s ceg.s ceg.u cloudspongea dcgtm_ <pre>cpoperty-id></pre>	1 second 1 second 3 months 3 months Immediately	Advertising Advertising Functional Functional Functional Required	Crazy Egg Inc Cloudsponge Google Analytics	Lised to Lidentify the top level domain. Used to check if cookies can be added. Track visitor sessions Track visitors on your site Behavior tracking Lised to throttle request rate. A FullStory cookie that identifies the visitor for Ada to replay sessions	usageffiaja https://www.crazyego.com/cookles https://www.crazyego.com/cookles https://www.crazyego.com/cookles https://www.crazyego.com/cookles https://www.crazyego.com/cookles https://www.crazyego.com/cookles https://www.crazyego.com/cookles https://www.crazyego.com/cookles https://www.crazyego.com/cookles
cegtld cecch cecs cegs cegu cloudsponges dc_gtm_ <property-id> f_s_uid</property-id>	1 second 1 second 3 months 3 months Immediately 1 minute session	Advertising Advertising Functional Functional Functional Required Required	Crazy Egg Inc Cloudsponge Google Analytics Ada	Used to identify the top level domain. Used to check if cookles can be added. Track visitor sessions Track visitors on your site Behavior tracking Behavior tracking Lived to throttle request rate. A FullStory cookle that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as	Usagefficials Thiss//www.crazyega.com/cookles Thiss/www.crazyega.com/cookles Thiss/www.crazyega.com/cookles Thiss/www.crazyega.com/cookles Thiss/www.crazyega.com/cookles Thiss/www.crazyega.com/cookles Thiss/www.crazyega.com/cookles Thiss/www.crazyega.com/cookles Thiss/www.crazyega.com/cookles Thiss/www.crazy
ce.gtld ce.cch cech cegs ceg u cloudsponges dc_gtm_ <property-id> f_s_uid</property-id>	1 second 1 second 3 months 3 months Immediately 1 minute session 90 days	Advertising Advertising Functional Functional Functional Required Required Advertising	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook	Used to identify the top level domain. Used to otheck if cookies can be added. Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Behavior tracking Level to throttle request rate. A FullStory cookie that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers	usagefiasis https://www.crazyega.com/cookies https://www.crazyega.
ce.gtld ce.cch ceg.s ceg.u cloudspongea	1 second 1 second 3 months 3 months Immediately 1 minute session	Advertising Advertising Functional Functional Functional Required Required	Crazy Egg Inc Cloudsponge Google Analytics Ada	Used to identify the top level domain. Used to check if cookles can be added. Track visitor sessions Track visitors on your site Behavior tracking Behavior tracking Lived to throttle request rate. A FullStory cookle that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as	usagefizate https://www.crazyega.com/cookies usagefizate com/analytics/devaludes/collection/analyticsis/cookie- usagefizate apilips://developers.facebook.com/dookimarketing- apiliserver-side-apilizarameters/tb-and-fbd/ https://developers.facebook.com/dookimarketing- apiliserver-side-apilizarameters/tb-and-fbd/ https://developers.facebook.com/dookimarketing- apiliserver-side-apilizarameters/tb-and-fbd/
ce.gtld ce.cch cegs cegs cegu cloudspongea dc_gtm_ <pre>property-id> f.s_uid fbc fbp</pre>	1 second 1 second 3 months 3 months Immediately 1 minute session 90 days	Advertising Advertising Functional Functional Functional Required Required Advertising Advertising	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Facebook	Used to identify the top level domain. Used to check if cookies can be added. Track visitor sessions Track visitors on your site Behavior tracking Used to throttle request rate. A FullStory cookie that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers	usageffagis https://www.crazyegg.com/cookles https://sevelopers.acebook.com/dookmarketing-agilserver-side-agi/parameters/fbg-and-fbg/ https://sevelopers.acebook.com/dookmarketing-agilserver-side-agi/parameters/fbg-and-fbg/ https://sevelopers.acebook.com/dookmarketing-agilserver-side-agi/parameters/fbg-and-fbg/ https://sevelopers.acebook.com/dookmarketing-agilserver-side-agi/parameters/fbg-and-fbg/ https://sevelopers.goodle.
ce.gtld ce.cch cegs cegs cegu cloudspongea dc_gtm_ <pre>property-id> f.s_uid fbc fbp</pre>	1 second 1 second 3 months 3 months Immediately 1 minute session 90 days	Advertising Advertising Functional Functional Functional Required Required Advertising	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook	Used to identify the top level domain. Used to otheck if cookies can be added. Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Behavior tracking Level to throttle request rate. A FullStory cookie that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers	usageffajas https://www.crazyega.com/cookles https://www.crazyega.cookles https://www
ce.gtld ce.cch ce.cch cegs cegs cegu doudspongea dc.gtm_ <property-id> f.suid fbc fbp</property-id>	1 second 1 second 3 months 3 months Immediately 1 minute session 90 days	Advertising Advertising Functional Functional Functional Required Required Advertising Advertising	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Facebook	Used to identify the top level domain. Used to check if cookies can be added. Track visitor sessions Track visitors on your site Behavior tracking Used to throttle request rate. A FullStory cookie that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers	usageffajas https://www.crazyega.com/cookies https://www.crazyega.com/crazyega.com/crazyega.cookies https://www.crazyega.com/crazyega.cookies https://www.crazyega.cookies https
ce.gtld ce.cch ce.cch cegs cegs cegu cloudspongea dc.gtm <pre>property-id> f.suid</pre>	1 second 1 second 3 months 3 months Immediately 1 minute session 90 days 90 days	Advertising Advertising Functional Functional Functional Functional Required Required Advertising Advertising Required	Crazy Eggl Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics	Used to identify the top level domain. Used to heack if cookles can be added. Track visitor sessions Track visitors on your site Behavior tracking Behavior tracking Jused to throttle request rate. A FullStory cookle that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used by Facebook to deliver a residence of advertisement products such as real time bidding from third party advertisers Used to distinguish users.	Usageffajas https://www.crazyweg.com/cookies https://developers.goo.com/cookie- usageffajas https://developers.acebook.com/docs/marketing- apiliserver-side-apiliyarameters/thp-and-thc/ https://developers.acebook.com/docs/marketing- apiliserver-side-apiliyarameters/thp-and-thc/ https://developers.goo.com/cookie- usageffajas https://developers.goo.com/cookie- com/nand/tics/devejudes/collection/anal/ticsis/cookie- usageffajas https://developers.goo.com/cookie- com/nand/tics/devejudes/collection/anal/ticsis/cookie- usageffajas https://developers.goo.com/cookie- com/nand/tics/devejudes/collection/anal/ticsis/cookie- com/nand/tics/devejudes/collection/anal/ticsis/cookie-
ce.gtld ce.cch ce.gs ceg.u cloudspongea dc.gtm_ <pre>cproperty-id> f.s_uid fbc fbp ga gac_<pre>cproperty-id></pre></pre>	1 second 1 second 3 months 3 months Immediately 1 minute session 90 days 90 days	Advertising Advertising Functional Functional Functional Functional Required Required Advertising Advertising Required	Crazy Eggl Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics	Used to identify the top level domain. Used to heach if cookles can be added. Track visitors essessions Track visitors essessions Track visitors essessions Track visitors end to the second of the visitor for Ada to replay sessions Behavior tracking Jused to throttler request rate. A FullStbry cookle that identifies the visitor for Ada to replay sessions from users Lead by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Used for Google Analytics Functionality	usageficials https://www.crazyeag.com/bookles https://developers.goodle. https://developers.facebook.com/docs/marketing- adsissave-side-adsiparameters/be-and-bod https://developers.facebook.com/docs/marketing- adsissave-side-adsiparameters/be-and-bod https://developers.goodle. https://developers.goodle. https://developers.goodle. https://developers.goodle. https://developers.goodle. https://developers.goodle.
cegtld ce.ch ceg.s ceg.u cloudspongea dc_gim_ <property-id> f.s_uid fbc fbp ga gac_<property-id> gat</property-id></property-id>	1 second 1 second 3 months 3 months Immediately 1 minute session 90 days 90 days 1 year	Advertising Advertising Functional Functional Functional Functional Required Required Advertising Advertising Required Required Required Required	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Google Analytics Google Analytics Google Analytics	Used to identify the top level domain. Used to heach if cookles can be added. Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Behavior tracking AFullStory cookle that identifies the visitor for Ada to replay sessions from users Leed to throttle request rate. AFullStory cookle that identifies the visitor for Ada to replay sessions from users Leed by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Used to distinguish users. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page.	usageficials https://www.crazyeag.com/bookles https://developers.facebook.com/bookles https://developers.facebook.com/bookles https://developers.facebook.com/bookles https://developers.facebook.com/bookles https://developers.facebook.com/bookles https://developers.facebook.com/bookles https://developers.goodle. https://developers.goodle. com/analytics/devuides/collection/analyticsis/cookle- https://developers.goodle.
ce.gtld ce.cch cegs ceg.u cloudspongea dcgtm_ <property-id> f.suid fbc fbp ga_ cproperty-id> gat gd_au</property-id>	1 second 1 second 3 months 3 months 1 mediately 1 minute session 90 days 90 days 1 year 90 days	Advertising Advertising Advertising Functional Functional Functional Functional Required Advertising Advertising Required Required Required Required Required Required	Crazy Egg Inc Cloudsponge Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics	Used to identify the top level domain. Used to check if cooleas can be added. Track visitor sessions Track visitors sessions Used to throttle request rate. A FulfStory coole that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to practice the products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing	usagefigals https://www.crazyega.com/cookles https://www.crazyega.cookles https://www.crazyega.cookles https://www.crazyega.cookles https://www.crazyega.cookles https://
regitd ce cch cegs ceg u cloudspongea dc_gtm_sproperty-id> f_s_uid fbc fbp ga_ sproperty-id> gat_gd_au gd_au gd_aw	1 second 1 second 3 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 minute 90 days 90 days	Advertising Advertising Functional Functional Functional Functional Functional Advertising Advertising Advertising Required Required Required Required Advertising	Crazy Eggl Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Google Coogle Google Google Google Google Google Google	Used to identify the top level domain. Used to check if cookles can be added. Track visitor sessions Track visitor sessions Track visitors on your site Behavior tracking Used to throttle request rate. A FullStory cookle that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page.	Usageffajas https://www.crazyega.com/cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.cookies https://
ce.gtld ce.cch cech cech cegs ceg. ceg.u cloudspongea dc.gtm_cproperty-id> f.s_uid fbc fbp ga gac_cproperty-id> gat gd_au gd_aw	1 second 1 second 3 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 minute	Advertising Advertising Advertising Functional Functional Functional Functional Required Advertising Required Advertising Required Required Advertising Advertising	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Analytics Google Analytics Google Coogle Analytics	Used to identify the top level domain. Used to check if cookles can be added. Track visitors essessions Track visitors end visit	Usageffajas https://www.crazyega.com/cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.cookies https://www.crazyega.coo
ce.gtld ce.cch ce.cch ceg.u ceg.u cloudspongea dc_gtm_ <property-id> f.s_uid fbc fbp gae_<property-id> gat gd_au gd_au gd_aw gd_dc dc</property-id></property-id>	1 second 1 second 3 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 minute 90 days 90 days	Advertising Advertising Functional Functional Functional Functional Functional Advertising Advertising Advertising Required Required Required Required Advertising	Crazy Eggl Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Google Coogle Google Google Google Google Google Google	Used to identify the top level domain. Used to check if cookles can be added. Track visitors essions Behavior tracking Behavior tracking Used to throttle request rate. A Full Story cookle that identifies the visitor for Ada to replay sessions from users Used to freebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to fiscito to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users.	Usageficials Nituss/Inview.crazyeag.com/bookies Nituss/Inview.com/bookies Nituss
ce.gtld ce.cch ce.cch ceg.u ceg.u cloudspongea dc_gtm_ <property-id> f.s_uid fbc fbp ga gac_<property-id> gat gcd_au gcd_au gcd_dc gid</property-id></property-id>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 minute 90 days 90 days	Advertising Advertising Advertising Functional Functional Functional Required Required Advertising Required Required Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising	Crazy Eggl inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics	Used to identify the top level domain. Used to check if cookles can be added. Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Behavior tracking Jeed to throttle request rate. A FullStory cookle that identifies the visitor for Ada to replay sessions from users Used to Practice to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Used to distinguish users. Used to Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page.	Usagefficials Integs/Inventoracyeag.com/cookies Integs/Inventoracyeag.cookies Com/Inant/Integs/Inventoracyeag.cookies Integs/Inventoracyeag.cookies Com/Inant/Integs/Inventoracyeag.cookies Integs/Inventoracyeag.cookies Integs/Inventoracyeag.cookies Com/Inant/Integs/Inventoracyeag.cookies Integs/Inventoracyeag.cookies Integs/Inventoracyeag.cook
ce.gtld ce.cch ce.cch ceg.u ceg.u cloudspongea dc_gtm_ <property-id> f.s_uid fbc fsp gae_<property-id> gat gd_au gd_au gd_aw gd_dc GRECAPTCHA</property-id></property-id>	1 second 1 second 1 second 3 months 3 months Immediately 1 minute session 90 days 90 days 1 year 90 days 90 days 24 hours 90 days	Advertising Advertising Functional Functional Functional Functional Functional Required Required Advertising Required Required Advertising Required Required Required Required Required Required Required Required Required	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Goo	Used to identify the top level domain. Used to check if cookles can be added. Track visitors sessions Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Used to throttle request rate. A Fullstory cookle that identifies the visitor for Ada to replay sessions from users Used to brackook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Used to distinguish users. Used for Google Analytics Functionality Conversion Lirker Tag used to track conversions beyond initial landing page. Conversion Lirker Tag used to track conversions beyond initial landing page. Conversion Lirker Tag used to track conversions beyond initial landing page. Used to distinguish users. Used to distinguish users. Used to distinguish users. Used to distinguish users.	usagefigals https://www.crazyeeg.com/cookles https://www.crazyeeg.cookle. https://developers.goocle. https://d
cegtld ce coth ce coth ceg s ceg u cloudspongea dc_gtm_ <property-id> f_s_uid fbc fbp ga gac_<property-id> gat gd_au gd_au gd_au gd_dc GRECAPTCHA</property-id></property-id>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days	Advertising Advertising Advertising Functional Functional Functional Required Required Advertising Required Required Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising Required Advertising Advertising Required	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google	Used to identify the top level domain. Used to check if cookles can be added. Track visitors sessions Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Used to throttle request rate. A Fullstory cookle that identifies the visitor for Ada to replay sessions from users Used to brackook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. The track the beginning of the users. Used to distinguish users. This cookle is est o Holgir can track the beginning of the user's journey for a total session count. It does not contain any identifiable information.	usageffajas https://www.crazyega.com/cookies https://cwelopers.acookie.com/doos/marketing-agaliserver-side-agu/crazmeters/bb-and-fbd/ https://dwelopers.acookie.com/doos/marketing-agaliserver-side-agu/crazmeters/bb-and-fbd/ https://dwelopers.acookie.com/doos/marketing-agaliserver-side-agu/crazmeters/bb-and-fbd/ https://dwelopers.acookie.com/analyticsis/cookie-usageffajas https://dwelopers.acookie.com/analyticsis/cookie-usageffajas https://www.crazyega.com/cookie.com/analyticsis/cookie-usageffajas com/analytics/devoudes/collection/analyticsis/cookie-usageffajas com/analytics/devoudes/collection/analyticsis/cookie-usageffajas com/analytics/devoudes/collection/analyticsis/cookie-usageffajas com/analytics/devoudes/collection/analyticsis/cookie-usageffajas
cegtld ce coth ce coth cegs ceg u cloudspongea dc_gtm_ <property-id> f_s_uid fbc fbp ga gac_<property-id> gat ggl_au ggl_au ggl_dc ggl_dc GRECAPTCHA hjAbsoluteSessionInProgress</property-id></property-id>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 90 days 24 hours session 30 minutes	Advertising Advertising Advertising Functional Functional Functional Functional Required Required Advertising Required Required Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising Required Required Advertising Advertising Advertising Required Required Required Required Required Required	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Google Analytics	Used to identify the top level domain. Used to check if cookles can be added. Track visitors essessions Track visitors essessi	Usagefficials Intitus/Iwww.crazyeeg.com/cookles Intitus/Iwww.crazyeeg.cookle.com/docklenateling- agelficials Intitus/Iwww.crazyeeg.com/cookles- Intitus/Iwww.crazyeeg.com/cookles- Intitus/Iwww.crazyeeg.cookles Intitus/Irwww.crazyeeg.cookles Irwww.crazyeeg.cookles Irwww.crazyeeg.cookles Irwww.crazyeeg.cookles Irwww.craz
ce.gtld ce.cch ce.cch ceg.s ceg.u cloudspongea dc.gtm_ <property-id> f.s_uid fbc fbp ga gae_<property-id> gat gd_au gd_au gd_dc grd_Gc grid GRECAPTCHA hjAbsoluteSessioninProgress</property-id></property-id>	1 second 1 second 1 second 3 months 3 months Immediately 1 minute session 90 days 90 days 1 year 90 days 90 days 24 hours 90 days	Advertising Advertising Functional Functional Functional Functional Functional Required Required Advertising Required Required Advertising Required Required Required Required Required Required Required Required Required	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Goo	Used to identify the top level domain. Used to breck if cookles can be added. Track visitors essessions Track visitors essessions Track visitors essessions Behavior tracking Behavior for Ada to replay sessions from users Leved by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookie enables Google ReCaptcha, which is used to maintain site sections and the proposed of a total session count. It does not contain any identifiable information. This cookie is set so Holgir can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookie is set when the customer first lands on a page with the Boldsr script. It is used to persist the Holgirus bent for subsequent visits to the same set with the substance first lands on a page with the Boldsr script. It is used to persist the Holgirus bent subsequent visits to the same set with the substance first lands on a page with the Boldsr script. It is used to persist the same user ID.	Usageffajas https://www.crazyega.com/cookles https://www.crazyega.com/c
ce.gtld ce.cch ce.cch cech cech cech ceg.s ceg.u cloudspongea dc_gtm_ <property-id> f.s_uid fbc fbp ga gac_<property-id> gat gd_au gd_dc gd_dc gdid GRECAPTCHA hjAbsoluteSessionInProgress</property-id></property-id>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 90 days 24 hours session 30 minutes	Advertising Advertising Advertising Functional Functional Functional Functional Required Required Advertising Required Required Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising Required Required Advertising Advertising Advertising Required Required Required Required Required Required	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Google Analytics	Used to identify the top level domain. Used to check if cookles can be added. Track visitors essessions Track visitors essessi	Lisageffelas https://www.crazyeeg.com/bookles https://www.crazyeeg.com/b
ce.gtld ce.ceptd ce.cept cecpt	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 90 days 24 hours session 30 minutes	Advertising Advertising Functional Functional Functional Functional Required Required Advertising Required Required Advertising Required Advertising Required Advertising Required Advertising Advertising Advertising Functional Functional	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Google Google Google Analytics Hotjar	Used to identify the top level domain. Used to brock if cookles can be added. Track visitors essessions Behavior tracking Lived to find tidentifiles the visitor for Ada to replay sessions from users Leved by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to find the products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cockle enables of page the Capacha, which is used to maintain site services and the product of a total session count. It does not contain any identifiate information. This cockle is set so Holgia can track the beginning of the user's journey for a total session count. It does not contain any identifiate information. This cockle is set so Holgia can track the beginning of the user's journey for a total session count. It does not contain any identifiate information. This cockle is set to Holgia can track the beginning of the user's journey for a total session count. It does not contain any identifiate information. This cockle is set to Holgia can track the beginning of the user's journey for a total session count. It does not contain any identifiate information. This cockle is set so Holgia can track the beginning of the user's journey for a total session count. It does not contain any identifiate information. This cockle enables to the folia to the folia the product of the folia to the folia to the product of the folia to the	Lisageffejals https://www.crazyeeg.com/bookles https://www.crazyeeg.com/
ce.gtld ce.ceptl ce.ceptl ce.cept cecpt. cept. c	1 second 1 second 1 second 3 months 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 90 days 24 hours session 30 minutes 365 days 365 days	Advertising Advertising Functional Functional Functional Functional Required Required Advertising Required Required Advertising Required Required Required Required Required Required Required Required Functional Functional	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Hotjar Hotjar	Used to identify the top level domain. Used to check if cookles can be added. Track visitors sessions Track visitors sessions Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Used to throttle request rate. A FullStory cookle that identifies the visitor for Ada to replay sessions from users Used to Proceed to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Used to distinguish users. Used to distinguish users. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. The track the beginning of the user's journey for a total session count. It does not contain any identifiable information for the cookle is eat to left place. The cookle is eat so Holgir can track the beginning of the user's journey for a total session count. It does not contain any identifiable information in the cookle is eat when the customer fits lands on a gase with the holds series in such as a page with the stributed to the same user ID. This session cookle is et to left Holgir know whether that visitor is included in the sample which is used to generate funnets.	Usagefficials Intips://www.crazyeeg.com/cookles Intips://www.crazyeeg.cookle.com/docs/marketing- agelficials Intips://developers.acebook.com/docs/marketing- agelficials Intips://developers.acebook.com/docs/marketing- agelficials-intips://developers.acebookles Intips://developers.acebook.com/docs/marketing- agelficials-intips://developers.acebookles Intips://developers.acebookle.com/docs/marketing- agelficials Intips://developers.aceodle.com/analyticsis/cookles Intips://developers.aceodle.com/analyti
ce.gtid ce.con ce.gtid ce.con ceg.s ceg	1 second 1 second 1 second 3 months 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 90 days 24 hours session 30 minutes 365 days 365 days 180 days 180 days	Advertising Advertising Functional Functional Functional Functional Functional Required Required Advertising Required Advertising Required Required Required Required Required Required Advertising Required Functional Functional Functional Functional Advertising	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Google Coogle Google Analytics Google Analytics Hotjar Hotjar Hotjar Krux Digital Marketo	Used to identify the top level domain. Used to check if cookles can be added. Track visitors sessions Track visitors sessions Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Used to throttle request rate. A Fullstory cookle that identifies the visitor for Ada to replay sessions from users Used to Proceed the identifies the visitor for Ada to replay sessions from users Used to Procedock to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Used to distinguish users. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. The tracking the provent abuse. Used to distinguish users. This cookle is east to Helpface an track the beginning of the user's journey for a total session count. It does not contain any identifiable information in the cookle is east to Helpface fits lands on a page with the holds report of the same user (I). This cookle is act when the customer fits lands on a page with the holds report in sensors on beam size will be attributed to the same user (I). This session cookle is act to let Holds rivon whether that visitor is included in the sample which is used to generate funnels.	Usagefficials Intros/Inview.crazyeeg.com/cookles Intros/Inview.crazyeeg.com/cookles Intros/Inview.crazyeeg.com/cookles Intros/Inview.crazyeeg.com/cookles Intros/Inview.crazyeeg.com/cookles Intros/Inview.crazyeeg.com/cookles Intros/Inview.crazyeeg.com/cookles Intros/Inview.crazyeeg.com/cookles Intros/Inview.crazyeeg.com/cookles Intros/Inview.cookles.com/cookles Intros/Inview.cookles.com/cookles Intros/Inview.cookles.cookle.com/cookles.coo
ce.gtid ce.cch ceg.u ceg.u dc.gtm <pre>property-id> c.s</pre>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 90 days 24 hours session 30 minutes 365 days 365 days 180 days	Advertising Advertising Functional Functional Functional Functional Required Required Advertising Required Advertising Required Required Required Required Required Required Required Required Functional Functional Functional Functional Functional Functional Advertising Advertising Required Required Required Required Required Required Required Required Required Functional Functional Functional Advertising	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Google Coogle Google Coogle Google Google Google Google Holjar Holjar Holjar Krux Digital	Used to identify the top level domain. Used to check if cookles can be added. Track visitors sessions Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Used to throttle request rate. A Fullstory cookle that identifies the visitor for Ada to replay sessions from users Used to provide that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Used to distinguish users. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. Used to distinguish users. Used to distinguish users. Used to distinguish users. This cookle is each orbit grade and track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is act to Help and track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is act when the customer first lands on a pase with the botal series in an any identifiable information. This cookle is active than the customer first lands on a pase with the botal series in an any identifiable information. This cookle is active then the customer first lands on a pase with the botal series in an any identifiable information. This cookle is active then the customer first lands on a pase with the botal series in an annual track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is active then the customer first lands on a pase with the botal series.	Lisageffejals https://www.crazyeego.com/bookles h
ce.gtid ce.cch ceg.u ceg.u dc.gtm_ <property-id> f.s_uid dc.gtm_<property-id> ga_ gac_<property-id> ga_ gac_<property-id> gat gat gat gat gat gat gat ga</property-id></property-id></property-id></property-id>	1 second 1 second 1 second 3 months 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 year 90 days 24 hours session 30 minutes 365 days 180 days 180 days 180 days 180 days 1 minute	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Advertising Advertising Required Advertising Required Required Required Required Required Advertising Required Functional Advertising Required Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising Functional Advertising Advertising Advertising Advertising Advertising	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Hotjar Hotjar Hotjar Krux Digital Marketo Salesforce Live Agent Spottly/Podsights	Used to identify the top level domain. Used to breck if cookles can be added. Track visitors essessions Behavior tracking Used to throttle request rate. A Full Story cookle that identifiles the visitor for Ada to replay sessions from users Used to the Visitor of Vis	Lisageffajas https://www.crazyego.com/bookies https://www.crazyego.com/b
ce.gtld ce.cch ce.cch ceg.u ceg.u ceg.u ceg.u ceg.u codudspongea de.gtm_ <property-id> f.suid tbc tbc tbp ga gac_<property-id> gat gd_au gd_au gd_au gd_aw gd_dc gid GRECAPTCHA hjAbsoluteSessionInProgress hijid hijincludedinSample kuid_ mikto_trk oref ddst pendo_meta.99ddf3e7-b2e8-40fb-5ed8-f1</property-id></property-id>	1 second 1 second 1 second 3 months 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 year 90 days 24 hours session 30 minutes 365 days 180 days 180 days 180 days 1 minute 180 days	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Advertising Advertising Required Advertising Required Required Required Required Required Required Required Advertising Advertising Advertising Required Advertising Advertising Advertising Advertising Advertising Functional Functional Advertising Advertising Advertising Advertising Functional Functional Functional Advertising Functional Advertising Functional Functional Functional Advertising Functional Functional Advertising	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Hotjar Hotjar Hotjar Krux Digital Marketo Salesforce Live Agent Spottly/Podsights Pendo	Used to identify the top level domain. Used to heck if cookles can be added. Track visitors essessions Behavior tracking Used to throttle request rate. A Full Story cookle that identifies the visitor for Ada to replay sessions from users Used to fuse the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookle enables of oping the Capacha, which is used to maintain site services and the contain any identifiable information. This cookle is set so Holgir can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is set so Holgir can track the beginning of the user's journey for a total enable count. It does not contain any identifiable information. This cookle is set to Holgir can track the beginning of the user's journey for a total enable count. It does not contain any identifiable information. This cookle is set to Holgir can track the beginning of the user's journey for a total enable may be set to the same set with the customer first lands on a page with the lotter script of the set of the lotter of the set of the lotter of the set of the lotter of the lotter of the set of the lotter of the	Lisageffajas https://www.crazyego.com/bookies https://www.salesforce.com/bookies https://www.sa
ce.gtld ce.cch ce.cch ce.cch ceg.s ceg.u cloudspongea de.gtm_ <property-id> f.s. uid fbc fbp ga gac_<property-id> gat gd_au gd_au gd_aw gd_dc gdl GRECAPTCHA h)AbsoluteSessioninProgress hijld hijlnctudedinSample kuid mkto_tik coref pdst pendo_meta.99ddf3e7-b2e8-40fb-5ed8-f1</property-id></property-id>	1 second 1 second 1 second 3 months 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 year 90 days 24 hours session 30 minutes 365 days 180 days 180 days 180 days 1 minute 180 days	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Advertising Advertising Required Advertising Required Required Required Required Required Advertising Required Functional Advertising Required Advertising Advertising Advertising Advertising Advertising Advertising Advertising Advertising Functional Advertising Advertising Advertising Advertising Advertising	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Hotjar Hotjar Hotjar Krux Digital Marketo Salesforce Live Agent Spottly/Podsights	Used to identify the top level domain. Used to heach if cookles can be added. Track visitors essessions Behavior tracking Behavior tracking Behavior tracking Behavior tracking Lived to fraction the deliver as series of advertisement products such as real time bidding from third party advertisers Lived by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Lived for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookle enables Google ReCaptcha, which is used to maintain site security and prevent abuse. The cookle is est to Help can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is eather than the user first lands on a page with the Hollar scind. It is used to pensist the Hollar User ID, unique to that site. On the browser. It is ensure that help in how whether that visitor is included in the sample which is used to generate furnies. unique identifier of users in Salesforce Audience Studo Used for the online chat widget Used for the online chat widget Used for store an anonymized user ID that Pendo uses to track a single user's clicks in AdulenceWeb	usagefigials https://www.crazyega.com/bookles https://www.crazyega.com/b
ce.gtld ce.cch ce.cch ce.cs ceg.u ceg.u cloudspongea dc_gtm_ <pre>cproperty-id> f_s_uid fbc fsp ga gac_<pre>sproperty-id> gat gd_au gd_au gd_au gd_au gd_au gd_av gd_dc gdd GRECAPTCHA thjAbsoluteSessioninProgress hijid hijIncludedinSample kuid mkto_trk oref pendo_meta.99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid.99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid.99ddf3e7-b2e8-40fb-5ed8-f1</pre></pre>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 minute 90 days 24 hours 90 days 90 days 1 minute 91 days 92 days 93 days 94 hours 95 days 96 days 97 days 98 days 99 days 99 days 90 days 90 days 90 days 91 minute 90 days 91 days 92 days 93 days 94 hours 95 days 96 days 97 days 98 days 98 days 98 days 98 days 1 month 1 year 100 days	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Required Advertising Required Advertising Advertising Advertising Advertising Functional	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Hotjar Hotjar Hotjar Krux Digital Marketo Salesforce Live Agent Spottly/Podsights Pendo	Used to identify the top level domain. Used to check if cookles can be added. Track visitors sessions Track visitors sessions Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Behavior tracking AFullStory cookle that identifies the visitor for Ada to replay sessions from users Leved to Practock to deliver a series of advertisement products such as real time bidding from third party advertisers Leved by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cockle enables Google ReCaptcha, which is used to maintain site security and prevent abuse. The cockle is set to Helpar can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cockle is each to Helpar in subsequent visits to the same site with the customer first lands on a page with the Holar user in such as the long of the same site will be uttributed to the same user (I). Used to track a user's first visit, last visit and when the information was last updated. Used to store an anonymized user ID that Pendo uses to track a single user's clicks in Outlander of instruction of instructions of uniform of instruction of the same site updated. Used to store an anonymized user ID that Pendo uses to track a single user's clicks in Outlander Services.	Lisageffajas https://www.crazyego.com/bookies https://www.salesforce.com/bookies https://www.sa
ce.gtld ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ceg.s ceg.u cloudspongea dc.gtm_ <property-id> f.s_uid fbc fbc fbp ga gac_eproperty-id> gat gac_eproperty-id> gat gd_aw gd_aw gd_dc dc gid GRECAPTCHA hjAbsoluteSessionInProgress hjid hjincludedinSample kuid_ mido_trk oref pdst</property-id>	1 second 1 second 1 second 3 months 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 year 90 days 24 hours session 30 minutes 365 days 180 days 180 days 180 days 1 minute 180 days	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Advertising Advertising Required Advertising Required Required Required Required Required Required Required Advertising Advertising Advertising Required Advertising Advertising Advertising Advertising Advertising Functional Functional Advertising Advertising Advertising Advertising Functional Functional Functional Advertising Functional Advertising Functional Functional Functional Advertising Functional Functional Advertising	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Google Coogle Google G	Lised to identify the top level domain. Used to check if cookies can be added. Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Used to throtter request rate. A Full Story cookie that identifies the visitor for Ada to replay sessions from users Used to throtter request rate. A Full Story cookie that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookie enables Google ReCaptcha, which is used to maintain site conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookie enables Google ReCaptcha, which is used to maintain site actually and prevent abuse. The cookie is set so Holgir can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookie is set to when the customer first lands on a page with the holds script. List used to persist the Helpart User ID, unique to that site, and the contain the contain the sample which is used to generate funnels. unique identifier of users in Salesforce Audience Studio Lead tracking of end-user page visits and clicks to Marketo landing pages. Used for the online chat widget Podisights cookie is eat to let Holger know whether that visitor is included in the sample which is used to generate funnels. Used to track a user's first visit, last visit and when the information was last updated. Used to store an anonymized user ID that Pendo uses to track a single user's clicks in AudienceWeb	Lisageffajas https://www.crazyego.com/bookies https://www.salesforce.com/bookies https://www.sa
ce.gtld ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.gu ceg.u cloudspongea dc.gtm_ <property-id> f.s_uid fbc fbp ga gac_sproperty-id> gat gd_au gd_au gd_au gd_au gd_aw gd_dc gdid GRECAPTCHA hjAbsoluteSessioninProgress hijd hjIncludedinSample kuid_ mido_lrk oref pendo_meta.99ddf3e7-b2e8-40tb-5ed8-41 pendo_visitorid.99ddf3e7-b2e8-40tb-5ed8-41 pendo_visitorid.99ddf3e7-b2e8-40tb-5ed8-41</property-id>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 minute 90 days 24 hours 90 days 90 days 1 minute 91 days 92 days 93 days 94 hours 95 days 96 days 97 days 98 days 99 days 99 days 90 days 90 days 90 days 91 minute 90 days 91 days 92 days 93 days 94 hours 95 days 96 days 97 days 98 days 98 days 98 days 98 days 1 month 1 year 100 days	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Required Advertising Required Advertising Advertising Advertising Advertising Functional	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Google Coogle Google G	Lised to liderality the top level domain. Used to check if cookes can be added. Track visitors sessions Track visitors sessions Track visitors sessions Track visitors on your site Behavior tracking Used to throttle request rate. A Full/Story cookie that identifies the visitor for Ada to replay sessions from users Used to throttle request rate. A Full/Story cookie that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookie enables Google ReCaptcha, which is used to maintain site security and prevent pables. The cookie is set so Holgir can track the beginning of the users journey for a total session cookie is set when the customer first lands on a page with the lotted script. It is used to persist the control to the control of t	Lisageffajas https://www.crazyego.com/bookies https://www.salesforce.com/bookies https://www.sa
ce.gtld ce.cch ce.cch ce.cs ceg.u ceg.u cloudspongea dc_gtm_ <pre>cproperty-id> f_s_uid fbc fsp ga gac_<pre>sproperty-id> gat gd_au gd_au gd_au gd_au gd_au gd_av gd_dc gdd GRECAPTCHA thjAbsoluteSessioninProgress hijid hijIncludedinSample kuid mkto_trk oref pendo_meta.99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid.99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid.99ddf3e7-b2e8-40fb-5ed8-f1</pre></pre>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 minute 90 days 24 hours 90 days 90 days 1 minute 91 days 92 days 93 days 94 hours 95 days 96 days 97 days 98 days 99 days 99 days 90 days 90 days 90 days 91 minute 90 days 91 days 92 days 93 days 94 hours 95 days 96 days 97 days 98 days 98 days 99 days 99 days 99 days 90 days	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Required Advertising Required Advertising Advertising Advertising Advertising Functional	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Google Coogle Google G	Used to identify the top level domain. Used to heck if cookles can be added. Track visitors essessions Behavior tracking Used to throttle request rate. A Full Story cookle that identifiles the visitor for Ada to replay sessions from users Used to freebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to freebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookle enables Google ReCaptcha, which is used to maintain site security and period products on the customer first lands on a page with the blodial script. It is used to peral the float user for Jungue to that site, on the beginning of the user's journey for a total session count. It does not contain any identifiate information. This cookle is set when the customer first lands on a page with the blodial script. It is used to perals the Hopsius Page. Used to distinguish users. This answer This ensured has behavior in subsequent visits to the area shown as the second page with the blodial script. It is used to perals the Hopsius Page for a total session count. It does not contain any identifiate information. This cookle is set to hopsi count it it does not begin the user's Divarge of the second page with the blodial script. It is used to perals the Hopsius Page for the user's Divarge of the second page visits and clicks to Marketo landing page with the second page visits and clicks to Marketo landing page second page visits and clicks to Marketo landing page second page vis	Lisageffajas https://www.crazyego.com/bookies https://www.salesforce.com/bookies https://www.sa
cegtld ce cch ceca : ceg : ceg : ceg : ceg : ceg : cloudspongea dc_gtm_ <property-id> f_s_uid fbc fs_ uid fbc ga gac_sproperty-id> gat gd_au gd_au gd_au gd_au gd_aw gd_dc gd GRECAPTCHA hjAbsoluteSessionInProgress hjid hjincludedinSample kuid_ mikto_frk over pdst pendo_meta.99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visikorid.99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visikorid.99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visikorid.99ddf3e7-b2e8-40fb-5ed8-f1</property-id>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 minute 90 days 24 hours 90 days 90 days 1 minute 91 days 92 days 93 days 94 hours 95 days 96 days 97 days 98 days 99 days 99 days 90 days 90 days 90 days 91 minute 90 days 91 days 92 days 93 days 94 hours 95 days 96 days 97 days 98 days 98 days 99 days 99 days 99 days 90 days	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Required Advertising Required Advertising Advertising Advertising Advertising Functional	Crazy Egg Inc Cloudsponge Google Analytics Ada Facebook Google Analytics Google Analytics Google Analytics Google Analytics Google Analytics Google Coogle Google Coogle Google G	Used to identify the top level domain. Used to check if cookles can be added. Track visitors essessions Behavior tracking Used to throttle request rate. A Full Story cookle that identifies the visitor for Ada to replay sessions from users Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookle enables Google ReCaptcha, which is used to maintain site security and prevent abuse. The cookle is est to Holgar can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is est to Holgar can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is est when the custemer first lands on a page with the Hollar User ID, unique to that site. On the booker. This instructs half before Audience Studio Lead for other on the sample which is used to generate furnels. Used to the online chalt widget. Podsights cookle used to track Hubspots podcast advertising results. Used to store an anonymized user ID that Pendo uses to track a single user's clocks in AudienceWeb Contains a number of attributes identifying the website visitor and hisher retraction with the Caulified Cankine of the Caulified	Lisageffajas https://www.crazyego.com/bookies https://www.salesforce.com/bookies https://www.sa
ce.gtld ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.gu ceg.u cloudspongea dc.gtm_ <property-id> f.s_uid fbc fbp ga gac_sproperty-id> gat gd_au gd_au gd_au gd_au gd_aw gd_dc gdid GRECAPTCHA hjAbsoluteSessioninProgress hijd hjIncludedinSample kuid_ mido_lrk oref pendo_meta.99ddf3e7-b2e8-40tb-5ed8-41 pendo_visitorid.99ddf3e7-b2e8-40tb-5ed8-41 pendo_visitorid.99ddf3e7-b2e8-40tb-5ed8-41</property-id>	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 24 hours 90 days 90 days 1 minute 90 days 1 minute 90 days 1 minute 90 days 1 minute 100 days 1 minute 100 days 100 days 100 days 1 month 1 year 100 days 1 year	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Required Advertising Required Advertising Required Advertising Advertising Advertising Advertising Functional	Crazy Egg Inc Cr	Used to identify the top level domain. Used to heack if cookles can be added. Track visitors essessions Behavior tracking Used to throttle request rate. A FullStory cookle that identifies the visitor for Ada to replay sessions from users Used to deschook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookle enables Google ReCaptcha, which is used to maintain site security and prevent abuse. The cookle is est to Holgir can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle enables Google ReCaptcha, which is used to maintain site security and prevent abuse. Used to distinguish users. This cookle is est boligir can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is est boligir can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is est to left Holgar User ID, unique to that site. Lost to track a user's first visit, last visit and when the information was last updated. Used to store an anonymized user ID that Pendo uses to track a single user's clicks in Additional of they over website and then your website of not be super's level to the du	Lisageffajas https://www.crazyego.com/bookies https://www.salesforce.com/bookies https://www.sa
ce.gtld ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.ccf ceg.s ceg.u cloudspongea dc.gtm_sproperty-id> f.s_uid fbc fbc fbp ga gac_sproperty-id> gat gac_sproperty-id> gat gd_au gd_au gd_au gd_au gd_au gd_aw gd_dc gid GRECAPTCHA hj\AbsoluteSessionInProgress hijd hj\ncludedInSample kuid meta_99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid_99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid_99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid_99ddf3e7-b2e8-40fb-5ed8-f1 g_state_XXXXXX	1 second 1 second 1 second 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 24 hours 90 days 90 days 1 minute 90 days 1 minute 90 days 1 minute 90 days 1 minute 100 days 1 minute 100 days 100 days 100 days 1 month 1 year 100 days 1 year	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Required Advertising Required Advertising Required Advertising Advertising Advertising Advertising Functional	Crazy Egg Inc Cr	Used to identify the top level domain. Used to heack if cookles can be added. Track visitors essessions Behavior tracking Used to throttle request rate. A FullStory cookle that identifies the visitor for Ada to replay sessions from users Leved by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cookle set so to Holgar can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is eats to Holgar can track the beginning of the user's journey for a total session count. It does not contain any identifiable information. This cookle is eat when the customer first lands on a page with the Holas script. It is used to pensist the Holas User ID, unique to that site. In this session could be set to let Holas of the same user in the state of the same user. Used to track a user's first visit, last visit and when the information was last updated. Used for the online chat widget Podisghts cookle used to track Hubspots podcast advertising results. Used for the online chat widget Podisghts cookle used do track Hubspots podcast advertising results. Used for the online chat widget Podsights cookle used do track Hubspots podcast advertising results. Used for the online chat widget of the same user in the informa	Lisageffajas https://www.crazyego.com/bookies https://www.salesforce.com/bookies https://www.sa
ce.gtld ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.cch ce.ccf ceg.s ceg.u cloudspongea dc.gtm_sproperty-id> f.s_uid fbc fbc fbp ga gac_sproperty-id> gat gac_sproperty-id> gat gd_au gd_au gd_au gd_au gd_au gd_aw gd_dc gid GRECAPTCHA hj\AbsoluteSessionInProgress hijd hj\ncludedInSample kuid meta_99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid_99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid_99ddf3e7-b2e8-40fb-5ed8-f1 pendo_visitorid_99ddf3e7-b2e8-40fb-5ed8-f1 g_state_XXXXXX	1 second 1 second 1 second 3 months 3 months 3 months 1 minute session 90 days 90 days 1 year 90 days 1 year 90 days 1 minute 90 days 90 days 1 minute 90 days 90 days 1 minute 10 days 10 days 1 minute 11 minute 12 minute 13 minute 14 days 14 days	Advertising Advertising Functional Functional Functional Functional Functional Functional Required Advertising Required Advertising Required Required Required Required Required Required Required Functional	Crazy Eggi Inc Cloudsponge Google Analytics Ada Facebook Facebook Google Analytics Goo	Used to identify the top level domain. Used to heck if cookles can be added. Track visitors essessions Behavior tracking Used to throttle request rate. A Full/Story cookle that identifiles the visitor for Ada to replay sessions from users Used to fusebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to facebook to deliver a series of advertisement products such as real time bidding from third party advertisers Used to distinguish users. Contains campaign related information for the user. Used for Google Analytics Functionality Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Conversion Linker Tag used to track conversions beyond initial landing page. Used to distinguish users. This cockle enables of oppie ReCapcha, which is used to maintain site services and the product of the user's purple. Used to distinguish users. This cockle enables of oppie ReCapcha, which is used to maintain site services and the product of the user's purple for a total ession count. It does not contain any identifiate information. This cockle is set so Holgir can track the beginning of the user's journey for a total ession count. It does not contain any identifiate information. This cockle is set so Holgir can track the beginning of the user's journey for a total ession count. It does not contain any identifiate information. This cockle is set so Holgir can track the beginning of the user's journey for a total ession count. It does not contain any identifiate information. This cockle enables of the service of the product of the service of the product of the service. The cockle is set so Holgir can track the beginning of the user's journey f	Issageffajas Intips://www.crazyeego.com/cookies Intips://developers.goocies Com/ana/brics/devoju/des/collection/ana/bricsis/cookies Intips://developers.facebook.com/docs/marketing-ana/brics/developers.facebook.com/docs/marketing-ana/brics/developers.facebook.com/docs/marketing-ana/brics/developers.facebook.com/docs/marketing-ana/brics/developers.goocies Intips://developers.goocies In

	ı			Microsoft Ding Ade Universal Funct Tracking (UET) tracking coaking					
				Microsoft Bing Ads Universal Event Tracking (UET) tracking cookie. Represents a unique, anonymized visitor ID, assigned by UET,	https://help.ads.microsoft.com/apex/index/3/en/53056/				
_uetvid ada-embed is-drawer-open	14 days session	Advertising Required	Microsoft Bing Ada	representing a unique visitor. Identifies whether or not the Ada window is currently opened	https://heip.ads.microsoft.com/apex/index/3/en/53056/				
				These cookies are generally used for Analytics and help count how	https://segment.com/docs/sources/website/analytics.				
ajs_anonymous_id	1 year	Functional	Segment	many people visit a certain site by tracking if you have visited before	<u>is/</u>				
ajs_group_id	1 year	Functional	Segment	These cookies track visitor usage and events within the website. Cookies in this domain have lifespan of 1 year.	https://segment.com/docs/sources/website/analytics. js/				
				This cookie helps track visitor usage, events, target marketing, and can also measure application performance and stability. Cookies in this	https://segment.com/docs/sources/website/analytics.				
ajs_user_id	1 year	Functional	Segment	domain have lifespan of 1 year.	is/				
amp_beb247	1 year	Functional	Amplitude	Is used to store metadata such as user's device ID and user ID in Amplitu					
amp_beb247_surveymonkey.com amplitude_cookie_test	1 year 1 year	Functional Functional	Amplitude Amplitude	Is used to store metadata such as user's device ID and user ID in Amplitu Cookie is set to test whether a user has Amplitude cookies enabled.	de. amp_beb247_surveymonkey.com is being replaced	with amp_beb247	in a newer version	n of the SDK that	we are using.
amplitude_testsurveymonkey.com	1 year	Functional	Amplitude	This is an old deprecated cookie. Is replaced by amp_beb247. It is used to	Lostore metadata such as user's device ID and user ID in	Amplitude.			
amplitude_unsent_	1 year	Functional	Amplitude	Unsent events are saved to these cookies if they are unable to be saved it					
amplitude_unsent_identify	1 year	Functional	Amplitude	Unsent events are saved to these cookies if they are unable to be saved i	n local storage.				
				Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are					
APISID	session	Functional	Google	required for these components to function properly. Used for tracking mobile app downloads from specific Marketing Pages.	https://policies.google.com/technologies/types				
				and from powering the "text me the app" Functionality on said pages:					
branch_session	Browser Session	Advertising	Branch	https://www.surveymonkey.com/mp/text-me-the-app/ https://www.surveymonkey.com/mp/text-me-the-anywhere-app/	https://branch.io/policies/#privacy-collection-and-use- of-information-from-our-services				
				Used for tracking mobile app downloads from specific Marketing Pages.					
				and from powering the "text me the app" Functionality on said pages: https://www.surveymonkey.com/mp/text-me-the-app/	https://branch.io/policies/#privacy-collection-and-use-				
branch_session_first	Browser Local S	Advertising	Branch	https://www.surveymonkey.com/mp/text-me-the-anywhere-app/ Used for tracking mobile app downloads from specific Marketing Pages.	of-information-from-our-services				
				and from powering the "text me the app" Functionality on said pages:	had a second to the state of the second seco				
BRANCH_WEBSDK_KEYbranch_view_en	Browser Session	Advertising	Branch	https://www.surveymonkey.com/mp/text-me-the-app/ https://www.surveymonkey.com/mp/text-me-the-anywhere-app/	https://branch.io/policies/#privacy-collection-and-use- of-information-from-our-services				
builder-bot_ada_chap_rollout_group	local storage	Required	Ada	Determines whether the user should see the Ada widget according to our r	rollout percentage				
builder-bot ada chap rollout last prob	local storage	Required	Ada	Probability percentage assigned to user to decide whether the user should see the Ada widget					
capterra	30 days	Functional	Capterra	Conversion Tracking for Marketing Attribution	https://www.capterra.com/legal/cookie-policy				
ce_visitor_id	session	Functional	Crazy Egg Inc	Used to identify visitor	https://www.crazyegg.com/cookies				
cebs	session	Functional	Crazy Egg Inc	Used to track the current user session internally.	https://www.crazyegg.com/cookies				
_ce.s	1 year session	Functional	Crazy Egg Inc Crazy Egg Inc	Track a recording visitor session unique ID, tracking host and start time Used to store isReturning value during the session	https://www.crazyegg.com/cookies https://www.crazyegg.com/cookies				
cean	1 month	Functional	Crazy Egg Inc	Anonymous ID number	https://www.crazyegg.com/cookies				
cebsp_	session	Functional	Crazy Egg Inc	Used to track the current user session internally	https://www.crazyegg.com/cookies				
chatter	local storage	Required	Ada	Unique identifier for the chatter					
				linked to advertising and tracking the products users were looking at. This domain is owned by Casale Media. The main business activity is:					
CMID	362 days	Advertising	Casale Media	Advertising	<u>casalemedia.com</u>				
				linked to advertising and tracking the products users were looking at. This domain is owned by Casale Media. The main business activity is:					
CMPRO	87 days	Advertising	Casale Media	Advertising	<u>casalemedia.com</u>				
				linked to advertising and tracking the products users were looking at. This domain is owned by Casale Media. The main business activity is:					
CMPS	87 days	Advertising	Casale Media	Advertising	<u>casalemedia.com</u>				
created	local storage	Required Required	Ada	Time when the chat starts to determine when the chat should refresh for cross site request forgery					
cto_lwid	1 year	Advertising	Google	This cookie is used by Google DoubleClick for Advertising					
Google Adwords Conversion	Details on durati	Advertising	Google	See details on cookie description	See details on types of cookies				
Google Adwords User Lists	Details on durati	Advertising	Google	See details on cookie description	See details on types of cookies				
Google Dynamic Remarketing	Details on durati	Advertising	Google	See details on cookie description This cookie is set by Chilipiper, a scheduling app used by our sales	See details on types of cookies				
guest-session	1 hour	Functional	Chilipiper	team, and is used for login authentication	https://www.chilipiper.com/privacy-policy				
hid	session	Advertising	Tableau	A cookie for Criteo which is potentially used in Tableau					
				Set by Google components - such as the GDrive folder picker or ReCaptcha. They appear to identify the user's Google account. They are					
HSID	session	Functional	Google	required for these components to function properly.	https://policies.google.com/technologies/types				
hubspotutk	13 months	Advertising	HubSpot	This cookie keeps track of a visitor's identity. It is passed to HubSpot on form submission and used when deduplicating contacts.	https://knowledge.hubspot.com/reports/what-cookies- does-hubspot-set-in-a-visitor-s-browser				
intercom-id-[app_id]	9 months	Functional	Intercom	Anonymous visitor identifier cookie. As people visit your site they get this cookie	https://www.intercom.com/help/en/articles/2361922- intercom-messenger-cookies				
intercon to [app_io]	o monuto	i dilosoriai	marcom	Identifier for each unique browser session. This session cookie is	Intercent messenger source				
				refreshed on each successful logged-in ping, extending it to 1 week from that moment. The user can access their conversations and have data					
				communicated on logged out pages for 1 week, as long as the session	https://www.intercom.com/help/en/articles/2361922-				
intercom-session-[app_id]	1 week	Functional	Intercom	isn't intentionally terminated with 'Intercom('shutdown')', which usually happens on logout	intercom-messenger-cookies				
					https://docs.newrelic.com/docs/browser/new-relic- browser/page-load-timing-resources/new-relic-				
JSESSIONID	Session	Required	New Relic	Used to identify unique sessions for New Relic analytics.	cookies-used-browser				
li_fat_id	1 month	Advertising	LinkedIn	Member indirect indentifier for conversion tracking, retargeting, analytics	https://www.linkedin.com/legal/l/cookie-table				
li-oatml	1 month	Advertising	LinkedIn	Member indirect indentifier for conversion tracking, retargeting, analytics	https://www.linkedin.com/legal/l/cookie-table https://www.salesforce.com/products/service-				
liveagent_chatted	1 year	Functional	Salesforce Live Agent	Used for the online chat widget	cloud/features/live-agent/				
liveagent_ptid	1 month	Functional	Salesforce Live Agent	Used for the online chat widget	https://www.salesforce.com/products/service- cloud/features/live-agent/				
				·	https://www.salesforce.com/products/service-				
liveagent_sid	1 year	Functional	Salesforce Live Agent	Used for the online chat widget	cloud/features/live-agent/ https://www.salesforce.com/products/service-				
liveagent_vc	1 month	Functional	Salesforce Live Agent	Used for the online chat widget	cloud/features/live-agent/				
				Used for analytics data for mobile visitors. This cookie is expired each time user hits the index is if they have NOT consented GDPR.					
				Mixpanel's default cookie_expiration time is 365 days. https://developer. mixpanel.com/docs/javascript-full-api-reference#mixpanelset_config					
mp_HASH_mixpanel	1 year	Functional	MixPanel	We can override this default.	https://mixpanel.com/legal/privacy-policy/				
				The NID cookie contains a unique ID Google uses to remember your preferences and other information, such as your preferred language (e.					
NID	session	Functional	Google	g. English), how many search results you wish to have shown per page (e.g. 10 or 20)	https://policies.google.com/technologies/h.mos				
	ucooiUII	uncound	Google	Used to facilitate cross-domain communication to the New Relic	https://policies.google.com/technologies/types https://docs.newrelic.com/docs/browser/new-relic-				
NRAGENT	Session	Required	New Relic	collector endpoint. Responsible for correlation of transaction traces with browser traces. Only used on legacy Brower integration.	browser/page-load-timing-resources/new-relic- cookies-used-browser				
	- 2001011	oqundu			https://docs.newrelic.com/docs/browser/new-relic-				
NREUM	Session	Required	New Relic	Used to provide performance data for browsers that do not support the Navigation Timing API.	browser/page-load-timing-resources/new-relic- cookies-used-browser				
				Used to to aid in fraud detection. For example, this cookie data helps our					
nsr	session	Required	Stripe	fraud systems recognize the patterns of fraudulent actors and stops them prior to making a purchase in order to help protect your business.	https://stripe.com/cookies-policy/legal				
opt out	20.	Advertising	Nativo	This domain is owned by Nativo. The company provides a range of marketing and advertising services.					
ορι_odt	364	Adversising	INDUVU		https://help.optimizely.				
optimizelyBuckets	10 years	Functional	Optimizely	Records the variation the visitor has seen for each experiment. This allows us to deliver a consistent experience on successive page loads.	com/Set_Up_Optimizely/Cookies_and_localStorage_i n_the_Optimizely_snippet				
	.,		.,	Stores the visitor's unique Optimizely identifier. It's a combination of a	https://help.optimizely.				
optimizelyEndUserId	10 years	Functional	Optimizely	timestamp and random number. No other information about you visitors is stored inside.	com/Set_Up_Optimizely/Cookies_and_localStorage_i n_the_Optimizely_snippet				
		1		Used as a cache for a visitor's actions between tracking calls. This					
				ensures that all events are efficiently tracked even if a visitor takes many actions in rapid succession. The cookie is wiped once the tracking call	https://help.optimizely. com/Set_Up_Optimizely/Cookies_and_localStorage_i				
optimizelyPendingLogEvents	15 seconds	Functional	Optimizely	has been made.	n the Optimizely snippet				
	l	L	L	Stores the visitor's segement: browser, campaign, mobile, source type and any custom dimensions we need to improve our segmented	https://help.optimizely. com/Set_Up_Optimizely/Cookies_and_localStorage_i				
optimizelySegments	10 years	Functional	Optimizely	analytics.	n the Optimizely snippet				
parentOrigin	session	Required	Ada	Identifies the parent site in which Ada was opened on Functional storage for real-time communication from Ada bots (API) to					
pusherTransportTLS	local storage	Required	Ada	client Chat					
				Identifies a user of the Qualified Application's (this is a Qualified user using the Qualified application) login to the Qualified Application. This					
I	I		Qualified	using the Qualified application. This cookie is only used to ensure users using the Qualified application can log into the service.					
qualified agent	annair -					i			
qualified_session	session	Functional	Qualified	Security cookies to authenticate users, prevent fraudulent use of login					
qualified_session SAPISID	session session	Functional	Google	Security cookies to authenticate users, prevent fraudulent use of login credentials, and protect user data from unauthorized parties.	https://policies.google.com/technologies/types				
				Security cookies to authenticate users, prevent fraudulent use of login	https://policies.google.com/technologies/types https://policies.google.com/technologies/types				

	_	_	T		T	1		
SIDCC	session	Functional	Google	Security cookies to authenticate users, prevent fraudulent use of login credentials, and protect user data from unauthorized parties.	https://policies.google.com/technologies/types			
SIDCC	Session	FullClional	Google	credentials, and protect user data from diladitionized parties.	https://code.corp.surveymonkey.			
					com/devmonkevs/AudienceWeb/blob/develop/audienc			
Snap*	100 days	Functional	SnapEngage	Used for the online chat widget	eweb/lib/snap_engage.py			
				Set by Google components - such as the GDrive folder picker or				
	l .			ReCaptcha. They appear to identify the user's Google account. They are				
SSID	session	Functional	Google	required for these components to function properly.	https://policies.google.com/technologies/types			
				Tableau Server is localized into multiple languages. Server language and locale settings impact how this affects users. The Language setting				
tableau locale	session	Functional	Tableau	controls user interface (UI) items such as menus and messages.				
_				Tableau Server is localized into multiple languages. Server language				
				and locale settings impact how this affects users. The Language setting				
tableau_public_negotiated_locale	session	Functional	Tableau	controls user interface (UI) items such as menus and messages.				
TDID	1 year	Advertising	The Trade Desk	Used to recognize web-browser profiles over time across sites	https://www.thetradedesk.com/general/privacy			
tfpai	1 day	Advertising	Teads.tv	This tag is used for our display campaigns.				
tfpsi	1 day	Advertising	Teads.tv	This tag is used for our display campaigns.				
				This domain is owned by Tremor Video which provides a marketplace				
tv_UIDM	728 days	Advertising	Tremor Video	for online video based cross-device advertising.	tremorhub.com			
	200 4	Advertising	T	This domain is owned by Tremor Video which provides a marketplace for online video based cross-device advertising.				
tvid	362 days	Advertising	Tremor Video		tremorhub.com			
				YouTube is a Google owned platform for hosting and sharing videos. YouTube collects user data through videos embedded in websites,				
				which is aggregated with profile data from other Google services in order				
	1			to display targeted advertising to web visitors across a broad range of				
DEVICE_INFO	179 days	Advertising	Youtube	their own and other websites.				
	00 4	Advertising	LinkedIn	Used to make a probabilistic match of a user's identity outside the Designated Countries				
li_sugr	90 days	Advertising	Oribi					
oribi_cookie_test	session			To determine if tracking can be enabled on a current domain				
oribili_user_guid	1 year	Advertising	Oribi	Used to count unique visitors to a website				
AWSALBTG	4 days	Advertising	Amazon	Cookie is placed by Amazon Application Load Balancer to provide load balancing functionality	augustania da augustana aan			
AWSALBIG	4 uays	Advertising	Allidzoli	Cookie is placed by Amazon Application Load Balancer to provide load	surveymonkey.us-4.evergage.com			
AWSALBTGCORS	4 days	Advertising	Amazon	balancing functionality	surveymonkey.us-4.evergage.com			
	1.00,0			this is a pixel used to target a combination of publisher signals that will				
ktcid	362 days	Advertising	Kargo	allow Momentive to track interest groups	kargo.com			
				YouTube is a Google owned platform for hosting and sharing videos.				
				YouTube collects user data through videos embedded in websites,				
				which is aggregated with profile data from other Google services in order to display targeted advertising to web visitors across a broad range of				
VISITOR PRIVACY METADATA	729 days	Advertising	Youtube	to display targeted advertising to web visitors across a broad range of their own and other websites.				