



National Agricultural Statistics Service

Research and Development Division Washington DC 20250

RDD Research Report Number RDD-11-02

November 2011

Annual Land Utilization Survey (ALUS): Design and Methodology

Hailin Sang
Pam Arroway
Kenneth K. Lopiano
Denise A. Abreu
Andrea C. Lamas
Linda J. Young

This report was prepared for limited distribution to the research community outside the United States Department of Agriculture. The views expressed herein are not necessarily those of the National Agricultural Statistics Service or of the United States Department of Agriculture.

EXECUTIVE SUMMARY

The National Agricultural Statistics Service (NASS) obtains annual estimates of farm numbers from its annual June Area Survey (JAS). Every five years, the annual numbers of farms estimates are compared to the one obtained from the quinquennial census of agriculture (conducted during years ending in 2 and 7). The JAS annual numbers have been declining steadily between censuses, especially between the 2002 and 2007 Censuses. Furthermore, in 2002 and 2007, the JAS farm numbers indications¹ were considerably lower than farm numbers from the census and, in 2007, the difference could not be attributed to sampling error alone. Additionally, results from a 2007 qualitative study revealed that agricultural operations were being incorrectly classified as non-agricultural during the screening procedures of the JAS.

In an attempt to get a better understanding of the misclassification leading to this undercount in the JAS number of farms indications, a post-JAS intensive screening called the Farm Numbers Research Project (FNRP) was undertaken in the fall of 2009 (Abreu, McCarthy and Colburn, 2010). The design of the JAS includes rotating in new segments each year, while rotating out the oldest segments. Segments stay in the JAS sample for five years. Each year's sample is comprised of segments from each of five rotations. Thus, the 2009 JAS contained segments that were rotated into the sample in 2009, 2008, 2007, 2006 and 2005. The sampling design of the FNRP targeted the 20-percent of JAS segments that were newly rotated in 2009. It targeted three types of tracts in these segments: 1) non-agricultural tracts; 2) agricultural tracts that refused to participate in the JAS and were estimated; and 3) agricultural tracts that were inaccessible in June and were estimated. The FNRP results suggest misclassification may be reduced through improvements in the screening questionnaire and by enhanced enumerator training guidelines.

To fully address this concern, NASS and the National Institute of Statistical Sciences (NISS) formed a research team to review methodology associated with the design of the JAS and to suggest improvements. This team was one of the three academic-government teams of the twoyear collaborative research program between NASS and NISS called Cross-Sector Research in Residence Program. This research report documents the design and methodology of the Annual Land Utilization Survey (ALUS), which is a follow-on survey to the JAS. ALUS builds upon the experience gained in the FNRP. From a methodological perspective, the two primary differences between the ALUS and the FNRP are the following: (1) All estimated and nonagricultural JAS tracts have a probability for inclusion in ALUS, but only the 20-percent newly rotated in estimated and non-agricultural JAS tracts were included in the FNRP; and (2) All of the FNRP-eligible tracts were included in the FNRP sample, but only a sample of the ALUSeligible tracts will be included in the ALUS. Because a sample of all estimated and nonagricultural JAS tracts will be collected, ALUS represents the second phase of a two-phase sample with the first phase being the traditional JAS.

As in the JAS, ALUS will be a stratified sample of segments, using JAS strata and sampling across rotations. Segments that are eligible for inclusion in ALUS must have at least one tract that was pre-screened as non-agricultural (regardless of potential) or that was estimated in the JAS (as either farm or non-farm). The sample allocation of ALUS segments to each state-stratum

¹ Indications refer to point estimates derived from the survey results and could differ from official published estimates.

combination considers two factors: the proportion of the ALUS population in the stratum and the proportion of the FNRP adjustment from non-agricultural tracts in the stratum. For a selected segment, all tracts satisfying one of these criteria will be re-evaluated using a modified combined JAS-FNRP questionnaire. In the 2009 and 2010 JAS, over 90-percent of all segments would have been considered eligible for ALUS. The collection of eligible segments in a particular year will be called the ALUS population. The 2010 ALUS-eligible population is used to demonstrate the sampling design.

As stated earlier, the combination of JAS and ALUS can be considered as a two-phase sample-JAS being the first phase and ALUS the second. The two-phase JAS-ALUS stratified design, can be applied to any estimate produced by the JAS. Given that each phase makes use of a probability sampling design with known inclusion probabilities, standard results can be used to construct a design-based estimator (Sarndal and Swensson, 1987). However, non-response is also expected to occur in ALUS. In this report, methodology for a three-phase sampling design is developed by extending the methodology of Sarndal and Swensson (1987). A general sampling design is assumed in each phase. The estimator and its estimated variance are unbiased. Here we use this methodology for the two-phase JAS-ALUS, with the third phase being non-response. This methodology can be applied not only to estimates of the number of farms but to all variables collected in the ALUS. Thus, although the primary impetus for this work is to improve the estimates for the number of farms, it can also be used to improve estimates of other important variables.

RECOMMENDATIONS

- 1) A follow-on survey to the JAS, called ALUS, should be conducted so that the farm number indications (as well as any included commodities) from the JAS can be adjusted for misclassification.
- 2) The ALUS questionnaire should be a modified version of the JAS-FNRP questionnaire. While essentially a shortened version of the JAS questionnaire, the FNRP questionnaire was also designed to target misclassification of farms and capture data on the type of farms that were believed to have been misclassified via multiple modes of data collection (face-to-face, phone, or mail). Additional JAS variables added to this questionnaire would allow the ability to adjust these variables as well.
- 3) The methodology for a two-phase study with nonresponse (considered as a third phase), as developed in this report, should be used for the analysis of the JAS-ALUS.

Note: The recommendations above were discussed at the January 2011 Senior Executive Team meeting where the decision was made to not conduct the ALUS in 2011 due to budget constraints.

Annual Land Utilization Survey (ALUS): Design and Methodology

Hailin Sang², Pam Arroway³, Kenneth K. Lopiano⁴, Denise A. Abreu⁵, Andrea C. Lamas⁵, Linda J. Young⁴

Abstract

Each year, the National Agricultural Statistics Service (NASS) publishes an estimate of the number of farms in the United States based on the June Area Survey (JAS). Independent studies showed that the JAS number of farm indications have significant undercount due to misclassification. To adjust for this undercount, a follow-on survey to the JAS called the Annual Land Utilization Survey (ALUS) has been proposed. ALUS is designed and developed based on the Farm Numbers Research Project (FNRP). NASS conducted the FNRP in the fall of 2009 (Abreu, McCarthy and Colburn, 2010). ALUS samples from all JAS segments containing any estimated or non-agricultural JAS tracts. For a selected segment, all estimated and nonagricultural JAS tracts will be re-evaluated. The collection of eligible segments in a particular year will be called the ALUS population. The sample allocation of ALUS segments to each statestratum combination considers two factors: the proportion of the ALUS population in the stratum and the proportion of the FNRP adjustment from non-agricultural tracts in the stratum. ALUS can be treated as a second phase to the JAS. The two-phase stratified design, JAS-ALUS, can be applied to any estimate produced by the JAS. However, ALUS has non-response. In this paper, methodology for a three-phase sampling design is developed by extending the two-phase sampling design methodology proposed by Sarndal and Swensson (1987). A general sampling design is allowed in each phase; that is, the inclusion probabilities in each phase are arbitrary. The estimator is unbiased, and an unbiased estimator for the variance is provided. Here, this method is applied to the two-phase JAS-ALUS with the third phase being response/nonresponse.

KEYWORDS: three-phase sampling design estimation, unbiased estimator, variance estimation, non-response

² National Institute of Statistical Sciences, 19 T.W. Alexander Drive, Research Triangle Park, NC 27709

³ Department of Statistics, North Carolina State University, Raleigh, NC 27695

⁴ Department of Statistics, University of Florida, Gainesville, FL 32611

⁵ National Agricultural Statistics Service, USDA, 3251 Old Lee Hwy, Fairfax VA 22030

1. INTRODUCTION

The National Agricultural Statistics Service (NASS) uses its annual June Area Survey (JAS) as the vehicle to generate annual estimates of the number of farms. Every five years, the annual numbers of farms estimates are compared to the one obtained from the quinquennial census of agriculture (conducted during years ending in 2 and 7). The annual numbers have been declining steadily between censuses, especially between the 2002 and 2007 Censuses. Furthermore, in 2002 and 2007, the JAS farm numbers indications were considerably lower than farm numbers from the census and, in 2007, the difference could not be attributed to sampling error alone. Additionally, results from a 2007 qualitative study revealed that agricultural operations were being incorrectly classified as non-agricultural during the screening procedures of the JAS.

In an attempt to get a better understanding of the misclassification leading to this undercount in the JAS number of farms indication, the NISS/NASS farm numbers research team⁶ proposes a yearly follow-on survey to the JAS called the Annual Land Utilization Survey (ALUS). The purpose of ALUS is to provide information about misclassification of farms and non-farms, focusing on tracts that are a) determined to be non-agricultural in June or b) are estimated in June. ALUS results could be used to directly augment the JAS indications of farm numbers. In addition, data collection will include several other variables, allowing indications of other commodities to be adjusted using ALUS.

ALUS is modeled on the 2009 Farm Numbers Research Project (FNRP). FNRP was a one-time follow-on survey to the JAS segments (Abreu, McCarthy and Colburn, 2010). The design of the JAS includes rotating in new segments each year. Segments stay in the JAS sample for five years. Each year's sample is comprised of segments from each of five rotations. Thus, the 2009 JAS contained segments that were rotated into the sample in 2009, 2008, 2007, 2006 and 2005. The sampling design of the FNRP targeted the 20-percent of JAS segments that were newly rotated in for 2009 ("2009 segments"). All tracts in 2009 segments that were non-agricultural or estimated in JAS were selected for FNRP.

Current NASS procedures define a tract as a unique land operating arrangement. However, for densely populated tracts, it is possible that multiple operations (places of interest) may be present. For a selected tract, all places of interest are considered subtracts. Subtracts are subsampled if there are 8 or more per tract. The FNRP sample consisted of 10,204 tracts, which resulted in a total of 17,191 subtracts.

The FNRP recommended changes to the screening procedures to improve the quality of information obtained in the JAS, based on analysis of the misclassification of tracts as farms/non-farms. The results of those recommendations may first be seen in the 2010 JAS, but misclassification will certainly persist. An annual follow-up like ALUS will allow researchers to

_

⁶ NASS had a two year collaborative research program with the National Institute of Statistical Sciences (NISS) called the Cross-Sector Research in Residence Program. This program was composed of three academic-government teams focusing on important NASS research issues. One of the teams was entrusted to work on potential improvements to the methodology and design of the June Area Survey.

monitor misclassification rates for farms/non-farms, as well as measurement error for additional variables.

There are two primary differences between the ALUS and the FNRP: (1) FNRP only included the 20-percent newly rotated in estimated and non-agricultural JAS tracts while ALUS will have a positive probability of inclusion of all estimated and non-agricultural JAS tracts and (2) all FNRP-eligible tracts were included in the FNRP sample, but only a sample of the ALUS-eligible tracts will be included in the ALUS. Therefore, ALUS represents the second phase of a two-phase sample with the first phase being the traditional JAS.

Although non-response was not allowed in FNRP, the second-phase ALUS sample will have non-response. A design-based approach to estimation is to use methodology for a three-phase sampling design, with the third phase addressing the non-response in the second phase. The three-phase design-based estimator developed here is general in the sense that the inclusion probabilities in each phase are arbitrary. The estimator is shown to be unbiased. The variance of the estimator is derived and an unbiased estimator of it is developed. At the end, this methodology is applied to JAS-ALUS, with the third phase design addressing non-response in ALUS. We also provide an estimator and its variance estimation in the JAS terminologies. This methodology can be applied not only to estimates of the number of farms but to all variables collected in the ALUS.

2. THE DESIGN OF ALUS

2.1 Major Findings From FNRP

An analysis of the impact of JAS screening procedures used in FNRP was completed by Abreu, McCarthy and Colburn (2010). A major finding of this work is that, assuming misclassification rates are the same for all rotations, the JAS indication of number of farms would increase by approximately 580,000 farms using FNRP data. We will refer to this as the "FNRP adjustment" to the JAS indication (see Table 1). The bulk of these farms were "found" in tracts that had been identified as non-agricultural with no potential in the JAS. On the order of 45-percent of tracts are pre-screened into this category in a typical JAS. In FNRP, 6-percent of the sampled subtracts selected from this category were determined to be farms, resulting in 500,000 of the FNRP adjustment. Another 75,000 of the FNRP adjustment came from tracts pre-screened as non-agricultural with either potential for agriculture or unknown potential. The remaining FNRP adjustment came from tracts that had to be estimated in JAS. Although most tracts (92-percent) that had been estimated as farms in JAS were confirmed as such in FNRP, approximately 30-percent of those that had been estimated as non-farms were identified as farms in FNRP. The net FNRP adjustment from estimated tracts was about 5,000 farms.

Table 1: FNRP Results by type of tract

	FNRP		Net Expanded
	Sample Size	Number of	Number of
Type of Tract	(subtracts)	FNRP Farms	Farms
Estimated as farm	1,591	1,466	(7,822)
Estimated as non-farm	121	37	13,032
Non-agricultural with potential	487	95	38,346
Non-agricultural with unknown potential	364	56	37,479
Non-agricultural with no potential	14,628	905	500,338
FNRP Total	17,191	2,559	581,373

Rates of "conversion" (subtracts that were identified as non-farms in JAS and as farms in FNRP) varied by state and strata. Nationally, tracts that had agricultural potential or unknown potential in the JAS had conversion rates of about 20-percent and 15-percent, respectively. However, within a state, sample sizes were typically less than 10 tracts per stratum, making estimates of conversion rates unreliable at the state level. The conversion rate for tracts that were identified as having no agricultural potential in JAS was 6-percent overall. About 95-percent of the strata had conversion rates of less than 17-percent for tracts with no-potential. However, tracts with no potential from strata in the 40's (low rates of cultivation) contributed over half of the FNRP adjustment.

FNRP results are used as guidelines for the ALUS design, but ALUS will be able to detect different types of trends as well. Due to the experience the enumerators gained in conducting FNRP, the changes in JAS protocols made following FNRP and, the fact that FNRP included only 2009 segments, results from ALUS may be quite different.

2.2 Overall Sampling Design

As in the JAS, ALUS will be a stratified sample of segments, using JAS strata and sampling across rotations. Segments that are eligible for inclusion in ALUS must have at least one tract that was pre-screened as non-agricultural (regardless of potential) or that was estimated in JAS (as either a farm or non-farm). For a selected segment, all tracts satisfying one of these criteria will be re-evaluated using the FNRP questionnaire (see Appendix A). In the 2009 and 2010 JAS, over 90-percent of all segments would have been considered eligible for ALUS. The collection of eligible segments in a particular year will be called the ALUS population.

The sample allocation of segments to each state-stratum combination considers two factors: the proportion of the ALUS population in the stratum and the proportion of the FNRP adjustment from non-agricultural tracts in the stratum. The latter simultaneously accounts for the number of converted non-agricultural tracts and the expansion factors associated with them, allowing states and strata that contributed most to the FNRP adjustment to be targeted. Tracts that were estimated as farms or non-farms in JAS contributed little to the FNRP adjustment, so this information is not included in choosing allocations to the strata in the ALUS sample.

Table 2: Guidelines for ALUS allocation scheme

	Proportion of FNRP adjustment from non-	Proportion of ALUS-eligible	Proportion of ALUS-eligible	Suggested Proportion
	agricultural	segments in	segments in	of ALUS
Strata	tracts	2009 JAS	2010 JAS	sample
10s	16%	53%	52%	27%
20s	34%	26%	27%	30%
30s	<1%	3%	3%	3%
40s	50%	17%	17%	40%
50s	<1%	<1%	<1%	0%
Total	576,000 farms	10,168 segments	10,121 segments	

In the JAS, the sampling scheme favors cultivated areas. For ALUS, the sampling will lean more heavily on moderately and less cultivated strata where the largest portion of the FNRP adjustment originates. For example, strata 10s (10, 11, ...) are highly cultivated areas. The exact stratum definition varies from state to state, but this may be more than 50-percent cultivated land. In the JAS, over half of the selected segments are from these strata. However, 10s made up only 16-percent of the FNRP adjustment arising from non-agricultural tracts so only about 27-percent of the ALUS sample will come from these strata. The sample will be evenly distributed over the five rotations, with approximately 20-percent of the ALUS sample selected from each. This will allow modeling of the effect of the number of years a segment has been in the survey on misclassification rates.

Within each stratum of the ALUS population, segments will be selected with probability proportionate to size (pps) sampling where the size measure of a segment is defined as

The rationale for the size measure comes from FNRP, but does not depend heavily on the specific results of that study. As noted previously, non-agricultural tracts/subtracts made up the vast majority of the FNRP adjustment. Estimated tracts had less impact on the FNRP adjustment. These tracts do not affect allocation (sample size) in each stratum, but are used in helping to select segments once allocations are determined. In a typical JAS, few tracts are estimated as non-farms (around 400 in 2009), but one-third of these estimated tracts converted to farms in FNRP. Thus, estimated tracts will be over-sampled relative to their contribution to the FNRP adjustment. Because most tracts (92-percent) estimated as farms in the JAS were confirmed as farms in FNRP, ALUS will not target segments that have *only* JAS tracts from estimated farms. This is reflected in the multiplier of 0.1 on the number of tracts estimated as farms in the size measure. If a segment is selected, all ALUS-eligible tracts within that segment will be in the sample, including those estimated as farms.

Within selected tracts, sampling rates of subtracts will be the same as FNRP. That is, if the tract contains 7 dwellings or less, then all are sampled. If the tract contains 8-20 dwellings, half are sampled. If there are more than 20 dwellings, one-sixth are sampled.

2.3 Example Allocations

Both the standard error and the cost of the proposed ALUS were investigated using FNRP data. This required development of specific example allocations for each state and stratum. In practice, ALUS allocations will need to be determined each year after the JAS data are collected because a segment's weight for the probability proportionate to size (pps) sampling will depend on its JAS classification.

For different national sample sizes, a proposed stratified allocation of segments was developed using strata that are combinations of state and JAS strata. National sample sizes ranging from 500 to 5000 segments were considered. Note that the approximate size of the FNRP sample was about 2200 segments. The numbers of segments allocated to each stratum (across the nation) are summarized in Table 3.

Table 3: Example (approximate) allocation of segments to strata

Sample size	JAS str	atum			
(segments)	10s	20s	30s	40s	50s
5000	1350	1500	150	2000	0
4500	1215	1350	135	1800	0
4000	1080	1200	120	1600	0
3500	845	1050	105	1400	0
3000	810	900	90	1200	0
2500	675	750	75	1000	0
2000	540	600	60	800	0
1000	270	300	30	400	0
500	135	150	15	200	0

The design attempts to maintain a minimum number of segments (between 1 and 4 depending on the total sample size) in each state and stratum combination. The JAS 2010 data were used to approximate the number of segments in the ALUS population for a particular stratum in a typical JAS. If the stratum allocation was larger than the ALUS population in the 2010 JAS for that stratum, then the allocation was reduced. The example allocations considered are presented in Appendix B. In practice, these allocations would need to be adjusted at least slightly each year based on the JAS data and resulting ALUS population sizes. In addition, any stratum that had a sample size of zero in FNRP was not included in the example allocations. This was done for estimation purposes and is not recommended for actual ALUS allocations.

Table 4 summarizes the anticipated results and costs of each sample size. The anticipated national-level coefficient of variation (CV) and standard error on the number of farms adjustment are calculated following the method used for FNRP. That is, the appropriate formulae for follow-on surveys were used (Kott, 1990).

Table 4: Summary of proposed ALUS allocations

		Anticipated	
		Standard	
Approximate	Anticipated	Error of	Anticipated
Sample Size	CV of ALUS	ALUS	Cost to
(segments)	adjustment	adjustment	States
5000	<mark>6.5</mark>	37,000	\$897,000
4500	<mark>6.8</mark>	<mark>39,000</mark>	\$806,000
4000	<mark>7.1</mark>	<mark>41,000</mark>	\$725,000
3500	<mark>7.7</mark>	<mark>44,000</mark>	\$647,000
3000	8.2	<mark>47,000</mark>	\$545,000
2500	<mark>9.0</mark>	<mark>52,000</mark>	\$459,000
FNRP: 2200	10.9	63,000	\$412,000
2000	10.0	58,000	\$373,000
1000	13.8	80,000	\$181,000
500	18.8	108,000	\$100,000

The JAS 2008 cost data are available for each state on a per segment basis. These costs are based on an enumerator visiting every tract within a selected segment. For ALUS, we assume that 56-percent of tracts in a selected segment will be ALUS-eligible. The value of 56-percent is derived from calibrating the cost of a FNRP size sample (2200 segments) to match the actual cost of FNRP (\$412,000). Anticipated costs are summarized in Table 4. Cost data are only available at the state level, not at the stratum level. The anticipated cost assumes that segments in all strata have the same cost. Although this calculation is quite rough, more sophisticated methods would probably not result in marked improvement of the cost approximations. Appendix C contains anticipated costs for each state. Note that these estimates only include approximate costs to the states. In FNRP, real estate parcel data, which cost an additional \$92,000 for a one-year license, were used to improve the quality of the names and addresses for non-agricultural tracts. This cost is not reflected in the estimates presented in Appendix C.

2.4 Using ALUS Results to Adjust JAS Indications

The FNRP questionnaire (Appendix A) was designed to target misclassification of farms and capture data on the type of farms that were believed to have been misclassified via multiple modes of data collection (face-to-face, phone, or mail). It was essentially a shortened version of the JAS questionnaire. NASS should consider re-designing this questionnaire for ALUS to collect data on as many JAS variables as possible for farms newly identified in ALUS. This will allow ALUS results to be used to adjust more than just farm number indications. In particular, use of the full JAS questionnaire, the Agricultural Coverage Evaluation Survey (ACES)⁷ questionnaire, or an extended version of the FNRP questionnaire should be considered.

_

⁷ ACES is conducted during census years and is designed to improve coverage through targeted sampling of small and minority owned farms.

The combination of JAS and ALUS can be considered a two-phase sample. JAS is the first phase of the sample; then a sub-sample of JAS segments are selected for ALUS. Provided that each phase makes use of a probability sampling design for which the inclusion probabilities are known, standard results can be used to construct a design-based estimator (Sarndal and Swensson, 1987). It is expected that misclassification and non-response will still occur in ALUS. However, this follow-up survey will provide valuable information for adjusting estimates and should reduce the amount of non-response.

This methodology can be applied not only to estimates of number of farms but to all variables collected in the ALUS. Thus, although the primary impetus for this work is to improve estimates of the number of farms, it can improve estimates of other important variables. In particular, farms that are "missed" in JAS will not have values for many JAS variables. Those that are newly identified in ALUS will have accompanying data that can be used to adjust any variables common to both ALUS and JAS. For this reason, the FNRP questionnaire should be reviewed within NASS to determine whether other information should be gathered during ALUS.

3 ALUS METHODOLOGY

Each JAS tract may be classified into one of seven categories (see Table 5). If an enumerator completed an interview during the JAS, then the agricultural tract is in category 6 (farm) or 7 (non-farm). It is assumed that all completed interviews result in an accurate classification of farm status, so no error is associated with these two categories. Further, because these tracts are associated with completed JAS interviews, they are not ALUS-eligible. The remaining categories (1-5) represent ALUS-eligible tracts. A tract for which the JAS farm status was estimated is in category 1 (farm) or 2 (non-farm). A tract determined to be non-agricultural during JAS prescreening is in category 3 (non-agricultural tract with potential), 4 (non-agricultural tract without potential), or 5 (non-agricultural tract with unknown potential). No JAS questionnaire was completed for a non-agricultural tract and these tracts were assigned a non-farm status in JAS. Based on the FNRP results, a tract in one of the first five categories may be misclassified for farm/non-farm JAS status. The primary purpose of the ALUS is to obtain revised JAS indications by adjusting for JAS misclassification.

Table 5: JAS tract category

Category	JAS Type of Agricultural Tract	Farm Status
1	Agricultural tract-estimated	Farm
2	Agricultural tract-estimated	Non-Farm
3	Non-agricultural tract-with potential	Non-Farm
4	Non-agricultural tract-without potential	Non-Farm
5	Non-agricultural tract-with unknown potential	Non-Farm
6	Agricultural tract-completed interview	Farm
7	Agricultural tract-completed interview	Non-Farm

3.1 JAS Estimation

First, consider the annual JAS indication of the number of farms, and then the indication incorporating the information obtained during the ALUS (second-phase sample) will be developed. Under stratified simple random sampling, the JAS estimator is

$$T_1 = \sum_{i=1}^{l} \sum_{j=1}^{s_i} \sum_{k=1}^{n_{ij}} e_{ij} \sum_{m=1}^{x_{ijk}} t_{ijkm}$$
 (1)

where

i is the index of stratum, *l* is the number of land-use strata;

j is the index of substratum, s_i is the number of substrata in stratum i;

k is the index of segment, n_{ij} is the number of segments in substratum j within stratum i;

 e_{ij} is the expansion factor or the inverse of the probability of the selection for each segment in substratum i;

m is the index of tract;

 x_{ijk} is the number of farm tracts in the segment;

 t_{ijkm} is the tract-to-farm ratio, which is $\frac{\text{tract acres for the } m^{th}}{\text{farm acres for the } m^{th}}$ tract.

For the JAS estimator, only agricultural tracts in categories 1 (JAS farm) and 6 (JAS estimated farm) are included in the summation. Tracts within the same segment have the same expansion factor because the JAS design is based on segments. The unbiasedness of this estimator can be seen by first rewriting it as

$$T_1 = \sum_{i=1}^N Z_i e_i t_i$$

Here, N is the total number of tracts in the population;

$$Z_i = \left\{ \begin{array}{ll} 1 & \text{if the } i^{th} \text{ tract is in some JAS selected segment,} \\ 0 & \text{otherwise;} \end{array} \right.$$

 t_i is the tract-to-farm ratio of the i^{th} tract ($t_i = 0$ for non-farm tracts); e_i is the expansion factor or the inverse of the probability of selection of the i^{th} tract, i.e.,

$$e_i = 1/P(Z_i = 1).$$

Under the assumption that JAS provides accurate information for all tracts, T_1 is unbiased because $E(T_1) = E(\sum_{i=1}^N Z_i e_i t_i) = \sum_{i=1}^N t_i = T$ which is the total number of farms (the quantity being estimated).

The variance is

$$Var(T_1) = \sum_{i=1}^{l} \sum_{j=1}^{s_i} \frac{1 - 1/e_{ij}}{1 - 1/n_{ij}} \sum_{k=1}^{n_{ij}} (c'_{ijk} - c'_{ij.})^2$$
(2)

where
$$c'_{ijk}=e_{ij}c_{ijk}$$
 , $c_{ijk}=\sum_{m=1}^{s_{ijk}}t_{ijkm}$, $c'_{ij.}=\frac{1}{n_{ij}}\sum_{k=1}^{n_{ij}}c'_{ijk}$.

However, the JAS indication is biased because some tracts from categories 2 to 5 are misclassified as non-farms.

3.2 JAS-ALUS Estimation without Non-response

Before presenting the estimation methodology that allows non-response in ALUS, we discuss the estimation methodology without non-response. The combined JAS-ALUS represents a two-phase design using stratified simple random subsampling at each phase. First, assume all ALUS tracts have an associated completed interview; that is, non-response is *not* present in ALUS. Then, the JAS-ALUS two-phase sampling design-based estimator for the number of farms is

$$T_2 = T_1' + \sum_{i=1}^l \sum_{j=1}^{s_i} \sum_{k=1}^{n'_{ij}} e_{ij} a_{ij} \sum_{m=1}^{z_{ijk}} t_{ijkm} = T_1' + T_2'$$
(3)

where

 n'_{ij} is the number of ALUS segments in substratum j within stratum i; a_{ij} is the expansion factor or the inverse of the probability of selection in the second phase for each segment in substratum j, land-use stratum i; z_{ijk} is the number of farm tracts in the given ALUS selected segment.

Here, the first term T_1' has the same form as the JAS estimator (1), but the tracts in T_1' are from JAS category 6 only. Unlike T_1 , T_1' does not include JAS category 1 tracts because these tracts are part of the second-phase ALUS population. The tracts in the second term are from JAS categories 1 to 5. Category 7 tracts are excluded from the estimator because they have clear non-farm status from the JAS (i.e., not eligible for ALUS). All tracts within the same ALUS segment have the same expansion factor a_{ij} because the segment is the primary sampling unit for ALUS. The two expansion factors, e_{ij} and a_{ij} , are known from the JAS-ALUS two phase design. Again, to verify the unbiasedness of this two-phase estimator, the estimator T_2 may be rewritten in the following form

$$T_2 = \sum_{i=1}^N Z_i D_i e_i a_i t_i$$

where

$$D_i = \left\{ \begin{array}{cc} 1 & \text{tract i is in a selected ALUS segment or a JAS tract in category 6,} \\ 0 & \text{otherwise;} \end{array} \right.$$

 $\mathbf{Z} = (Z_1, Z_2, \dots, Z_N)^T$ is the vector of random variables Z_i , i.e., the JAS selection information;

and a_i is the expansion factor or the inverse of the probability of selection of the i^{th} tract in ALUS, i.e.,

$$a_i = \left\{ \begin{array}{ll} 1 & \text{if the i^{th} tract is in JAS category 6 ,} \\ \frac{1}{p(D_i=1|Z)} & \text{if $Z_i=1$,} \\ 0 & \text{otherwise .} \end{array} \right.$$

Under the assumption that JAS provides accurate information for the tracts from categories 6 and 7 and ALUS provides accurate information for the tracts from categories 1 to 5, T_2 is an unbiased estimator because

$$E(T_2) = E[E(T_2|\mathbf{Z})] = E[E(\sum_{i=1}^{N} Z_i D_i e_i a_i t_i | \mathbf{Z})] = E[\sum_{i=1}^{N} Z_i e_i t_i] = \sum_{i=1}^{N} t_i = T.$$

Assuming that tracts from different segments are independent, the variance is

$$Var(T_2) = Var(T_1') + Var(T_2') = Var(T_1') + Var(E[T_2'|\mathbf{Z}]) + E(Var[T_2'|\mathbf{Z}]).$$

An unbiased estimator of the variance of T_2 is

$$Var(\overline{T_2}) = Var(\overline{T_1'}) + Var(\widehat{E[T_2'}|\mathbf{Z}]) + E(\widehat{Var[T_2'}|\mathbf{Z}])$$
.

The first term is

$$Var(T_1') = \sum_{i=1}^{l} \sum_{j=1}^{s_i} \frac{1 - 1/e_{ij}}{1 - 1/n_{ij}} \sum_{k=1}^{n_{ij}} (c'_{ijk} - c'_{ij.})^2, \tag{4}$$

where $c'_{ijk} = e_{ij}c_{ijk}$, $c_{ijk} = \sum_{m=1}^{x_{ijk}} t_{ijkm}$, $c'_{ij} = \frac{1}{n_{ij}}\sum_{k=1}^{n_{ij}} c'_{ijk}$. Notice that the values of these quantities, n_{ij} , c'_{ijk} and c'_{ij} are different from (2) although the same notation is used.

The second term is

$$\begin{split} \operatorname{Var}(\widehat{\mathbf{E}[\mathbf{T}_{2}'|\mathbf{Z}]}) &= 2 \sum_{i=1}^{l} \sum_{j=1}^{s_{i}} e_{ij} a_{ij} \left(a_{ij} - 1\right) \sum_{1 \leq k$$

This can be calculated from the first term of (4.4) in Sarndal and Swensson (1987). See Appendix D for details.

The third term is

$$E(\widehat{\text{Var}[T_2'|\mathbf{Z}]}) = \sum_{i=1}^{l} \sum_{j=1}^{s_i} (a_{ij} - 1) N_{ij}' \hat{S}_{ij}^2 , \qquad (5)$$

where N'_{ij} is the total number of qualified ALUS segments within stratum i, substratum j (ALUS population), \hat{S}^2_{ij} is the ALUS sample variance within stratum i, substratum j. Formula (5) can be calculated from the second term of (4.4) in Sarndal and Swensson (1987). See Appendix D for details.

3.3 JAS-ALUS Estimation with Non-Response

Although no non-response was assumed above, ALUS would have non-response. We have studied three-phase sampling design estimation and put the general result in Appendix E. The results derived in Appendix E are now applied to the JAS-ALUS two phase estimator with non-response adjustment within the second phase. Under the assumption of the probability of response being well modeled by the Bernoulli distribution within each stratum, the two-phase estimator of the number of farms with non-response adjustment, is

$$T_3 = T_1' + \sum_{i=1}^l \sum_{j=1}^{s_i} \sum_{k=1}^{n'_{ij}} e_{ij} a_{ij} \sum_{m=1}^{z'_{ijk}} r_{ijkm} t_{ijkm} = T_1' + T_3'.$$

Here r_{ijkm} is the expansion factor or the inverse of the response probability of tract m in segment k, substratum j, land-use stratum i. r_{ijkm} is unknown from the two-phase design but it can be estimated by modeling. As in T_2 , the tracts in the first term are from JAS category 6 only. The tracts in the second term are from JAS categories 1 to 5. Another way to write this estimator is

$$T_3 = \sum_{i=1}^N Z_i D_i R_i e_i a_i r_i t_i .$$

Here $R_i = \left\{ \begin{array}{ll} 1 & \text{if the } i^{th} \text{ tract is in JAS category 6} \;, \\ 1 & \text{if the } i^{th} \text{ tract is in selected ALUS segment and has response} \;, \\ 0 & \text{otherwise} \;. \end{array} \right.$

 $\mathbf{D} = (D_1, D_2, \dots, D_N)^T$ is the vector of random variables D_i , i.e., the ALUS selection information; \mathbf{r}_i is the response expansion factor or the inverse of the probability of response, i.e.,

$$r_i = \begin{cases} \frac{1}{1} & \text{if the } i^{th} \text{ tract is in JAS category 6,} \\ \frac{1}{P(R_i = 1|D)} & \text{if } D_i = 1, \\ 0 & \text{if } D_i = 0 \ . \end{cases}$$

 T_3 is an unbiased estimator because

$$\begin{split} E\left(T_{3}\right) &= E\{E\left[E\left(T_{3}|\boldsymbol{D}\right)|\boldsymbol{Z}\right]\} \\ &= E\left\{E\left[E\left(\sum_{i=1}^{N} Z_{i}D_{i}R_{i}e_{i}a_{i}r_{i}t_{i}|\boldsymbol{D}\right)|\boldsymbol{Z}\right]\right\} \\ &= E\left\{E\left[\sum_{i=1}^{N} Z_{i}D_{i}e_{i}a_{i}t_{i}|\boldsymbol{Z}\right]\right\} \\ &= E\left(\sum_{i=1}^{N} Z_{i}e_{i}t_{i}\right) = T \;. \end{split}$$

Assuming that tracts from different segments are independent, the variance is

$$Var(T_3) = Var(T_1') + Var(T_3').$$
(6)

Again, the first term is given by (4). Let $\pi_{k|R}$ be the probability of response of the tracts in segment k and $\pi_{kp|R}$ be the probability that two tracts have response in segments k, p. We assume that all tracts in a same segment have same response mechanism. As shown in Appendix F, one design unbiased estimator of the second term $Var(T_3')$ in (6) is

$$\begin{split} \widehat{Var(T_3')} &= \frac{\sum_{i=1}^{l} \sum_{j=1}^{s_i} e_{ij} a_{ij} \left(e_{ij} a_{ij} - 1 \right) \sum_{k=1}^{n'_{ij}} \left(\sum_{m=1}^{z_{ijk}} t_{ijkm} \right)^2}{\pi_{k|R}} \\ &+ \frac{\sum_{i=1}^{l} \sum_{j=1}^{s_i} e_{ij} a_{ij} \left(a_{ij} + e_{ij} - 1 \right) \sum_{1 \leq k$$

$$+ \frac{\sum_{i=1}^{l} \sum_{j=1}^{s_{i}} e_{ij}^{2} \alpha_{ij}^{2} (1 - \pi_{k|R}) \sum_{k=1}^{n'_{ij}} \left(\sum_{m=1}^{z_{ijk}} t_{ijkm}\right)^{2}}{\pi_{k|R}^{2}} \\ + \frac{\sum_{i=1}^{l} \sum_{j=1}^{s_{i}} e_{ij}^{2} \alpha_{ij}^{2} \left(\pi_{kp|R} - \pi_{k|R} \pi_{p|R}\right) \sum_{1 \leq k$$

3.4 Estimation of Any Farm-Level Items

Although the methodology presented here has focused on the estimation of farm numbers, it can also be used to estimate farm-level items of interest (i.e., commodity total or presence/absence of agricultural items). To estimate farm-level items, two additional variables, u_{ijkm} and u_i , must be defined. Their definitions depend on whether the farm-level item being estimated is the proportion of farms with a specific agricultural commodity or a total for an agricultural commodity.

Case 1: Proportion of Farms

First suppose that the proportion of farms with a specific agricultural commodity is to be estimated. Define $u_{ijkm} = 1$ if that agricultural commodity is present on the farm associated with the m^{th} tract in segment k within j^{th} substratum of i^{th} stratum; otherwise, $u_{ijkm} = 0$. Similarly,

$$u = \begin{cases} 1 & \text{if the commodity is present on the farm associated with the } i^{th} \text{ tract,} \\ 0 & \text{otherwise.} \end{cases}$$

Case 2: Commodity Total

Now suppose that the item to be estimated is an inventory. Define u_{ijkm} as the farm-level quantity of the agricultural commodity from the m^{th} tract in segment k within j^{th} substratum of i^{th} stratum. Similarly, u_i is the farm-level quantity of that item from the i^{th} tract.

Now, for the farm-level items, all estimators previously considered are revised by using $t_{ijkm}u_{ijkm}$ and t_iu_i instead of the respective tract-to-farm ratios t_{ijkm} and t_i considered earlier. For example, the farm numbers estimator T_2 for the JAS-ALUS, assuming full response (see (3)), becomes

$$T_2 = \sum_{i=1}^l \sum_{j=1}^{s_i} \sum_{k=1}^{n_{ij}} e_{ij} \sum_{m=1}^{x_{ijk}} t_{ijkm} u_{ijkm} + \sum_{i=1}^l \sum_{j=1}^{s_i} \sum_{k=1}^{n'_{ij}} e_{ij} a_{ij} \sum_{m=1}^{z_{ijk}} t_{ijkm} u_{ijkm} = T'_1 + T'_2.$$

And the sum c_{ijk} of the tract-to-farm ratios of tracts in segment k in substratum j of stratum i as in (4) becomes $c_{ijk} = \sum_{m=1}^{x_{ijk}} t_{ijkm} u_{ijkm}$.

If a quantity does not involve the tract-to-farm ratio, such as x_{ijk} or z_{ijk} , the definition remains unchanged.

3.5 Alternative Method

An alternative, less costly approach to adjusting JAS for misclassification error by matching JAS records to the annual sampling list frame has also been proposed. See Lopiano et al. (2011) and Abreu et al. (2011) for details of this methodology. However, as compared to this proposed approach, the results of ALUS would likely provide lower CVs for indications of the number of farms, would provide annual monitoring of classification error that may inform the data collection process, and would provide a means for producing improved indications for other variables. However, the cost of conducting ALUS is non-trivial. Researchers intend to pursue further comparisons of these two approaches.

4. DISCUSSION & CONCLUSIONS

We have discussed the sampling design of the proposed ALUS. ALUS can be treated as a second phase to the JAS. All segments that have estimated or non-agricultural JAS tracts in the JAS sample are ALUS-eligible. The ALUS sample allocation of segments to each state-stratum combination considers two factors: the proportion of the ALUS population in the stratum and the proportion of the FNRP adjustment from non-agricultural tracts in the stratum. The ALUS sample design has been demonstrated using a sample allocation.

If there is full response in ALUS, an unbiased estimator of the number of farms based on the two-phase survey design (JAS-ALUS) has been developed. An unbiased estimator for the variance has also been developed. In reality, ALUS will have non-response. Thus, a general three-phase design-based unbiased estimator with an unbiased estimator of its variance has been developed. Then we applied this method to the JAS-ALUS, with the third phase addressing non-response in ALUS.

5. RECOMMENDATIONS

- 1) A follow-on survey to the JAS, called ALUS, should be conducted so that the farm number indications (as well as any included commodities) from the JAS can be adjusted for misclassification.
- 2) The ALUS questionnaire should be a modified version of the JAS-FNRP questionnaire. While essentially a shortened version of the JAS questionnaire, the FNRP questionnaire was also designed to target misclassification of farms and capture data on the type of farms that were believed to have been misclassified via multiple modes of data collection (face-to-face, phone, or mail). Additional JAS variables added to this questionnaire would allow the ability to adjust these variables as well.

3). The methodology for a two-phase study with nonresponse considered to be a third phase, as developed in this report, should be used for the analysis of the JAS-ALUS.

Note: The recommendations above were discussed at the January 2011 Senior Executive Team meeting where the decision was made to not conduct the ALUS in 2011 due to budget constraints.

6. REFERENCE

Abreu, Denise A., Andrea C. Lamas, Hailin Sang, Kenneth K. Lopiano, Pam Arroway, Linda J. Young (2011). On the Feasibility of Using NASS's Sampling List Frame to Evaluate Misclassification Errors of the June Area Survey. Research and Development Division. RDD Research Report # RDD-11-01.

Abreu, Denise A., J. S. McCarthy, L. A. Colburn (2010). Impact of the Screening Procedures of the June Area Survey on the Number of Farms Estimates. Research and Development Division. RDD Research Report # RDD-10-03.

Kott, P. S. (1990). Mathematical Formulae for the 1989 Survey Processing System (SPS) Summary. NASS Staff Report, SRB-90-08, National Agricultural Statistics Service, USDA.

Lopiano, Kenneth K., Andrea C. Lamas, Denise A. Abreu, Hailin Sang, Pam Arroway, Young J. Linda (2011). Proposal for Using the List Frame to Adjust for Misclassification in the June Area Survey. Research and Development Division. RDD Research Report # RDD-11-YY.

Sarndal, C-E. and B. Swensson (1987). A General View of Estimation for Two Phases of Selection with Applications to Two-Phase Sampling and Nonresponse. *International Statistical Review*. v 55(3):279-294

Project 132 QID OMB No. 0535-0213 Approval Expires 12/31/2010



LAND UTILIZATION SURVEY



National Field Office U.S. Department of Agriculture, Rm 5030, South Building 1400 Independence Ave., S.W. Washington, DC 20250-2000 Phone: 1-800-727-9540 Fax: 202-690-2090 Email: nass@nass.usda.gov

Please make corrections to name, address and Zip Code, if necessary.

PLEASE RETURN THIS FORM REGARDLESS OF YOUR AGRICULTURAL ACTIVITY

You have been selected for a nationwide land utilization survey. The purpose of the survey is to determine if you are involved in agriculture in any way. We need your completed form even though you may not be involved with agriculture, or have only a limited amount of agriculture. All information collected is confidential and used only in combination with similar reports from others. Response is voluntary. Thank you!

If you have any questions, call our toll-free number at 1-800-833-0867, and we will be happy to assist you.

Since January 2009...

Did you own, rent or operate land with potential for agricultural production? 1 Yes	No
Did you own or operate cropland?	No
Did you receive any federal or state <u>agricultural</u> payments (Include Federal Farm Program, CRP, WRP, FWP, and CREP payments)	No
Did you have any hay or pasture?	No
Did you produce or raise any type of li∨estock?	No
Did you have any equine?	No
Did you grow any type of poultry or birds?	No
Did you own any colonies of bees regardless of location?	No
Did you have any aquaculture?	No
Did you have any agricultural sales?	No

(Include value from Field Crops, Hay, Silage and Forage Crops, Christmas Trees, Short Rotation Woody Crops, Seed Crops, Nursery, Greenhouse, Floriculture, Sod, Mushrooms, Seeds, Bulbs, Vegetables, Melons, Fruits, Nuts, Berries, Other Crops, Maple Syrup, Hogs and Pigs, Cattle and Calves, Sheep and Lambs, Goats, Poultry, Horses, Bees and Honey, Eggs, Dairy Products, Other Animals, Livestock and Animal Products, Fish and Other Aquaculture.)

If "NO" to <u>all</u> of these questions, please return the questionnaire in the envelope provided. You do not need to answer the rest of the questions. You may comment on the last page.

If "YES" to any question, please complete the rest of the survey as it applies to your operation.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0535-0213. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

- 2 -

A	cres	s Operated				
Inc	lude	the farmstead, all cropland, ponds, woodland, pastureland, wasteland, and land that is in	0.00		nt progr	rams.
1.	As	of June 1, 2009, how many acres does this operation:	MARK NONE		E	CRES
	a.	Own?		+	0011	
	b.	Rent or Lease from Others, or use Rent Free?		+		
	C.	Rent to Others?		- [0013	
2.	Tot	tal Acres Operated: [Items 1a + 1b – 1c]?		= [0014	
Cr	opl	land				
3.	Of t	the total acres operated [item 2], how many acres are considered Cropland ?	MARK NONE		AC	CRES
		clude planted cropland, land in hay, summer fallow, cropland idle, cropland used pasture and cropland in government programs.).			0015	
4.		the total cropland acres [item 3], how many are used to produce:		L	A(CRES
-	a.	Any hay or forage crops on this operation? (Count each acre only once,	_	Ī	0016	1
		regardless of the number of cuttings or different uses.).	П	L	ACRES	TENTHS
					0017	IENTINO
	b.	Any short rotation woody crops on this operation?		10	0018	
	C.	Any cut Christmas trees on this operation?				
	d.	Any berry crops on this operation?			0019	
	e.	Any fruit or nut crops on this operation? (Excluding berries)		L	0020	·
	f.	Any potato crops on this operation?		_	0021	·——
	g.	Any vegetable or melon crops on this operation? (Excluding potatoes)		Ľ	0022	H——
		SQUARE FEET U MARK GLASS or O NONE PROTECTIO	THER		RES IN T	HE OPEN
	h.	Any nursery, greenhouse, or floriculture crops,		0024		
		or aquatic plants on this operation?				ž
5.	Of t	the total acres operated [Item 2], how many acres are in the Conservation serve Program (CRP), Wetland Reserve Program (WRP), Farmable Wetland	MARK NONE		TOTAL 0025	_ ACRES
	Pro	ogram (FWP), or Conservation Reserve Enhancement Program (CREP)?			0020	

6. Of the total acres operated [Item 2], how many acres are in Permanent Pasture, Woodland Pasture, and Rangeland?.....

ACRES

0026

- 3 -

iv	0	•	•	$\hat{}$	~	v

7.		of June 1, 2009, ho hand? (Include ar							MARK NONE	NUMBER	OF HEAD
	a.	All Cattle and Ca	lves, rega	rdless of own	nership?					0027	
	b.	All Goats and Kid	ds , regard	less of owne	rship?	*********				0028	
	C.	All Horses, Ponie	es, Mules	Donkeys o	r Burros, re	egardless of own	ership?	****** * *		0029	
	d.	All Sheep and La	ımbs own	ed by this op	eration, reç	gardless of locati	on?			0030	
	e.	All Hogs and Pig	s owned	by this opera	tion, regard	lless of location?		0 NO 0 N		0031	
	f.	All Other Animal	s (Include	Alpacas, Bis	on, Deer, F	Rabbits, Mink, etc	5.)?	t a tabet		0032	
Po	oult	ry									
8.	Re	oort any poultry on	the total a	cres operate	d as of Jun	e 1, 2009, regard	dless of ov	vnership.			
		2 1		Ţ.		, , ,			MARK		
									NONE	NUM	BER
	_	\^/b = t= = tb =	-l	!!! - !-		a far la vian flacti	^			0033	
	a.	What was the nun	nber of lay	ers, pullets, a	and rooster	s for laying flock	·			<u>.</u>	
	b.	What was the nun	nber of bro	oilers, frvers,	capons, roa	asters, and other	*1			0034	
		chickens raised fo						y many			
										0035	
9.		of June 1, 2009, ho ardless of ownersh								0035	
	icg	ardiess of owners	прислени				V 0 200 V 00000 V	****** * **	ш	L1	IEV
Ве	es						MARK NONE	NUMBER	OWNED	COLLE in 2009 (CTED
		w many colonies of	hoos did	this operation	OWN		NONE	0036		0037	r Garras)
10.		ardless of location,									
Sa	عمار	of Agricultur	al Prod	ucts						8. -	
		1000					000 : 1	e			F
11.		at was the total gr duct, for all crops, l			agricultura	al products in 20	008, includ	ling landid	ord's sha	re and valu	e of
	(Ex	clude cash rent rece	ived or sha	re of crops rec	eived for rer	nted out land.)					
	Nur Syr	elude value from Fielosery, Greenhouse, F up, Hogs and Pigs, C mals, Livestock and A None	loriculture, cattle and C	Sod, Mushroo alves, Sheep	ms, Seeds, i and Lambs, I Other Aqua	Bulbs, Vegetables, Goats, Poultry, Ho	Melons, Fr	uits, Nuts,	Berries, C	ther Crops,	Maple
		\$ 1	\$ 9	9991							
		\$ 1,000		1992	NATION OF THE PARTY OF THE PART					Co	de
		\$ 2,500	900	9993					_	0038	
		\$ 5,000	1,000	9994						ģ.	
		\$ 10,000	52	999 5							
		\$ 25,000		999 6							
		CLOS. SHOOLAND SHOOT STATE	\$ 99,9								
		\$ 100,000	\$ 249,9								
		\$ 250,000		9999							
		\$ 500,000		99910							
		\$ 1,000,000		99911							
		\$ 2,500,000		99912							
		\$ 5,000,000 and	dover	13							

Final Comments:

12. If you have any additional comments, please write them on the lines below.

Thank you for your cooperation.

A wide variety of agricultural statistics is available from the National Agricultural Statistics Service (NASS). NASS reports, data products, and services are also available on the Internet at www.nass.usda.gov

Completed by:

Area Code and Phone Number:

9910 Date:

	For Office Use Only										
Response	е	Resp	ondent	Mod	de	R Unit	Enum.	Eval.			
1-Comp 2-R 3-Inac 4-Office Hold 5-R – Est 6-Inac – Est 7-Off Hold – Est 8-Known Zero	9901	1-Op/Mgr 2-Sp 3-Acct/Bkpr 4-Partner 9-Oth	9902	1-Mail 2-Tel 3-Face-to-Face 4-CATI 5-Web 6-e-mail 7-Fax 8-CAPI 19-Other	9903	0921	098	100			

State	Segment	Tract	Subtract	Number of Dwellings	Number Sampled	Tract Acres
039	040	041	042			

Example allocations by state and stratum using 2010 JAS data

State State	State Approximate Total Sample Size (segments)								
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
AL	145	132	120	106	89	76	63	29	15
13	24	20	17	14	12	10	9	4	2
20	61	52	43	37	31	27	22	10	5
40	60	60	60	55	46	39	32	15	8
AZ	48	46	45	42	35	28	22	12	9
13	10	8	7	6	5	4	4	2	1
14	4	4	4	4	3	2	1	1	1
18	4	4	4	4	3	2	2	1	1
28	4	4	4	4	3	2	2	1	1
38	4	4	4	4	3	2	1	1	1
42	11	11	11	10	9	8	6	3	2
43	11	11	11	10	9	8	6	3	2
AR	162	150	140	124	105	89	73	34	18
11	52	44	37	32	27	23	19	9	5
21	26	22	19	16	14	12	10	5	3
42	84	84	84	76	64	54	44	20	10
CA	65	59	53	49	41	35	27	14	9
11	4	4	4	4	3	2	1	1	1
21	40	34	28	25	21	18	14	7	4
41	19	19	19	18	15	13	10	5	3
45	2	2	2	2	2	2	2	1	1
CO	117	101	86	76	64	52	43	22	14
13	4	4	4	4	3	2	2	1	1
15	28	24	20	17	15	12	10	5	3
20	4	4	4	4	3	2	2	1	1
25	47	39	33	28	24	20	17	8	4

State	Approxim	ate Total Sa	mple Size (se	gments)					
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
28	17	15	12	11	9	8	6	3	2
34	7	6	5	4	4	3	3	2	1
35	6	5	4	4	3	3	2	1	1
38	4	4	4	4	3	2	1	1	1
49	0	0	0	0	0	0	0	0	0
CT	1	1	1	1	1	1	1	1	1
40	1	1	1	1	1	1	1	1	1
DE	85	72	60	51	43	37	31	14	7
13	24	20	17	14	12	10	9	4	2
20	61	52	43	37	31	27	22	10	5
FL	66	62	59	54	45	37	30	15	9
13	24	20	17	14	12	10	9	4	2
21	4	4	4	4	3	2	2	1	1
31	4	4	4	4	3	2	1	1	1
40	15	15	15	14	12	10	8	4	2
42	19	19	19	18	15	13	10	5	3
GA	169	156	144	127	107	91	75	34	17
13	24	20	17	14	12	10	9	4	2
20	61	52	43	37	31	27	22	10	5
40	84	84	84	76	64	54	44	20	10
ID	44	38	33	29	24	22	18	9	5
10	10	9	7	6	5	5	4	2	1
15	18	15	13	11	9	8	7	3	2
22	11	9	8	7	6	5	4	2	1
43	5	5	5	5	4	4	3	2	1
IL	157	135	116	102	86	72	58	28	15
11	80	67	56	48	41	35	28	13	7
12	23	19	16	14	12	10	8	4	2

State	Approxim	nate Total Sa	mple Size (se	gments)					
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
20	35	30	25	22	18	15	13	6	3
31	4	4	4	4	3	2	1	1	1
40	15	15	15	14	12	10	8	4	2
IN	111	97	83	75	63	53	42	21	12
11	40	34	28	25	21	18	14	7	4
12	13	11	9	8	7	6	5	2	1
20	39	33	27	24	20	17	14	7	4
31	4	4	4	4	3	2	1	1	1
40	15	15	15	14	12	10	8	4	2
IA	64	54	45	39	33	28	23	11	6
13	24	20	17	14	12	10	9	4	2
20	40	34	28	25	21	18	14	7	4
KS	157	135	114	99	85	71	59	28	15
11	58	49	41	35	30	25	21	10	5
12	28	24	20	17	15	12	10	5	3
20	59	50	41	36	30	26	21	10	5
40	12	12	12	11	10	8	7	3	2
KY	107	95	85	76	63	53	43	21	11
13	24	20	17	14	12	10	9	4	2
20	49	41	34	30	25	21	17	8	4
31	4	4	4	4	3	2	1	1	1
40	30	30	30	28	23	20	16	8	4
LA	74	67	61	54	45	39	32	16	8
13	24	20	17	14	12	10	9	4	2
20	20	17	14	12	10	9	7	4	2
40	30	30	30	28	23	20	16	8	4
ME	40	40	40	37	31	26	21	10	5
40	40	40	40	37	31	26	21	10	5

State	Approxima	ate Total Sam	ple Size (segi	nents)					
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
MD	36	33	29	27	22	19	16	8	5
13	5	5	4	4	3	3	2	1	1
20	21	18	15	13	11	9	8	4	2
40	10	10	10	10	8	7	6	3	2
MA	28	28	28	26	23	19	15	7	4
31	3	3	3	3	3	2	1	1	1
40	25	25	25	23	20	17	14	6	3
MI	80	70	62	56	47	39	32	16	9
11	20	17	14	13	11	9	7	4	2
20	40	33	28	24	20	17	14	7	4
40	20	20	20	19	16	13	11	5	3
MN	163	144	127	112	94	79	65	30	15
11	63	53	44	38	32	27	22	10	5
12	25	21	18	15	13	11	9	4	2
20	35	30	25	22	18	15	13	6	3
40	40	40	40	37	31	26	21	10	5
MS	172	157	144	128	109	91	76	35	19
11	27	23	19	16	14	12	10	5	3
12	10	8	7	6	5	4	4	2	1
20	56	47	39	34	29	24	20	9	5
40	79	79	79	72	61	51	42	19	10
MO	175	154	135	119	100	84	69	32	16
11	63	53	44	38	32	27	22	10	5
12	23	19	16	14	12	10	8	4	2
20	49	42	35	30	25	21	18	8	4
40	40	40	40	37	31	26	21	10	5
MT	100	89	78	70	59	51	41	21	11
13	33	28	23	20	17	14	12	6	3

State	Approxima	te Total Sam	ple Size (segn	nents)					
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
20	40	34	28	25	21	18	14	7	4
43	5	5	5	5	4	4	3	2	1
44	22	22	22	20	17	15	12	6	3
NE	174	152	131	116	98	83	68	32	17
11	82	69	58	50	42	36	29	14	7
12	24	21	17	15	13	11	9	4	2
20	39	33	27	24	20	17	14	7	4
40	29	29	29	27	23	19	16	7	4
NV	8	7	6	6	5	5	3	2	2
28	2	2	2	2	2	2	1	1	1
38	6	5	4	4	3	3	2	1	1
NH	12	12	12	12	10	8	7	4	3
14	4	4	4	4	3	2	2	1	1
31	2	2	2	2	2	2	1	1	1
40	6	6	6	6	5	4	4	2	1
NJ	36	32	28	25	21	16	12	7	5
13	4	4	4	4	3	2	1	1	1
20	28	24	20	17	15	12	10	5	3
31	4	4	4	4	3	2	1	1	1
NM	31	30	29	28	22	19	15	10	7
13	8	7	6	5	4	4	3	2	1
18	4	4	4	4	3	2	2	1	1
19	1	1	1	1	1	1	1	1	1
28	4	4	4	4	3	2	2	1	1
38	4	4	4	4	3	2	1	1	1
40	5	5	5	5	4	4	3	2	1
48	5	5	5	5	4	4	3	2	1
NY	44	37	31	27	23	19	16	8	4

State	Approxin	nate Total Sa	ample Size (se	egments)					
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
13	9	7	6	5	5	4	3	2	1
20	35	30	25	22	18	15	13	6	3
NC	232	208	188	166	139	117	96	45	23
13	10	8	7	6	5	4	4	2	1
20	138	116	97	83	70	59	49	22	11
31	4	4	4	4	3	2	1	1	1
40	80	80	80	73	61	52	42	20	10
ND	162	138	113	99	83	71	57	27	14
11	74	63	52	45	38	32	26	12	6
12	29	25	20	18	15	13	10	5	3
20	59	50	41	36	30	26	21	10	5
ОН	116	101	89	79	68	57	46	23	13
11	35	29	24	21	18	15	12	6	3
12	12	10	8	7	6	5	4	2	1
20	30	25	21	18	15	13	11	5	3
31	9	7	6	5	5	4	3	2	1
32	2	2	2	2	2	2	1	1	1
40	28	28	28	26	22	18	15	7	4
OK	131	115	101	88	75	63	53	25	13
11	40	34	28	24	20	17	14	7	4
12	13	11	9	8	7	6	5	2	1
20	47	39	33	28	24	20	17	8	4
40	31	31	31	28	24	20	17	8	4
OR	70	63	57	51	43	37	30	14	8
13	11	9	8	7	6	5	4	2	1
20	32	27	22	19	16	14	11	5	3
43	27	27	27	25	21	18	15	7	4
PA	120	108	97	87	73	61	49	24	13

State	Approxima	ate Total San	ple Size (segi	ments)					
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
13	7	6	5	4	4	3	3	2	1
20	69	58	48	42	35	30	24	11	6
31	4	4	4	4	3	2	1	1	1
40	40	40	40	37	31	26	21	10	5
RI	12	12	12	12	10	8	6	4	3
14	4	4	4	4	3	2	1	1	1
31	2	2	2	2	2	2	1	1	1
40	6	6	6	6	5	4	4	2	1
SC	104	95	87	79	66	56	45	21	11
13	6	5	4	4	3	3	2	1	1
20	49	41	34	30	25	21	17	8	4
40	49	49	49	45	38	32	26	12	6
SD	135	119	105	92	79	67	55	25	13
11	52	44	37	32	27	23	19	9	5
12	13	11	9	8	7	6	5	2	1
20	37	31	26	22	19	16	13	6	3
40	33	33	33	30	26	22	18	8	4
TN	211	190	172	153	129	109	89	42	22
13	30	25	21	18	16	13	11	5	3
20	95	80	67	58	49	41	34	16	8
31	6	5	4	4	3	3	2	1	1
40	80	80	80	73	61	52	42	20	10
TX	363	324	291	259	219	185	149	74	44
10	27	22	19	16	14	12	10	5	3
13	13	11	9	8	7	6	5	2	1
14	4	4	4	4	3	2	1	1	1
15	28	24	20	17	15	12	10	5	3
16	6	5	4	4	3	3	2	1	1

State	Approxin	nate Total Sa	ample Size (se	egments)					
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
18	10	8	7	6	5	4	4	2	1
20	40	33	28	24	20	17	14	7	4
21	2	2	2	2	2	2	1	1	1
24	41	35	29	25	21	18	15	7	4
25	47	39	33	28	24	20	17	8	4
26	4	4	4	4	3	2	1	1	1
27	7	6	5	5	4	3	3	2	1
28	17	15	12	11	9	8	6	3	2
31	6	5	4	4	3	3	2	1	1
32	4	4	4	4	3	2	1	1	1
40	52	52	52	47	40	34	28	13	7
41	44	44	44	40	34	29	23	11	6
42	11	11	11	10	9	8	6	3	2
UT	29	26	24	22	19	17	13	8	6
13	8	7	6	5	4	4	3	2	1
20	11	9	8	7	6	5	4	2	1
31	4	4	4	4	3	2	1	1	1
32	2	2	2	2	2	2	1	1	1
46	2	2	2	2	2	2	2	1	1
48	2	2	2	2	2	2	2	1	1
VT	20	20	20	19	16	13	11	5	3
40	20	20	20	19	16	13	11	5	3
VA	131	119	107	97	81	69	56	26	14
13	5	5	4	4	3	3	2	1	1
20	70	59	49	43	36	30	25	12	6
31	6	5	4	4	3	3	2	1	1
40	50	50	50	46	39	33	27	12	6
WA	137	126	116	103	88	74	61	30	17

State	Approxim	nate Total Sa	mple Size (se	egments)					
Stratum	5000	4500	4000	3500	3000	2500	2000	1000	500
10	32	27	23	20	17	14	12	6	3
11	15	13	11	9	8	7	6	3	2
20	28	24	20	17	15	12	10	5	3
41	19	19	19	18	15	13	10	5	3
43	43	43	43	39	33	28	23	11	6
WV	71	70	68	63	52	44	35	18	11
13	4	4	4	4	3	2	2	1	1
20	10	9	7	6	5	5	4	2	1
31	4	4	4	4	3	2	1	1	1
32	2	2	2	2	2	2	1	1	1
40	51	51	51	47	39	33	27	13	7
WI	115	102	90	79	67	56	45	22	12
11	23	19	16	14	12	10	8	4	2
12	8	7	6	5	4	4	3	2	1
20	56	48	40	34	29	24	20	9	5
31	4	4	4	4	3	2	1	1	1
40	24	24	24	22	19	16	13	6	3
WY	103	103	103	95	80	67	53	27	17
11	4	4	4	4	3	2	1	1	1
12	4	4	4	4	3	2	1	1	1
20	4	4	4	4	3	2	2	1	1
31	2	2	2	2	2	2	1	1	1
32	2	2	2	2	2	2	1	1	1
42	84	84	84	76	64	54	44	20	10
44	1	1	1	1	1	1	1	1	1
45	2	2	2	2	2	2	2	1	1
Total	4933	4424	3965	3536	2980	2513	2045	991	550
	Actual To	otal Sample S	Size (segment	s)					

APPENDIX C

Anticipated cost by state for each example allocation

	Approximate Total Sample Size (segments)										
State	5000	4500	4000	3500	3000	2500	2000	1000	500		
AL	\$23,629	\$21,511	\$19,555	\$17,274	\$14,503	\$12,385	\$10,266	\$4,726	\$2,444		
AZ	\$3,548	\$3,400	\$3,326	\$3,105	\$2,587	\$2,070	\$1,626	\$887	\$665		
AR	\$32,931	\$30,492	\$28,459	\$25,207	\$21,344	\$18,092	\$14,839	\$6,912	\$3,659		
CA	\$14,524	\$13,183	\$11,842	\$10,949	\$9,161	\$7,820	\$6,033	\$3,128	\$2,011		
CO	\$13,694	\$11,821	\$10,065	\$8,895	\$7,491	\$6,086	\$5,033	\$2,575	\$1,639		
CT	\$244	\$244	\$244	\$244	\$244	\$244	\$244	\$244	\$244		
DE	\$20,706	\$17,539	\$14,616	\$12,424	\$10,475	\$9,013	\$7,552	\$3,410	\$1,705		
FL	\$18,887	\$17,742	\$16,883	\$15,453	\$12,877	\$10,588	\$8,585	\$4,292	\$2,575		
GA	\$31,137	\$28,741	\$26,531	\$23,398	\$19,714	\$16,766	\$13,818	\$6,264	\$3,132		
ID	\$3,080	\$2,660	\$2,310	\$2,030	\$1,680	\$1,540	\$1,260	\$630	\$350		
IL	\$37,014	\$31,828	\$27,348	\$24,048	\$20,275	\$16,975	\$13,674	\$6,601	\$3,536		
IN	\$18,897	\$16,513	\$14,130	\$12,768	\$10,725	\$9,023	\$7,150	\$3,575	\$2,043		
IA	\$12,580	\$10,614	\$8,845	\$7,666	\$6,486	\$5,504	\$4,521	\$2,162	\$1,179		
KS	\$20,925	\$17,993	\$15,194	\$13,195	\$11,329	\$9,463	\$7,864	\$3,732	\$1,999		
KY	\$19,474	\$17,290	\$15,470	\$13,832	\$11,466	\$9,646	\$7,826	\$3,822	\$2,002		
LA	\$9,034	\$8,179	\$7,447	\$6,592	\$5,494	\$4,761	\$3,907	\$1,953	\$977		
ME	\$9,744	\$9,744	\$9,744	\$9,013	\$7,552	\$6,334	\$5,116	\$2,436	\$1,218		
MD	\$8,770	\$8,039	\$7,064	\$6,577	\$5,359	\$4,628	\$3,898	\$1,949	\$1,218		
MA	\$6,821	\$6,821	\$6,821	\$6,334	\$5,603	\$4,628	\$3,654	\$1,705	\$974		
MI	\$16,397	\$14,347	\$12,708	\$11,478	\$9,633	\$7,993	\$6,559	\$3,279	\$1,845		
MN	\$31,218	\$27,579	\$24,323	\$21,450	\$18,003	\$15,130	\$12,449	\$5,746	\$2,873		
MS	\$33,423	\$30,508	\$27,982	\$24,873	\$21,181	\$17,683	\$14,768	\$6,801	\$3,692		
MO	\$34,888	\$30,701	\$26,914	\$23,724	\$19,936	\$16,746	\$13,756	\$6,380	\$3,190		
MT	\$11,760	\$10,466	\$9,173	\$8,232	\$6,938	\$5,998	\$4,822	\$2,470	\$1,294		
NE	\$27,088	\$23,663	\$20,394	\$18,059	\$15,257	\$12,921	\$10,586	\$4,982	\$2,647		
NV	\$502	\$439	\$376	\$376	\$314	\$314	\$188	\$125	\$125		
NH	\$2,675	\$2,675	\$2,675	\$2,675	\$2,229	\$1,783	\$1,560	\$892	\$669		

APPENDIX C

	Approxim	Approximate Total Sample Size (segments)										
State	5000	4500	4000	3500	3000	2500	2000	1000	500			
NJ	\$7,741	\$6,881	\$6,021	\$5,376	\$4,516	\$3,441	\$2,580	\$1,505	\$1,075			
NM	\$4,184	\$4,049	\$3,914	\$3,779	\$2,969	\$2,564	\$2,024	\$1,350	\$945			
NY	\$7,589	\$6,382	\$5,347	\$4,657	\$3,967	\$3,277	\$2,760	\$1,380	\$690			
NC	\$45,992	\$41,234	\$37,269	\$32,908	\$27,555	\$23,194	\$19,031	\$8,921	\$4,560			
ND	\$22,861	\$19,475	\$15,947	\$13,971	\$11,713	\$10,020	\$8,044	\$3,810	\$1,976			
ОН	\$16,045	\$13,970	\$12,310	\$10,927	\$9,406	\$7,884	\$6,363	\$3,181	\$1,798			
OK	\$29,197	\$25,631	\$22,511	\$19,613	\$16,716	\$14,041	\$11,813	\$5,572	\$2,897			
OR	\$10,466	\$9,420	\$8,523	\$7,626	\$6,429	\$5,532	\$4,486	\$2,093	\$1,196			
PA	\$26,208	\$23,587	\$21,185	\$19,001	\$15,943	\$13,322	\$10,702	\$5,242	\$2,839			
RI	\$2,923	\$2,923	\$2,923	\$2,923	\$2,436	\$1,949	\$1,462	\$974	\$731			
SC	\$13,395	\$12,236	\$11,206	\$10,175	\$8,501	\$7,213	\$5,796	\$2,705	\$1,417			
SD	\$15,498	\$13,661	\$12,054	\$10,562	\$9,069	\$7,692	\$6,314	\$2,870	\$1,492			
TN	\$33,557	\$30,218	\$27,355	\$24,333	\$20,516	\$17,335	\$14,155	\$6,680	\$3,499			
TX	\$85,174	\$76,023	\$68,280	\$60,772	\$51,386	\$43,408	\$34,961	\$17,363	\$10,324			
UT	\$3,995	\$3,582	\$3,306	\$3,031	\$2,617	\$2,342	\$1,791	\$1,102	\$827			
VT	\$4,872	\$4,872	\$4,872	\$4,628	\$3,898	\$3,167	\$2,680	\$1,218	\$731			
VA	\$19,294	\$17,526	\$15,759	\$14,286	\$11,930	\$10,162	\$8,248	\$3,829	\$2,062			
WA	\$19,180	\$17,640	\$16,240	\$14,420	\$12,320	\$10,360	\$8,540	\$4,200	\$2,380			
WV	\$15,984	\$15,758	\$15,308	\$14,183	\$11,706	\$9,905	\$7,879	\$4,052	\$2,476			
WI	\$26,404	\$23,419	\$20,664	\$18,138	\$15,383	\$12,858	\$10,332	\$5,051	\$2,755			
WY	\$23,187	\$23,187	\$23,187	\$21,386	\$18,010	\$15,083	\$11,931	\$6,078	\$3,827			
Total	\$897,335	\$806,408	\$724,620	\$646,563	\$544,842	\$458,884	\$373,442	\$180,855	\$100,402			

APPENDIX D Variance Estimation of JAS-ALUS without Non-response

The first term in Sarndal and Swensson (1987) is $\sum \sum_{r} \check{\Delta}_{akl} \check{y}_{k} \check{y}_{l} / \pi_{kl|S}$. For JAS-ALUS, $\pi_{ak} = e_{ij}^{-1}$, $\check{y}_{k} = \frac{y_{k}}{\pi_{ak}} = e_{ij} \sum_{m=1}^{z_{ijk}} t_{ijkm}$. If $k \neq l$ but they are in a same substratum,

$$\pi_{akl} = \frac{1}{\mathbf{e}_{ij}(\mathbf{e}_{ij} - 1)} \ , \ \Delta_{akl} = \pi_{akl} - \pi_{ak}\pi_{al} = \frac{1}{\mathbf{e}_{ij}(\mathbf{e}_{ij} - 1)} - \mathbf{e}_{ij}^{-2} \ , \ \check{\Delta}_{akl} = \frac{\Delta_{akl}}{\pi_{akl}} = \frac{\frac{1}{\mathbf{e}_{ij}(\mathbf{e}_{ij} - 1)} - \mathbf{e}_{ij}^{-2}}{\frac{1}{\mathbf{e}_{ij}(\mathbf{e}_{ij} - 1)}} = \mathbf{e}_{ij}^{-1} \ ,$$

$$\begin{split} \pi_{kl|S} &= \frac{1}{a_{ij}(a_{ij}-1)} \text{ . If } k, l \text{ are from different substratum, } \Delta_{akl} = 0 \text{ . If } k = l \text{ , } \pi_{akk} = \pi_{ak} = e_{ij}^{-1}, \\ \Delta_{akk} &= e_{ij}^{-1} - e_{ij}^{-2} \text{ , } \check{\Delta}_{akk} = \frac{\Delta_{akk}}{\pi_{nkk}} = 1 - e_{ij}^{-1} \text{ , } \pi_{kk|S} = \pi_{k|S} = a_{ij}^{-1}. \end{split}$$

The second term in Sarndal and Swensson (1987) is $\sum_{h=1}^{H_S} n_h^2 (1-f_h) S_{\check{y}r_h}/m_h$. For JAS-ALUS, $n_h = N'_{ij}$, $m_h = n'_{ij}$. $f_h = \frac{m_h}{n_h} = \frac{n'_{ij}}{N'_{ij}} = \frac{1}{a_{ij}}$. Therefore, $n_h^2 (1-f_h)/m_h = N'_{ij} (a_{ij}-1)$.

Sarndal and Swensson (1987) studied the estimation from a two-phase sampling design. Their method can be applied to two-phase sampling design estimation without considering response/non-response in the second phase. It can also be used to adjust for non-response in a one-phase survey. Here we extend their work to a general three-phase survey design.

To be consistent and complete, we state the notations in the first two phases as in Sarndal and Swensson (1987). Then we continue to the third-phase.

Let N be the cardinality of the finite population U and y be the value of study. y_k is the value of y for the k^{th} unit. The population total is $T = \sum_{U} y_k$. We allow a general sampling design in each phase.

(a) The first-phase sample $S(S \subset U)$ of size n_S , not necessarily fixed, is drawn according to a sampling design $P_a(\cdot)$, such that $P_a(S)$ is the probability of choosing S. The inclusion probabilities are defined by

$$\pi_{ak} = \sum_{k \in S} P_a(S) \; , \; \; \pi_{akl} = \sum_{k,l \in S} P_a(S)$$

with $\pi_{akk} = \pi_{ak}$. Set $\Delta_{akp} = \pi_{akp} - \pi_{ak}\pi_{ap}$. We assume that $\pi_{ak} > 0$ for all k. $\pi_{akp} > 0$ for all $k \neq p$ in variance estimation. π_{ak} is the probability of selection of the k^{th} unit in the first phase sampling. π_{akp} is the probability of selection both the k^{th} unit and the p^{th} unit in the first phase sampling.

(b) Given S, the second-phase sample $R(R \subset S)$ of size m_R , not necessarily fixed, is drawn according to a sampling design $P(\cdot | S)$, such that P(R | S), is the conditional probability of choosing R. The inclusion probabilities given S are defined by

$$\pi_{k|S} = \sum_{k \in R} P(R|S)$$
 , $\pi_{kp|S} = \sum_{k,p \in R} P(R|S)$.

 $\pi_{kk|S} = \pi_{k|S}$. Set $\Delta_{kp|S} = \pi_{kp|S} - \pi_{k|S}\pi_{p|S}$. We assume that for any S, $\pi_{k|S} > 0$ for all k. $\pi_{kp|S} > 0$ for all $k \neq p \in S$ in variance estimation. $\pi_{k|S}$ is the probability of selection of the k^{th} unit in the second phase sampling given the result of the first phase sampling. $\pi_{kp|S}$ is the probability of selection both the k^{th} unit and the p^{th} unit in the second phase sampling given the result of the first phase sampling.

(c) Given R, the third-phase sample $F(F \subset R)$ of size q_F , not necessarily fixed, is drawn according to a sampling design $P(\cdot | R)$, such that P(F | R), is the conditional probability of choosing F. F is the set of response for the second phase in a two-phase sampling design. The inclusion probabilities given R are defined by

$$\pi_{k|R} = \sum_{k \in F} P(F|R) \;, \;\; \pi_{kp|R} = \sum_{k,p \in F} P(F|R) \;.$$

 $\pi_{kk|R} = \pi_{k|R}$. Set $\Delta_{kp|R} = \pi_{kp|R} - \pi_{k|R}\pi_{p|R}$. $\pi_{k|R}$ is the probability when the k^{th} unit has response for the second phase in a two-phase sampling design. $\pi_{kp|R}$ is the probability when both the k^{th} unit and the p^{th} unit have response for the second phase in a two-phase sampling design.

Now for all $k,p \in S$ and any S, define $\pi_k^* = \pi_{ak} \pi_{k|S}$, $\pi_{kp}^* = \pi_{akp} \pi_{kp|S}$. $\pi_{kk}^* = \pi_k^*$. π_k^* is the probability of selection of the k^{th} unit in a two-phase sampling design. π_{kp}^* is the probability of selection both the k^{th} unit and the p^{th} unit in a two-phase sampling design. Set $\Delta_{kp}^* = \pi_{kp}^* - \pi_k^* \pi_p^*$. Next, define

$$\pi_k^{\#} = \pi_k^* \pi_{k|R} = \pi_{ak} \, \pi_{k|S} \, \pi_{k|R} \, , \, \pi_{kp}^{\#} = \pi_{kp}^* \pi_{kp|R} = \pi_{akp} \, \pi_{kp|S} \, \pi_{kp|R} \, .$$

For all $k, p \in R$ and any R, $\pi_{kk}^{\#} = \pi_{k}^{\#}$, $\pi_{k}^{\#}$ is the probability such that the k^{th} unit is chosen in a two-phase sampling design and has response. $\pi_{kp}^{\#}$ is probability such that both the k^{th} unit and the p^{th} unit are chosen in a two-phase sampling design and have response.

Set $\Delta_{kp}^{\#} = \pi_{kp}^{\#} - \pi_{k}^{\#}\pi_{p}^{\#}$. Then the first-phase expanded y-value is $\check{y}_{k} = \frac{y_{k}}{\pi_{nk}}$. The second-phase

expanded y-value is $\check{y}_k^+ = \frac{\check{y}_k}{\pi_k | S} = \frac{y_k}{\pi_k^*}$. The third-phase expanded y-value is

$$\begin{split} \check{y}_k^{+\#} &= \frac{\check{y}_k^+}{\pi_{k|R}} = \frac{\check{y}_k}{\pi_{k|R} \kappa_{k|R}} = \frac{y_k}{\pi_{ak} \pi_{k|S} \pi_{k|R}} = \frac{y_k}{\pi_k^\#} \,. \text{ The expanded } \Delta \text{ values are } \check{\Delta}_{akp} = \frac{\Delta_{akp}}{\pi_{akp}} \,, \\ \check{\Delta}_{kp|S}^+ &= \frac{\Delta_{akp}}{\pi_{kp}^*} = \frac{\Delta_{akp}}{\pi_{akp} \pi_{kp|S}} \,. \, \check{\Delta}_{kp|S} = \frac{\Delta_{kp|S}}{\pi_{kp|S}} \,. \end{split}$$

Now we define the basic estimator in three-phase sampling, $\pi^{\#}$ estimator.

$$\hat{t}_{\pi^{\#}} = \sum_{k \in F} \check{y}_{k}^{+\#} = \sum_{k \in F} y_{k} / \pi_{k}^{\#}.$$

Recall $T = \sum_{u} y_k$ is the population total. To provide the variance formula for this estimator, we first decompose $\hat{t}_{\pi^{\#}} - T$ as

$$\hat{t}_{\pi^{\#}} - T = \left(\sum_{\mathcal{S}} \check{y}_k - \sum_{\mathcal{U}} y_k\right) + \left(\sum_{\mathcal{R}} \check{y}_k^+ - \sum_{\mathcal{S}} \check{y}_k\right) + \left(\sum_{\mathcal{F}} \check{y}_k^{+\#} - \sum_{\mathcal{R}} \check{y}_k^+\right) = A_{\mathcal{S}} + B_{\mathcal{R}} + C_{\mathcal{F}}.$$

Now let $E_S(\cdot) = E(\cdot|S)$, $Var_S(\cdot) = Var(\cdot|S)$ refer to conditional expectation or variance in phase two, given the outcome S of phase one. $E_R(\cdot) = E(\cdot|R)$, $Var_R(\cdot) = Var(\cdot|R)$ refer to

conditional expectation or variance in phase three, given the outcome R of phase two. Then the variance

$$Var(\hat{t}_{\pi^{\#}}) = Var(\hat{t}_{\pi^{\#}} - T) = Var[E(\hat{t}_{\pi^{\#}} - T|S)] + E[Var(\hat{t}_{\pi^{\#}} - T|S)].$$
 (7)

Now we calculate the first term of (7). Given the first phase sample, A_s is constant, the second and third phase estimators are unbiased. Therefore

$$E(\hat{t}_{\pi}^{\#} - T|S) = E(A_S + B_R + C_F|S) = A_S + 0 + 0 = A_S.$$
(8)

For the second term of (7), we have

$$Var(\hat{t}_{\pi}^{\#} - T|S) = Var_{S}[E(\hat{t}_{\pi}^{\#} - T|R)] + E_{S}[Var(\hat{t}_{\pi}^{\#} - T|R)].$$
 (9)

Given the second phase sample, A_s and B_R are constants; the third phase estimator is unbiased. Therefore in the first term of (9),

$$E(\hat{t}_{\pi^{\#}} - T|R) = E(A_S + B_R + C_F|R) = A_S + B_R + 0 = A_S + B_R.$$
(10)

Hence,

$$Var_{S}\left[E\left(\hat{t}_{\pi^{\#}}-T|R\right)\right]=Var_{S}\left[A_{S}+B_{R}\right]=Var_{S}\left(B_{R}\right). \tag{11}$$

On the other hand,

$$Var(\hat{t}_{\pi}^{\sharp} - T|R) = Var(A_S + B_R + C_F|R) = Var(C_F|R)$$
. (12)

From (9), (11) and (12),

$$Var(\hat{t}_{\pi^{\#}} - T|S) = Var_S(B_R) + E_S[Var(C_F|R)]. \tag{13}$$

From (7), (8) and (13), we have

$$Var(\hat{t}_{\pi^{\#}}) = Var(A_S) + E\{Var_S(B_R) + E_S[Var(C_F|R)]\}$$

= $Var(A_S) + E[Var_S(B_R)] + E\{E_S[Var_R(C_F)]\}.$ (14)

Here,

$$Var(A_S) = \sum_{U} \Delta_{akp} \check{y}_k \check{y}_p , \qquad (15)$$

$$Var_{\mathcal{S}}(B_R) = \sum_{\mathcal{S}} \Delta_{kp|\mathcal{S}} \check{y}_k^+ \check{y}_p^+ , \qquad (16)$$

$$Var(C_F|R) = Var_R(C_F) = \sum_{R} \Delta_{kp|R} \check{y}_k^{+\#} \check{y}_p^{+\#} .$$
 (17)

But this variance formula (14) cannot be applied directly. Therefore we need provide a design unbiased estimator of the variance. For arbitrary constant \mathbf{c}_{kp} ,

$$E\{E_{S}[E(\sum\sum_{F}c_{kp}/\pi_{kp|R}|R)]\} = E[E_{S}(\sum\sum_{R}c_{kp})] = E(\sum\sum_{S}\pi_{kp|S}c_{kp})$$

$$= \sum\sum_{U}\pi_{akp}\pi_{kp|S}c_{kp} = \sum_{U}\pi_{kp}^{*}c_{kp}.$$
(18)

Let $c_{kp} = \check{\Delta}_{kp|S}^+ \check{y}_k \check{y}_p$ in the above argument (18), a design unbiased estimator of the first term of (14) is

$$\sum \sum_{F} \check{\Delta}_{kp|S}^{+} \check{y}_{k} \check{y}_{p} / \pi_{kp|R} . \tag{19}$$

Let $c_{kp} = \check{\Delta}_{kp|S} \check{y}_k^+ \check{y}_p^+$, by using the first two equations of (18), a design unbiased estimator of $E[Var_S(B_R)]$, the second term of (14) is

$$\sum \sum_{F} \check{\Delta}_{kp|S} \check{y}_{k}^{+} \check{y}_{p}^{+} / \pi_{kp|R} . \tag{20}$$

Let $c_{kp} = \Delta_{kp|R} \check{y}_k^{+\#} \check{y}_p^{+\#}$ by using the first equation of (18), a design unbiased estimator of the first term of $E\{E_S[Var_R(C_F)]\}$, the third term of (14) is

$$\sum \sum_{F} \Delta_{kp|R} \tilde{y}_{k}^{+\#} \tilde{y}_{p}^{+\#} / \pi_{kp|R} . \tag{21}$$

Put (19), (20) and (21) together, we have a design unbiased estimator of (14),

$$\widetilde{Var}(\hat{t}_{\pi^{\sharp}}) = \sum \sum_{F} \check{\Delta}_{kp|S}^{+} \check{y}_{k} \check{y}_{p} / \pi_{kp|R}$$

$$+\sum_{F} \tilde{\Delta}_{kp|S} \tilde{y}_{k}^{+} \tilde{y}_{p}^{+} / \pi_{kp|R} + \sum_{F} \tilde{\Delta}_{kp|R} \tilde{y}_{k}^{+\#} \tilde{y}_{p}^{+\#} / \pi_{kp|R} . \tag{22}$$

APPENDIX F Variance Estimation of JAS-ALUS with Non-response

In this Appendix we apply (22) to obtain a design unbiased estimator of the second term $Var(T_3')$ in (6).

In the JAS-ALUS sampling design, the unit is segment. One unit in Appendix E is one segment in substratum j within stratum i. It includes all tracts in that segment. Recall that all segments within a same substratum have the same expansion factor. The first phase expansion factor is e_{ij} and the second phase expansion factor is a_{ij} for all segments in substratum j within stratum i. Therefore, $\pi_{ak} = e_{ij}^{-1}$, and

$$\tilde{y}_k = \frac{y_k}{\pi_{ak}} = e_{ij} \sum_{m=1}^{z_{ijk}} t_{ijkm} .$$

$$\check{\Delta}_{kp|S}^{+} = \frac{\check{\Delta}_{akp}}{\pi_{kp|S}} = \frac{a_{ij}(a_{ij} - 1)}{e_{ij}}$$

if $k \neq p$.

$$\check{\Delta}_{kv|S}^{+}=0$$

if k, p are from different substratum.

$$\check{\Delta}_{kp|S}^{+} = \frac{\check{\Delta}_{akp}}{\pi_{kp|S}} = \frac{a_{ij}(e_{ij} - 1)}{e_{ij}} \tag{23}$$

if k = p.

APPENDIX F Variance Estimation of JAS-ALUS with Non-response

In the second phase, ALUS, recall that $\pi_{k|S} = \pi_{kk|S} = \frac{1}{a_{ij}}$, $\pi_{kp|S} = \frac{1}{a_{ij}(a_{ij}-1)}$ if the two segments are in a same substratum. Otherwise, $\pi_{kp|S} = \frac{1}{a_{ij}a_{i'}i'}$. Therefore,

$$\tilde{y}_{k}^{+} = \frac{\tilde{y}_{k}}{\pi_{k|S}} = e_{ij} a_{ij} \sum_{m=1}^{z_{ijk}} t_{ijkm} .$$
(24)

$$\begin{split} &\Delta_{kp|S}=\pi_{kp|S}-\pi_{k|S}\pi_{p|S}=\frac{1}{a_{ij}^2(a_{ij}-1)} \quad \text{and} \quad \check{\Delta}_{kp|S}=\frac{\Delta_{kp|S}}{\pi_{kp|S}}=\frac{1}{a_{ij}} \quad \text{if the two segments are in a same} \\ &\text{substratum.} \quad \Delta_{kp|S}=0=\check{\Delta}_{kp|S} \quad \text{if the two segments are in different substratum.} \\ &\Delta_{kp|S}=\pi_{kp|S}-\pi_{k|S}\pi_{p|S}=\frac{a_{ij}-1}{a_{ij}^2} \quad \text{and} \quad \check{\Delta}_{kp|S}=\frac{\Delta_{kp|S}}{\pi_{kp|S}}=\frac{a_{ij}-1}{a_{ij}} \quad \text{if } k=p \, . \quad \text{If we have } \pi_{k|R} \text{ and} \\ &\pi_{kp|R} \text{ , then we can have } \Delta_{kp|R}=\pi_{kp|R}-\pi_{k|R}\pi_{p|R} \quad \text{and the third-phase expanded } y\text{-value} \\ &\check{y}_k^{+\#}=\check{y}_k^{+}/\pi_{k|R} \text{ by (24)}. \end{split}$$

Together with all the analysis in this Appendix, assuming that all tracts in a same segment have same response mechanism, we can obtain the design unbiased estimator (22) of the second term in (6). In our case, $\pi_{k|R}$ is the probability of response of the tracts in segment k. $\pi_{kp|R}$ is the probability that two tracts have response in segments k, p.

$$\begin{split} V\widehat{ar(T_3')} &= \frac{\sum_{i=1}^{l} \sum_{j=1}^{s_i} e_{ij} a_{ij} \left(e_{ij} - 1\right) \sum_{k=1}^{n'_{ij}} \left(\sum_{m=1}^{z_{ijk}} t_{ijkm}\right)^2}{\pi_{k|R}} \\ &+ \frac{\sum_{i=1}^{l} \sum_{j=1}^{s_i} e_{ij} a_{ij} \left(a_{ij} - 1\right) \sum_{1 \leq k$$

APPENDIX F Variance Estimation of JAS-ALUS with Non-response

It can be simplified to

$$\begin{split} V \widehat{ar(T_3')} &= \frac{\sum_{i=1}^{l} \sum_{j=1}^{s_i} e_{ij} a_{ij} \left(e_{ij} a_{ij} - 1 \right) \sum_{k=1}^{n'_{ij}} \left(\sum_{m=1}^{z_{ijk}} t_{ijkm} \right)^2}{\pi_{k|R}} \\ &+ \frac{\sum_{i=1}^{l} \sum_{j=1}^{s_i} e_{ij} a_{ij} \left(a_{ij} + e_{ij} - 1 \right) \sum_{1 \leq k$$