

CONSER MARC-TO-RDA CORE ELEMENTS

See also: [CONSER RDA Core Elements Table || Where's that RDA Tool \(for Serials\)?](#)

Explanation of symbols in this table:

- “Element” column: a “T” in parentheses identifies a transcribed element per RDA instruction or per CONSER agreement in that instruction.
- “RDA no.” column: an asterisk (*) indicates there is an LCPS for that instruction or an alternative, option, etc., related to that instruction.
- “FRBR” column (FRBR entities): **W** =Work **E** = Expression **M** = Manifestation **I**= Item
- “Core” column: **c**= CONSER core **c if** = CONSER core if applicable **[blank]** = not required

MARC encoding	Element	RDA no.	FRBR	Core	Notes
Leader Bibl Lvl	Mode of issuance	2.13	M	c	
Fixed Field: 008/18-19	Frequency	2.14	M	c	U.S. ISSN center staff required to code 008/18-19 Current frequency (310) is a core element for CONSER if known. Current frequency (310) is a core element for CONSER if known.
see also: 310/321					
Fixed Field: 008/35-37	Language	6.11 *	E		Language also in: 041 and 546

022	ISSN (Manifestation)	2.15 *	M	c if	
030	Coden (Manifestation)	2.15 *	M	c if	
041 _# \$a	Language	6.11 *	E		
041 _# \$a	Language	7.12 *	E		For serials with multiple languages code 041 \$a only for the language of the primary content; supply more complete information re. languages of other content in 546
See also 008/35-37 & 546					
1XX	Creator	19.2 *	W	c if	RDA: If there is more than one creator responsible for the work, only the creator having principal responsibility named first in resources embodying the work or in reference sources is required. If principal responsibility is not indicated, only the first-named creator is required. LC Practice: After satisfying the RDA core requirement, catalogers may provide additional authorized access points for creators according to cataloger's judgment.
130					
130 0# \$a, \$l, \$n, \$p	Preferred title	6.2.2 *	W		Title or form of title chosen as the basis for the authorized access point representing that work. For example language editions
	Language of expression	6.11 *	E		Language also in: 008/35-37, 041, 546

	Authorized access points: Qualifiers	6.27.1.9	W		When creating a bibliographic or name authority record for a serial, construct an authorized access point with a parenthetical qualifier if the authorized access point is the same as the authorized access point of another work. Follow LCPS 6.27.1.9 as a guide. Use judgment in selecting an appropriate addition.
210	Abbreviated title (T)	2.3.10	M	c if	Record in 210; not 246
222	Key title (T)	2.3.9	M	c if	
240					
\$k	Form of work	6.3	W	c if	If needed to differentiate
\$f	Date of work	6.4 *	W	c if	If needed to differentiate
\$g	Place of origin	6.5	W	c if	If needed to differentiate
\$g	Other distinguishing characteristic of the work	6.6	W	c if	If needed to differentiate
\$f	Date of Expression	6.10 *	E	c if	If needed to differentiate
\$l	Language of expression	6.11 *	E		Language also in 008/35-37.041, 546
245 __ \$a,\$n,\$p	Title proper (T)	2.3.2	M	c	
245 __ \$b	Parallel title proper (T)	2.3.3	M	c	Record parallel titles in field 246 11

245 __ \$b	Other title information (T)	2.3.4	M		Record if it provides clarification or support to the title proper that otherwise might appear misleading without the other title information.
245 __ \$c	Statement of responsibility relating to the title proper (T)	2.4.2	M		Usage of variant names appearing in a statement of responsibility on later issues may be recorded in 550 notes or in the 4XX field of authority records
246 11	Parallel title proper (T)	2.3.3	M	c	Record parallel titles in field 246 11
246 1#	Variant title (T)	2.3.6	M	c if	Record initialisms/acronyms of the title proper not chosen as the title proper in field 246 rather than other title information Record variant titles that appear prominently in the resource being cataloged, and which a user might reasonably consider to be the title.
246 1# \$i Vols. for ... have title: \$a	Later title proper (T)	2.3.8	M	c	Record minor title changes
247 10	Earlier title proper (T)	2.3.7	M	c if	247 is used only for electronic serials reformatted to remove all evidence of earlier title and integrating resources.
250 ##	Designation of edition (T)	2.5.2	M	c if	
264 _0 \$c	Date of production	2.7.6 *	M		Only used for a resource in unpublished form

264 _1 \$a	Place of publication (T)	2.8.2 *	M	c if	<p>If more than one place, only the first recorded is required. Record changes in place, if they are considered to be important for identification or access. (RDA 2.8.1.5.2)</p> <p>If a place of publication is not named on the resource, supply a place of publication from any source whenever possible. If recording [Place of publication not identified], then give as complete a distribution or manufacture date as possible</p>
264 _1 \$b	Publisher's name (T)	2.8.4 *	M	c if	<p>If more than one publisher, only the first recorded is required. Also record changes in publisher name or of a different publisher appearing on later issues, if they are considered to be important for identification or access. (RDA 2.8.1.5.2)</p> <p>If a publisher is not named on the resource supply a name according to the sources listed in RDA 2.2.4:</p> <ul style="list-style-type: none"> a) accompanying material (e.g., a leaflet, an "about" file) b) a container that is not issued as part of the resource itself (e.g., a box, case made by the owner) c) other published descriptions of the resource d) any other available source (e.g., a reference source).
264 _1 \$c	Date of publication	2.8.6 *	M	c if	<p>Serials: Record Publication Date of first or last issue if the dates are known and the first or last issues are in hand.</p> <p>Integrating Resources: if the date(s) of publication cannot be approximated, no date is recorded (RDA 2.8.6.5 applies to multipart monographs, serials, and integrating resources).</p>
264 _2 \$a	Place of distribution (T)	2.9.2 *	M	c if	<p>For a published resource, if place of publication not identified; if more than one, only the first recorded is required</p>
264 _2 \$b	Distributor's name (T)	2.9.4 *	M	c if	<p>For a published resource, if publisher not identified; if more than one, only the first recorded is required</p>

264 _2 \$c	Date of distribution	2.9.6 *	M	c if	For a published resource, if date of publication not identified
264 _3 \$a	Place of manufacture (T)	2.10.2 *	M	c if	For a published resource, if neither place of publication nor place of distribution identified; if more than one, only the first recorded is required
264 _3 \$b	Manufacturer's name (T)	2.10.4 *	M	c if	For a published resource, if neither publisher nor distributor identified; if more than one, only the first recorded is required
264 _3 \$c	Date of manufacture	2.10.6 *	M	c if	For a published resource, if neither date of publication, date of distribution, nor copyright date identified
264 _4 \$c	Copyright date	2.11*	M	c if	LC practice 2.11: Give a copyright date for a single-part monograph if neither the date of publication nor the date of distribution is identified. It is not required to give copyright dates for multipart monographs, serials, and integrating resources
300 ## \$a	Extent	3.4 *	M	c if	Provide a term for type of carrier for currently published, tangible non-print formats (e.g. computer discs). Provide extent and carrier terms for other formats only if the resource is complete and the total extent is known. Require at least the term (e.g., "volumes") for "dead" serials only
300 ## \$c	Dimension	3.5 *			(Note: resource other than serial)
310 ##	Frequency	2.14	M	c	Current frequency (310) is a core element for CONSER if known. Current frequency (310) is a core element for CONSER if known. U.S. ISSN center staff required to code 008/18-19

see also: 008/18-19					
321 ##	Former frequency	2.20.12.4	M		
336 ## \$a	Content type	6.9	E	c	
337 ## \$a	Media type +	3.2	M	c	
338 ## \$a	Carrier type	3.3	M	c	
362 1# \$a	Numbering of serials	2.6			First or only sequence core if available for serials Substitute a slash for a hyphen, as necessary, for clarity (RDA 2.6.1)
362 1# \$a Began ...	Numeric and/or alphabetic designation of first issue or part of sequence (T)	2.6.2 *	M	c if	Use unformatted 362 (1st indicator 1) LCPS 1.8.2: LC Practice: Apply the first alternative of 1.8.2: Record numerals in the form in which they appear on the source of information. (PCC allows following 2nd alternative based on cataloger judgment).

362 1# \$a Began with ... (...)	Chronological designation of first issue or part of sequence (T)	2.6.3 *	M	c if	Use unformatted 362 (1st indicator 1) Record or supply chronological designation of the first issue whenever this information is available, regardless of whether the first issue is in hand or not. Captions and months are transcribed as found If numbering is not present or known, give the beginning date of publication or the copyright date. If numbering includes both issue number and date, put parentheses around the date. Include new series designations, changes in numbering, etc., in this field or in the 515, whichever is clearer.
362 1# Ceased ...	Numeric ... of last issue or part of sequence (T)	2.6.4 *	M	c if	Use unformatted 362 (1st indicator 1) Record or supply numeric/and or alphabetic designation of the last issue whenever this information is available, regardless of whether the last issue is in hand or not.
362 1# Ceased with (...)	Chronological ... of last issue or part of sequence (T)	2.6.5 *	M	c if	Use unformatted 362 (1st indicator 1) Record or supply chronological designation of the last issue whenever this information is available, regardless of whether the last issue is in hand or not.
490 _# \$a	Title proper of series (T)	2.12.2 *	M	c if	Core if a series added entry is not being made
490 _# \$x	ISSN of series	2.12.8 *	M	c if	
490 _# \$v	Numbering within series (T)	2.12.9 *	M	c if	
490 _# \$a ...	Title proper of subseries (T)	2.12.10 *	M	c if	Core if a series added entry is not being made

490 _# \$x	ISSN of subseries	2.12.16 *	M	c if	Per Policy Statements Report LCPS will be labeled as a core element for LC/PCC
490 _# \$v	Numbering within subseries (T)	2.12.17 *		c if	
500 ## \$a	Note on changes in carrier characteristics	3.22.6 *	M	c if	Give if carrier characteristics vary and new description isn't made
546 ## \$a	Language of expression	6.11 *	E		For serials with multiple languages code 041 \$a only for the language of the primary content; supply more complete information re. languages of other content in 546
	Language of the content	7.12 *	E		
546 ## \$c	Script	7.13.2 *	E		Record for some languages (see LCPS 7.13.2.3)
See also: 008/35-37					
and also: 041					
5XX	Related work	25.1 *	W	c if	Prefer 7XX \$i or MARC 21 content designation (e.g. sequential relationships in 780 and 785) rather than 5XX (773, 774, 787 are not required) When giving relationship, give reciprocal relationships when appropriate (primarily for serials and integrating resources).

5XX	Related manifestation	27.1*	M	c if	Make for format versions and reproductions. Use 776 for different formats, 775 if the related manifestation is in the same format. Give reciprocal relationships
588	Note on title	2.20.2 *	M	c	Always cite the source of title, even if it is the title page. Should be combined with "Description based on" note. See LCPS for 2.20.2.3 LC practice for Optional omission: Do not omit the note
588	Note on issue, part, or iteration used as the basis for identification of the resource.	2.20.13	M	c	1) Always provide "Description based on" as a best practice even if first issue in hand. 2) Wording in RDA: "Identification of the resource based on:..." is only an example. CONSER will continue to use "Description based on." 3) Always make a note (588 "Latest issue consulted") identifying the latest issues used as the basis for identification of the resource even if last issue is in hand
7XX	Contributor	20.2 *	E	c if	LC Practice: CORE for illustrators of resources intended for children
7XX	Other person, family, or corporate body associated with a work	19.3 *	W	c if	If the authorized access point representing that person, family, or corporate body is used to construct the authorized access point representing the work After satisfying the RDA core requirement, catalogers may provide additional authorized access points according to cataloger's judgment.

76X-787	Related work	25.1 *	W	c if	Prefer 7XX \$i or MARC 21 content designation (e.g. sequential relationships in 780 and 785) rather than 5XX (773, 774, 787 are not required) When giving relationship, give reciprocal relationships when appropriate (primarily for serials and integrating resources).
76X-787	Related expression	26.1 *	E	c if	Prefer 7XX \$i or MARC 21 content designation (e.g. sequential relationships in 780 and 785) rather than 5XX (773, 774, 787 are not required) When giving relationship, give reciprocal relationships when appropriate (primarily for serials and integrating resources).
76X-787	Related manifestation	27.1*	M	c if	Make for format versions and reproductions. Use 776 for different formats, 775 if the related manifestation is in the same format. Give reciprocal relationships
76X-787	Related item	28.1 *	I		Make for reproductions, bound withs, and for special relationships for rare materials if warranted
856	Uniform Resource Locator	4.6 *		c if	



License: **Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License**

Author: (derived from Core RDA Elements, by L. Hawkins & H. Nguyen)

Title: DRAFT CONSER MARC TO CORE RDA ELEMENTS

Version: 0

Date: 2012-06-02

Document: <http://access.rdatoolkit.org/mpa99.html>