

VETERAN HEALTH CARE FOR GAY, BISEXUAL, & QUEER MEN

Get the Facts...

LGBTQ+ Health Program

Veterans who are gay, bisexual, and queer men face increased health risks and unique challenges in accessing quality healthcare. The Veterans Health Administration (VHA) is working to be a national leader in health care for LGBTQ+ Veterans and assure that high-quality care is provided in a person-centered, respectful environment. It is important to know both specific risk and protective factors that impact health care based on sexual orientation, gender identity, race, age, and other individual factors. Preventative care and health treatment are best when Veterans and their providers have good relationships. The following is a list of the top things Veterans who are gay, bisexual, and queer men (GBQ) should discuss during their VHA visits.

TALK TO YOUR HEALTH CARE PROVIDER

For the best person-centered and personalized care, your VHA healthcare providers should know your sexual orientation and gender identity along with other personal health information. Discussing your identity should lead your provider to ask specific questions about you and offer needed health screening. Providers may ask you about what body parts you have and your sexual health history. Tell your provider about the medicines you have taken and the surgeries you may have had. If your providers know your health and treatment history, they will be better able to give you the best health care today. Coming out to your providers is an important step. If your provider does not seem comfortable with you as a gay, bisexual, or queer Veteran, ask for another VHA provider. Comfort with your providers is essential to your health and wellness. Ask them to record your sexual orientation and gender identity in your medical record.

MENTAL HEALTH

Depression, anxiety, and posttraumatic stress disorder (PTSD) affect gay, bisexual, and queer men at a higher rate than heterosexual men. Veterans are also at higher risk of some mental health problems than non-Veterans. GBQ men may be more at risk for chronic stress from discrimination. Living with this stress can worsen depression and anxiety and may also contribute to thoughts of suicide. These problems may be more severe for GBQ Veterans who remain "in the closet" or who do not have adequate social supports. Mental health services for the prevention, early detection, and treatment of these conditions should be available at your local VHA facility. Veterans not enrolled in VHA care may be eligible for free suicide prevention services.

MILITARY SEXUAL TRAUMA (MST)

MST is the term used by VHA to refer to experiences of sexual assault or repeated, threatening sexual harassment that a Veteran experienced during military service. Gay, bisexual, and queer men have higher rates of MST compared to heterosexual men. Every VHA facility has providers who are knowledgeable about treatment for MST and VHA offers effective therapies. Veterans not enrolled in VHA care may be eligible for free MST-related services.

INTIMATE PARTNER VIOLENCE (IPV)

IPV refers to violence and aggression between intimate partners which can include physical, sexual, or psychological abuse or stalking. IPV can be a single event or last for many years. Gay, bisexual, and queer men have higher rates of IPV compared to heterosexual men. The impact of IPV can reach far beyond the actual or threatened violence or aggression. VHA has resources available for Veterans who have experienced IPV, including violence from partners of any gender. VHA offers effective therapies for the mental health impacts that commonly occur with IPV, such as PTSD, depression, anxiety, and alcohol or drug use problems.

FITNESS (DIET AND EXERCISE)

Problems with body image are more common among gay, bisexual, and queer men than heterosexual men, including eating disorders such as bulimia or anorexia. While regular exercise is healthy, the use of substances such as anabolic steroids and certain supplements can be dangerous. If you are overweight, you are at risk of diabetes, high blood pressure, joint problems, and heart disease. Talk to your VHA provider about the MOVE! Weight Management Program.

VETERAN HEALTH CARE FOR GAY, BISEXUAL, & QUEER MEN

SEXUALLY TRANSMITTED INFECTIONS (STIs)

STIs occur in sexually active gay, bisexual, and queer men at a high rate. Some STIs can be cured (syphilis, gonorrhea, chlamydia, pubic lice), and some can be effectively treated but not cured (HIV, hepatitis, human papilloma virus, herpes). Barrier protection (e.g., condoms, dental dams) reduces the risk of STIs. Risk of exposure increases with the number of sexual partners. Screening for STIs is important because you can have a STI without symptoms and transmit it to others.

• HIV/AIDS

People who engage in high risk activities such as unprotected sex or injection drug use are at a higher risk of HIV exposure. Condoms and other barriers can reduce the risk of getting or transmitting HIV. Pre-Exposure Prophylaxis (PrEP) medication, when taken as prescribed, is highly effective at reducing the risk of HIV infection. If you are not HIV positive, discuss with your VHA provider about whether PrEP is best. If you are HIV positive or living with AIDS, ask for a consult to see a HIV provider.

• HEPATITIS IMMUNIZATION AND SCREENING

If you have sex (with partners of any gender) you are at risk of exposure to the viruses that cause the serious liver conditions known as hepatitis. These infections can lead to dangerous long-term issues such as liver failure and liver cancer. Immunizations are available to prevent two of the three viruses (hepatitis A and B). Barrier protection use and not sharing needles are effective at reducing the risk of viral hepatitis and is currently the only means of prevention for the hepatitis C virus. If you have hepatitis C, talk to your provider about treatments that can cure this infection.

• HUMAN PAPILLOMA VIRUS (HPV)

HPV is the most common STI in the United States. HPV infections causes anal and genital warts and may play a role in the increased rates of anal cancers in people who have anal sex. HPV infection can cause anal and throat cancers. Barrier protection use greatly reduces the risk of HPV. Some health providers now recommend routine screening with anal Pap Smears to detect early cancers. Talk to your provider about whether an anal Pap Smear is recommended.

TOBACCO USE

Gay, bisexual, and queer men use tobacco at higher rates than heterosexual men. Tobacco-related health problems include lung disease and cancer, heart disease, high blood pressure, and many other serious problems. VHA has tobacco cessation programs to help you quit smoking. If you're a smoker talk with your VHA provider about your tobacco use and available options to help you quit.

SUBSTANCE AND ALCOHOL USE


Gay, bisexual, and queer men need to be aware of the risks of heavy drinking and substance use, which are higher than for heterosexual men. Problems with drinking or drug use may occur in response to stress and discrimination. They can make PTSD, depression, or other medical conditions worse. Fortunately, there are proven methods to help Veterans who have problems with alcohol or drug use, including mutual help groups and more intensive treatments. VHA has many resources to help Veterans and their loved ones answer questions, find support, and get treatment.

ERECTILE DYSFUNCTION

Gay, bisexual, and queer men report erectile dysfunction more often than heterosexual men. Erectile dysfunction is the inability to get and keep an erection firm enough for sex. Having erection trouble from time to time isn't necessarily a cause for concern. But if erectile dysfunction is an ongoing problem, it may lead to distress or relationship problems or can be a sign of a health condition that needs treatment, such as heart disease or poorly controlled diabetes. Talk to your doctor if you are having erectile problems on a regular basis. VHA offers effective treatments for erectile dysfunction.

PROSTATE, TESTICULAR, COLON, AND ANAL CANCER

Gay, bisexual, and queer men may be at risk of prostate, testicular, or colon cancer. Some research has found gay men at higher risk for anal cancer than heterosexual men. Screening may occur less often if you do not talk openly with your provider. Delaying these screenings can result in worse outcomes when cancer is detected at a later stage. Regular screenings are part of routine VHA care and can lead to early diagnosis when diseases are most curable.



VETERAN HEALTH CARE FOR GAY, BISEXUAL, & QUEER MEN

SLEEP AND INSOMNIA

Gay, bisexual, and queer men report lower sleep quality and shorter length of sleep on average than heterosexual men. Poor sleep and insomnia can be caused by chronic stress from discrimination, and chronic stress may make sleep problems worse. Sleep is essential to well-being and poor sleep can be associated with other physical and mental health difficulties. VHA offers evidence-based treatment for sleep difficulties, access to a sleep specialist, and self-guided support.

HEART HEALTH

Gay, bisexual, and queer men are more likely than heterosexual men to have high blood pressure and an increased risk of heart disease. High blood pressure is a major risk factor for cardiovascular disease and can be affected by stress, including stress from discrimination experienced by GBQ men. High blood pressure can be managed with healthy lifestyle changes and medications. Getting your blood pressure checked regularly is important because high blood pressure often has no symptoms.

PEOPLE OF COLOR

Gay, bisexual, and queer men of color face additional health risks. Routine health care visits and screenings can lead to early diagnosis when diseases are most treatable. When health issues are detected at a later stage, health problems can be more serious and harder to treat. Research has shown that Veterans of color may receive less preventative care than white Veterans. VA is working to ensure all Veterans, regardless of color or ethnicity are provided access to the care and treatments they need. Every VHA facility has a Patient Advocate who can address your concerns with care.

AGEING GAY, BISEXUAL, AND QUEER MEN

Older gay, bisexual, and queer men are likely to have experienced stigma, discrimination, and even violence related to their identity. Older GBQ men who need assistance as they age are less likely to receive care from adult children. They may experience discrimination in nursing homes, community living centers, and senior housing. Out of concern about discrimination, GBQ Veterans may be socially isolated, delay getting personal care and support, or go “back in the closet” to hide their identity as they need more ageing-related care. VHA has non-discrimination policies in place to protect older LGBTQ+ Veterans and their partners in VHA facilities.

YOUR HEALTH MATTERS

GAY, BISEXUAL, OR QUEER IDENTITY AND MEDICAL RECORDS

Your gender identity and sexual orientation should be included in your confidential and protected electronic health record. Your personal health information—including gender identity, sexual orientation, and sexual behavior—is only available to health care personnel who are authorized to access your records. All medically necessary diagnoses will be included in your medical record. VA policy prohibits discrimination based on gender identity, on sexual orientation, and prohibits attempts to change someone’s sexual orientation.

WHAT IF MY PROVIDER USES THE WRONG TERMS OR PRONOUNS WHEN REFERRING TO ME OR MY SPOUSE/PARTNER?

Your VHA provider wants to make you feel comfortable and using terms that you want is an important first step. Let your providers know which terms you want to be used to describe yourself and your partner(s). Ask providers to make sure your identity terms, pronouns, and chosen name are in your medical record. If they ever make a mistake, please let them know. You can update some information such as your chosen name in your profile by logging in at **VA.gov**. Go to **Sign In**, click on “**go to your profile**” and then “**personal information**” to “**update your legal name**” and “**gender identity**.”

DOES VHA HAVE RESOURCES TO HELP ME FIND AN LGBTQ+ AFFIRMING PROVIDER?

Yes! Every VHA facility has LGBTQ+ Veteran Care Coordinators (VCCs) to assure you have access to appropriate treatment. They can assist you with finding providers, answering questions, and reporting problems if you encounter them. Find VHA facility LGBTQ+ services and local LGBTQ+ VCCs here: www.patientcare.va.gov/LGBT.

VETERAN HEALTH CARE FOR GAY, BISEXUAL, & QUEER MEN

LGBTQ+ HEALTH PROGRAM at VHA

VHA's LGBTQ+ Health Program, under the Office of Patient Care Services, works to establish and maintain health care policy and best clinical practices for LGBTQ+ Veterans with the hope that you will choose VA for your care. Our goal is help you receive gender-affirming care and services so you can achieve your best health and well-being. For more information visit our website at www.patientcare.va.gov/LGBT

To find the VHA Medical Center nearest you, call 1-800-698-2411 or visit www.va.gov/find-locations

ADDITIONAL RESOURCES

Mental Health: General
www.mentalhealth.va.gov

Mental Health: PTSD
www.ptsd.va.gov

Mental Health: Military Sexual Trauma
www.mentalhealth.va.gov/msthome

Intimate Partner Violence Program
www.socialwork.va.gov/IPV

Substance Use
www.mentalhealth.va.gov/substance-use

Tobacco & Health
www.mentalhealth.va.gov/quit-tobacco

HIV & AIDS
www.hiv.va.gov

Viral Hepatitis
www.hepatitis.va.gov

MOVE! Weight Management
www.move.va.gov

Sleep & Insomnia
www.veterantraining.va.gov/sleep

Health Equity
www.va.gov/healthequity

Geriatrics
www.va.gov/geriatrics

Women's Health
www.womenshealth.va.gov

Wellness
www.va.gov/wholehealth



VA Apps for Mobile Devices:
mobile.va.gov/appstore/veterans



For more information and to get the LGBTQ+ Health Program Newsletter: www.patientcare.va.gov/LGBT/index.asp



CONNECT WITH US:

-  SUBSCRIBE TO RECEIVE EMAIL UPDATES AT WWW.PATIENTCARE.VA.GOV/LGBT
-  FACEBOOK.COM/VETERANSHEALTH
-  TWITTER.COM/VETERANSHEALTH



If you are in crisis, please call 911 or go to the nearest Emergency Room. Contact the **Veterans Crisis Line** by phone 988 then press 1; by text 838255; by computer chat www.veteranscrisisline.net

MAR 2023 V2