

## Risk Assessment – Manual Handling: Scenic & Miscellaneous Handling

## Notes:

- 1. The people that might be harmed: Studioworks employees, contractors.
- 2. The Likelihood of injury is reduced if the correct procedures are followed.
- 3. It is not reasonably practicable to avoid moving loads.
- 4. Locate vehicles as near to the relevant Studio on the access road for loading or unloading.
- 5. See OTHER FACTORS for items with special handling requirements.

HAZARD		CONTROLS
TASK ASSESSMENT – Do the tasks involve:		Avoid twisting, stooping and reaching upwards.
Holding or manipulating loads away from the trunk?	Yes	Use mechanical aids to assist – fork lift, pallet truck and skates.
		Use proper manual handling training techniques.
Unsatisfactory body movement or posture?	Yes	Assess how many persons should be involved in handling items.
Excessive lifting, lowering, carrying distances or strenuous pushing or pulling?	Yes	<ul> <li>Use of tow tractors, trailers and prop cages to be utilised whenever possible.</li> </ul>
		• Ensure the load is tied off securely or positioned correctly on the trailer and / or flat bed.
Risk of unpredictable movement of loads?	Yes	<ul> <li>Items to be stored as near practicable to the relevant Studio, this will reduce the amount of repetitive handling or physical effort.</li> </ul>
Repetitive handling or frequent or prolonged physical effort?  Yes	Yes	<ul> <li>Whenever possible load / unload from a trailer into prop cages and then transport into the Studio using a teddy.</li> </ul>
A work rate imposed by a process or insufficient rest or recovery?	No	Construction Managers should monitor each task / load and individual.

File: Risk Assessment Manual Handling Scenic Handling

Version: Version 1.2



HAZARD		CONTROLS
		Ensure adequate breaks are taken.
LOAD ASSESSMENT – Are they:  Heavy (with mass marked on them), bulky or unwieldy?  Difficult to grasp, unstable or unpredictable with contents likely to shift?  Sharp, hot or otherwise potentially damaging?	Yes Yes Yes	<ul> <li>Some items are massed marked by the contractor. On some occasions the item is unwieldy and bulky – assess upon arrival, if required.</li> <li>2+ or more persons to carryout handling.</li> <li>Sometimes difficult to grasp – use proper handling techniques.</li> <li>Use mechanical aids and the scenic hoist in the studio, whenever possible.</li> <li>Use PPE, as required.</li> <li>Exposed screws, pins, splinters (wooden / metal) and sharp edges – check items prior to handling.</li> </ul>
Loose items on the load?	Yes	Check the load for loose parts / items (Wardrobe doors, for example, which can swing open)
WORKING ENVIRONMENT – Are there:		
Space constraints preventing good posture, uneven, slippery or unstable floor?	Yes	Floor may have slip, trip fall hazards – clear floor as practicable, crew made aware, care taken, complete clear and the end of activity.
Variations in the levels of floors or work surfaces?	Yes	<ul> <li>General weather conditions need to be taken into account e.g. wet weather, extreme sun light and blustery winds can be experienced.</li> </ul>
Extremes of temperature, humidity, ventilation problems or gusts of wind?	Yes	Adequate lighting is provided when and where required.
Poor lighting conditions?	No	

File: Risk Assessment Manual Handling Scenic Handling

Version: Version 1.2



HAZARD		CONTROLS
INDIVIDUAL CAPACITY – Does the job:  Require unusual strength, height or capability?  Create a hazard to those who might be considered to have health problems?  Require special information or training for its safe performance?  Occur infrequently for people of an otherwise sedentary nature?	No Yes Yes	<ul> <li>Pregnancy, pre-existing medical conditions and / or recent surgery to be taken into account of for those tasked with manual handling.</li> <li>Manual handling training / scenic training provided and ongoing.</li> </ul>
OTHER FACTORS - consider:  Is improvement in posture hindered by PPE, RPE or clothing?  Is it possible to eliminate or automate the operation?  Chandeliers – setting and striking  Cyclorama – setting and striking	No No Yes	<ul> <li>Difficult to grasp, e.g. depends on shape of chandelier and which way it is housed on the trailer – assess upon arrival.</li> <li>Unwieldy when handling e.g. chandelier glass droplets breaking, not marked with mass weight – assess upon arrival.</li> <li>In the Studio use the cyclorama drop outs to remove the cyclorama and replace them in the cyclorama tubs.</li> </ul>

File: Risk Assessment Manual Handling Scenic Handling

Version: Version 1.2



HAZARD		CONTROLS
Stage weights – unpredictable movement	Yes	Do not pile too high - no higher than x3 high.
Brace trolley – heavy pushing and/or pulling	Yes	Always use mechanical aids to move and transport into the studio
	Yes	

File: Risk Assessment Manual Handling Scenic Handling

Version: Version 1.2