

STUDIO RISK ASSESSMENT

The people that might be harmed: BBC Studioworks employees, contractors, public, artists

HAZARD	CONTROLS
Fire: Risk of fire starting in studio from electrical faults, smoking, studio activities, etc. Risk of death, burn injuries if people are unable to escape from studio	 Fire risk assessment has been carried out by competent person. (See fire risk assessment for further details). Fixed electrical installations have been inspected and tested Portable appliance testing has been carried out where necessary No smoking rule enforced and compliance monitored. Adequate signed fire exits are provided. Adequate signed escape routes are provided Adequate emergency lighting is provided Adequate firefighting means provided. Automatic fire detection and alarm system in place. Evacuation plan in place, and competent people in place to assist in evacuation. Production hiring studio must provide a risk assessment which covers any additional fire risks that they are bringing into the studio – i.e. sets must be suitably fire retardant. Production hiring studio is given all relevant information regarding location of fire exits/fire alarm and evacuation procedures.

File: Studio Risk assessment

Version: 1.2



Electricity:

Risk of electric shock injuries through faulty or poorly maintained equipment, inappropriate electrical supply, inappropriate use of equipment.

Increased fire risk.

• The mains electrical supply in Studios is either 240 volts or 415 volts (three-

phase).

- All fixed wiring and installations have been tested and inspected within the last 5 years.
- Electrical equipment is regularly maintained
- All blue plugs are run through a circuit breakers
- Regular visual inspection of cables is undertaken with defects noted and removed from use.
- Where domestic 240v supply is provided, equipment should be run through

RCDs

- Anyone using electrical equipment in the studio is competent to do so and holds the relevant training/ qualifications for the activity.
- Weekly studio inspections are carried out to check condition of plugs, cabling etc.
- Portable Appliance Testing is carried out yearly.

File: Studio Risk assessment

Version: 1.2



Working at Height: Falls from access equipment. Lack of attention / awareness Dangerous practices	 Only competent, trained people carry out any working at height activities. Any access equipment used is fit for purpose, regularly maintained and inspected, and operated by competent people who hold the relevant qualifications and licenses. PPE is worn as necessary Harnesses are used as necessary. Special access ladders have been provided to prevent falls Only competent persons use ladders.
Slips: Fluid on floor Inappropriate footwear	 Any spillages will have signs erected to warn people and will be cleaned up as soon as possible. Only footwear appropriate for a studio environment will be accepted.

File: Studio Risk assessment

Version: 1.2



Trips:

Cabling

Props / set

Housekeeping

- All cabling should be managed; when possible cabling should be flown or matted. If in fire lanes it is ramped.
- Good housekeeping procedures in place
- Routine inspection of the studios check housekeeping procedures and remove any trip hazards.
- Production hiring studio must provide a risk assessment to show that props

and set are designed so as not to cause a trip hazard. Where there are trip hazards arising out of the set, the crew and all those working in the area should be made aware of them.

• Only footwear appropriate for a studio environment will be accepted.

File: Studio Risk assessment

Version: 1.2



File: Studio Risk assessment

Version: 1.2



	,
СоЅНН	 Employees must not work with a hazardous substance unless they understand the risks of the work and follow the required precautions and control measures Employees / clients must not introduce hazardous substances without authorisation from the studio manager You must tell the studio manager if you suffer ill effects (including irritation) due to work involving substance exposure. All chemicals substances that are regularly used in the studios area must be assigned a suitable storage facility and copies of CoSHH data sheets retained.
Lifting Equipment: Failure Misuse	 Only used by competent, trained persons working to a safe system of work Will always be visually inspected by trained user prior to use Must be provided with physical evidence of conformity to EC Directives on machinery safety, and that current tests and thorough examinations (aka statutory inspections) have been carried out which show that they are safe to use, before being put into service for the first time and after major alteration or repair; Must have its Safe Working Load (SWL) clearly marked on the equipment or on a permanently fixed adjacent position. The SWL must not be exceeded. Lifting equipment must only be used for its intended purpose Lifting equipment must be maintained in a safe condition and tested / certificated in accordance with legislation with suitable records kept, including its associated attachments.

File: Studio Risk assessment

Version: 1.2



Lighting Equipment

burns from lighting equipment lighting equipment on stands falling onto people

- Lighting equipment should only be handled by people competent to do so, and where necessary using gloves.
- All lighting stands must be sufficiently weighted and secured. Especially if fans are to be used to simulate wind.
- Lighting Stands will be weighted with sand bags.

File: Studio Risk assessment

Version: 1.2



Materials for use in Scenery / Properties (Fire Risk)

- Fire retardant materials used in the construction of set.
- See additional 'Designer Risk Assessment'.

File: Studio Risk assessment

Version: 1.2