Table P-8a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2013

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Total	42.36 (2.56)	22.73 (1.83)	11.52 (1.36)	2.68 (0.59)	15.04 (1.51)	15.57 (1.48)	4.41 (0.80)	3.43 (0.74)	3.27 (0.69)	7.97 (1.07)
Sex										
Male	35.34 (3.38)	22.00 (2.54)	12.77 (1.99)	*1.32 (0.56)	13.88 (1.99)	20.22 (2.36)	7.69 (1.51)	3.20 (0.94)	*3.29 (1.00)	9.23 (1.70)
Female	48.70 (3.70)	23.38 (2.52)	10.24 (1.80)	3.76 (0.94)	16.01 (2.22)	11.18 (1.74)	*1.33 (0.56)	*3.67 (1.14)	3.35 (0.94)	6.62 (1.31)
Tomale	40.70 (0.70)	20.00 (2.02)	10.24 (1.00)	3.70 (0.94)	10.01 (2.22)	11.10 (1.74)	1.55 (0.56)	3.07 (1.14)	3.33 (0.34)	0.02 (1.51)
Age										
Under 12 years	34.26 (5.49)	17.25 (3.71)	20.99 (4.22)	-	*3.25 (1.63)	12.56 (3.27)	-	*	*	*7.11 (2.53)
12-17 years	19.80 (5.38)	*15.50 (5.00)	71.86 (11.51)	-	*6.87 (2.52)	49.26 (9.10)	*	*	-	*
18-44 years	30.59 (3.59)	16.66 (2.48)	*2.87 (1.01)	*2.53 (0.85)	21.82 (3.08)	16.51 (2.52)	6.82 (1.51)	*4.92 (1.53)	*4.10 (1.27)	10.31 (2.12)
45-64 years	49.39 (5.07)	27.11 (3.84)	*	*3.11 (1.29)	19.10 (3.06)	6.76 (1.73)	6.11 (1.73)	*3.77 (1.36)	*4.12 (1.58)	8.83 (1.99)
65-74 years	59.34 (12.32)	45.18 (9.44)	*	*	*	*11.91 (4.47)	-	*	*	*
75 years and over	129.90 (19.52)	47.51 (11.93)	-	*13.30 (6.12)	*14.38 (5.94)	*	*	-	*	*
Race										
One race ²	42.18 (2.62)	22.70 (1.86)	11.41 (1.37)	2.72 (0.59)	14.91 (1.54)	15.71 (1.51)	4.21 (0.78)	3.51 (0.76)	3.33 (0.70)	7.87 (1.09)
White	44.38 (3.06)	24.87 (2.18)	12.31 (1.65)	2.91 (0.68)	13.99 (1.73)	17.02 (1.80)	4.87 (0.96)	3.88 (0.90)	3.61 (0.85)	7.82 (1.18)
Black or African American	33.16 (5.52)	15.78 (3.73)	8.70 (2.59)	*	17.59 (3.86)	*6.68 (2.24)	*	*	*3.93 (1.90)	*10.88 (3.37)
American Indian or Alaska Native	*104.47 (41.93)	*	-	*	*	*	-	-	-	-
Asian	21.75 (6.26)	*	*	-	*9.72 (3.56)	*19.76 (5.93)	-	*	-	*
Native Hawaiian or Other Pacific Islander	-	-	-	-	*	*	-	-	-	*
Two or more races ³	*75.57 (24.92)	*	*	-	*27.84 (12.93)	*	*	-	-	*
Black or African American, white	*	-	*	-	*	*	-	-	-	-
American Indian or Alaska Native, white	*122.92 (44.97)	*	*	-	*	*	*	-	-	*
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	26.48 (5.82)	17.38 (4.38)	6.34 (1.83)	*	12.66 (3.46)	8.83 (2.18)	*7.24 (2.25)	*	*	6.55 (1.72)
Mexican or Mexican American	*31.91 (9.67)	*20.64 (7.14)	*5.96 (2.19)	*	*13.99 (5.65)	*7.18 (2.64)	*9.21 (3.17)	*	*	9.50 (2.59)
Not Hispanic or Latino	46.09 (2.97)	24.04 (2.12)	12.93 (1.67)	2.73 (0.64)	15.62 (1.74)	17.19 (1.77)	3.76 (0.81)	4.09 (0.92)	3.60 (0.82)	8.30 (1.27)
White, single race	49.89 (3.71)	27.21 (2.66)	14.19 (2.13)	2.98 (0.76)	14.92 (2.09)	19.93 (2.30)	4.08 (0.98)	4.79 (1.16)	4.11 (1.05)	8.05 (1.44)
Black or African American, single race	31.60 (5.50)	15.64 (3.80)	*8.92 (2.74)	*	17.74 (3.98)	*5.74 (2.18)	*	*	*4.06 (1.95)	*11.38 (3.54)
Education ⁵										
Less than a high school diploma	44.01 (8.32)	24.42 (5.68)	*	*	*16.90 (5.19)	*	*7.67 (2.81)	*	*	*9.16 (3.78)
High school diploma or GED ⁶	45.53 (5.99)	23.72 (4.39)	*	*4.12 (1.66)	19.42 (3.79)	*6.63 (2.19)	*6.21 (2.16)	*5.61 (2.56)	*5.57 (2.39)	*9.42 (3.18)
Some college	72.55 (8.57)	39.86 (6.16)	*	*6.01 (2.50)	19.91 (3.96)	13.84 (3.39)	*6.35 (2.07)	*5.46 (2.22)	8.77 (2.63)	9.01 (2.15)
Bachelor's degree or higher	37.48 (5.87)	23.20 (4.10)	*2.60 (1.20)	*	12.90 (3.13)	17.43 (3.66)	*	*	*	11.26 (3.11)

Table P-8a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2013

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Family income ⁷										
Less than \$35,000	56.83 (5.41)	24.61 (3.42)	13.26 (2.68)	*3.80 (1.29)	18.75 (3.18)	10.86 (2.24)	6.94 (1.75)	*5.59 (1.75)	*3.68 (1.19)	8.00 (1.82)
\$35,000 or more	39.27 (3.44)	23.31 (2.44)	12.20 (1.74)	2.25 (0.64)	14.12 (1.91)	18.71 (2.12)	4.00 (1.02)	3.00 (0.89)	3.77 (0.97)	8.38 (1.47)
\$35,000–\$49,999	49.05 (7.45)	25.95 (5.91)	*7.10 (2.57)	*4.30 (2.06)	16.84 (4.43)	*9.98 (3.27)	*5.14 (2.15)	*	*5.42 (2.60)	*9.07 (2.89)
\$50,000–\$74,999	44.93 (7.12)	27.82 (5.27)	*8.56 (2.61)	*3.15 (1.42)	18.01 (4.50)	16.39 (3.67)	*5.77 (2.55)	*	*	*7.51 (2.67)
\$75,000–\$99,999	40.45 (8.37)	15.82 (3.94)	19.54 (5.63)	*	*8.66 (3.28)	16.68 (4.62)	*	*	*6.69 (3.02)	*7.77 (3.46)
\$100,000 or more	30.60 (6.43)	22.31 (5.40)	13.84 (3.03)	-	12.08 (2.84)	26.71 (4.73)	*	*	*	*9.25 (2.86)
Poverty status ⁸										
Poor	70.81 (8.73)	29.46 (6.41)	9.63 (2.81)	*	20.61 (4.75)	12.73 (3.72)	*6.09 (2.32)	*	*	*9.01 (2.79)
Near poor	46.72 (6.63)	25.41 (4.39)	15.16 (3.54)	*3.64 (1.77)	18.72 (4.28)	9.22 (2.49)	*6.50 (2.19)	*7.99 (2.92)	*	9.74 (2.85)
Not poor	38.40 (3.32)	22.63 (2.40)	13.34 (2.00)	2.41 (0.67)	13.30 (1.94)	19.83 (2.34)	4.01 (1.01)	*2.89 (0.90)	4.11 (1.02)	8.53 (1.59)
Health insurance coverage ⁹										
Under 65:										
Private	28.88 (2.88)	16.66 (1.99)	15.75 (2.29)	*1.93 (0.64)	13.67 (1.90)	21.20 (2.45)	4.76 (1.07)	*2.72 (0.84)	3.94 (1.07)	9.60 (1.67)
Medicaid	85.81 (12.44)	29.94 (6.14)	9.94 (2.23)	*	33.85 (7.75)	*12.90 (4.17)	*	*	*	*
Other	60.91 (16.93)	*44.53 (14.87)	*	*	*9.53 (4.09)	*	*	*	*	*
Uninsured	22.73 (4.57)	18.91 (4.82)	*	*	13.23 (3.05)	*13.87 (5.28)	8.22 (2.46)	*3.95 (1.84)	*	*6.88 (2.26)
65 and over:										
Private	104.00 (18.23)	50.20 (10.64)	*	*11.39 (4.67)	*	*14.75 (5.76)	-	-	*	*
Medicare and Medicaid	*74.68 (25.82)	*94.83 (44.43)	-	*	*	*	-	-	*	*
Medicare only	81.20 (16.96)	*28.18 (10.32)	*	*	*	*	*	*	-	*
Other	*113.53 (48.66)	*74.13 (32.69)	-	-	-	*	-	-	*	-
Uninsured	-	-	-	-	-	-	-	-	-	-
Place of residence ¹⁰										
Large MSA	38.00 (3.38)	17.29 (2.20)	9.09 (1.68)	*1.91 (0.75)	15.60 (2.03)	16.56 (2.11)	*2.97 (0.92)	*2.99 (0.93)	*2.37 (0.83)	8.85 (1.64)
Small MSA	45.94 (4.89)	28.76 (3.64)	17.76 (3.00)	*2.42 (1.02)	15.14 (2.76)	16.31 (2.69)	5.61 (1.48)	*4.91 (1.60)	*3.67 (1.21)	7.99 (1.72)
Not in MSA	51.33 (6.92)	31.57 (6.44)	*7.35 (2.22)	*5.82 (1.89)	12.60 (3.75)	10.19 (2.95)	*8.08 (3.23)	*	*5.71 (2.52)	*4.53 (1.41)

Table P-8a. Age-adjusted annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States. 2013

	Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
	Region										
Northeast		38.95 (5.45)	15.42 (3.21)	14.04 (3.89)	*3.26 (1.27)	13.50 (3.23)	17.17 (3.86)	*3.19 (1.55)	*	*	*8.29 (3.33)
Midwest		53.45 (6.84)	27.17 (4.01)	12.60 (3.16)	*	13.03 (3.20)	14.88 (3.24)	*4.18 (1.43)	*3.85 (1.81)	*4.13 (1.74)	7.24 (2.15)
South		39.37 (4.09)	25.67 (3.51)	10.77 (2.15)	*1.94 (0.76)	14.05 (2.38)	13.19 (2.11)	*4.73 (1.52)	*3.50 (1.23)	4.38 (1.26)	7.80 (1.54)
West		39.67 (4.56)	19.55 (3.28)	9.95 (2.27)	*3.69 (1.65)	19.43 (3.42)	18.84 (3.32)	*4.92 (1.61)	*3.70 (1.39)	*	8.70 (2.26)

^{*} Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

⁻ Quantity zero.

¹Based on the question, "Where was [person] when the injury/poisoning happened?" Respondents could indicate up to two places. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

^{8&}quot;Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and Injury and Poisoning Episode file were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using six age groups: 0-11, 12-17, 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-8b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2013

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Total	13,509	7,318	3,347	855	4,671	4,646	1,374	1,062	1,038	2,458
Sex										
Male	5,347	3,418	1,862	*193	2,078	2,988	1,167	497	*526	1,394
Female	8,162	3,900	1,485	662	2,593	1,658	*207	*565	512	1,064
Age										
Under 12 years	1,672	842	1,024	-	*159	613	-	*	*	*347
12-17 years	489	*383	1,774	-	*169	1,216	*	*	-	*
18-44 years	3,417	1,861	*320	*282	2,438	1,844	762	*549	*458	1,152
45-64 years	4,063	2,230	*	*256	1,571	556	502	*310	*339	727
65-74 years	1,486	1,131	*	*	*	*298	-	*	*	*
75 years and over	2,382	871	-	*244	*264	*	*	-	*	*
Race										
One race ²	13,175	7,179	3,188	855	4,534	4,561	1,296	1,062	1,038	2,383
White	11,309	6,377	2,702	762	3,416	3,891	1,210	936	905	1,882
Black or African American	1,242	598	365	*	701	*270	*	*	*134	*434
American Indian or Alaska Native	*294	*	-	*	*	*	-	-	-	-
Asian	329	*	*	-	*181	307	-	*	-	*
Native Hawaiian or Other Pacific Islander	-	-	-	-	*	*	-	-	-	*
Two or more races ³	*334	*138	*	-	*137	*	*	-	-	*
Black or African American, white	*	-	*	-	*	*	-	-	-	-
American Indian or Alaska Native, white	*247	*	*	-	*	*	*	-	-	*
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	1,094	783	424	*	621	524	*386	*	*	356
Mexican or Mexican American	766	525	*268	*	383	*277	*314	*	*	325
Not Hispanic or Latino	12,415	6,535	2,923	744	4,050	4,122	988	1,031	925	2,102
White, single race	10,356	5,652	2,292	652	2,933	3,472	842	905	792	1,526
Black or African American, single race	1,126	572	*351	*	675	*223	*	*	*134	*434
Education ⁵										
Less than a high school diploma	1,357	763	*	*	439	*	*181	*	*	*249
High school diploma or GED ⁶	2,726	1,357	*	*229	1,067	*352	*329	*286	*301	*459
Some college	4,071	2,237	*	*329	1,120	779	*359	*323	498	527
Bachelor's degree or higher	2,152	1,373	*181	*	837	1,052	*	*	*	727

Table P-8b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2013

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Family income ⁷										
Less than \$35,000	5,354	2,316	1,106	*383	1,648	914	583	*493	*319	720
\$35,000 or more	7,155	4,393	2,225	422	2,737	3,437	760	569	719	1,564
\$35,000–\$49,999	1,910	1,083	*240	*175	635	*370	*197	*	*233	*341
\$50,000–\$74,999	2,265	1,393	*380	*161	889	788	*281	*	*	*368
\$75,000–\$99,999	1,250	552	669	*	*324	595	*	*	*241	*267
\$100,000 or more	1,730	1,365	936	-	889	1,683	*	*	*	587
Poverty status ⁸										
Poor	2,783	1,157	484	*	812	529	*245	*	*	*379
Near poor	2,419	1,251	812	*184	923	485	*307	*388	*	471
Not poor	7,035	4,207	2,024	444	2,424	3,281	758	512	755	1,463
Health insurance coverage ⁹										
Under 65:										
Private	4,728	2,802	2,212	*339	2,379	3,229	809	453	674	1,561
Medicaid	2,963	1,151	825	*	1,041	480	*	*	*	*263
Other	860	515	*	*	*170	*	*	*	*	*
Uninsured	1,089	847	*	*	746	*362	444	*232	*	*385
65 and over:										
Private	2,146	1,063	*	*229	*	*319	-	-	*	*
Medicare and Medicaid	*223	*289	-	*	*	*	-	-	*	*
Medicare only	1,163	*407	*	*	*	*	*	*	-	*
Other	*337	*244	-	-	-	*	-	-	*	-
Uninsured	-	-	-	-	-	-	-	-	-	-
Place of residence ¹⁰										
Large MSA	6,404	2,964	1,428	*325	2,636	2,664	*514	*517	*398	1,492
Small MSA	4,509	2,860	1,615	*223	1,441	1,507	532	*462	*363	766
Not in MSA	2,597	1,494	*304	*307	593	475	*328	*	*278	*199

Table P-8b. Annualized frequency (number in thousands) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2013

	Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
	Region										
Northeast		2,138	910	689	*194	779	862	*190	*	*	*430
Midwest		3,774	1,942	818	*	874	985	*291	*264	*306	500
South		4,695	3,033	1,168	*247	1,610	1,475	*555	*406	501	909
West		2,903	1,432	672	*250	1,408	1,324	*338	*273	*	618

^{*} Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%

⁻ Quantity zero.

¹Based on the question, "Where was [person] when the injury/poisoning happened?" Respondents could indicate up to two places. Counts of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

^{8&}quot;Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the frequencies. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-8c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2013

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Total	43.46 (2.62)	23.54 (1.88)	10.77 (1.27)	2.75 (0.60)	15.03 (1.48)	14.95 (1.41)	4.42 (0.80)	3.42 (0.73)	3.34 (0.71)	7.91 (1.04)
Sex										
Male	35.22 (3.40)	22.51 (2.58)	12.26 (1.93)	*1.27 (0.54)	13.69 (1.94)	19.68 (2.28)	7.69 (1.50)	3.27 (0.96)	*3.47 (1.05)	9.18 (1.65)
Female	51.33 (3.90)	24.53 (2.64)	9.34 (1.63)	4.16 (1.06)	16.31 (2.22)	10.43 (1.60)	*1.30 (0.54)	*3.56 (1.08)	3.22 (0.88)	6.69 (1.30)
Age										
Under 12 years	34.26 (5.49)	17.25 (3.71)	20.99 (4.22)	_	*3.25 (1.63)	12.56 (3.27)	_	*	*	*7.11 (2.53)
12-17 years	19.80 (5.38)	*15.50 (5.00)	71.86 (11.51)	_	*6.87 (2.52)	49.26 (9.10)	*	*	_	*
18-44 years	30.59 (3.59)	16.66 (2.48)	*2.87 (1.01)	*2.53 (0.85)	21.82 (3.08)	16.51 (2.52)	6.82 (1.51)	*4.92 (1.53)	*4.10 (1.27)	10.31 (2.12)
45-64 years	49.39 (5.07)	27.11 (3.84)	*	*3.11 (1.29)	19.10 (3.06)	6.76 (1.73)	6.11 (1.73)	*3.77 (1.36)	*4.12 (1.58)	8.83 (1.99)
65-74 years	59.34 (12.32)	45.18 (9.44)	*	*	*	*11.91 (4.47)	-	*	*	*
75 years and over	129.90 (19.52)	47.51 (11.93)	-	*13.30 (6.12)	*14.38 (5.94)	*	*	-	*	*
Race	, ,	, ,		, ,	. ,					
One race ²	43.34 (2.68)	23.62 (1.92)	10.49 (1.26)	2.81 (0.62)	14.92 (1.52)	15.00 (1.43)	4.26 (0.80)	3.49 (0.74)	3.42 (0.72)	7.84 (1.06)
White	46.29 (3.18)	26.10 (2.27)	11.06 (1.49)	3.12 (0.74)	13.98 (1.70)	15.93 (1.68)	4.95 (0.97)	3.83 (0.87)	3.70 (0.87)	7.71 (1.14)
Black or African American	31.48 (5.14)	15.16 (3.50)	9.26 (2.76)	3.12 (0.7 4)	17.76 (3.88)	*6.84 (2.32)	*.93 (0.97)	*	*3.39 (1.51)	*11.01 (3.35)
American Indian or Alaska Native	*105.99 (42.15)	*	5.20 (2.70)	*	*	*	_	_	0.00 (1.01)	
Asian	19.54 (5.56)	*	*	_	*10.73 (3.94)	18.23 (5.40)	_	*	_	*
Native Hawaiian or Other Pacific Islander	-	_	_	_	*	*	_	_	_	*
Two or more races ³	*48.80 (15.01)	*20.23 (9.56)	*	_	*20.02 (9.15)	*	*	_	_	*
Black or African American, white	*	-	*	-	*	*	-	-	_	-
American Indian or Alaska Native, white	*126.60 (49.33)	*	*	-	*	*	*	-	-	*
Hispanic or Latino origin⁴ and race										
Hispanic or Latino	20.45 (3.72)	14.65 (2.99)	7.93 (2.28)	*	11.62 (2.67)	9.80 (2.35)	*7.22 (2.29)	*	*	6.66 (1.77)
Mexican or Mexican American	22.11 (5.03)	15.15 (3.81)	*7.74 (2.79)	*	11.06 (3.31)	*8.01 (2.77)	*9.07 (3.18)	*	*	9.37 (2.58)
Not Hispanic or Latino	48.24 (3.08)	25.39 (2.21)	11.36 (1.46)	2.89 (0.69)	15.74 (1.71)	16.02 (1.62)	3.84 (0.84)	4.01 (0.88)	3.60 (0.82)	8.17 (1.21)
White, single race	52.89 (3.87)	28.86 (2.76)	11.71 (1.75)	3.33 (0.86)	14.98 (2.01)	17.73 (2.02)	4.30 (1.04)	4.62 (1.08)	4.04 (1.04)	7.79 (1.34)
Black or African American, single race	29.98 (5.11)	15.23 (3.61)	*9.35 (2.88)	*	17.96 (4.01)	*5.93 (2.26)	*	*	*3.56 (1.58)	*11.56 (3.52)
Education ⁵										
Less than a high school diploma	49.85 (10.06)	28.04 (6.50)	*	*	16.13 (4.81)	*	*6.66 (2.44)	*	*	*9.15 (3.79)
High school diploma or GED ⁶	49.74 (6.47)	24.77 (4.63)	*	*4.17 (1.64)	19.47 (3.68)	*6.42 (2.11)	*6.00 (2.13)	*5.22 (2.28)	*5.49 (2.38)	*8.38 (2.65)
Some college	70.41 (8.24)	38.70 (5.71)	*	*5.70 (2.15)	19.37 (3.77)	13.47 (3.23)	*6.21 (2.03)	*5.58 (2.21)	8.62 (2.56)	9.12 (2.19)
Bachelor's degree or higher	33.71 (4.91)	21.51 (3.80)	*2.84 (1.32)	*	13.10 (3.19)	16.48 (3.28)	*	*	*	11.39 (3.06)

Table P-8c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2013

Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
Family income ⁷										
Less than \$35,000	59.44 (5.53)	25.71 (3.59)	12.28 (2.47)	*4.25 (1.47)	18.30 (3.06)	10.15 (2.11)	6.47 (1.63)	*5.47 (1.71)	*3.54 (1.13)	7.99 (1.82)
\$35,000 or more	37.42 (3.09)	22.97 (2.28)	11.64 (1.67)	2.21 (0.64)	14.31 (1.90)	17.97 (2.00)	3.98 (0.96)	2.98 (0.86)	3.76 (0.96)	8.18 (1.40)
\$35,000-\$49,999	49.90 (7.54)	28.29 (6.51)	*6.28 (2.28)	*4.56 (2.15)	16.59 (4.31)	*9.67 (3.18)	*5.15 (2.13)	*	*6.08 (2.97)	*8.91 (2.86)
\$50,000–\$74,999	44.90 (6.66)	27.62 (5.01)	*7.53 (2.30)	*3.18 (1.44)	17.61 (4.39)	15.62 (3.49)	*5.56 (2.36)	*	*	*7.30 (2.51)
\$75,000–\$99,999	35.50 (6.83)	15.67 (3.81)	18.98 (5.51)	*	*9.21 (3.46)	16.89 (4.60)	*	*	*6.85 (3.06)	*7.59 (3.34)
\$100,000 or more	25.71 (4.98)	20.29 (3.81)	13.92 (3.05)	-	13.20 (3.04)	25.02 (4.03)	*	*	*	8.73 (2.57)
Poverty status ⁸										
Poor	64.58 (8.06)	26.84 (5.59)	11.24 (3.23)	*	18.84 (4.37)	12.27 (3.42)	*5.70 (2.17)	*	*	*8.79 (2.73)
Near poor	47.58 (6.67)	24.60 (4.23)	15.96 (3.74)	*3.62 (1.73)	18.14 (4.16)	9.53 (2.60)	*6.03 (2.01)	*7.63 (2.78)	*	9.26 (2.65)
Not poor	38.97 (3.30)	23.31 (2.40)	11.21 (1.69)	2.46 (0.69)	13.43 (1.92)	18.18 (2.11)	4.20 (1.03)	2.84 (0.84)	4.18 (1.02)	8.10 (1.44)
Health insurance coverage ⁹										
Under 65:										
Private	28.88 (2.81)	17.11 (2.00)	13.51 (1.97)	*2.07 (0.69)	14.53 (1.99)	19.72 (2.25)	4.94 (1.11)	2.76 (0.82)	4.12 (1.12)	9.54 (1.60)
Medicaid	63.51 (8.19)	24.68 (4.61)	17.69 (3.99)	*	22.31 (4.79)	10.28 (2.90)	*	*	*	*5.63 (2.42)
Other	82.11 (18.41)	49.14 (13.66)	*	*	*16.26 (6.74)	*	*	*	*	*
Uninsured	24.68 (5.04)	19.20 (4.48)	*	*	16.91 (3.94)	*8.19 (2.69)	10.05 (2.98)	*5.26 (2.46)	*	*8.71 (2.87)
65 and over:										
Private	100.46 (17.80)	49.75 (10.33)	*	*10.70 (4.35)	*7.48 (3.73)	*14.92 (5.68)	-	-	*	*
Medicare and Medicaid	*74.12 (25.66)	*96.17 (45.54)	-	*	*	*	-	-	*	*
Medicare only	76.50 (15.80)	*26.79 (9.62)	*	*	*	*	*	*	-	*
Other	*110.27 (45.46)	*79.74 (35.53)	-	-	-	*	-	-	*	-
Uninsured	-	-	-	-	-	-	-	-	-	-
Place of residence ¹⁰										
Large MSA	38.19 (3.41)	17.68 (2.23)	8.52 (1.58)	*1.94 (0.73)	15.72 (2.03)	15.89 (2.01)	*3.06 (0.94)	*3.09 (0.96)	*2.37 (0.84)	8.90 (1.62)
Small MSA	46.79 (4.87)	29.68 (3.81)	16.76 (2.84)	*2.31 (0.98)	14.96 (2.69)	15.64 (2.52)	5.52 (1.46)	*4.80 (1.52)	*3.77 (1.24)	7.95 (1.69)
Not in MSA	55.51 (7.10)	31.93 (5.96)	*6.49 (2.00)	*6.56 (2.21)	12.69 (3.58)	10.16 (2.89)	*7.02 (2.81)	*	*5.94 (2.59)	4.26 (1.26)

Table P-8c. Crude annualized rate (per 1,000 population) (with standard errors) of medically consulted injury and poisoning episodes, by place of occurrence and selected characteristics: United States, 2013

	Selected characteristic	Home (inside) ¹	Home (outside) ¹	School, child care center, or preschool ¹	Hospital or residential institution ¹	Street, highway, sidewalk, or parking lot ¹	Sport facility, recreation area, lake, river, or pool ¹	Industrial, construction, or farm ¹	Trade or service area ¹	Other public building ¹	Other (unspecified) ¹
	Region										
Northeast		39.93 (5.45)	17.00 (3.60)	12.86 (3.54)	*3.63 (1.47)	14.55 (3.51)	16.11 (3.62)	*3.55 (1.71)	*	*	*8.04 (3.09)
Midwest		54.39 (7.00)	27.99 (4.13)	11.79 (2.96)	*	12.60 (3.05)	14.20 (3.09)	*4.19 (1.44)	*3.80 (1.77)	*4.41 (1.94)	7.21 (2.10)
South		40.29 (4.09)	26.03 (3.50)	10.03 (2.00)	*2.12 (0.84)	13.82 (2.32)	12.65 (2.01)	*4.76 (1.52)	*3.49 (1.21)	4.30 (1.21)	7.80 (1.52)
West		40.67 (4.72)	20.07 (3.37)	9.41 (2.14)	*3.50 (1.54)	19.72 (3.41)	18.55 (3.23)	*4.74 (1.54)	*3.83 (1.42)	*	8.66 (2.23)

^{*} Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%

⁻ Quantity zero.

¹Based on the question, "Where was [person] when the injury/poisoning happened?" Respondents could indicate up to two places. Rates of episodes have been annualized in this table. Estimates from this report should not be compared with estimates from 2003 or earlier.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

⁹Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

^{8&}quot;Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and the Injury and Poisoning Episode file and were weighted using the Person weight. Unknowns for the columns were excluded from the denominator when calculating rates. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm.