

Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Total	16.9 (0.33)	12.9 (0.31)	4.0 (0.15)	21.0 (0.28)	62.1 (0.41)
Sex					
Male	18.8 (0.44)	13.8 (0.40)	5.0 (0.24)	24.7 (0.41)	56.4 (0.55)
Female	15.1 (0.46)	12.0 (0.44)	3.1 (0.18)	17.7 (0.38)	67.2 (0.51)
Age (years)					
18–44	19.1 (0.53)	13.9 (0.49)	5.2 (0.25)	13.0 (0.36)	67.9 (0.61)
45–64	18.0 (0.50)	14.6 (0.47)	3.4 (0.22)	24.8 (0.52)	57.1 (0.63)
65–74	11.3 (0.61)	9.6 (0.58)	1.7 (0.26)	37.9 (0.99)	50.8 (1.01)
75 and over	4.6 (0.47)	3.3 (0.39)	1.3 (0.25)	40.2 (1.09)	55.2 (1.09)
Race					
One race ²	16.8 (0.33)	12.7 (0.31)	4.0 (0.16)	21.0 (0.28)	62.2 (0.41)
White	17.3 (0.38)	13.4 (0.35)	4.0 (0.18)	22.5 (0.33)	60.2 (0.47)
Black or African American	16.8 (0.65)	11.8 (0.58)	5.0 (0.37)	14.8 (0.62)	68.4 (0.85)
American Indian or Alaska Native	20.3 (3.44)	16.1 (3.38)	*4.2 (1.43)	26.5 (3.49)	53.2 (3.83)
Asian	9.4 (0.88)	6.5 (0.74)	3.0 (0.53)	12.4 (0.97)	78.1 (1.24)
Native Hawaiian or Other Pacific Islander	*10.8 (3.96)	*8.0 (3.24)	*	21.4 (5.40)	67.8 (6.05)
Two or more races ³	26.3 (2.71)	21.5 (2.61)	4.7 (0.96)	18.3 (1.89)	55.4 (2.75)
Black or African American, white	20.8 (5.03)	17.7 (4.99)	*3.1 (1.35)	19.7 (4.73)	59.5 (6.45)
American Indian or Alaska Native, white	30.7 (4.48)	25.5 (4.37)	*5.3 (1.72)	18.7 (2.99)	50.6 (4.34)
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	10.7 (0.47)	6.3 (0.36)	4.4 (0.34)	16.5 (0.62)	72.9 (0.74)
Mexican or Mexican American	10.3 (0.60)	5.7 (0.46)	4.7 (0.46)	17.2 (0.82)	72.4 (0.97)
Not Hispanic or Latino	18.2 (0.39)	14.3 (0.37)	4.0 (0.17)	21.7 (0.32)	60.1 (0.47)
White, single race	19.1 (0.46)	15.2 (0.43)	3.9 (0.20)	23.8 (0.39)	57.1 (0.55)
Black or African American, single race	17.0 (0.68)	11.9 (0.60)	5.1 (0.39)	14.9 (0.64)	68.1 (0.89)
Education ⁵					
Less than a high school diploma	24.6 (0.86)	20.0 (0.84)	4.6 (0.40)	20.1 (0.76)	55.3 (0.99)
High school diploma or GED ⁶	25.9 (0.77)	21.2 (0.72)	4.6 (0.34)	23.5 (0.63)	50.6 (0.86)
Some college	18.5 (0.63)	14.4 (0.60)	4.1 (0.28)	26.8 (0.64)	54.7 (0.73)
Bachelor's degree or higher	6.9 (0.32)	4.3 (0.26)	2.6 (0.21)	21.8 (0.53)	71.3 (0.60)
Current employment status ⁷					
Employed	14.8 (0.34)	11.0 (0.32)	3.9 (0.18)	21.5 (0.50)	63.6 (0.56)
Full-time	14.7 (0.37)	10.8 (0.34)	4.0 (0.19)	21.7 (0.68)	63.6 (0.77)
Part-time	15.0 (1.03)	11.4 (0.96)	3.6 (0.45)	20.0 (0.90)	65.0 (1.27)
Not employed but has worked previously	23.4 (0.93)	18.9 (0.93)	4.5 (0.35)	22.2 (0.57)	54.3 (0.93)
Not employed and has never worked	11.3 (1.01)	7.9 (0.80)	3.4 (0.67)	8.7 (0.87)	80.0 (1.23)

Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Family income ⁸					
Less than \$35,000	24.7 (0.56)	19.4 (0.52)	5.4 (0.28)	18.6 (0.41)	56.6 (0.62)
\$35,000 or more	13.5 (0.38)	10.1 (0.35)	3.4 (0.19)	22.7 (0.40)	63.8 (0.50)
\$35,000–\$49,999	20.9 (0.91)	16.4 (0.84)	4.5 (0.47)	21.4 (0.76)	57.7 (1.07)
\$50,000–\$74,999	15.1 (0.67)	11.2 (0.59)	3.8 (0.36)	22.6 (0.74)	62.4 (0.93)
\$75,000–\$99,999	13.2 (1.05)	9.7 (1.04)	3.5 (0.45)	23.7 (0.98)	63.1 (1.24)
\$100,000 or more	8.8 (0.53)	6.2 (0.47)	2.7 (0.30)	23.1 (0.70)	68.0 (0.86)
Poverty status ⁹					
Poor	25.9 (0.79)	20.1 (0.71)	5.7 (0.40)	16.8 (0.63)	57.3 (0.93)
Near poor	23.3 (0.74)	18.2 (0.68)	5.1 (0.38)	19.1 (0.61)	57.7 (0.84)
Not poor	13.3 (0.38)	9.9 (0.34)	3.4 (0.18)	22.7 (0.38)	64.0 (0.48)
Health insurance coverage ¹⁰					
Under 65:					
Private	14.0 (0.45)	10.2 (0.41)	3.8 (0.20)	18.3 (0.38)	67.7 (0.54)
Medicaid	29.8 (0.99)	23.9 (0.94)	5.9 (0.52)	14.6 (0.81)	55.6 (1.10)
Other	23.4 (1.85)	18.2 (1.70)	5.2 (0.90)	20.4 (1.54)	56.2 (2.13)
Uninsured	28.1 (0.95)	21.7 (0.86)	6.4 (0.49)	14.0 (0.72)	57.9 (1.04)
65 and over:					
Private	7.1 (0.53)	5.7 (0.47)	1.4 (0.25)	39.8 (1.08)	53.1 (1.09)
Medicare and Medicaid	12.1 (1.77)	10.4 (1.68)	1.7 (0.49)	32.1 (2.20)	55.8 (2.37)
Medicare only	8.1 (0.67)	6.6 (0.60)	1.5 (0.31)	37.3 (1.22)	54.7 (1.27)
Other	11.4 (1.61)	9.3 (1.43)	*2.1 (0.83)	48.5 (2.73)	40.1 (2.58)
Uninsured	*6.2 (2.87)	*6.2 (2.87)	-	37.7 (8.66)	56.1 (8.96)
Marital status					
Married	12.2 (0.42)	9.5 (0.39)	2.7 (0.17)	24.1 (0.44)	63.7 (0.56)
Widowed	19.5 (3.66)	15.7 (3.48)	*3.8 (1.40)	17.4 (2.34)	63.1 (4.01)
Divorced or separated	27.6 (1.07)	21.4 (1.03)	6.2 (0.52)	23.1 (0.84)	49.3 (1.10)
Never married	18.4 (0.67)	13.5 (0.61)	4.9 (0.33)	14.9 (0.63)	66.7 (0.84)
Living with a partner	29.8 (1.50)	23.8 (1.46)	5.9 (0.61)	19.8 (1.39)	50.4 (1.72)
Place of residence ¹¹					
Large MSA	14.5 (0.43)	10.5 (0.41)	4.0 (0.21)	20.4 (0.39)	65.2 (0.57)
Small MSA	18.1 (0.66)	13.8 (0.61)	4.3 (0.28)	21.5 (0.51)	60.3 (0.72)
Not in MSA	24.4 (0.84)	20.7 (0.78)	3.7 (0.36)	21.9 (0.67)	53.7 (1.00)
Region					
Northeast	15.8 (0.73)	12.0 (0.66)	3.8 (0.40)	21.6 (0.70)	62.6 (0.96)
Midwest	20.9 (0.92)	16.9 (0.88)	3.9 (0.32)	21.4 (0.63)	57.7 (1.04)
South	17.3 (0.49)	13.3 (0.46)	4.1 (0.25)	20.5 (0.45)	62.1 (0.60)
West	13.1 (0.50)	8.9 (0.42)	4.2 (0.31)	20.7 (0.55)	66.2 (0.71)

Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	13.8 (0.77)	7.6 (0.59)	6.2 (0.57)	22.8 (1.02)	63.4 (1.18)
Hispanic or Latina, female	7.4 (0.52)	5.0 (0.43)	2.5 (0.34)	10.9 (0.68)	81.7 (0.85)
Not Hispanic or Latino:					
White, single race, male	19.9 (0.59)	15.4 (0.53)	4.5 (0.32)	26.9 (0.55)	53.1 (0.73)
White, single race, female	18.3 (0.67)	15.0 (0.65)	3.2 (0.25)	21.0 (0.55)	60.7 (0.72)
Black or African American, single race, male	21.4 (1.16)	14.7 (1.00)	6.6 (0.71)	17.7 (0.98)	60.9 (1.46)
Black or African American, single race, female	13.4 (0.77)	9.6 (0.68)	3.8 (0.39)	13.0 (0.79)	73.6 (1.05)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁹"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over ¹	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Total	239,688	39,962	30,688	9,274	52,212	146,232
Sex						
Male	115,541	21,626	16,058	5,569	29,028	64,202
Female	124,148	18,335	14,631	3,705	23,184	82,031
Age (years)						
18–44	112,149	21,349	15,537	5,812	14,487	75,819
45–64	82,605	14,818	12,033	2,785	20,392	46,941
65–74	26,362	2,950	2,504	446	9,942	13,310
75 and over	18,573	844	614	230	7,392	10,162
Race						
One race ²	235,831	38,933	29,848	9,085	51,583	144,052
White	190,462	32,139	25,064	7,075	45,196	112,053
Black or African American	29,355	5,037	3,535	1,501	4,176	19,983
American Indian or Alaska Native	1,948	407	324	*83	502	1,035
Asian	13,733	1,317	901	416	1,658	10,733
Native Hawaiian or Other Pacific Islander	333	*35	*24	*	*51	248
Two or more races ³	3,858	1,029	840	189	629	2,180
Black or African American, white	760	202	*164	*38	106	451
American Indian or Alaska Native, white	1,590	468	391	*77	324	778
Hispanic or Latino origin ⁴ and race						
Hispanic or Latino	36,571	4,070	2,356	1,714	5,371	26,960
Mexican or Mexican American	22,326	2,380	1,258	1,122	3,224	16,600
Not Hispanic or Latino	203,117	35,892	28,332	7,559	46,841	119,273
White, single race	157,364	28,511	23,018	5,493	40,417	87,508
Black or African American, single race	27,875	4,847	3,402	1,445	4,024	18,857
Education ⁵						
Less than a high school diploma	27,612	6,298	5,100	1,199	6,254	14,900
High school diploma or GED ⁶	52,697	12,636	10,439	2,196	13,288	26,360
Some college	59,919	11,102	8,672	2,431	16,028	32,489
Bachelor's degree or higher	67,940	4,719	3,005	1,714	14,639	48,290
Current employment status ⁷						
Employed	146,624	23,777	17,681	6,096	27,924	94,114
Full-time	117,112	19,077	14,079	4,997	22,704	74,696
Part-time	27,205	4,298	3,260	1,038	4,786	17,962
Not employed but has worked previously	79,316	14,763	12,020	2,743	23,130	41,018
Not employed and has never worked	13,623	1,394	967	427	1,148	11,016

Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over ¹	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Family income⁸						
Less than \$35,000	69,793	16,482	12,947	3,534	14,029	38,887
\$35,000 or more	144,503	19,670	14,818	4,852	32,874	91,431
\$35,000–\$49,999	28,044	5,771	4,536	1,235	6,170	15,997
\$50,000–\$74,999	35,733	5,403	4,084	1,318	8,240	21,977
\$75,000–\$99,999	27,053	3,531	2,630	901	6,413	16,985
\$100,000 or more	53,673	4,966	3,567	1,398	12,051	36,473
Poverty status⁹						
Poor	31,383	8,217	6,380	1,837	4,847	18,136
Near poor	42,675	9,604	7,519	2,085	8,458	24,456
Not poor	152,199	19,970	15,086	4,884	36,104	95,412
Health insurance coverage¹⁰						
Under 65:						
Private	129,666	17,950	13,218	4,732	24,868	86,304
Medicaid	23,239	6,860	5,503	1,357	3,329	12,876
Other	9,095	2,312	1,878	435	2,277	4,455
Uninsured	31,587	8,815	6,778	2,037	4,275	18,319
65 and over:						
Private	22,525	1,650	1,335	316	8,863	11,883
Medicare and Medicaid	2,951	362	310	52	944	1,611
Medicare only	15,536	1,311	1,073	238	5,744	8,353
Other	3,513	445	374	*71	1,657	1,372
Uninsured	313	*	*	-	113	174
Marital status						
Married	126,926	15,303	12,021	3,282	32,388	78,637
Widowed	14,312	1,638	1,339	298	4,532	8,025
Divorced or separated	26,802	7,033	5,590	1,442	6,858	12,750
Never married	53,788	10,396	7,398	2,998	5,551	37,601
Living with a partner	17,497	5,530	4,289	1,241	2,809	8,994
Place of residence¹¹						
Large MSA	130,402	18,829	13,779	5,049	26,806	84,110
Small MSA	73,885	13,138	10,062	3,076	16,664	43,691
Not in MSA	35,402	7,996	6,847	1,148	8,742	18,431
Region						
Northeast	41,490	6,316	4,857	1,459	9,701	25,291
Midwest	55,095	11,333	9,247	2,086	12,217	31,255
South	89,270	15,276	11,804	3,471	19,087	54,335
West	53,834	7,037	4,781	2,256	11,207	35,351

Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All adults aged 18 and over ¹	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Hispanic or Latino origin ⁴ , race, and sex						
Hispanic or Latino, male	18,309	2,696	1,463	1,232	3,518	12,011
Hispanic or Latina, female	18,262	1,375	893	482	1,853	14,948
Not Hispanic or Latino:						
White, single race, male	76,277	14,604	11,502	3,102	21,887	39,279
White, single race, female	81,087	13,908	11,516	2,391	18,530	48,229
Black or African American, single race, male	12,626	2,772	1,919	853	2,045	7,724
Black or African American, single race, female	15,249	2,075	1,483	592	1,979	11,133

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁹"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy.

"Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Total	16.8 (0.33)	12.9 (0.31)	3.9 (0.15)	21.9 (0.30)	61.3 (0.40)
Sex					
Male	18.8 (0.44)	14.0 (0.41)	4.8 (0.23)	25.3 (0.45)	55.9 (0.55)
Female	14.8 (0.44)	11.8 (0.42)	3.0 (0.17)	18.8 (0.41)	66.4 (0.50)
Age (years)					
18–44	19.1 (0.53)	13.9 (0.49)	5.2 (0.25)	13.0 (0.36)	67.9 (0.61)
45–64	18.0 (0.50)	14.6 (0.47)	3.4 (0.22)	24.8 (0.52)	57.1 (0.63)
65–74	11.3 (0.61)	9.6 (0.58)	1.7 (0.26)	37.9 (0.99)	50.8 (1.01)
75 and over	4.6 (0.47)	3.3 (0.39)	1.3 (0.25)	40.2 (1.09)	55.2 (1.09)
Race					
One race ²	16.6 (0.32)	12.7 (0.30)	3.9 (0.15)	22.0 (0.30)	61.4 (0.40)
White	17.0 (0.37)	13.2 (0.34)	3.7 (0.16)	23.9 (0.36)	59.2 (0.45)
Black or African American	17.3 (0.67)	12.1 (0.59)	5.1 (0.38)	14.3 (0.63)	68.4 (0.87)
American Indian or Alaska Native	20.9 (3.47)	16.6 (3.40)	*4.3 (1.44)	25.8 (3.55)	53.2 (3.82)
Asian	9.6 (0.90)	6.6 (0.76)	3.0 (0.53)	12.1 (0.99)	78.3 (1.24)
Native Hawaiian or Other Pacific Islander	*10.4 (4.20)	*7.2 (3.01)	*	*15.2 (5.71)	74.4 (7.01)
Two or more races ³	26.8 (2.65)	21.9 (2.57)	4.9 (0.97)	16.4 (1.74)	56.8 (2.73)
Black or African American, white	26.6 (6.01)	21.6 (5.90)	*5.0 (2.15)	14.0 (3.83)	59.4 (6.27)
American Indian or Alaska Native, white	29.8 (4.32)	24.9 (4.19)	*4.9 (1.62)	20.6 (3.15)	49.6 (4.29)
Hispanic or Latino origin ⁴ and race					
Hispanic or Latino	11.2 (0.49)	6.5 (0.38)	4.7 (0.37)	14.8 (0.58)	74.1 (0.73)
Mexican or Mexican American	10.7 (0.63)	5.7 (0.47)	5.1 (0.50)	14.5 (0.73)	74.8 (0.94)
Not Hispanic or Latino	17.8 (0.38)	14.0 (0.35)	3.7 (0.16)	23.2 (0.34)	59.0 (0.44)
White, single race	18.2 (0.43)	14.7 (0.40)	3.5 (0.18)	25.8 (0.41)	55.9 (0.51)
Black or African American, single race	17.5 (0.69)	12.3 (0.61)	5.2 (0.40)	14.5 (0.65)	68.0 (0.90)
Education ⁵					
Less than a high school diploma	22.9 (0.79)	18.6 (0.76)	4.4 (0.37)	22.8 (0.80)	54.3 (0.93)
High school diploma or GED ⁶	24.2 (0.71)	20.0 (0.67)	4.2 (0.30)	25.4 (0.64)	50.4 (0.83)
Some college	18.6 (0.65)	14.5 (0.63)	4.1 (0.28)	26.9 (0.65)	54.5 (0.72)
Bachelor's degree or higher	7.0 (0.33)	4.4 (0.27)	2.5 (0.21)	21.6 (0.55)	71.4 (0.61)
Current employment status ⁷					
Employed	16.3 (0.38)	12.1 (0.35)	4.2 (0.19)	19.1 (0.37)	64.5 (0.46)
Full-time	16.4 (0.41)	12.1 (0.38)	4.3 (0.20)	19.5 (0.40)	64.1 (0.52)
Part-time	15.9 (1.14)	12.1 (1.07)	3.8 (0.48)	17.7 (0.85)	66.4 (1.29)
Not employed but has worked previously	18.7 (0.63)	15.2 (0.61)	3.5 (0.23)	29.3 (0.56)	52.0 (0.67)
Not employed and has never worked	10.3 (0.94)	7.1 (0.72)	3.2 (0.65)	8.5 (0.79)	81.2 (1.16)

Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Family income ⁸					
Less than \$35,000	23.7 (0.54)	18.7 (0.50)	5.1 (0.26)	20.2 (0.45)	56.0 (0.63)
\$35,000 or more	13.7 (0.39)	10.3 (0.36)	3.4 (0.18)	22.8 (0.42)	63.5 (0.49)
\$35,000–\$49,999	20.7 (0.89)	16.2 (0.83)	4.4 (0.46)	22.1 (0.79)	57.3 (1.07)
\$50,000–\$74,999	15.2 (0.66)	11.5 (0.59)	3.7 (0.35)	23.1 (0.77)	61.7 (0.93)
\$75,000–\$99,999	13.1 (1.03)	9.8 (1.01)	3.3 (0.42)	23.8 (1.02)	63.1 (1.17)
\$100,000 or more	9.3 (0.60)	6.7 (0.55)	2.6 (0.29)	22.5 (0.67)	68.2 (0.86)
Poverty status ⁹					
Poor	26.3 (0.83)	20.4 (0.74)	5.9 (0.43)	15.5 (0.64)	58.1 (0.98)
Near poor	22.6 (0.73)	17.7 (0.67)	4.9 (0.37)	19.9 (0.63)	57.5 (0.83)
Not poor	13.2 (0.37)	10.0 (0.34)	3.2 (0.17)	23.8 (0.40)	63.0 (0.47)
Health insurance coverage ¹⁰					
Under 65:					
Private	13.9 (0.43)	10.2 (0.40)	3.7 (0.19)	19.3 (0.40)	66.8 (0.52)
Medicaid	29.7 (0.99)	23.9 (0.94)	5.9 (0.53)	14.4 (0.82)	55.8 (1.10)
Other	25.6 (1.64)	20.8 (1.58)	4.8 (0.65)	25.2 (1.52)	49.3 (1.87)
Uninsured	28.1 (0.96)	21.6 (0.87)	6.5 (0.49)	13.6 (0.71)	58.3 (1.06)
65 and over:					
Private	7.4 (0.56)	6.0 (0.50)	1.4 (0.26)	39.6 (1.09)	53.1 (1.09)
Medicare and Medicaid	12.4 (1.86)	10.6 (1.75)	1.8 (0.51)	32.4 (2.23)	55.2 (2.45)
Medicare only	8.5 (0.70)	7.0 (0.64)	1.5 (0.32)	37.3 (1.22)	54.2 (1.26)
Other	12.8 (1.83)	10.8 (1.67)	*2.0 (0.85)	47.7 (2.72)	39.5 (2.55)
Uninsured	*8.3 (3.97)	*8.3 (3.97)	-	36.0 (7.46)	55.7 (7.97)
Marital status					
Married	12.1 (0.41)	9.5 (0.38)	2.6 (0.16)	25.6 (0.45)	62.2 (0.54)
Widowed	11.5 (0.80)	9.4 (0.72)	2.1 (0.32)	31.9 (1.16)	56.5 (1.16)
Divorced or separated	26.4 (0.84)	21.0 (0.80)	5.4 (0.38)	25.7 (0.75)	47.9 (0.88)
Never married	19.4 (0.71)	13.8 (0.62)	5.6 (0.39)	10.4 (0.45)	70.2 (0.80)
Living with a partner	31.9 (1.60)	24.7 (1.56)	7.2 (0.72)	16.2 (1.09)	51.9 (1.62)
Place of residence ¹¹					
Large MSA	14.5 (0.44)	10.6 (0.41)	3.9 (0.20)	20.7 (0.41)	64.8 (0.55)
Small MSA	17.9 (0.64)	13.7 (0.59)	4.2 (0.27)	22.7 (0.56)	59.4 (0.71)
Not in MSA	22.7 (0.81)	19.5 (0.74)	3.3 (0.32)	24.9 (0.72)	52.4 (0.94)
Region					
Northeast	15.3 (0.71)	11.8 (0.63)	3.5 (0.36)	23.5 (0.74)	61.2 (0.94)
Midwest	20.7 (0.89)	16.9 (0.85)	3.8 (0.30)	22.3 (0.67)	57.0 (0.96)
South	17.2 (0.49)	13.3 (0.47)	3.9 (0.24)	21.5 (0.49)	61.3 (0.62)
West	13.1 (0.50)	8.9 (0.42)	4.2 (0.30)	20.9 (0.59)	66.0 (0.72)

Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2014

Selected characteristic	All current smokers ¹	Every-day smokers ¹	Some-day smokers ¹	Former smokers ¹	Non-smokers ¹
Hispanic or Latino origin ⁴ , race, and sex					
Hispanic or Latino, male	14.8 (0.82)	8.0 (0.64)	6.8 (0.60)	19.3 (0.96)	65.9 (1.16)
Hispanic or Latina, female	7.6 (0.54)	4.9 (0.43)	2.7 (0.37)	10.2 (0.66)	82.2 (0.84)
Not Hispanic or Latino:					
White, single race, male	19.3 (0.57)	15.2 (0.52)	4.1 (0.28)	28.9 (0.59)	51.8 (0.69)
White, single race, female	17.2 (0.61)	14.3 (0.58)	3.0 (0.22)	23.0 (0.57)	59.8 (0.67)
Black or African American, single race, male	22.1 (1.20)	15.3 (1.04)	6.8 (0.73)	16.3 (1.01)	61.6 (1.49)
Black or African American, single race, female	13.7 (0.78)	9.8 (0.69)	3.9 (0.39)	13.0 (0.81)	73.3 (1.07)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

¹Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁹"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Lucas JW. Tables of Summary Health Statistics for U.S. Adults: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.