Table C-10a. Age-adjusted percent distributions (with standard errors) of emergency room visits in the past 12 months for children under age 18 years by selected characteristics: United States, 2014

Selected characteristic	All children under age 18 years	None ¹	One ¹	Two or more
Fotal	100.0	83.3 (0.45)	11.8 (0.38)	4.8 (0.27)
		, ,	, ,	, ,
Sex	400.0	00.4 (0.00)	44.0 (0.54)	5.0 (0.00)
Male -	100.0	83.1 (0.60)	11.9 (0.51)	5.0 (0.36)
Female	100.0	83.6 (0.63)	11.8 (0.54)	4.6 (0.35)
Age				
0-4 years	100.0	76.5 (0.97)	16.3 (0.85)	7.2 (0.57)
5-11 years	100.0	85.9 (0.68)	10.2 (0.57)	3.9 (0.39)
2-17 years	100.0	85.7 (0.70)	10.3 (0.63)	4.0 (0.40)
Page				
Race One race ²	100.0	83.4 (0.46)	11.8 (0.39)	4.8 (0.27)
White	100.0	84.1 (0.53)	11.6 (0.44)	4.3 (0.27)
	100.0	,		
Black or African American American Indian or Alaska Native	100.0	78.8 (1.14)	14.0 (1.01)	7.2 (0.72)
	100.0	71.4 (4.50)	15.8 (3.93)	12.9 (2.94)
Asian Native Hawaiian or Other Pacific Islander		89.7 (1.19)	7.9 (1.08)	2.4 (0.56)
wo or more races ³	100.0	89.9 (6.00)	10.7 (1.60)	6 E (4 30)
	100.0	80.8 (1.92)	12.7 (1.60)	6.5 (1.28)
Black or African American and white	100.0	79.0 (3.32)	14.0 (2.59)	*7.0 (2.48)
American Indian or Alaska Native and white	100.0	79.2 (4.50)	*11.5 (3.63)	*9.3 (3.20)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	83.0 (0.80)	12.0 (0.67)	5.0 (0.42)
Mexican or Mexican American	100.0	84.4 (0.93)	11.1 (0.78)	4.5 (0.47)
lot Hispanic or Latino	100.0	83.4 (0.54)	11.8 (0.45)	4.8 (0.32)
White, single race	100.0	84.2 (0.67)	11.7 (0.55)	4.2 (0.38)
Black or African American only, single race	100.0	79.3 (1.19)	13.6 (1.06)	7.1 (0.76)
Family structure ⁵				
Nother and father	100.0	85.4 (0.52)	10.7 (0.44)	3.9 (0.29)
Nother, no father	100.0	77.3 (0.95)	15.2 (0.82)	7.4 (0.58)
Father, no mother	100.0	84.0 (1.99)	10.9 (1.69)	5.1 (1.28)
leither mother nor father	100.0	78.9 (2.79)	13.5 (2.58)	7.6 (1.79)
_		,	,	,
Parent's education ⁶		- 0.0 (4.00)		2.2 (2.2 ()
ess than high school diploma	100.0	78.9 (1.39)	14.3 (1.23)	6.8 (0.84)
ligh school diploma or GED ⁷	100.0	81.5 (1.04)	11.6 (0.78)	6.9 (0.70)
Nore than high school	100.0	84.8 (0.53)	11.5 (0.46)	3.8 (0.28)
Family income ⁸				
ess than \$35,000	100.0	76.5 (0.88)	15.5 (0.77)	8.0 (0.58)
35,000 or more	100.0	86.3 (0.54)	10.3 (0.46)	3.4 (0.29)
\$35,000-\$49,999	100.0	82.5 (1.23)	11.9 (1.05)	5.6 (0.77)
\$50,000-\$74,999	100.0	85.0 (1.15)	11.3 (1.08)	3.7 (0.57)
\$75,000-\$99,999	100.0	86.9 (1.16)	9.4 (0.98)	3.7 (0.60)
\$100,000 or more	100.0	88.7 (0.78)	9.3 (0.70)	2.0 (0.36)
Poverty status ⁹				
Poor	100.0	75.6 (1.17)	15.4 (1.02)	9.0 (0.74)
lear poor	100.0	81.5 (0.94)	13.0 (0.80)	5.5 (0.56)
Not poor	100.0	87.3 (0.57)	9.9 (0.50)	2.8 (0.28)

U.S. Department of Health and Human Services • Centers for Disease Control and Prevention • National Center for Health Statistics

Table C-10a. Age-adjusted percent distributions (with standard errors) of emergency room visits in the past 12 months for children under age 18 years by selected characteristics: United States, 2014

	All children under age	ı		
Selected characteristic	18 years	None ¹	One ¹	Two or more ¹
Health insurance coverage ¹⁰				
Private	100.0	87.5 (0.55)	9.9 (0.49)	2.6 (0.25)
Medicaid or other public	100.0	77.4 (0.78)	15.0 (0.66)	7.6 (0.51)
Other	100.0	80.9 (2.73)	12.3 (2.18)	6.7 (1.92)
Uninsured	100.0	84.4 (1.74)	9.0 (1.56)	6.6 (1.44)
Place of residence ¹¹				
Large MSA	100.0	84.1 (0.58)	11.6 (0.50)	4.3 (0.31)
Small MSA	100.0	82.6 (0.82)	12.4 (0.74)	5.0 (0.49)
Not in MSA	100.0	82.1 (1.33)	11.6 (0.79)	6.3 (0.97)
Region				
Northeast	100.0	82.2 (1.15)	12.6 (0.98)	5.1 (0.63)
Midwest	100.0	81.3 (1.22)	13.0 (0.93)	5.7 (0.73)
South	100.0	83.3 (0.68)	11.8 (0.60)	4.9 (0.42)
West	100.0	85.9 (0.75)	10.3 (0.66)	3.8 (0.40)
Current health status				
Excellent or very good	100.0	84.8 (0.46)	11.4 (0.40)	3.8 (0.25)
Good	100.0	77.4 (1.34)	13.2 (1.06)	9.4 (0.95)
Fair or poor	100.0	53.6 (4.22)	24.8 (4.28)	21.6 (3.36)

^{*} Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about the sample child, not all children in the family. Data came from the Sample Child File and were weighted using the Sample Child weight. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using age groups 0-4 years, 5-11 years, and 12-17 years. Estimates for age groups are not age-adjusted. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Bloom B, Freeman G. Tables of Summary Health Statistics for U.S. Children: 2014 National Health Interview Survey. 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm).

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

⁻ Quantity zero.

¹Based on the question, "During the past 12 months, how many times has [child's name] gone to a hospital emergency room about [his/her] health? (This includes emergency room visits that resulted in a hospital admission)"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

Table C-10b. Frequency distributions (in thousands) of emergency room visits in the past 12 months for children under age 18 years by selected characteristics: United States, 2014

Selected characteristic	All children under age 18 years None ¹		One ¹	Two or more
Total	73,408	60,705	8,645	3,528
otai	73,400	00,703	0,043	3,320
Sex				
Male	37,487	30,929	4,437	1,874
Female	35,920	29,776	4,208	1,654
Age				
0-4 years	19,909	15,119	3,213	1,427
5-11 years	28,547	24,339	2,882	1,113
, 12-17 years	24,952	21,248	2,550	987
Race One race ²	70.050	50.005	0.007	2 222
	70,058	58,025	8,207	3,322
White	54,370	45,414	6,257	2,329
Black or African American	10,875	8,494	1,511	781
American Indian or Alaska Native	896	629	141	112
Asian	3,746	3,330	294	91
Native Hawaiian or Other Pacific Islander wo or more races ³	171 3 350	*158 2,680	438	205
	3,350	·		*89
Black or African American and white	1,469	1,148 483	213 *64	*55
American Indian or Alaska Native and white	610	483	**04	" ວວ
Hispanic or Latino origin⁴ and race				
Hispanic or Latino	17,907	14,788	2,156	896
Mexican or Mexican American	12,170	10,199	1,359	553
Not Hispanic or Latino	55,501	45,917	6,489	2,632
White, single race	38,523	32,163	4,455	1,581
Black or African American only, single race	9,997	7,863	1,346	703
Family structure ⁵				
Nother and father	50,748	42,942	5,471	1,983
Nother, no father	17,718	13,676	2,638	1,275
Father, no mother	2,859	2,412	286	132
Veither mother nor father	2,083	1,676	250	138
_	,	•		
Parent's education ⁶	0.740	0.005	4.045	504
Less than high school diploma	8,713	6,835	1,245	594
High school diploma or GED ⁷	14,168	11,447	1,649	979
More than high school	48,212	40,542	5,488	1,815
Family income ⁸				
Less than \$35,000	21,397	16,218	3,327	1,724
\$35,000 or more	45,311	38,889	4,619	1,508
\$35,000-\$49,999	8,216	6,752	984	458
\$50,000-\$74,999	10,689	9,053	1,200	391
\$75,000-\$99,999	8,264	7,109	788	311
\$100,000 or more	18,142	15,975	1,648	348
Poverty status ⁹				
Poor	15,882	11,910	2,454	1,438
Near poor	16,150	13,074	2,092	887
Not poor	37,938	32,874	3,716	1,066

U.S. Department of Health and Human Services • Centers for Disease Control and Prevention • National Center for Health Statistics

Table C-10b. Frequency distributions (in thousands) of emergency room visits in the past 12 months for children under age 18 years by selected characteristics: United States, 2014

All children under age						
Selected characteristic	18 years	None ¹	One ¹	Two or more ¹		
Health insurance coverage ¹⁰						
Private	39,115	34,011	3,813	994		
Medicaid or other public	28,112	21,511	4,241	2,156		
Other	1,989	1,600	249	*137		
Uninsured	3,845	3,265	337	226		
Place of residence ¹¹						
Large MSA	39,518	32,980	4,564	1,706		
Small MSA	23,921	19,591	2,938	1,198		
Not in MSA	9,969	8,134	1,144	624		
Region						
Northeast	10,811	8,835	1,348	545		
Midwest	16,534	13,321	2,144	928		
South	28,279	23,444	3,329	1,378		
West	17,784	15,106	1,824	677		
Current health status						
Excellent or very good	62,167	52,284	7,100	2,387		
Good	10,022	7,756	1,262	901		
Fair or poor	1,196	644	283	239		

^{*} Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about the sample child, not all children in the family. Data came from the Sample Child File and were weighted using the Sample Child weight. Estimates of "All children under 18 years" in this table differ slightly from estimates of "All children under 18 years" in the other detailed tables that were based on the Person File and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All children under 18 years" column. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Bloom B, Freeman G. Tables of Summary Health Statistics for U.S. Children: 2014 National Health Interview Survey. 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm.

⁻ Quantity zero.

¹Based on the question, "During the past 12 months, how many times has [child's name] gone to a hospital emergency room about [his/her] health? (This includes emergency room visits that resulted in a hospital admission.)"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

Table C-10c. Crude percent distributions (with standard errors) of emergency room visits in the past 12 months for children under age 18 years by selected characteristics: United States, 2014

Selected characteristic	All children under age 18 years	None ¹	One ¹	Two or more
Fotal	100.0	83.3 (0.46)	11.9 (0.38)	4.8 (0.27)
Sex				
Male	100.0	83.1 (0.60)	11.9 (0.51)	5.0 (0.37)
Female	100.0	83.6 (0.64)	11.8 (0.55)	4.6 (0.35)
emale	100.0	00.0 (0.04)	11.0 (0.00)	4.0 (0.00)
Age				
0-4 years	100.0	76.5 (0.97)	16.3 (0.85)	7.2 (0.57)
5-11 years	100.0	85.9 (0.68)	10.2 (0.57)	3.9 (0.39)
2-17 years	100.0	85.7 (0.70)	10.3 (0.63)	4.0 (0.40)
Race				
One race ²	100.0	83.4 (0.47)	11.8 (0.39)	4.8 (0.27)
White	100.0	84.1 (0.54)	11.6 (0.44)	4.3 (0.30)
Black or African American	100.0	78.7 (1.15)	14.0 (1.01)	7.2 (0.73)
American Indian or Alaska Native	100.0	71.3 (4.53)	16.0 (3.97)	12.6 (2.83)
Asian Native Hawaiian or Other Pacific Islander	100.0	89.6 (1.19)	7.9 (1.08)	2.4 (0.58)
wo or more races ³	100.0	92.4 (4.86)	12.2 (4.62)	60/440\
	100.0	80.6 (1.88)	13.2 (1.63)	6.2 (1.18) *6.2 (2.06)
Black or African American and white American Indian or Alaska Native and white	100.0 100.0	79.2 (3.01) 80.2 (4.41)	14.7 (2.47) *10.6 (3.49)	*6.2 (2.06) *9.2 (3.15)
	100.0	00.2 (4.41)	10.0 (3.49)	9.2 (3.13)
Hispanic or Latino origin ⁴ and race				
dispanic or Latino	100.0	82.9 (0.81)	12.1 (0.68)	5.0 (0.42)
Mexican or Mexican American	100.0	84.2 (0.95)	11.2 (0.79)	4.6 (0.47)
Not Hispanic or Latino	100.0	83.4 (0.54)	11.8 (0.46)	4.8 (0.32)
White, single race	100.0	84.2 (0.68)	11.7 (0.55)	4.1 (0.38)
Black or African American only, single race	100.0	79.3 (1.21)	13.6 (1.06)	7.1 (0.77)
Family structure ⁵				
Nother and father	100.0	85.2 (0.53)	10.9 (0.45)	3.9 (0.29)
Nother, no father	100.0	77.8 (0.96)	15.0 (0.81)	7.2 (0.57)
ather, no mother	100.0	85.2 (1.86)	10.1 (1.53)	4.7 (1.22)
leither mother nor father	100.0	81.2 (2.60)	12.1 (2.24)	6.7 (1.46)
Parent's education ⁶				
ess than high school diploma	100.0	78.8 (1.39)	14.4 (1.23)	6.9 (0.85)
High school diploma or GED ⁷	100.0	81.3 (1.05)	11.7 (0.79)	7.0 (0.70)
Nore than high school	100.0	84.7 (0.54)	11.5 (0.47)	3.8 (0.28)
Family income ⁸				
•	100.0	76.3 (0.88)	15.6 (0.76)	8.1 (0.58)
ess than \$35,000 35,000 or more	100.0 100.0	86.4 (0.54)	10.3 (0.46)	3.4 (0.29)
\$35,000 or more \$35,000-\$49,999	100.0	82.4 (1.27)	12.0 (1.08)	5.6 (0.78)
\$50,000-\$49,999 \$50,000-\$74,999	100.0	85.1 (1.15)	11.3 (1.08)	3.7 (0.57)
\$75,000-\$99,999	100.0	86.6 (1.22)	9.6 (1.02)	3.8 (0.62)
\$100,000 or more	100.0	88.9 (0.77)	9.2 (0.69)	1.9 (0.35)
	100.0	(0)	3.2 (3.00)	(0.00)
Poverty status ⁹	400.0	75 4 /4 47\	4E E (4.04)	0.4 (0.70)
Poor	100.0	75.4 (1.17)	15.5 (1.01)	9.1 (0.73)
Near poor	100.0	81.4 (0.95)	13.0 (0.80)	5.5 (0.56)
Not poor	100.0	87.3 (0.58)	9.9 (0.50)	2.8 (0.28)

Table C-10c. Crude percent distributions (with standard errors) of emergency room visits in the past 12 months for children under age 18 years by selected characteristics: United States, 2014

	All children under age	I children under age		
Selected characteristic	18 years	None ¹	One ¹	Two or more ¹
Health insurance coverage ¹⁰				
Private	100.0	87.6 (0.55)	9.8 (0.49)	2.6 (0.25)
Medicaid or other public	100.0	77.1 (0.77)	15.2 (0.66)	7.7 (0.51)
Other	100.0	80.6 (2.77)	12.5 (2.14)	6.9 (2.06)
Uninsured	100.0	85.3 (1.68)	8.8 (1.54)	5.9 (1.23)
Place of residence ¹¹				
Large MSA	100.0	84.0 (0.59)	11.6 (0.51)	4.3 (0.32)
Small MSA	100.0	82.6 (0.83)	12.4 (0.74)	5.0 (0.49)
Not in MSA	100.0	82.2 (1.33)	11.6 (0.78)	6.3 (0.96)
Region				
Northeast	100.0	82.4 (1.16)	12.6 (0.98)	5.1 (0.63)
Midwest	100.0	81.3 (1.23)	13.1 (0.94)	5.7 (0.72)
South	100.0	83.3 (0.69)	11.8 (0.61)	4.9 (0.43)
West	100.0	85.8 (0.76)	10.4 (0.67)	3.8 (0.40)
Current health status				
Excellent or very good	100.0	84.6 (0.47)	11.5 (0.41)	3.9 (0.25)
Good	100.0	78.2 (1.30)	12.7 (1.01)	9.1 (0.92)
Fair or poor	100.0	55.2 (4.28)	24.2 (4.31)	20.5 (3.27)

^{*} Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

NOTES: Based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about the sample child, not all children in the family. Data came from the Sample Child File and were weighted using the Sample Child weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes children of other races not shown separately and children with unknown family structure, parent's education, family income, poverty status, health insurance, or current health status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from http://www.cdc.gov/nchs/nhis/SHS/tables.htm). Suggested citation: Bloom B, Freeman G. Tables of Summary Health Statistics for U.S. Children: 2014 National Health Interview Survey. 2015. Available from: http://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

⁻ Quantity zero.

¹Based on the question, "During the past 12 months, how many times has [child's name] gone to a hospital emergency room about [his/her] health? (This includes emergency room visits that resulted in a hospital admission.)"

²Refers to children with only a single race group indicated, including those of Hispanic or Latino origin.

³Refers to children with more than one race group indicated, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to children who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to children who are not of Hispanic or Latino origin, regardless of race.

⁵Refers to parents living in the household. "Mother and father" can include biological, adoptive, step, in-law, or foster relationships. Legal guardians are classified in "Neither mother nor father."

⁶Refers to the education level of the parent with the higher level of education, regardless of that parent's age, provided the parent(s) live(s) in the household.

⁷GED is General Educational Development high school equivalency diploma.

⁸Includes children in families that reported either dollar amounts or would not provide a dollar amount but provided an income interval.

⁹"Poor" children live in families defined as below the poverty threshold. "Near poor" children live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" children live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Children with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes children who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.