Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	100.0	27.0 (1.28)	11.5 (0.82)	8.6 (0.69)	19.4 (1.11)	33.4 (1.36)
Sex						
Male	100.0	26.3 (1.43)	11.5 (1.02)	8.6 (0.80)	18.7 (1.19)	34.9 (1.44)
Female	100.0	27.7 (1.60)	11.6 (0.95)	8.7 (0.88)	20.3 (1.43)	31.7 (1.69)
Age						
Under 12 years	100.0	38.3 (3.82)	14.7 (2.49)	10.2 (2.15)	14.7 (3.13)	22.1 (3.43)
12-17 years	100.0	31.5 (4.27)	8.7 (2.21)	9.6 (2.49)	25.1 (4.00)	25.2 (4.37)
18-44 years	100.0	24.1 (1.00)	12.2 (0.78)	9.0 (0.67)	21.2 (1.05)	33.6 (1.18)
45-64 years	100.0	21.6 (1.49)	8.7 (0.92)	6.5 (0.78)	17.9 (1.39)	45.2 (1.81)
Race						
One race[2]	100.0	26.7 (1.29)	11.5 (0.83)	8.7 (0.71)	19.7 (1.13)	33.4 (1.37)
White	100.0	25.5 (1.30)	11.7 (0.96)	8.2 (0.78)	18.7 (1.26)	35.9 (1.56)
Black or African American	100.0	30.1 (3.90)	11.6 (1.94)	11.2 (1.85)	20.4 (2.94)	26.7 (2.75)
American Indian or Alaska Native	100.0	37.5 (5.88)	*	*	27.6 (5.77)	21.9 (5.65)
Asian	100.0	33.2 (5.80)	*	*	30.2 (5.05)	21.5 (4.81)
Native Hawaiian or Other Pacific Islander	100.0	*	*	*	*	*
Two or more races[3]	100.0	35.7 (6.53)	11.6 (3.23)	*	*	33.0 (4.94)
Black or African American, white	100.0	*	*	*	*	*
American Indian or Alaska Native, white	100.0	42.8 (6.87)	*	*	*	31.0 (6.96)
Hispanic or Latino origin[4] and race						
Hispanic or Latino	100.0	24.0 (1.87)	12.5 (1.47)	9.8 (1.31)	21.2 (1.96)	32.5 (2.33)
Mexican or Mexican American	100.0	22.3 (2.21)	12.7 (1.61)	9.8 (1.54)	20.8 (2.29)	34.4 (2.79)
Not Hispanic or Latino	100.0	28.5 (1.72)	10.7 (0.91)	8.2 (0.83)	18.7 (1.29)	34.0 (1.71)
White, single race	100.0	27.4 (1.72)	10.5 (1.08)	7.7 (0.96)	17.5 (1.47)	37.0 (2.04)
Black or African American, single race	100.0	30.9 (4.07)	12.0 (2.09)	10.0 (1.85)	20.0 (3.12)	27.1 (2.89)
Education[5]						
Less than a high school diploma	100.0	15.3 (1.73)	8.8 (1.29)	6.0 (0.96)	19.0 (1.97)	50.8 (2.38)
High school diploma or GED[6]	100.0	19.1 (1.40)	9.9 (1.06)	8.7 (1.01)	20.8 (1.56)	41.6 (1.88)
Some college	100.0	24.6 (1.47)	11.8 (1.14)	8.0 (0.93)	18.6 (1.42)	36.9 (1.85)
Bachelor's degree or higher	100.0	35.9 (2.84)	10.1 (1.66)	5.6 (1.16)	19.0 (2.03)	29.4 (2.57)
Family income[7]						
Less than $35,000	100.0	22.6 (1.90)	12.9 (1.55)	8.7 (1.30)	21.2 (2.11)	34.7 (1.72)
$35,000 or more	100.0	30.9 (1.96)	10.6 (1.09)	9.2 (0.96)	19.3 (1.48)	30.0 (1.88)
$35,000-$49,999	100.0	26.2 (2.74)	8.3 (1.30)	10.5 (2.04)	22.0 (3.03)	33.0 (3.11)
$50,000-$74,999	100.0	29.7 (2.92)	12.1 (1.84)	8.2 (1.37)	21.9 (2.41)	28.0 (2.47)
$75,000-$99,999	100.0	35.4 (4.59)	10.9 (2.98)	6.5 (1.62)	17.1 (2.70)	30.1 (4.58)
$100,000 or more	100.0	38.1 (4.79)	10.9 (3.02)	10.4 (2.22)	12.0 (2.19)	28.5 (3.96)
Poverty status[8]						
Poor	100.0	23.3 (2.49)	12.4 (2.07)	7.5 (1.60)	21.8 (2.81)	34.9 (2.46)
Near poor	100.0	20.9 (1.95)	9.1 (1.15)	11.0 (1.48)	22.7 (2.20)	36.2 (2.33)
Not poor	100.0	32.7 (2.18)	12.6 (1.37)	7.5 (0.83)	16.1 (1.18)	31.1 (1.96)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	100.0	27.3 (1.84)	12.4 (1.14)	8.3 (0.90)	22.0 (1.63)	30.0 (1.79)
Small MSA	100.0	27.4 (2.12)	11.4 (1.37)	9.1 (1.26)	16.0 (1.32)	36.1 (2.36)
Not in MSA	100.0	26.4 (2.56)	7.7 (1.62)	9.3 (1.98)	15.7 (1.99)	41.0 (3.51)
Region						
Northeast	100.0	36.1 (4.88)	11.8 (2.90)	7.8 (2.22)	18.0 (2.67)	26.2 (4.59)
Midwest	100.0	31.7 (2.54)	10.0 (1.68)	9.1 (1.76)	17.5 (2.35)	31.7 (2.52)
South	100.0	23.1 (1.77)	12.2 (1.12)	9.3 (0.97)	20.2 (1.50)	35.1 (1.72)
West	100.0	30.7 (2.84)	10.0 (1.70)	6.4 (1.03)	18.8 (2.58)	34.2 (3.70)
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	100.0	23.9 (2.24)	12.5 (1.72)	10.1 (1.48)	20.2 (2.12)	33.2 (2.44)
Hispanic or Latina, female	100.0	23.9 (2.31)	12.3 (1.84)	9.4 (1.66)	22.3 (2.44)	32.1 (2.97)
Not Hispanic or Latino:						
White, single race, male	100.0	26.5 (2.05)	10.2 (1.29)	7.3 (1.26)	17.4 (1.64)	38.6 (2.27)
White, single race, female	100.0	28.1 (2.13)	10.9 (1.28)	8.1 (1.18)	17.8 (1.89)	35.1 (2.49)
Black or African American, single race, male	100.0	30.2 (3.93)	11.8 (2.64)	10.5 (2.16)	18.6 (2.91)	28.8 (3.19)
Black or African American, single race, female	100.0	31.5 (5.25)	12.1 (2.52)	9.5 (2.50)	21.7 (4.39)	25.2 (3.66)
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	100.0	20.0 (3.50)	15.1 (3.34)	7.7 (1.79)	24.5 (3.89)	32.6 (3.60)
Near poor	100.0	21.6 (3.58)	9.1 (2.09)	12.1 (2.64)	23.9 (3.98)	33.4 (3.83)
Not poor	100.0	28.1 (3.10)	12.6 (2.56)	9.5 (2.00)	15.7 (2.13)	34.2 (3.73)
Not Hispanic or Latino:						
White, single race						
Poor	100.0	24.8 (4.87)	9.1 (2.53)	*	19.8 (4.25)	40.7 (6.34)
Near poor	100.0	21.1 (2.71)	8.5 (1.61)	11.2 (2.33)	17.4 (2.59)	41.9 (3.37)
Not poor	100.0	31.7 (2.54)	12.2 (1.66)	6.3 (1.03)	16.5 (1.61)	33.2 (2.50)
Black or African American, single race						
Poor	100.0	27.0 (4.89)	*	*	17.7 (4.94)	32.5 (4.13)
Near poor	100.0	18.8 (4.49)	10.9 (2.83)	*	32.9 (6.77)	28.6 (6.03)
Not poor	100.0	42.9 (6.89)	14.9 (4.36)	9.5 (1.91)	13.3 (2.42)	19.4 (4.50)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

*Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using two age groups: 25-44 and 45-64.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 0-11, 12-17, 18-44, and 45-64. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from https://www.cdc.gov/nchs/nhis/SHS/tables.htm).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: https://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	28,591	4,674	2,127	1,586	3,773	6,718
Sex						
Male	15,761	2,450	1,097	849	1,980	3,859
Female	12,830	2,224	1,030	737	1,792	2,859
Age						
Under 12 years	2,218	512	197	136	196	295
12-17 years	1,425	281	78	85	223	224
18-44 years	17,263	2,751	1,397	1,024	2,418	3,836
45-64 years	7,684	1,130	456	341	935	2,362
Race						
One race[2]	27,787	4,507	2,049	1,535	3,703	6,500
White	21,430	3,337	1,574	1,112	2,707	5,410
Black or African American	4,038	859	401	352	665	862
American Indian or Alaska Native	969	*	*	*	73	*
Asian	1,269	240	*	*	238	153
Native Hawaiian or Other Pacific Islander	80	*	*	*	*	*
Two or more races[3]	804	167	78	*	70	218
Black or African American, white	218	*	*	*	*	*
American Indian or Alaska Native, white	410	*	*	*	*	*
Hispanic or Latino origin[4] and race						
Hispanic or Latino	10,945	1,286	652	559	1,287	1,999
Mexican or Mexican American	7,484	785	465	359	857	1,457
Not Hispanic or Latino	17,646	3,388	1,475	1,028	2,486	4,718
White, single race	11,627	2,245	976	639	1,596	3,535
Black or African American, single race	3,755	826	387	301	610	842
Education[5]						
Less than a high school diploma	5,666	430	250	168	535	1,424
High school diploma or GED[6]	6,503	856	445	400	940	1,852
Some college	5,511	1,091	527	357	819	1,577
Bachelor's degree or higher	2,726	700	199	108	372	571
Family income[7]						
Less than $35,000	10,999	1,448	883	561	1,431	2,766
$35,000 or more	13,746	2,725	1,006	870	1,920	2,995
$35,000-$49,999	4,338	727	265	287	650	1,018
$50,000-$74,999	4,731	965	427	290	793	1,066
$75,000-$99,999	1,946	391	137	100	242	385
$100,000 or more	2,731	641	176	193	236	526
Poverty status[8]						
Poor	6,030	785	435	273	738	1,401
Near poor	8,335	1,050	523	544	1,191	2,012
Not poor	12,207	2,545	1,062	677	1,576	2,844

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	15,979	2,641	1,254	859	2,275	3,279
Small MSA	8,063	1,401	650	470	1,062	2,238
Not in MSA	4,549	633	224	258	435	1,201
Region						
Northeast	2,941	556	218	155	412	506
Midwest	4,982	930	383	281	584	1,124
South	14,866	2,129	1,134	876	2,051	3,769
West	5,802	1,060	391	275	726	1,319
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	6,092	661	316	309	655	1,056
Hispanic or Latina, female	4,853	625	336	250	632	944
Not Hispanic or Latino:						
White, single race, male	6,450	1,236	537	330	860	2,101
White, single race, female	5,176	1,009	440	309	736	1,433
Black or African American, single race, male	2,073	399	194	175	334	499
Black or African American, single race, female	1,682	427	193	126	276	343
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	2,970	252	195	122	326	493
Near poor	3,754	383	166	216	442	637
Not poor	3,372	545	239	197	391	749
Not Hispanic or Latino:						
White, single race						
Poor	1,591	299	125	65	224	541
Near poor	2,978	479	220	230	420	1,023
Not poor	6,324	1,363	595	307	873	1,724
Black or African American, single race						
Poor	1,084	185	108	*	157	297
Near poor	965	138	103	68	228	225
Not poor	1,433	439	165	138	190	236

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

*Corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), so the frequency is not shown.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons currently uninsured under age 65" column. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from https://www.cdc.gov/nchs/nhis/SHS/tables.htm).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: https://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: NCHS, National Health Interview Survey, 2017.

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Total	100.0	24.8 (0.96)	11.3 (0.64)	8.4 (0.54)	20.0 (0.88)	35.6 (1.10)
Sex						
Male	100.0	23.9 (1.10)	10.7 (0.78)	8.3 (0.64)	19.3 (0.99)	37.7 (1.26)
Female	100.0	25.7 (1.22)	11.9 (0.80)	8.5 (0.73)	20.7 (1.14)	33.1 (1.36)
Age						
Under 12 years	100.0	38.3 (3.82)	14.7 (2.49)	10.2 (2.15)	14.7 (3.13)	22.1 (3.43)
12-17 years	100.0	31.5 (4.27)	8.7 (2.21)	9.6 (2.49)	25.1 (4.00)	25.2 (4.37)
18-44 years	100.0	24.1 (1.00)	12.2 (0.78)	9.0 (0.67)	21.2 (1.05)	33.6 (1.18)
45-64 years	100.0	21.6 (1.49)	8.7 (0.92)	6.5 (0.78)	17.9 (1.39)	45.2 (1.81)
Race						
One race[2]	100.0	24.6 (0.97)	11.2 (0.65)	8.4 (0.55)	20.2 (0.90)	35.5 (1.12)
White	100.0	23.6 (1.02)	11.1 (0.72)	7.9 (0.60)	19.1 (1.00)	38.3 (1.27)
Black or African American	100.0	27.4 (2.69)	12.8 (1.68)	11.2 (1.49)	21.2 (2.14)	27.5 (2.19)
American Indian or Alaska Native	100.0	*	*	*	30.4 (6.69)	*
Asian	100.0	32.4 (4.44)	*	*	32.2 (4.70)	20.6 (3.89)
Native Hawaiian or Other Pacific Islander	100.0	*	*	*	*	*
Two or more races[3]	100.0	28.6 (5.96)	13.3 (3.31)	*	11.9 (3.22)	37.3 (5.58)
Black or African American, white	100.0	*	*	*	*	*
American Indian or Alaska Native, white	100.0	*	*	*	*	*
Hispanic or Latino origin[4] and race						
Hispanic or Latino	100.0	22.2 (1.62)	11.3 (1.17)	9.7 (1.08)	22.3 (1.67)	34.6 (2.11)
Mexican or Mexican American	100.0	20.0 (1.87)	11.9 (1.38)	9.2 (1.22)	21.8 (1.99)	37.1 (2.61)
Not Hispanic or Latino	100.0	25.9 (1.20)	11.3 (0.75)	7.8 (0.63)	19.0 (0.99)	36.0 (1.29)
White, single race	100.0	25.0 (1.24)	10.9 (0.88)	7.1 (0.70)	17.8 (1.18)	39.3 (1.53)
Black or African American, single race	100.0	27.9 (2.80)	13.0 (1.76)	10.1 (1.47)	20.6 (2.19)	28.4 (2.30)
Education[5]						
Less than a high school diploma	100.0	15.3 (1.73)	8.9 (1.31)	6.0 (0.96)	19.1 (1.98)	50.7 (2.38)
High school diploma or GED[6]	100.0	19.0 (1.40)	9.9 (1.06)	8.9 (1.04)	20.9 (1.57)	41.2 (1.87)
Some college	100.0	25.0 (1.48)	12.0 (1.14)	8.2 (0.93)	18.7 (1.41)	36.1 (1.82)
Bachelor's degree or higher	100.0	35.9 (2.85)	10.2 (1.65)	5.5 (1.13)	19.1 (2.06)	29.3 (2.56)
Family income[7]						
Less than $35,000	100.0	20.4 (1.26)	12.5 (1.08)	7.9 (0.79)	20.2 (1.26)	39.0 (1.42)
$35,000 or more	100.0	28.6 (1.59)	10.6 (0.92)	9.1 (0.85)	20.2 (1.28)	31.5 (1.57)
$35,000-$49,999	100.0	24.7 (2.31)	9.0 (1.29)	9.7 (1.66)	22.1 (2.58)	34.5 (2.69)
$50,000-$74,999	100.0	27.3 (2.45)	12.1 (1.60)	8.2 (1.16)	22.4 (2.11)	30.1 (2.14)
$75,000-$99,999	100.0	31.2 (3.87)	10.9 (2.55)	8.0 (2.01)	19.2 (2.94)	30.7 (3.82)
$100,000 or more	100.0	36.2 (4.14)	9.9 (2.35)	10.9 (2.30)	13.3 (2.42)	29.7 (3.82)
Poverty status[8]						
Poor	100.0	21.6 (1.88)	12.0 (1.60)	7.5 (1.14)	20.3 (1.93)	38.6 (2.26)
Near poor	100.0	19.7 (1.52)	9.8 (1.10)	10.2 (1.15)	22.4 (1.74)	37.8 (1.96)
Not poor	100.0	29.2 (1.63)	12.2 (1.03)	7.8 (0.76)	18.1 (1.20)	32.7 (1.56)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]
Place of residence[9]						
Large MSA	100.0	25.6 (1.45)	12.2 (0.93)	8.3 (0.76)	22.1 (1.32)	31.8 (1.59)
Small MSA	100.0	24.1 (1.45)	11.2 (1.05)	8.1 (0.88)	18.3 (1.26)	38.4 (1.75)
Not in MSA	100.0	23.0 (2.02)	8.1 (1.45)	9.4 (1.44)	15.8 (1.84)	43.7 (2.59)
Region						
Northeast	100.0	30.1 (3.30)	11.8 (2.03)	8.4 (1.98)	22.3 (3.26)	27.4 (3.06)
Midwest	100.0	28.2 (1.98)	11.6 (1.53)	8.5 (1.25)	17.7 (1.78)	34.0 (2.06)
South	100.0	21.4 (1.36)	11.4 (0.87)	8.8 (0.73)	20.6 (1.15)	37.8 (1.55)
West	100.0	28.1 (2.10)	10.4 (1.47)	7.3 (1.20)	19.2 (2.20)	35.0 (2.88)
Hispanic or Latino origin[4], race, and sex						
Hispanic or Latino, male	100.0	22.0 (1.93)	10.6 (1.41)	10.3 (1.39)	21.9 (1.90)	35.2 (2.45)
Hispanic or Latina, female	100.0	22.4 (2.03)	12.1 (1.51)	9.0 (1.33)	22.7 (2.10)	33.9 (2.60)
Not Hispanic or Latino:						
White, single race, male	100.0	24.4 (1.51)	10.6 (1.09)	6.5 (0.80)	17.0 (1.33)	41.5 (1.71)
White, single race, female	100.0	25.7 (1.63)	11.2 (1.10)	7.9 (1.00)	18.7 (1.55)	36.5 (1.96)
Black or African American, single race, male	100.0	24.9 (3.02)	12.1 (2.26)	10.9 (1.93)	20.9 (2.78)	31.2 (2.91)
Black or African American, single race, female	100.0	31.3 (3.56)	14.1 (2.36)	9.2 (2.13)	20.2 (2.77)	25.1 (2.94)
Hispanic or Latino origin[4], race, and poverty status						
Hispanic or Latino:						
Poor	100.0	18.2 (3.18)	14.0 (2.73)	8.8 (1.85)	23.5 (3.22)	35.5 (3.85)
Near poor	100.0	20.8 (3.08)	9.0 (1.73)	11.7 (2.17)	24.0 (3.22)	34.6 (3.44)
Not poor	100.0	25.7 (2.71)	11.3 (2.14)	9.3 (1.86)	18.4 (2.41)	35.3 (3.27)
Not Hispanic or Latino:						
White, single race						
Poor	100.0	23.8 (2.92)	10.0 (2.10)	5.2 (1.48)	17.9 (2.95)	43.1 (3.82)
Near poor	100.0	20.2 (2.09)	9.3 (1.57)	9.7 (1.66)	17.7 (2.10)	43.1 (2.78)
Not poor	100.0	28.0 (1.93)	12.2 (1.30)	6.3 (0.88)	18.0 (1.56)	35.5 (1.93)
Black or African American, single race						
Poor	100.0	22.6 (4.41)	13.2 (3.55)	*	19.2 (3.78)	36.3 (4.78)
Near poor	100.0	18.1 (3.38)	13.6 (3.75)	9.0 (2.70)	29.8 (5.39)	29.5 (4.47)
Not poor	100.0	37.6 (5.20)	14.2 (2.87)	11.8 (2.48)	16.3 (2.84)	20.2 (3.37)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2017

Selected characteristic	All persons currently uninsured under age 65	6 months or less[1]	7-12 months[1]	13-36 months[1]	More than 36 months[1]	Never[1]

*Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

[1]Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

[2]Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

[3]Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

[4]Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

[5]Shown only for persons aged 25 and over.

[6]GED is General Educational Development high school equivalency diploma.

[7]Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

[8]"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

[9]MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from https://www.cdc.gov/nchs/nhis/SHS/tables.htm).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2017 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: https://www.cdc.gov/nchs/nhis/SHS/tables.htm.

SOURCE: NCHS, National Health Interview Survey, 2017.