

**Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Total	13.8 (0.30)	10.2 (0.24)	3.6 (0.16)	20.9 (0.31)	65.3 (0.41)
Sex					
Male	15.6 (0.44)	11.3 (0.35)	4.3 (0.24)	24.8 (0.47)	59.6 (0.60)
Female	12.1 (0.36)	9.2 (0.32)	2.9 (0.18)	17.5 (0.40)	70.4 (0.51)
Age (years)					
18–44	14.3 (0.45)	9.9 (0.37)	4.3 (0.25)	13.6 (0.43)	72.1 (0.59)
45–64	16.3 (0.47)	12.7 (0.41)	3.6 (0.24)	23.4 (0.54)	60.4 (0.64)
65–74	11.0 (0.54)	9.1 (0.51)	1.9 (0.23)	37.0 (0.87)	52.1 (0.95)
75 and over	4.7 (0.41)	3.8 (0.37)	0.8 (0.17)	42.2 (1.10)	53.1 (1.11)
Race					
One race <sup>2</sup>	13.7 (0.30)	10.2 (0.24)	3.6 (0.16)	21.0 (0.32)	65.3 (0.42)
White	14.2 (0.34)	10.8 (0.28)	3.4 (0.17)	22.8 (0.37)	63.1 (0.48)
Black or African American	14.2 (0.82)	9.2 (0.65)	5.0 (0.49)	13.8 (0.73)	72.0 (1.07)
American Indian or Alaska Native	22.5 (4.22)	13.8 (3.28)	8.7 (2.63)	18.4 (2.66)	59.0 (4.66)
Asian	6.8 (0.85)	4.7 (0.65)	2.1 (0.50)	13.6 (1.01)	79.6 (1.30)
Native Hawaiian or Other Pacific Islander	*	*	*	21.4 (3.81)	64.7 (5.45)
Two or more races <sup>3</sup>	16.4 (2.00)	11.2 (1.68)	5.2 (1.16)	20.1 (1.83)	63.5 (2.60)
Black or African American, white	*	*	*	18.0 (4.56)	72.8 (4.93)
American Indian or Alaska Native, white	24.8 (4.69)	19.7 (4.63)	5.2 (1.49)	26.1 (3.71)	49.0 (5.08)
Hispanic or Latino origin <sup>4</sup> and race					
Hispanic or Latino	9.6 (0.67)	6.0 (0.53)	3.6 (0.40)	15.7 (0.76)	74.7 (1.01)
Mexican or Mexican American	9.6 (0.88)	5.6 (0.66)	4.0 (0.56)	13.9 (0.95)	76.5 (1.26)
Not Hispanic or Latino	14.8 (0.33)	11.1 (0.27)	3.6 (0.17)	21.9 (0.33)	63.3 (0.44)
White, single race	15.5 (0.39)	12.2 (0.33)	3.3 (0.19)	24.5 (0.41)	60.0 (0.53)
Black or African American, single race	14.3 (0.84)	9.1 (0.65)	5.2 (0.52)	13.6 (0.73)	72.1 (1.10)
Education <sup>5</sup>					
Less than a high school diploma	23.6 (1.13)	18.6 (1.01)	4.9 (0.61)	19.6 (0.97)	56.8 (1.36)
High school diploma or GED <sup>6</sup>	22.7 (0.81)	17.6 (0.69)	5.1 (0.44)	25.1 (0.72)	52.2 (0.94)
Some college	17.0 (0.61)	12.9 (0.53)	4.2 (0.32)	26.5 (0.68)	56.4 (0.78)
Bachelor's degree or higher	5.7 (0.30)	3.5 (0.23)	2.2 (0.18)	21.0 (0.51)	73.3 (0.58)
Current employment status <sup>7</sup>					
Employed	12.4 (0.34)	9.1 (0.28)	3.3 (0.18)	21.5 (0.47)	66.1 (0.54)
Full-time	12.6 (0.40)	9.1 (0.32)	3.5 (0.24)	21.8 (0.68)	65.6 (0.75)
Part-time	12.4 (0.84)	9.6 (0.73)	2.7 (0.40)	19.5 (0.85)	68.2 (1.09)
Not employed but has worked previously	19.1 (0.74)	14.1 (0.62)	5.0 (0.46)	21.8 (0.66)	59.2 (0.91)
Not employed and has never worked	9.6 (1.17)	7.6 (1.05)	2.0 (0.53)	8.3 (1.10)	82.1 (1.53)

**Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Family income <sup>8</sup>					
Less than \$35,000	22.3 (0.65)	16.9 (0.57)	5.4 (0.36)	18.8 (0.58)	58.9 (0.79)
\$35,000 or more	11.3 (0.34)	8.2 (0.27)	3.1 (0.18)	22.0 (0.39)	66.7 (0.50)
\$35,000–\$49,999	17.8 (0.94)	13.4 (0.83)	4.4 (0.50)	21.4 (0.92)	60.7 (1.15)
\$50,000–\$74,999	14.0 (0.68)	11.0 (0.60)	2.9 (0.32)	22.1 (0.76)	63.9 (0.96)
\$75,000–\$99,999	13.2 (0.80)	9.6 (0.68)	3.6 (0.45)	23.8 (0.92)	62.9 (1.07)
\$100,000 or more	7.1 (0.43)	4.5 (0.32)	2.6 (0.27)	21.4 (0.61)	71.5 (0.73)
Poverty status <sup>9</sup>					
Poor	22.4 (0.96)	16.9 (0.86)	5.5 (0.51)	16.6 (0.79)	61.0 (1.10)
Near poor	20.1 (0.82)	15.7 (0.70)	4.4 (0.43)	18.9 (0.75)	61.0 (1.00)
Not poor	11.2 (0.32)	8.0 (0.26)	3.2 (0.19)	22.2 (0.37)	66.6 (0.47)
Health insurance coverage <sup>10</sup>					
Under 65:					
Private	11.1 (0.36)	7.6 (0.29)	3.5 (0.21)	17.8 (0.40)	71.1 (0.50)
Medicaid	25.6 (1.09)	19.9 (0.96)	5.7 (0.58)	14.3 (0.87)	60.1 (1.26)
Other coverage	18.3 (1.63)	14.7 (1.47)	3.6 (0.77)	22.0 (1.68)	59.6 (2.16)
Uninsured	24.1 (1.09)	18.2 (0.92)	5.9 (0.63)	14.6 (0.95)	61.3 (1.34)
65 and over:					
Private	6.7 (0.50)	5.4 (0.47)	1.3 (0.22)	40.8 (1.06)	52.6 (1.10)
Medicare and Medicaid	12.1 (1.46)	9.9 (1.32)	2.2 (0.72)	32.2 (2.24)	55.7 (2.45)
Medicare Advantage	7.1 (0.64)	5.8 (0.59)	1.3 (0.28)	38.1 (1.32)	54.8 (1.38)
Medicare only	10.0 (0.94)	9.0 (0.91)	0.9 (0.29)	35.8 (1.73)	54.3 (1.87)
Other coverage	9.1 (1.14)	7.2 (1.03)	1.9 (0.51)	48.9 (2.25)	42.0 (2.28)
Uninsured	*	*	*	*	*
Marital status					
Married	10.7 (0.38)	8.0 (0.32)	2.7 (0.20)	23.0 (0.49)	66.3 (0.57)
Widowed	19.6 (3.34)	17.0 (3.22)	2.6 (0.92)	24.4 (4.37)	56.1 (4.90)
Divorced or separated	23.2 (1.11)	17.9 (1.03)	5.3 (0.59)	24.1 (0.99)	52.7 (1.30)
Never married	14.8 (0.65)	10.4 (0.53)	4.5 (0.40)	16.0 (0.76)	69.2 (0.94)
Living with a partner	25.3 (1.31)	19.8 (1.20)	5.5 (0.63)	23.4 (1.46)	51.3 (1.74)
Place of residence <sup>11</sup>					
Large MSA	11.2 (0.36)	7.7 (0.28)	3.4 (0.19)	20.0 (0.39)	68.8 (0.51)
Small MSA	16.3 (0.65)	12.4 (0.53)	3.9 (0.32)	21.8 (0.60)	61.9 (0.89)
Not in MSA	20.1 (0.93)	16.4 (0.84)	3.7 (0.49)	23.5 (0.86)	56.4 (1.15)
Region					
Northeast	12.8 (0.74)	9.3 (0.61)	3.5 (0.37)	21.2 (0.78)	66.0 (1.04)
Midwest	16.4 (0.64)	12.9 (0.56)	3.5 (0.30)	22.7 (0.58)	60.9 (0.81)
South	14.7 (0.51)	10.7 (0.41)	4.0 (0.29)	20.0 (0.49)	65.3 (0.69)
West	10.7 (0.57)	7.6 (0.44)	3.1 (0.30)	20.6 (0.72)	68.8 (0.89)

**Table A-12a. Age-adjusted percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex					
Hispanic or Latino, male	12.3 (1.12)	7.9 (0.92)	4.4 (0.67)	21.7 (1.27)	66.0 (1.59)
Hispanic or Latina, female	6.9 (0.66)	4.2 (0.52)	2.8 (0.42)	10.4 (0.81)	82.7 (1.00)
Not Hispanic or Latino:					
White, single race, male	16.7 (0.55)	12.9 (0.47)	3.8 (0.29)	27.4 (0.61)	55.9 (0.75)
White, single race, female	14.4 (0.51)	11.6 (0.46)	2.7 (0.22)	21.8 (0.55)	63.8 (0.69)
Black or African American, single race, male	17.6 (1.35)	10.6 (1.02)	7.0 (0.92)	16.2 (1.12)	66.2 (1.69)
Black or African American, single race, female	11.6 (0.96)	7.9 (0.79)	3.7 (0.55)	11.7 (0.95)	76.7 (1.29)

\* Estimate does not meet NCHS standards of reliability.

<sup>1</sup>Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Villarreal MA, Blackwell DL, Jen A. Tables of Summary Health Statistics for U.S. Adults: 2018 National Health Interview Survey. National Center for Health Statistics.

2019. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.

**Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All adults aged 18 and over <sup>1</sup>	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Total	249,456	34,154	25,493	8,661	54,987	159,569
Sex						
Male	120,442	18,758	13,771	4,987	30,803	70,433
Female	129,014	15,396	11,722	3,674	24,184	89,136
Age (years)						
18–44	115,008	16,357	11,401	4,956	15,637	82,696
45–64	83,038	13,474	10,507	2,967	19,336	49,965
65–74	30,809	3,367	2,797	569	11,360	16,014
75 and over	20,601	956	787	169	8,655	10,894
Race						
One race <sup>2</sup>	243,677	33,195	24,853	8,341	53,971	155,789
White	193,454	26,887	20,745	6,142	47,097	118,900
Black or African American	30,813	4,448	2,873	1,574	4,142	22,122
American Indian or Alaska Native	2,810	662	403	*	507	1,625
Asian	15,960	1,108	768	340	2,106	12,712
Native Hawaiian or Other Pacific Islander	640	*	*	*	119	431
Two or more races <sup>3</sup>	5,779	960	640	320	1,017	3,780
Black or African American, white	1,567	*	*	*	190	1,198
American Indian or Alaska Native, white	1,879	462	354	108	511	906
Hispanic or Latino origin <sup>4</sup> and race						
Hispanic or Latino	40,749	3,964	2,427	1,537	5,798	30,801
Mexican or Mexican American	24,415	2,356	1,351	1,005	2,967	18,964
Not Hispanic or Latino	208,706	30,190	23,066	7,124	49,190	128,768
White, single race	157,289	23,466	18,698	4,768	41,957	91,466
Black or African American, single race	29,089	4,221	2,681	1,540	3,920	20,846
Education <sup>5</sup>						
Less than a high school diploma	24,710	5,371	4,278	1,093	5,488	13,730
High school diploma or GED <sup>6</sup>	52,455	11,269	8,825	2,444	14,110	26,965
Some college	62,770	10,497	7,995	2,503	17,210	34,869
Bachelor's degree or higher	78,964	4,554	2,825	1,729	16,471	57,759
Current employment status <sup>7</sup>						
Employed	158,301	21,198	15,599	5,598	30,192	106,442
Full-time	129,152	17,493	12,709	4,784	24,941	86,375
Part-time	27,087	3,458	2,692	766	4,877	18,631
Not employed but has worked previously	78,269	12,001	9,149	2,853	23,750	42,311
Not employed and has never worked	12,669	925	733	192	1,035	10,644

**Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All adults aged 18 and over <sup>1</sup>	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Family income <sup>8</sup>						
Less than \$35,000	58,573	12,396	9,451	2,945	12,322	33,608
\$35,000 or more	166,985	18,998	13,888	5,110	37,274	110,356
\$35,000–\$49,999	24,817	4,263	3,215	1,048	5,666	14,822
\$50,000–\$74,999	38,139	5,287	4,193	1,094	8,921	23,867
\$75,000–\$99,999	30,794	4,090	2,988	1,101	7,454	19,166
\$100,000 or more	73,236	5,358	3,492	1,866	15,233	52,501
Poverty status <sup>9</sup>						
Poor	24,028	5,407	4,088	1,319	3,818	14,682
Near poor	40,315	7,810	6,116	1,693	8,035	24,320
Not poor	173,576	19,433	14,093	5,340	40,470	113,295
Health insurance coverage <sup>10</sup>						
Under 65:						
Private	136,568	15,185	10,577	4,609	25,288	95,784
Medicaid	24,908	6,308	4,896	1,412	3,488	14,981
Other coverage	9,857	2,116	1,712	403	2,387	5,333
Uninsured	25,525	6,089	4,601	1,488	3,694	15,637
65 and over:						
Private	21,274	1,515	1,222	294	8,534	11,158
Medicare and Medicaid	3,529	447	366	82	1,136	1,935
Medicare Advantage	13,113	954	773	181	4,942	7,173
Medicare only	7,945	856	778	79	2,796	4,258
Other coverage	5,181	503	400	103	2,505	2,166
Uninsured	274	*	*	*	*	*
Marital status						
Married	130,518	13,680	10,366	3,315	32,592	83,946
Widowed	14,263	1,622	1,329	293	4,791	7,792
Divorced or separated	27,100	5,854	4,609	1,245	7,243	13,934
Never married	58,300	8,054	5,403	2,652	6,544	43,464
Living with a partner	18,856	4,881	3,742	1,139	3,757	10,153
Place of residence <sup>11</sup>						
Large MSA	142,041	15,955	11,155	4,800	29,405	96,227
Small MSA	75,044	12,010	9,201	2,809	17,273	45,557
Not in MSA	32,370	6,189	5,137	1,052	8,308	17,786
Region						
Northeast	43,262	5,378	3,991	1,386	10,015	27,719
Midwest	54,818	8,882	6,996	1,886	13,059	32,730
South	92,043	13,576	9,961	3,615	19,392	58,799
West	59,333	6,319	4,545	1,774	12,522	40,322

**Table A-12b. Frequencies (in thousands) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All adults aged 18 and over <sup>1</sup>	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex						
Hispanic or Latino, male	20,279	2,531	1,575	956	3,839	13,784
Hispanic or Latina, female	20,470	1,433	852	581	1,958	17,017
Not Hispanic or Latino:						
White, single race, male	76,416	12,437	9,773	2,663	22,608	41,146
White, single race, female	80,872	11,029	8,925	2,104	19,349	50,319
Black or African American, single race, male	13,250	2,380	1,436	944	2,030	8,773
Black or African American, single race, female	15,840	1,841	1,245	596	1,890	12,074

\* Corresponding crude percentage for the frequency does not meet NCHS standards of reliability, so the frequency is not shown.

<sup>1</sup>Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy.

"Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Villarreal MA, Blackwell DL, Jen A. Tables of Summary Health Statistics for U.S. Adults: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.

**Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Total	13.7 (0.29)	10.3 (0.23)	3.5 (0.15)	22.1 (0.33)	64.2 (0.42)
Sex					
Male	15.6 (0.44)	11.5 (0.35)	4.2 (0.23)	25.7 (0.50)	58.7 (0.61)
Female	12.0 (0.34)	9.1 (0.30)	2.9 (0.17)	18.8 (0.42)	69.2 (0.52)
Age (years)					
18–44	14.3 (0.45)	9.9 (0.37)	4.3 (0.25)	13.6 (0.43)	72.1 (0.59)
45–64	16.3 (0.47)	12.7 (0.41)	3.6 (0.24)	23.4 (0.54)	60.4 (0.64)
65–74	11.0 (0.54)	9.1 (0.51)	1.9 (0.23)	37.0 (0.87)	52.1 (0.95)
75 and over	4.7 (0.41)	3.8 (0.37)	0.8 (0.17)	42.2 (1.10)	53.1 (1.11)
Race					
One race <sup>2</sup>	13.7 (0.29)	10.2 (0.23)	3.4 (0.15)	22.2 (0.34)	64.1 (0.42)
White	13.9 (0.32)	10.8 (0.27)	3.2 (0.16)	24.4 (0.39)	61.6 (0.48)
Black or African American	14.5 (0.83)	9.4 (0.66)	5.1 (0.50)	13.5 (0.75)	72.0 (1.11)
American Indian or Alaska Native	23.7 (4.55)	14.4 (3.55)	*	18.1 (2.81)	58.2 (5.18)
Asian	7.0 (0.86)	4.8 (0.66)	2.1 (0.51)	13.2 (1.02)	79.8 (1.33)
Native Hawaiian or Other Pacific Islander	*	*	*	18.5 (5.45)	67.3 (6.56)
Two or more races <sup>3</sup>	16.7 (2.14)	11.1 (1.78)	5.6 (1.30)	17.7 (1.79)	65.7 (2.72)
Black or African American, white	*	*	*	12.3 (3.35)	77.6 (4.68)
American Indian or Alaska Native, white	24.6 (4.12)	18.8 (4.04)	5.8 (1.54)	27.2 (3.86)	48.2 (4.63)
Hispanic or Latino origin <sup>4</sup> and race					
Hispanic or Latino	9.8 (0.69)	6.0 (0.53)	3.8 (0.42)	14.3 (0.74)	75.9 (1.01)
Mexican or Mexican American	9.7 (0.92)	5.6 (0.67)	4.1 (0.59)	12.2 (0.90)	78.1 (1.24)
Not Hispanic or Latino	14.5 (0.31)	11.1 (0.26)	3.4 (0.16)	23.6 (0.36)	61.9 (0.44)
White, single race	15.0 (0.35)	11.9 (0.30)	3.0 (0.17)	26.7 (0.43)	58.3 (0.51)
Black or African American, single race	14.6 (0.85)	9.2 (0.65)	5.3 (0.52)	13.5 (0.76)	71.9 (1.15)
Education <sup>5</sup>					
Less than a high school diploma	21.8 (0.99)	17.4 (0.88)	4.4 (0.51)	22.3 (0.99)	55.8 (1.27)
High school diploma or GED <sup>6</sup>	21.5 (0.72)	16.9 (0.62)	4.7 (0.39)	27.0 (0.72)	51.5 (0.87)
Some college	16.8 (0.58)	12.8 (0.51)	4.0 (0.29)	27.5 (0.70)	55.7 (0.77)
Bachelor's degree or higher	5.8 (0.30)	3.6 (0.23)	2.2 (0.18)	20.9 (0.53)	73.3 (0.59)
Current employment status <sup>7</sup>					
Employed	13.4 (0.36)	9.9 (0.30)	3.5 (0.19)	19.1 (0.39)	67.4 (0.49)
Full-time	13.6 (0.40)	9.9 (0.33)	3.7 (0.21)	19.4 (0.44)	67.1 (0.54)
Part-time	12.8 (0.87)	10.0 (0.76)	2.8 (0.42)	18.1 (0.85)	69.1 (1.10)
Not employed but has worked previously	15.4 (0.47)	11.7 (0.40)	3.7 (0.26)	30.4 (0.57)	54.2 (0.66)
Not employed and has never worked	7.3 (0.88)	5.8 (0.76)	1.5 (0.40)	8.2 (0.97)	84.4 (1.29)

**Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Family income <sup>8</sup>					
Less than \$35,000	21.3 (0.61)	16.2 (0.52)	5.0 (0.33)	21.1 (0.60)	57.6 (0.79)
\$35,000 or more	11.4 (0.33)	8.3 (0.27)	3.1 (0.18)	22.4 (0.42)	66.2 (0.50)
\$35,000–\$49,999	17.2 (0.89)	13.0 (0.79)	4.2 (0.47)	22.9 (0.96)	59.9 (1.14)
\$50,000–\$74,999	13.9 (0.67)	11.0 (0.59)	2.9 (0.31)	23.4 (0.79)	62.7 (0.96)
\$75,000–\$99,999	13.3 (0.77)	9.7 (0.66)	3.6 (0.43)	24.3 (0.93)	62.4 (1.06)
\$100,000 or more	7.3 (0.43)	4.8 (0.33)	2.6 (0.26)	20.8 (0.61)	71.8 (0.71)
Poverty status <sup>9</sup>					
Poor	22.6 (0.98)	17.1 (0.88)	5.5 (0.52)	16.0 (0.83)	61.4 (1.15)
Near poor	19.4 (0.79)	15.2 (0.67)	4.2 (0.41)	20.0 (0.77)	60.6 (1.02)
Not poor	11.2 (0.31)	8.1 (0.25)	3.1 (0.17)	23.4 (0.40)	65.4 (0.47)
Health insurance coverage <sup>10</sup>					
Under 65:					
Private	11.1 (0.35)	7.8 (0.28)	3.4 (0.20)	18.6 (0.41)	70.3 (0.50)
Medicaid	25.5 (1.09)	19.8 (0.97)	5.7 (0.58)	14.1 (0.89)	60.5 (1.30)
Other coverage	21.5 (1.50)	17.4 (1.37)	4.1 (0.72)	24.3 (1.66)	54.2 (2.02)
Uninsured	24.0 (1.10)	18.1 (0.92)	5.9 (0.64)	14.5 (0.96)	61.5 (1.35)
65 and over:					
Private	7.1 (0.54)	5.8 (0.51)	1.4 (0.22)	40.2 (1.05)	52.6 (1.09)
Medicare and Medicaid	12.7 (1.57)	10.4 (1.40)	2.3 (0.77)	32.3 (2.22)	55.0 (2.47)
Medicare Advantage	7.3 (0.66)	5.9 (0.59)	1.4 (0.30)	37.8 (1.32)	54.9 (1.38)
Medicare only	10.8 (1.03)	9.8 (1.00)	1.0 (0.29)	35.3 (1.68)	53.8 (1.83)
Other coverage	9.7 (1.22)	7.7 (1.11)	2.0 (0.55)	48.4 (2.27)	41.9 (2.30)
Uninsured	*	*	*	*	*
Marital status					
Married	10.5 (0.35)	8.0 (0.30)	2.5 (0.17)	25.0 (0.49)	64.5 (0.55)
Widowed	11.4 (0.78)	9.4 (0.71)	2.1 (0.30)	33.7 (1.17)	54.9 (1.25)
Divorced or separated	21.7 (0.79)	17.1 (0.71)	4.6 (0.40)	26.8 (0.82)	51.5 (1.00)
Never married	13.9 (0.60)	9.3 (0.47)	4.6 (0.39)	11.3 (0.53)	74.9 (0.80)
Living with a partner	26.0 (1.33)	19.9 (1.20)	6.1 (0.68)	20.0 (1.16)	54.0 (1.49)
Place of residence <sup>11</sup>					
Large MSA	11.3 (0.35)	7.9 (0.28)	3.4 (0.19)	20.8 (0.41)	68.0 (0.52)
Small MSA	16.0 (0.63)	12.3 (0.50)	3.8 (0.31)	23.1 (0.67)	60.9 (0.90)
Not in MSA	19.2 (0.84)	15.9 (0.75)	3.3 (0.39)	25.7 (0.90)	55.1 (1.09)
Region					
Northeast	12.5 (0.67)	9.3 (0.56)	3.2 (0.33)	23.2 (0.79)	64.3 (0.99)
Midwest	16.2 (0.62)	12.8 (0.54)	3.4 (0.29)	23.9 (0.67)	59.9 (0.86)
South	14.8 (0.50)	10.9 (0.40)	3.9 (0.27)	21.1 (0.51)	64.1 (0.68)
West	10.7 (0.57)	7.7 (0.43)	3.0 (0.29)	21.2 (0.80)	68.2 (0.93)



**Table A-12c. Crude percentages (with standard errors) of current cigarette smoking status among adults aged 18 and over, by selected characteristics: United States, 2018**

Selected characteristic	All current smokers <sup>1</sup>	Every-day smokers <sup>1</sup>	Some-day smokers <sup>1</sup>	Former smokers <sup>1</sup>	Non-smokers <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex					
Hispanic or Latino, male	12.6 (1.16)	7.8 (0.91)	4.7 (0.73)	19.0 (1.22)	68.4 (1.59)
Hispanic or Latina, female	7.0 (0.67)	4.2 (0.52)	2.8 (0.44)	9.6 (0.79)	83.4 (1.01)
Not Hispanic or Latino:					
White, single race, male	16.3 (0.51)	12.8 (0.44)	3.5 (0.25)	29.7 (0.64)	54.0 (0.73)
White, single race, female	13.7 (0.45)	11.1 (0.41)	2.6 (0.20)	24.0 (0.55)	62.4 (0.66)
Black or African American, single race, male	18.1 (1.40)	10.9 (1.07)	7.2 (0.92)	15.4 (1.15)	66.5 (1.83)
Black or African American, single race, female	11.6 (0.94)	7.9 (0.77)	3.8 (0.55)	12.0 (1.01)	76.4 (1.32)

\* Estimate does not meet NCHS standards of reliability.

<sup>1</sup>Based on two survey questions: All respondents were first asked, "Have you smoked at least 100 cigarettes in your entire life?" Respondents answering "yes" were then asked, "Do you now smoke cigarettes every day, some days, or not at all?"

Current smokers have smoked at least 100 cigarettes in their lifetime and still currently smoke; every-day smokers are current smokers who smoke every day; and some-day smokers are current smokers who smoke on some days.

Former smokers have smoked at least 100 cigarettes in their lifetime but currently do not smoke at all.

Non-smokers have never smoked at least 100 cigarettes in their lifetime.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for adults aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>9</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>10</sup>Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup>MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Villarroya MA, Blackwell DL, Jen A. Tables of Summary Health Statistics for U.S. Adults: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.