

# **PHARMACIST ADMINISTERED VACCINES**

Updated January 2019

Based upon APhA/NASPA Survey of State IZ Laws/Rules




**American Pharmacists Association®**  
Improving medication use. Advancing patient care.

APhA



# TYPES OF VACCINES AUTHORIZED TO ADMINISTER

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules




<b>Any vaccine</b>	AL, AK, AZ*, AR, CA, CO, CT, DC*, DE*, FL, GA*, HI, ID, IL, IN*, IA, KS, KY, LA*, MA, ME, MD, MI, MO*, MN, MS, MT, NE, NV, NJ, NM, NC, ND, OH, OK, OR, PA, PR*, RI, SC, SD, TN, TX, UT, VT, VA*, WA, WI
<b>Other combos</b>	NH, NY, WV, WY

\* Via Rx for some



# PRESCRIBER ISSUED PROTOCOLS VS RX


- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>Protocol</b>	FL, KS, MN, NV, WI
<b>Protocol or Rx (depending on age and/or vaccine)</b>	AL, AR, CO, CT, DC, DE, GA, HI, IL, IN, IA, KY, MA, MI, MS, MO, NE, NY, NC, ND, OH, OK, PA, PR, RI, TN, UT, VT, WA
<b>Protocol/Rx or No Prescriber/Rx Needed (depending on age and/or vaccine)</b>	AK, AZ, CA, ID, LA, ME, MD, MT, NH, NJ, NM, OR, SC, SD, TX, VA, WV, WY

# PATIENT-AGE LIMITATIONS

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>&gt;18yo</b>	CT, FL, PR*, VT
<b>&gt;14yo</b>	NC <sup>L</sup>
<b>&gt;12 yo</b>	DC <sup>L</sup> , MT <sup>L</sup>
<b>&gt;11 yo</b>	HI <sup>L,*</sup> WV <sup>L,*</sup>
<b>&gt;10yo</b>	IL <sup>L</sup>
<b>&gt;9yo</b>	MA <sup>L</sup> , MD <sup>L</sup> , PA <sup>L</sup> , RI <sup>L</sup>
<b>&gt;7yo</b>	AR <sup>L</sup> , ME <sup>L</sup> NJ <sup>*L</sup> , OH <sup>L</sup> , WY <sup>L</sup>
<b>&gt;6yo</b>	KS <sup>L</sup> , MN <sup>L</sup> , WI
<b>&gt;5yo</b>	ND <sup>L</sup>
<b>&gt;3yo</b>	AZ <sup>L</sup>
<b>&gt;2yo</b>	NY <sup>L</sup>
<b>Any age</b>	AL, AK, CA, CO, DE <sup>D</sup> , GA*, ID*, IN*, IA*, KY*, LA*, MI, MS, MO*, NE, NV, NH <sup>L</sup> , NM, OK, OR*, SC*, SD, TN, TX*, UT, VA*, WA

\* Via Rx


<sup>L</sup> Limited to certain vaccines

<sup>D</sup> Any age with an adult dose



# PATIENT-AGE LIMITATIONS VIA RX

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>&gt;18yo</b>	CT, ME, MA, NC, PR, VT, WV
<b>&gt;12yo</b>	DC
<b>&gt;11yo</b>	HI*, MD, ND, WV*
<b>&gt;10yo</b>	IL*
<b>&gt;9yo</b>	MA*, PA*, RI*
<b>&gt;7yo</b>	AR, OH, NJ*, WY <sup>HR</sup>
<b>&gt;6yo</b>	AZ, WI*
<b>&gt;2yo</b>	NY*
<b>Any age</b>	AL, AK, CA, CO, DE <sup>D</sup> , GA, ID, IN, IA, KY, LA, MI, MS, MO, NE, OK, OR, SC, SD, TN, TX, UT, VA, WA

\* Scope varies


<sup>D</sup> Any age with an adult dose

<sup>HR</sup> Rx only for high risk



# PATIENT-AGE LIMITATIONS VIA PRESCRIBER PROTOCOL

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>&gt;18yo</b>	CT, FL, HI, ME, MT, NJ, PR*, VT, VA
<b>&gt;14yo</b>	NC*, TX
<b>&gt;13yo</b>	GA*
<b>&gt;12yo</b>	DC
<b>&gt;11yo</b>	IN
<b>&gt;10yo</b>	IL*, IN*
<b>&gt;9yo</b>	KY*, MA, PA*, RI*
<b>&gt;7yo</b>	AR, MO*, OH*, TX*
<b>&gt;6yo</b>	IA*, KS*, MN*, WI
<b>&gt;5yo</b>	ND*
<b>&gt;2yo</b>	NY*
<b>Any age</b>	AL, CA, CO, DE <sup>D</sup> , MI, MS, NE, NM, NV, OK, SD, TN, UT, WA

\*Scope varies

<sup>D</sup> Any age with an adult dose



# MAY STUDENT INTERNS ADMINISTER VACCINES?

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules


<b>Number of states/territories allowing</b>	<b>51*</b>
<b>States/territories not verified</b>	<b>1 (PR)</b>
<b>Criteria common among states</b>	<b><ul style="list-style-type: none"><li>•Student must be trained (complete Certificate Training Program)</li><li>•Operating under supervision of trained pharmacist</li></ul></b>



\*NJ effective 3/1/2019


# AUTHORITY TO ADMINISTER PNEUMOCOCCAL VACCINE

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



# AUTHORITY TO ADMINISTER ZOSTER VACCINE

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules




<b>Yes</b>	AL, AK, AZ, AR, CA, CO, CT, DC, DE, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NE, NH, NY, NV, NJ, NM, NC, ND, OH, OK, OR, PA, PR*, RI, SC, SD, TN, TX, UT, VT, VA, WA, WI, WV, WY
------------	---

\*Via Rx only



# AUTHORITY TO ADMINISTER TD/TDAP

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



Yes	<b>AL, AK, AZ, AR, CA, CO, CT, DC, DE, FL, GA*, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NE, NV, NH, NJ, NM, NY NC, ND, OH, OK, OR, PA, PR*, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI, WV, WY</b>
-----	--


\*Via Rx only  
Many have age restrictions



# AUTHORITY TO ADMINISTER HPV VACCINE

▪ Updated January 2019

▪ Based upon APhA/NASPA Survey of State IZ Laws/Rules




	Pharmacists can administer HPV
	Pharmacists can administer HPV – but only by Rx
	Pharmacists cannot administer HPV

PR



# AUTHORITY TO ADMINISTER HPV

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>Yes</b>	AL, AK, AZ <sup>A</sup> , AR <sup>A</sup> , CA, CO, CT <sup>A</sup> , DC <sup>A</sup> , DE, FL <sup>A</sup> , GA <sup>R</sup> , HI <sup>A</sup> , ID, IL <sup>A</sup> , IN, IA <sup>A</sup> , KS <sup>A</sup> , KY, LA <sup>A</sup> , ME <sup>A</sup> , MD <sup>A</sup> , MA, MI, MN <sup>A</sup> , MO <sup>R</sup> , MS, MT <sup>A</sup> , NC <sup>R</sup> , ND, NE, NJ <sup>A</sup> , NM, NV, OH <sup>A</sup> , OK, OR, PA <sup>A</sup> , RI <sup>A</sup> , PR <sup>A,R</sup> , SC <sup>A</sup> , SD, TN, TX <sup>A</sup> , UT, VT <sup>A</sup> , VA <sup>A</sup> , WA, WV, WI, WY <sup>A</sup> , DC <sup>A</sup>
<b>No</b>	NH, NY


<sup>R</sup> Via Rx only

<sup>A</sup> Age limitation (may not allow or may require Rx for 11-19)

\*awaiting rule promulgation as of 1/1/2018



# PATIENT-AGE LIMITATIONS FOR HPV VACCINATION



- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules

<b>&gt;18yo</b>	AR*, CT, FL, HI*, IA*, ME, MD*, MT, NC <sup>R</sup> , NJ, PA, PR <sup>R</sup> , RI, SC*, VA*, VT, WY
<b>&gt;17yo</b>	LA*
<b>&gt;14yo</b>	IL, TX*
<b>&gt;13yo</b>	AZ*, MN, OH*
<b>&gt;12yo</b>	DC, KS
<b>&gt;11yo</b>	IN*, ND, WV
<b>&gt;9yo</b>	KY, MA
<b>&gt;7yo</b>	OR
<b>&gt;6yo</b>	ID, WI
<b>&gt;3yo</b>	CA
<b>No Age Limit</b>	AL, AK, CO, DE <sup>D</sup> , GA <sup>R</sup> , MI, MS, MO <sup>R</sup> , NE, NV, NM, OK, SD, TN, UT, WA


\*Younger ages under prescription/protocol

<sup>R</sup> Requires a prescription

<sup>D</sup> Any age with an adult dose

# AUTHORITY TO ADMINISTER HEP B VACCINE

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules




Gray	Pharmacists can administer Hepatitis B
Light Orange	Pharmacists can administer Hepatitis B – but only by Rx
Red	Pharmacists cannot administer Hepatitis B

PR



# AUTHORITY TO ADMINISTER HEP B

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules




<b>Yes</b>	AL, AK, AZ <sup>A</sup> , AR <sup>A</sup> , CA, CO, CT <sup>A</sup> , DC <sup>A</sup> , DE, FL <sup>A</sup> , GA <sup>R</sup> , HI <sup>A</sup> , ID, IL <sup>A</sup> , IN <sup>R</sup> , IA <sup>A</sup> , KS, KY, LA <sup>A</sup> , ME <sup>A</sup> , MD <sup>A</sup> , MA, MI, MN <sup>A</sup> , MO, MS, MT <sup>A</sup> , NH <sup>A</sup> , NC <sup>A</sup> , ND, NE, NJ <sup>A</sup> , NM, NV, OH <sup>A</sup> , OK, OR, PA <sup>A</sup> , RI <sup>A</sup> , PR <sup>A,R</sup> , SC <sup>A</sup> , SD, TN, TX <sup>A</sup> , UT, VT <sup>A</sup> , VA <sup>A</sup> , WA <sup>A</sup> , WV, WI, WY <sup>A</sup> , DC
<b>No</b>	NY

<sup>R</sup> Via Rx only  
<sup>A</sup> Age limitation (may not allow or may require Rx for 12-18)



# PATIENT-AGE LIMITATIONS FOR HEP B VACCINATION

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>&gt;18yo</b>	AR*, CT, FL, HI*, IA*, KS, ME, MD*, MT, NC, NJ, NH, PA, PR <sup>R</sup> , RI, SC*, VA*, VT, WV, WY
<b>&gt;17yo</b>	LA*
<b>&gt;14yo</b>	IL, TX*
<b>&gt;13yo</b>	AZ*, MN, OH*
<b>&gt;12yo</b>	DC, KS, MO*
<b>&gt;11yo</b>	IN*, ND
<b>&gt;9yo</b>	KY, MA
<b>&gt;7yo</b>	OR*
<b>&gt;6yo</b>	ID, WI
<b>&gt;3yo</b>	CA*
<b>No Age Limit</b>	AL, AK, CO, DE <sup>D</sup> , GA <sup>R</sup> , IN <sup>R</sup> , MI, MS, NE, NV, NM, OK, SD, TN, UT, WA

\*Younger ages under prescription/protocol


<sup>R</sup> Requires a prescription

<sup>D</sup> Any age with an adult dose



# AUTHORITY TO ADMINISTER MMR VACCINE


- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



■ Gray	Pharmacists can administer MMR
■ Light Orange	Pharmacists can administer MMR— but only by Rx
■ Red	Pharmacists cannot administer MMR

# AUTHORITY TO ADMINISTER MMR

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>Yes</b>	AL, AK, AZ <sup>A</sup> , AR, CA, CO, CT <sup>A</sup> , DE, FL <sup>A</sup> , GA <sup>R</sup> , HI <sup>A</sup> , ID, IL, IN <sup>R</sup> , IA <sup>A</sup> , KS <sup>A</sup> , KY, LA, ME <sup>A</sup> , MD <sup>A</sup> , MA <sup>A</sup> , MI, MN <sup>A</sup> , MO <sup>R</sup> , MS, MT <sup>A</sup> , NE, NH <sup>A</sup> , NJ <sup>A</sup> , NM, NC <sup>A,R</sup> , ND, NV, OH, OK, OR, PA <sup>A</sup> , RI <sup>A</sup> , PR <sup>A,R</sup> , SC <sup>A</sup> , SD, TN, TX, UT, VT <sup>A</sup> , VA <sup>A</sup> , WA, WI, WY <sup>A</sup>
<b>No</b>	DC, NY, WV


<sup>R</sup> Via Rx only

<sup>A</sup> Age limitation (may not allow or may require Rx for certain ages <18)



# PATIENT-AGE LIMITATIONS FOR MMR VACCINATION

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>≥18yo</b>	AR*, CT, FL, HI*, IA*, ME, MD*, MT, NC <sup>R</sup> , NH NJ, PA, PR <sup>R</sup> , RI, SC*, VA*, VT, WY
<b>≥17yo</b>	LA*
<b>≥14yo</b>	IL, TX*
<b>≥13yo</b>	AZ*, MN, OH*
<b>≥12yo</b>	KS
<b>≥11yo</b>	ND
<b>≥9yo</b>	KY*, MA
<b>≥7yo</b>	OR*
<b>≥6yo</b>	ID*, WI
<b>≥3yo</b>	CA*
<b>No Age Limit</b>	AL, AK, CO, DE <sup>D</sup> , GA <sup>R</sup> , IN <sup>R</sup> MI, MS, MO <sup>R</sup> , NE, NV, NM, OK, SD, TN, UT, WA

\*Younger ages under prescription

<sup>R</sup> Requires a prescription

<sup>D</sup> Any age with an adult dose




American Pharmacists Association®  
Improving medication use. Advancing patient care.



# AUTHORITY TO ADMINISTER MENINGOCOCCAL

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules




Yes	<b>AL, AK, AZ<sup>A</sup>, AR, CA, CO, CT<sup>A</sup>, DC<sup>A</sup>, DE, FL<sup>A</sup>, GA<sup>R</sup>, HI<sup>A</sup>, ID<sup>A</sup>, IL<sup>A</sup>, IA<sup>A</sup>, IN, KS<sup>A</sup>, KY<sup>A</sup>, LA<sup>A</sup>, ME<sup>A</sup>, MA<sup>A</sup>, MD<sup>A</sup>, MI, MN<sup>A</sup>, MO<sup>A</sup>, MS, MT<sup>A</sup>, NH, NC<sup>A</sup>, ND, NE, NJ<sup>A</sup>, NM, NY<sup>A</sup>, NV, OH<sup>A</sup>, OK, OR, PA<sup>A</sup>, PR<sup>R,A</sup>, RI<sup>A</sup>, SC<sup>A</sup>, SD, TN, TX<sup>A</sup>, UT, VT<sup>A</sup>, VA<sup>A</sup>, WA, WV, WI, WY<sup>A</sup></b>
-----	---

<sup>R</sup> Via Rx only  
<sup>A</sup> Age limitations (may not allow or may require Rx for 11-18)



# PATIENT-AGE LIMITATIONS FOR MENINGOCOCCAL



<b>&gt;18yo</b>	CT, FL, GA*, HI*, IA*, ME, MD*, MT, NH, NJ, NY, NC, PA, RI, PR <sup>R</sup> , SC*, VT, VA*, WV, WY
<b>&gt;17yo</b>	LA*
<b>&gt;14yo</b>	IL, TX*
<b>&gt;13yo</b>	AZ*, MN, OH*
<b>&gt;12yo</b>	DC, KS, MO*
<b>&gt;11yo</b>	IN*, ND
<b>&gt;9yo</b>	KY*, MA
<b>&gt;7yo</b>	AR, OR
<b>&gt;6yo</b>	ID, WI
<b>&gt;3yo</b>	CA
<b>No Age Limit</b>	AL, AK, CO, DE <sup>D</sup> , MI, MS, NE, NV, NM, OK, SD, TN, UT, WA

\*May allow for younger ages under prescription

<sup>R</sup> Via Rx only

<sup>D</sup> Any age with an adult dose




American Pharmacists Association<sup>®</sup>  
Improving medication use. Advancing patient care.  
APhA



# INFLUENZA - AGE OF ADMINISTRATION AUTHORIZED BY ANY PROVISION

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>&gt;18yo</b>	CT, FL, HI, PR, VT, WV
<b>&gt;14yo</b>	NC
<b>&gt;12yo</b>	DC, MT
<b>&gt;11yo</b>	HI*
<b>&gt;10yo</b>	IL
<b>&gt;9yo</b>	MD, MA, PA, RI
<b>&gt;7yo</b>	AR, ME, NJ*, OH, WY
<b>&gt;6yo</b>	KS, MN, WI
<b>&gt;5yo</b>	ND
<b>&gt;3yo</b>	AZ
<b>&gt;2yo</b>	NY
<b>Any age</b>	AL, AK, CA*, CO, DE <sup>D</sup> , GA*, ID*, IN*, IA*, KY*, LA*, MI, MS, MO*, NE, NH, NM, NV, OK, OR*, SC*, SD, TN, TX*, UT, VA*, WA


\* Requires Prescription

<sup>D</sup> Any age with an adult dose



# INFLUENZA - AGE OF ADM AUTHORIZED BY PROTOCOL

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>≥18yo</b>	CT, FL, HI, PR, VT
<b>≥14yo</b>	NC
<b>≥13yo</b>	GA
<b>≥12 yo</b>	DC, MT
<b>≥11yo</b>	IN
<b>≥10yo</b>	IL
<b>≥9yo</b>	KY, MA, PA, RI
<b>≥7yo</b>	AR, MO, OH, TX
<b>≥6yo</b>	IA, KS, MN, WI
<b>≥5yo</b>	ND
<b>≥2yo</b>	NY
<b>Any age</b>	AL, CA, CO, DE <sup>D</sup> , MI, MS, NE, NV, OK, SD, TN, UT, WA


<sup>D</sup> Any age with an adult dose



# INFLUENZA

## NO MD PROTOCOL OR RX NEEDED

- Updated January 2019
- Based upon APhA/NASPA Survey of State IZ Laws/Rules



<b>&gt;18yo</b>	SD, WV
<b>&gt;12yo</b>	MT, SC
<b>&gt;9yo</b>	MD
<b>&gt;7yo</b>	LA, ME, NJ*, OR, TX, WY
<b>&gt;6yo</b>	ID
<b>&gt;3yo</b>	AZ, CA
<b>&gt;6mo</b>	VA
<b>Any age</b>	AK, NH, NM

\*Effective 3/1/2019

Note: Authority comes from statute and/or regulation from BOP or Public Health