

## **Calculated Variables**

in the 2015 Data File of the

## **Behavioral Risk Factor Surveillance System**

(Version #4 - Revised: May 27, 2016)



#### **INTRODUCTION:**

This document provides information on calculated variables for the 2015 Behavioral Risk Factor Surveillance System survey. These variables are calculated from responses to questions in the survey. There are three types of calculated variables:

- 1. Variables used to stratify and weight the data (not included in this document).
- 2. Intermediate variables, which are derived from a question response and are used to calculate some other variable or risk factor. Example: WTKG2 is derived from the WEIGHT2 variable in the survey. WTKG2 is then used to calculate the body mass index variable (\_BMI4). Most—but not all—of the intermediate variables end with an underscore such as FTJUDAY\_.
- 3. Variables used to categorize or classify respondents. Most of these begin with an underscore such as \_BMI4. Exceptions are: \_DENSTR2, \_GEOSTR, and \_STATE, which are determined before the interview. Some of the calculated variables group continuous variables—such as weight, age, or body mass index—into categories. Other calculated variables regroup non-continuous variables to simplify analyses. The common focus of these variables is on health behaviors that are associated with a risk of illness or injury.

The tables in this report include a description of what the responses mean and a copy of the code used to calculate these variables in SAS®. The syntax of the code, as given, may or may not work in the particular statistical program that you are using.

#### **NEW CALCULATED VARIABLES FOR 2015**

**DRNKWEK** was added in 2015.

\_MICHD was added in 2015.

## **CALCULATED VARIABLES WITH CHANGED NAMES FOR 2015**

\_RFDRHV4 changed to \_RFDRHV5 due to changes in the way it was defined.

Page 3 of 59 May 27, 2016

#### **Section 1: Health Status**

RFHLTH	Calculated variable for	r adults with good or better healt	hRFHLTH is derived from GENHLTH.

1	Good or Better Health	Respondents who reported having excellent, very good or good health. (GENHLTH =1, 2, 3)
2	Fair or Poor Health	Respondents who reported having fair or poor health. (GENHLTH =4, 5)
9	Don't know/ Not Sure Or Refused/ Missing	Respondents who reported they didn't know, refused to answer, or had missing responses for the general health status question. (GENHLTH =7, 9, missing)
	SAS Code:	<pre>IF 4 LE GENHLTH LE 5 THEN RFHLTH=2; ELSE IF 1 LE GENHLTH LE 3 THEN _RFHLTH=1; ELSE RFHLTH=9:</pre>

## Section 2: Healthy Days — Health Related Quality of Life

There are no calculated variables for Section 2.

#### **Section 3: Health Care Access**

\_HCVU651 Calculated variable for respondents aged 18-64 who have any form of health care coverage. \_HCVU651 is derived from AGE and HLTHPLN1.

1	Have health care coverage	Respondents who reported having health care coverage (18 $\leq$ AGE $\leq$ 64 and HLTHPLN1 = 1)
2	Do not have health care coverage	Respondents who reported not having health care coverage (18 $\leq$ AGE $\leq$ 64 and HLTHPLN1 = 2)
9	Don't know/ Not Sure, Refused or Missing	Respondents who reported that they didn't know, were not sure, refused to report or had missing responses for having health care coverage (18 <= AGE <= 64 and HLTHPLN1 = 7, 9, or missing or AGE => 65)
	SAS Code:	<pre>IF 18 LE AGE LE 64 THEN DO; IF HLTHPLN1=1 THEN _HCVU651=1; ELSE IF HLTHPLN1=2 THEN _HCVU651=2; ELSE HCVU651=9; END; ELSE _HCVU651 = 9;</pre>

Page 4 of 59 May 27, 2016

#### **Section 4: Hypertension Awareness**

Missing

_RFHYPE5 Calculated variable for adults who ha	ave been told they have high blood pressure by a doctor,
nurse, or other health professional.	RFHYPE5 is derived from BPHIGH4.

1	No	Respondents that were not told their pressure is high by a health professional (BPHIGH4=2,3,or 4)
2	Yes	Respondents that were told their pressure is high by a health professional (BPHIGH4=1)
9	Don't know/ Not Sure/ Refused/	Respondents who reported they didn't know if they were told if their blood pressure is high, those who refused to answer if they were told if their blood

SAS Code: IF BPHIGH4 = 1 THEN \_RFHYPE5=2;

ELSE IF BPHIGH4 = 2 THEN \_RFHYPE5=1; ELSE IF BPHIGH4 = 3 THEN \_RFHYPE5=1; ELSE IF BPHIGH4 = 4 THEN \_RFHYPE5=1;

ELSE IF BPHIGH4 IN (.,7,9) THEN \_RFHYPE5=9;

pressure is high, and those with missing responses (BPHIGH4=7,9,or missing)

#### **Section 5: Cholesterol Awareness**

\_CHOLCHK Calculated variable for cholesterol check within past five years. \_CHOLCHK is derived from BLOODCHO and CHOLCHK.

1	Had cholesterol	Respondents who reported having had their cholesterol checked within the past
	checked in past 5	five years (BLOODCHO=1 and CHOLCHK=1,2,or 3)
	years	

Did not have Respondents who reported not having had their cholesterol checked within the cholesterol checked past five years (BLOODCHO=1 and CHOLCHK=4) in past 5 years

3 Have never had Respondents who reported never having had their cholesterol checked cholesterol checked (BLOODCHO=2)

9 Don't know/ Not Sure Or Refused/ Sure Or Refused/ by a health professional, those who refused to answer if they had their cholesterol checked by a health professional, and those with missing responses (BLOODCHO=7,9,or missing and CHOLCHK=7,9,or missing)

```
SAS Code:

IF BLOODCHO=1 AND (1 LE CHOLCHK LE 3) THEN _CHOLCHK=1;

ELSE IF BLOODCHO=1 AND CHOLCHK=4 THEN _CHOLCHK=2;

ELSE IF BLOODCHO=2 AND CHOLCHK=. THEN CHOLCHK=3;

ELSE IF BLOODCHO IN (.,7,9) OR CHOLCHK IN (.,7,9) THEN CHOLCHK=9;
```

Page 5 of 59 May 27, 2016

#### **Section 5: Cholesterol Awareness**

_RFCHOL	L Calculated variable for adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was highRFCHOL is derived from BLOODCHO and TOLDHI2.	
1	No	Respondents who reported having had their blood cholesterol checked but had not been told it was high (BLOODCHO=1 and TOLDHI2=2)
2	Yes	Respondents who reported having had their blood cholesterol checked and had been told that they have high blood cholesterol (BLOODCHO=1 and TOLDHI2=1)
9	Don't know/ Not Sure Or Refused/ Missing	Respondents who reported they didn't know if they had their blood cholesterol checked, those that reported they didn't know if they have been told their blood cholesterol was high, those who refused to answer if they had their blood cholesterol checked, those who refused to answer if they had been told that their blood cholesterol was high, and those with missing responses (BLOODCHO=1 and TOLDHI2=7,9,or missing)
•	Missing	Respondents who reported they have not had their blood cholesterol checked (BLOODCHO=2,7,9,or missing)

ELSE IF BLOODCHO=1 AND TOLDHI2 IN (.,7,9) THEN RFCHOL=9;

ELSE RFCHOL=.;

#### **Section 6: Chronic Health Conditions**

**SAS Code:** 

\_MICHD Calculated variable for respondents that have ever reported having coronary heart disease (chd) or myocardial infarction (mi). \_MICHD is derived from CVDINFR4, and CVDCRHD4.

IF BLOODCHO=1 AND TOLDHI2=1 THEN RFCHOL=2;

ELSE IF BLOODCHO=1 AND TOLDHI2=2 THEN RFCHOL=1;

Reported having MI Respondents who reported having had MI or CHD (CVDINFR4=1 OR 1 or CHD CVDCRHD4=1)

2 Did not report Respondents who reported not having had MI and CHD (CVDINFR4=2 AND CVDCRHD4=2) having MI or CHD

Not asked or Missing Respondents who reported they didn't know, refused or had a missing value for

the MI or CHD questions (CVDINFR4=7, 9 OR MISSING OR CVDCRHD4=7, 9, OR

MISSING)

IF CVDINFR4=1 OR CVDCRHD4=1 THEN MICHD=1; **SAS Code:** 

ELSE IF CVDINFR4=2 AND CVDCRHD4=2 THEN MICHD=2;

Page 6 of 59 May 27, 2016

#### **Section 6: Chronic Health Conditions**

_LTASTH1	Calculated variable for adults who have ever been	n told they have asthmaLTASTH1 is derived
	from ASTHMA3.	

_	from ASTHMA	3.
1	No	Respondents who have not been told by a doctor, nurse or health professional that they had asthma. (ASTHMA3=2)
2	Yes	Respondents who have been told by a doctor, nurse or health professional that they had asthma. (ASTHMA3=1)
9	Don't know/ Not Sure Or Refused/ Missing	Respondents who reported they did not know if they had been told by a doctor, nurse or health professional that they had asthma, those who refused to answer if they had been told by a doctor, nurse or health professional that they had asthma, or those with missing responses. (ASTHMA3=7, 9, missing)
	SAS Code:	<pre>IF ASTHMA3=1 THEN _LTASTH1=2; ELSE IF ASTHMA3=2 THEN _LTASTH1=1; ELSE LTASTH1=9;</pre>

## **Section 6: Chronic Health Conditions**

\_CASTHM1 Calculated variable for adults who have been told they currently have asthma. \_CASTHM1 is

	derived from ASTHMA3 and ASTHNOW.		
1	No	Respondents who have not been told by a doctor, nurse or health professional that they had asthma or do not still have asthma. (ASTHMA3=2 or ASTHMA3=1 and ASTHNOW=2)	
2	Yes	Respondents who have been told by a doctor, nurse or health professional that they had asthma and that they still have asthma. (ASTHMA3=1 and ASTHNOW=1)	
9	Don't know/ Not Sure Or Refused/ Missing	Respondents who reported they did not know if they had been told by a doctor, nurse or health professional that they had asthma, those who refused to answer if they had been told by a doctor, nurse or health professional that they had asthma, those who did not know if they still had asthma, those who refused to answer if they still had asthma, or those with missing responses. (ASTHMA3=7, 9, missing; or ASTHNOW=7, 9, missing)	
	SAS Code:	<pre>IF ASTHMA3=2 THEN _CASTHM1=1; ELSE IF ASTHMA3=1 AND ASTHNOW=1 THEN _CASTHM1=2; ELSE IF ASTHMA3=1 AND ASTHNOW=2 THEN _CASTHM1=1; ELSE _CASTHM1=9;</pre>	

Page 7 of 59 May 27, 2016

#### **Section 6: Chronic Health Conditions**

_ASTHM	S1 Calculated varia ASTHNOW.	ble for computed asthma statusASTHMS1 is derived from ASTHMA3 and
1	Current	Respondents who have been told by a doctor, nurse or health professional that they had asthma and that they still have asthma. (ASTHMA3=1and ASTHNOW=1)
2	Former	Respondents who have been told by a doctor, nurse or health professional that they had asthma but do not still have asthma. (ASTHMA3=1 and ASTHNOW=2)
3	Never	Respondents who have not been told by a doctor, nurse or health professional that they had asthma. (ASTHMA3=2)
9	Don't know/ Not Sure Or Refused/ Missing	Respondents who reported they didn't know if they had been told by a doctor, nurse or health professional that they had asthma, those who refused to answer if they had been told by a doctor, nurse or health professional that they had asthma, those who didn't know if they still had asthma, those that refused to answer if they still had asthma, or those with missing responses. (ASTHMA3=7, 9, missing; or ASTHNOW=7, 9, missing)
	SAS Code:	<pre>IF ASTHMA3=1 AND ASTHNOW=1 THEN _ASTHMS1=1; ELSE IF ASTHMA3=1 AND ASTHNOW=2 THEN _ASTHMS1=2; ELSE IF ASTHMA3=2 THEN ASTHMS1=3; ELSE _ASTHMS1=9;</pre>

### **Section 6: Chronic Health Conditions**

\_DRDXAR1 Calculated variable for respondents who have had a doctor diagnose them as having some form of arthritis. \_DRDXAR1 is derived from HAVARTH3.

1	Diagnosed with arthritis	Respondents who have been told by a doctor they had arthritis (HAVARTH3=1)
2	Not diagnosed with arthritis	Respondents who have not been told by a doctor they had arthritis (HAVARTH3=2)
	Don't know/ Not Sure/ Refused/ Missing	Respondents who reported they didn't know if they had been told by a doctor they had arthritis, those who refused to answer if they had been told by a doctor they had arthritis, and those with missing responses (HAVARTH3=7,9, or missing)
	SAS Code:	<pre>IF HAVARTH3 = 1 THEN _DRDXAR1=1; ELSE IF HAVARTH3 = 2 THEN _DRDXAR1=2; ELSE IF HAVARTH3 IN (7,9,.) THEN _DRDXAR1=.;</pre>

Page 8 of 59 May 27, 2016

MRACOR	MRACE1 in the territory. If MRA	able for mrace1 with 77,80,88,90s removed. MRACORG1 is derived from original order in which the data were received from the state ACE1 is greater than 99 then any 77, 80, 88, or 99 is removed. If MRACE1 is less 99 then MRACORG1 is equal to MRACE1.
10 - 605040 302010	Race code(s)	Respondents reported race or races in original order (MRACE1=10, 20, 30, 40, 50, 60, or MRACE1 > 99)
77	Don't know/ Not sure	Respondents who reported they didn't know, or weren't sure of their race. (MRACE1=77)
99	Refused	Respondents who refused to give their race. (MRACE1=99)
	SAS Code:	<pre>IF (LEFT(COMPRESS(LENGTH(MRACE1)))) &gt; 2 THEN DO; MRACORG77=PUT(LEFT(COMPRESS(TRANWRD(MRACE1,"77",""))),28.); MRACORG88=PUT(LEFT(COMPRESS(TRANWRD(MRACORG77,"88",""))),28.); MRACORG99=PUT(LEFT(COMPRESS(TRANWRD(MRACORG88,"99",""))),28.); MRACORG1=PUT(LEFT(COMPRESS(TRANWRD(MRACORG99,"80",""))),28.); END; ELSE DO; MRACORG1=MRACE1; END;</pre>

Page 9 of 59 May 27, 2016

MRACASC1 Calculated variable for mrace with 7,8,9s removed, in ascending order. MRACASC1 is derived from MRACORG1. The values that make up MRACORG1 are sorted from smallest to largest.

10 -Respondents reported race or races in ascending order (MRACE1=10, 20, 30, 40, 50, Race code(s) 102030 60, or MRACORG1 > 99) 405060 77 Don't know/ Not Respondents who reported they didn't know, or weren't sure of their race. (MRACORG1=77) sure 99 Refused Respondents who refused to give their race. (MRACORG1=99) IF (LEFT(COMPRESS(LENGTH(MRACORG1)))) > 2 THEN DO; **SAS Code:** array pairs[14]; length MRAC SORTED \$28; counter = .; do pos = 1 to length (MRACORG1) by 2;counter + 1; pairs[counter] = input(substr(MRACORG1, pos, 2), 2.); do i = 1 to counter; MRAC SORTED = cats(MRAC SORTED, smallest(i, of pairs[\*])); end; drop pairs: i counter pos; MRAC VALID=MRAC SORTED; %macro swapthis; %do M = 1 %to 14;%LET R=%eval((&M.\*2)-1); %do s = 41 %to 47;if substr(MRAC VALID, &R., 2) = &s. then do; MRAC VALID = TRANWRD (MRAC VALID, "&S.", "40"); end; %end; %do t = 51 %to 54;if substr(MRAC VALID, &R., 2) = &t. then do; MRAC VALID = TRANWRD(MRAC VALID, "&T.", "50"); end; %end; %end; %mend; %swapthis; DO Z=1 TO 4; MRAC 5050= PUT (LEFT (COMPRESS (TRANWRD (MRAC VALID, "5050", "50XX"))), 28.); MRAC ONE50= PUT(LEFT(COMPRESS(TRANWRD(MRAC 5050,"XX",""))),28.); END; MRAC ONE40=MRAC ONE50; DO Y=1 TO 7; MRAC 4040= PUT (LEFT (COMPRESS (TRANWRD (MRAC ONE 40, "4040", "40XX"))),28.); MRAC ONE40= PUT(LEFT(COMPRESS(TRANWRD(MRAC 4040,"XX",""))),28.); MRACASC1=INPUT (MRAC ONE40, 28.0); END; ELSE DO;

MRACASC1=INPUT (MRACORG1, 28.0);

END;

Page 10 of 59 May 27, 2016

	ORACE3. If MR	e for preferred race categoryPRACE is derived from MRACASC1 and ACEASC has only one response, then _PRACE1=MRACASC1. If MRACASC1 e response then _PRACE1=ORACE3.
1	White	Respondents who reported their race as white. (MRACASC1=10 or MRACASC1>99 and ORACE3=10)
2	Black or African American	Respondents who reported their race as black. (MRACASC1=22 or MRACASC1>99 and ORACE3=20)
3	American Indian or Alaskan Native	Respondents who reported their race as American Indian or Alaska Native. (MRACASC1=30 or MRACASC1>99 and ORACE3=30)
4	Asian	Respondents who reported their race as Asian. (MRACASC1=40 or MRACASC1>99 and ORACE3=40)
5	Native Hawaiian or other Pacific Islander	Respondents who reported their race as Native Hawaiian or Pacific Islander. (MRACASC1=50 or MRACASC1>99 and ORACE3=50)
6	Other race	Respondents who report they are of some other race group not listed in the question responses. (MRACASC1=60 or MRACASC1>99 and ORACE3=60)
7	No preferred race	Respondents who reported they are of more than one race group but did not report a preference or the preferred race is missing (MRACASC1>99 and ORACE3=77 or 99)
8	Multiracial but preferred race not answered	Respondents who reported they are of more than one race group but did not answer the question about which race best represents them NOTE: This is a data collection error. (MRACASC1 >99 and ORACE3=80 or MRACASC1 >99 and ORACE3=Missing)
77	Don't know/ Not sure	Respondents who reported they didn't know their race and did not answer the question about which race best represents them. (MRACASC1=77)
99	Refused	Respondents who refused to give their race and did not answer the question about which race best represents them. (MRACASC1=99)
	SAS Code:	IF MRACASC1 EQ 10 THEN _PRACE1 = 1;  ELSE IF MRACASC1 EQ 20 THEN _PRACE1 = 2;  ELSE IF MRACASC1 EQ 30 THEN _PRACE1 = 3;  ELSE IF 40 LE MRACASC1 LE 49 THEN _PRACE1=4;  ELSE IF 50 LE MRACASC1 LE 59 THEN _PRACE1=5;  ELSE IF MRACASC1 EQ 60 THEN _PRACE1=6;  ELSE IF MRACASC1 EQ 77 THEN _PRACE1=77;  ELSE IF MRACASC1 EQ 99 THEN _PRACE1=99;  ELSE IF MRACASC1 GT 99 THEN DO;  IF ORACE3=77 THEN _PRACE1=7;  ELSE IF ORACE3=99 THEN _PRACE1=7;  ELSE IF ORACE3=. THEN _PRACE1=8;  ELSE IF ORACE3=80 THEN _PRACE1=8;  ELSE IF ORACE3 EQ 10 THEN _PRACE1=1;  ELSE IF ORACE3 EQ 20 THEN _PRACE1=2;  ELSE IF ORACE3 EQ 30 THEN _PRACE1=3;  ELSE IF ORACE3 EQ 30 THEN _PRACE1=4;

Page 11 of 59 May 27, 2016

# Section 7: Demographics MRACE1 Calculated vo

_MRACI	MRACASC1. If a category. If MRA	de for calculated multiracial race categorizationMRACE1 is derived from respondents reported more than one race they are assigned to the multiracial ACASC1 is less than 40 or equal to 60 then _MRACE1=MRACASC1. If 40-47 then _MRACE1=40. If MRACASC1 is 50-54 then _MRACE1=50.
1	White only	Respondents who reported they are white. (MRACASC1=10)
2	Black or African American only	Respondents who report they are black. (MRACASC1=22)
3	American Indian or Alaskan Native only	Respondents who reported they are American Indian or Alaska Native. (MRACASC1=30)
4	Asian Only	Respondents who reported they are Asian. (MRACASC1=40,41,42,423,44,45,46,47)
5	Native Hawaiian or other Pacific Islander only	Respondents who reported they are native Hawaiian or Pacific Islander. (MRACASC1=50,51,52,53,54)
6	Other race only	Respondents who reported they are of some other race group not listed in the question responses. (MRACASC1=60)
7	Multiracial	Respondents who reported they are of more than one race group (MRACASC1>99)
77	Don't know/ Not sure	Respondents who reported they did not know their race. (MRACASC1=77)
99	Refused	Respondents who refused to give their race information. (MRACASC1=99)
	SAS Code:	IF MRACASC1 GT 99 THEN _MRACE1 = 7;  ELSE IF MRACASC1 EQ 99 THEN _MRACE1 = 99;  ELSE IF MRACASC1 EQ 77 THEN _MRACE1 = 77;  ELSE IF MRACASC1 EQ 10 THEN _MRACE1 = 1;  ELSE IF MRACASC1 EQ 20 THEN _MRACE1 = 2;  ELSE IF MRACASC1 EQ 30 THEN _MRACE1 = 3;  ELSE IF 40 LE MRACASC1 LE 47 THEN _MRACE1 = 4;  ELSE IF 50 LE MRACASC1 LE 54 THEN _MRACE1 = 5;  ELSE IF MRACASC1=60 THEN _MRACE1=6;

Page 12 of 59 May 27, 2016

# Section 7: Demographics M. RACE. Calculated via

	: Demographics	
_M_RA0	MRACASC1. If	le for calculated multiracial race categorizationM_RACE is derived from respondents reported more than one race they are assigned to the multiracial
	<b>.</b>	vise _M_RACE=MRACASC1.
10	White	Respondents who reported being white (MRACASC1=10)
20	Black or African American	Respondents who reported being black or African American (MRACASC1=22)
30	American Indian or Alaska Native	Respondents who reported being American Indian or Alaska Native (MRACASC1=30)
40	Asian	Respondents who reported being American Indian or Alaska Native (MRACASC1=40)
41	Asian Indian	Respondents who reported being Asian Indian (MRACASC1=41)
42	Chinese	Respondents who reported being Chinese (MRACASC1=42)
43	Filipino	Respondents who reported being Filipino (MRACASC1=43)
44	Japanese	Respondents who reported being Japanese (MRACASC1=44)
45	Korean	Respondents who reported being Korean (MRACASC1=45)
46	Vietnamese	Respondents who reported being Vietnamese (MRACASC1=46)
47	Other Asian	Respondents who reported being Other Asian (MRACASC1=47)
50	Pacific Islander	Respondents who reported being Pacific Islander (MRACASC1=50)
51	Pacific Islander	Respondents who reported being Pacific Islander (MRACASC1=51)
52	Guamanian or Chamorro	Respondents who reported being Guamanian or Chamorro (MRACASC1=52)
53	Samoan	Respondents who reported being Samoan (MRACASC1=53)
54	Other Pacific Islander	Respondents who reported being Other Pacific Islander (MRACASC1=54)
60	Other	Respondents who reported being Other (MRACASC1=60)
70	Multiple responses	Respondents who reported being being of multiple races/ethnicities (MRACASC1>99)
77	Don't know/ Not Sure	Respondents who reported they didn't know their race (MRACASC1=77)
99	Refused	Respondents who refused to answer what race/ethnicity they were (MRACASC1=99)
	SAS Code:	<pre>IF MRACASC1 GT 99 THEN _M_RACE = 70; ELSE IF MRACASC1 EQ 99 THEN _M_RACE = 99; ELSE IF MRACASC1 EQ 77 THEN _M_RACE = 77; ELSE IF 10 LE MRACASC1 LE 60 THEN _M_RACE=MRACASC1;</pre>

Page 13 of 59 May 27, 2016

\_HISPANC Calculated variable for Hispanic, Latino/a, or Spanish origin calculated variable. \_HISPANC is derived from HISPANC3

- Hispanic, Latino/a, Respondents who reported being of Hispanic, Latino/a, or Spanish origin or Spanish origin (HISPANC3=1,2,3,4 or HISPANC3 > 9)
- Not of Hispanic, Respondents who reported they were not of Hispanic, Latino/a, or Spanish origin

  Latino/ a, or Spanish (HISPANC3=5)

  origin
- 9 Don't Know, Respondents who refused to report if they were of Hispanic, Latino/a, or Spanish Refused or Missing origin (HISPANC3=7)
- Not asked or Missing Respondents who reported they did not know if they were of Hispanic, Latino/a, or Spanish origin (HISPANC3=9)
  - SAS Code: HISPNUM=INPUT(HISPANC3,4.0);
    IF HISPNUM in (5,58) THEN \_HISPANC=2;
    ELSE IF HISPNUM in (7,9,.) THEN \_HISPANC=9;
    ELSE HISPANC=1;

Page 14 of 59 May 27, 2016

```
RACE
          Calculated variable for race
             ethnicity categories. RACE2 is derived from _MRACE1 and _HISPANC. All respondents who
             reported they are of Hispanic or Latino origin are coded as Hispanic.
  1
           White only, non-
                             Respondents who reported they are white and not of Hispanic origin.
                             ( MRACE1=1 and HISPANC=2)
              Hispanic
  2
           Black only, non-
                             Respondents who reported they are black and not of Hispanic origin.
                             ( MRACE1=2 and HISPANC=2)
              Hispanic
         American Indian or Respondents who reported they are American Indian or Alaska Native and not of
  3
        Alaskan Native only, Hispanic origin. (MRACE1=3 and HISPANC=2)
            Non-Hispanic
  4
           Asian only, non-
                             Respondents who reported they are Asian and not of Hispanic origin.
                             ( MRACE1=4 and HISPANC=2)
              Hispanic
  5
         Native Hawaiian or
                            Respondents who reported they are Native Hawaiian or Pacific Islander and not
        other Pacific Islander of Hispanic origin. (MRACE1=5 and HISPANC=2)
         only, Non-Hispanic
  6
         Other race only, non-Respondents who reported they are of some other race group not listed in the
                             question responses and are not of Hispanic origin. (MRACE1=6 and HISPANC=2)
              Hispanic
  7
           Multiracial, non-
                             Respondents who reported they are of more than one race group and are not of
                             Hispanic origin. (MRACE1=7 and HISPANC=2)
              Hispanic
  8
              Hispanic
                             Respondents who reported they are of Hispanic origin. (HISPANC=1)
  9
           Don't know/ Not
                             Respondents who reported they did not know, or refused to give their race and
            sure/Refused
                             are not of Hispanic origin or did not know, or refused to answer if they are of
                             Hispanic origin. (MRACE1 =77, 99 and HISPANC=2 or HISPANC=7, 9)
                             IF HISPANC=9 OR (MRACE1 IN(77,99) AND HISPANC3 EQ 2) THEN DO;
             SAS Code:
                              RACE = 9;
                             END;
                             ELSE IF HISPANC =2 THEN DO;
                             IF MRACE1 = 1 THEN RACE = 1;
                             ELSE IF _MRACE1 = 2 THEN _RACE = 2 ;
                             ELSE IF MRACE1 = 3 THEN RACE = 3;
                             ELSE IF MRACE1 = 4 THEN RACE = 4;
                             ELSE IF MRACE1 = 5 THEN RACE = 5;
                             ELSE IF MRACE1 = 6 THEN RACE = 6;
                             ELSE IF MRACE1 = 7 THEN RACE = 7;
                             ELSE IF _HISPANC=1 THEN DO;
                              RACE = 8;
                             END;
```

Page 15 of 59 May 27, 2016

\_RACEG21 Calculated variable for white non-hispanic race group. \_RACEG21 is derived from \_RACE.

- Non-Hispanic White Respondents who reported they are white and not of Hispanic origin. (RACE=1)
  - Non-White or Respondents who reported they are non-white or of Hispanic origin. (\_RACE=2, 3, 4, 5, 6, 7, 8)
  - 9 Don't know/ Not sure/ Refused Respondents who reported they did not know, or refused to give their race and are not of Hispanic origin or did not know, or refused to answer if they are of

Hispanic origin. (\_RACE=9)

```
SAS Code: IF _RACE = 1 THEN _RACEG21 = 1;

ELSE IF _RACE IN (2,3,4,5,6,7,8) THEN _RACEG21 = 2;

ELSE IF _RACE=9 THEN _RACEG21 = 9;
```

#### **Section 7: Demographics**

\_RACEGR3 Calculated variable for five-level race

ethnicity category. \_RACEGR3 is derived from \_RACE.

- White only, Non-Respondents who reported they are white and not of Hispanic origin. (\_RACE=1) Hispanic
- Black only, Non-Respondents who reported they are black and not of Hispanic origin. (\_RACE=2) Hispanic
- Other race only, Respondents who reported they are not white and not black and not of Hispanic Origin. (RACE=3, 4, 5, 6)
- 4 Multiracial, Non- Respondents who reported being multiracial but not of Hispanic origin. (\_RACE=7)
- 5 Hispanic Respondents who reported they are of Hispanic origin. (\_RACE=8)
- 9 Don't know/ Not sure/ Refused Respondents who reported they did not know, or refused to give their race and are not of Hispanic origin or did not know, or refused to answer if they are of Hispanic origin. (\_RACE=9)

SAS Code:

IF \_RACE=1 THEN \_RACEGR3=1;
ELSE IF \_RACE=2 THEN \_RACEGR3=2;
ELSE IF 3 LE \_RACE LE 6 THEN \_RACEGR3=3;
ELSE IF \_RACE=7 THEN \_RACEGR3=4;
ELSE IF \_RACE=8 THEN \_RACEGR3=5;
ELSE IF \_RACE=9 THEN \_RACEGR3=9;

Page 16 of 59 May 27, 2016

```
_RACE_G1 Calculated variable for race groups used for internet prevalence tables. _RACE_G is derived from
             _RACEGR3.
  1
            White - Non-
                             Respondents who reported they are white and not of Hispanic origin.
                             ( RACEGR3=1)
              Hispanic
  2
            Black - Non-
                             Respondents who reported they are black and not of Hispanic origin.
                             (_RACEGR3=2)
              Hispanic
  3
                             Respondents who reported that they are of Hispanic origin. (RACEGR3=5)
              Hispanic
  4
           Other race only,
                             All other respondents with valid race responses except for those reporting
           Non-Hispanic
                             multiracial or Hispanic origins. (RACEGR3=3)
          Multiracial, Non-
                             All other respondents reporting multiracial but non-Hispanic origin.
  5
                             ( RACEGR3=4)
              Hispanic
          Don't know/ Not
                             Respondents with don't know, refused or missing values for _RACEGR2.
                             ( RACEGR3=9, missing)
            sure/Refused
         component question
             SAS Code:
                             IF RACEGR3 = 1 THEN RACE G1 = 1;
                              ELSE IF RACEGR3 = 2 THEN RACE G1 = 2;
                              ELSE IF RACEGR3 = 3 THEN RACE G1 = 4;
                              ELSE IF RACEGR3 = 4 THEN RACE G1 = 5;
                              ELSE IF RACEGR3 = 5 THEN RACE G1 = 3;
```

Page 17 of 59 May 27, 2016

```
_AGEG5YR Calculated variable for fourteen-level age category. _AGEG5YR is derived from AGE.
             Age 18 to 24
                              Respondents with reported age between 18 and 24 years (18 <= AGE <= 24)
  1
  2
             Age 25 to 29
                              Respondents with reported age between 25 and 29 years (25 <= AGE <= 29)
  3
             Age 30 to 34
                              Respondents with reported age between 30 and 34 years (30 <= AGE <= 34)
  4
             Age 35 to 39
                              Respondents with reported age between 35 and 39 years (35 <= AGE <= 39)
  5
             Age 40 to 44
                              Respondents with reported age between 40 and 44 years (40 <= AGE <= 44)
  6
             Age 45 to 49
                              Respondents with reported age between 45 and 49 years (45 <= AGE <= 49)
  7
             Age 50 to 54
                              Respondents with reported age between 50 and 54 years (50 <= AGE <= 54)
  8
             Age 55 to 59
                              Respondents with reported age between 55 and 59 years (55 <= AGE <= 59)
  9
             Age 60 to 64
                              Respondents with reported age between 60 and 64 years (60 <= AGE <= 64)
  10
             Age 65 to 69
                              Respondents with reported age between 65 and 69 years (65 <= AGE <= 69)
  11
             Age 70 to 74
                              Respondents with reported age between 70 and 74 years (70 <= AGE <= 74)
  12
             Age 75 to 79
                              Respondents with reported age between 75 and 79 years (75 <= AGE <= 79)
                              Respondents with reported age between 80 and 99 years (80 <= AGE <= 99)
  13
           Age 80 or older
  14
             Don't know/
                              Respondents who reported they didn't know, were not sure, refused to report or
          Refused/ Missing
                              had missing responses for their age. (AGE=7, 9, missing)
                              IF 18 LE AGE LE 24 THEN AGEG5YR = 1;
             SAS Code:
                               ELSE IF 25 LE AGE LE 29 THEN AGEG5YR = 2;
                               ELSE IF 30 LE AGE LE 34 THEN AGEG5YR = 3;
                               ELSE IF 35 LE AGE LE 39 THEN AGEG5YR = 4;
                               ELSE IF 40 LE AGE LE 44 THEN
                                                                  AGEG5YR = 5;
                              ELSE IF 45 LE AGE LE 49 THEN AGEG5YR = 6;
                               ELSE IF 50 LE AGE LE 54 THEN AGEG5YR = 7;
                               ELSE IF 55 LE AGE LE 59 THEN AGEG5YR = 8;
                               ELSE IF 60 LE AGE LE 64 THEN AGEG5YR = 9;
                               ELSE IF 65 LE AGE LE 69 THEN AGEG5YR = 10;
                              ELSE IF 70 LE AGE LE 74 THEN \overline{AGEG5YR} = 11;
                               ELSE IF 75 LE AGE LE 79 THEN AGEG5YR = 12;
ELSE IF 80 LE AGE LE 99 THEN AGEG5YR = 13;
```

#### **Section 7: Demographics**

\_AGE65YR Calculated variable for two-level age category. \_AGE65YR is derived from AGE.

ELSE AGEG5YR = 14;

```
Age 18 to 64 Respondents with reported ages 18–64. (18 <= AGE <=64)

Age 65 or older Respondents with reported ages 65–99. (65 >= AGE >= 99)

Bon't know/ Refused/ Missing Refused/ Missing Value for AGE. (AGE=7,9,or missing)

SAS Code:

If 18 LE AGE LE 64 THEN _AGE65YR=1;
ELSE IF 65 LE AGE LE 99 THEN _AGE65YR=2;
ELSE AGE65YR = 3;
```

Page 18 of 59 May 27, 2016

_AGE80	Continuous calculateIMPAGE.	ted variable for imputed age value collapsed above 80AGE80 is derived from
18 - 79	Imputed Age 18 to 79	Respondents with reported Imputed Age between 18 and 79 years (18 $\leq$ Imputed Age $\leq$ 79)
80 - 99	Imputed Age 80 or older	Respondents with reported Imputed Age between 80 and 99 years (80 $\leq$ Imputed Age $\leq$ 99)
	SAS Code:	IF 18 LE _IMPAGE LE 80 THEN _AGE80=_IMPAGE; ELSE IF IMPAGE GE 80 THEN AGE80=80;

## **Section 7: Demographics**

_AGE_G	Calculated variable (imputed age).	e for six-level imputed age categoryAGE_G is derived from _IMPAGE
1	Age 18 to 24	Respondents with imputed ages between $18-24$ years of age. ( $18 \le IMPAGE \le 24$ )
2	Age 25 to 34	Respondents with imputed ages between 25–34 years of age. (25 $\leq$ _IMPAGE $\leq$ 34)
3	Age 35 to 44	Respondents with imputed ages between 35–44 years of age. (35 <= _IMPAGE <= 44)
4	Age 45 to 54	Respondents with imputed ages between 45–54 years of age. ( $45 \le IMPAGE \le 54$ )
5	Age 55 to 64	Respondents with imputed ages between 55–64 years of age. (55 <= _IMPAGE <= 64)
6	Age 65 or older	Respondents with imputed ages between 65–99 years of age. (_IMPAGE => 65)
	SAS Code:	<pre>IF (18&lt;=_IMPAGE&lt;=24) THEN _AGE_G = 1; ELSE IF (25&lt;=_IMPAGE&lt;=34) THEN _AGE_G = 2; ELSE IF (35&lt;=_IMPAGE&lt;=44) THEN _AGE_G = 3; ELSE IF (45&lt;=_IMPAGE&lt;=54) THEN _AGE_G = 4; ELSE IF (55&lt;=_IMPAGE&lt;=64) THEN _AGE_G = 5; ELSE IF (_IMPAGE &gt;= 65) THEN _AGE_G = 6;</pre>

Page 19 of 59 May 27, 2016

HTIN4 *Calculated variable for reported height in inches.* HTIN4 is derived from HEIGHT2. HTIN4 is calculated by adding the foot portion of HEIGHT2 multiplied by 12, to the inch portion.

36 - 95 Height in inches Respondents calculated height in inches. (HTIN4=(height in feet x 12) + height in

inches)

Don't know/ Respondents who reported they didn't know, were not sure, refused to report or

Refused/ Missing had missing responses for their height. (HEIGHT3=777, 999, 7777, 9999 or missing or

HEIGHT3 < 36 inches or HEIGHT3 > 95 inches)

SAS Code: IF 300<=HEIGHT3<=311 THEN HTIN4=((HEIGHT3-300)+36);

ELSE IF 400<=HEIGHT3<=411 THEN HTIN4=((HEIGHT3-400)+48); ELSE IF 500<=HEIGHT3<=511 THEN HTIN4=((HEIGHT3-500)+60); ELSE IF 600<=HEIGHT3<=611 THEN HTIN4=((HEIGHT3-600)+72);

ELSE IF 700<=HEIGHT3<=711 THEN HTIN4=((HEIGHT3-700)+84);

#### **Section 7: Demographics**

HTM4 Calculated variable for reported height in meters. HTM4 is derived from the variable HTIN4 by multiplying HTIN4 by 2.54 cm per in and dividing by 100 cm per meter. HTM4 is derived from HEIGHT2 metric values by dividing by 100.

91 - 244 Height in meters [2 Respondents reported or calculated height in meters. (HTM4=HTIN4 x 0.0254 or implied decimal HTM4 = (HEIGHT3 - 9000) ÷ 100)

places]

Don't know/ Respondents who reported they didn't know, were not sure, refused to report or

Refused/ Missing had missing responses for their height. (HEIGHT3=777, 999, 7777, 9999 or missing or

HEIGHT3 < 0.91 meters or HEIGHT3 2.44 meters)

**SAS Code:** IF 300 <= HEIGHT3 <= 711 THEN HTM4=HTIN4\*0.0254;

ELSE IF 9091 <= HEIGHT3 < 9244 THEN HTM4=(HEIGHT3-9000)/100;

#### **Section 7: Demographics**

WTKG3 Calculated variable for reported weight in kilograms. WTKG3 is derived from WEIGHT2 by multiplying WEIGHT2 by 0.4535924 kg per lb.

2300 - Weight in kilograms Respondents reported or calculated weight in kilograms.

29500 [2 implied decimal

places]

99999 Don't know/ Respondents who reported they didn't know, were not sure, refused to report or

Refused/ Missing had missing responses for their weight.

SAS Code: \*\* CONVERSION FACTOR = 0.4535924 kg/lb \*\*;

IF WEIGHT2 NOT IN (777,999,7777,9999,.) THEN DO;
IF 0050 LE WEIGHT2 < 0650 THEN WTKG3=WEIGHT2\*0.4535924;
ELSE IF 9023 LE WEIGHT2 < 9295 THEN WTKG3=WEIGHT2-9000;</pre>

END;

Page 20 of 59 May 27, 2016

	0 1	
_BMI5		for body mass index (bmi)BMI5 is derived from WTKG3 and HTM4. It is viding WTKG3 by HTM4 <sup>2</sup> .
1 - 9999	1 or greater	Respondents calculated body mass index (BMI) {units=kilograms per meter squared}. (_BMI5 = WTKG3 / (HTM4xHTM4))
	Don't know/ Refused/ Missing	Respondents who had a missing value for their height in meters or weight in kilograms. (WTKG3=missing or HTM4=missing or _BMI5<12.00 or _BMI5>=100 or PREGNANT=1)
	SAS Code:	<pre>IF (WTKG3 NOTIN (.)) AND (HTM4 NOTIN (.)) THEN _BMI5=WTKG3/(HTM4 ** 2); ELSE _BMI5=.; IF _BMI5 NE . THEN _BMI5=ROUND(_BMI5,.01); IF _BMI5 &gt; 99.99 THEN _BMI5=.; IF _BMI5 &lt; 12.00 THEN _BMI5=.;</pre>

IF PREGNANT=1 THEN BMI5=.;

#### **Section 7: Demographics**

```
_BMI5CAT Calculated variable for four-categories of body mass index (bmi). _BMI5CAT is derived from
            BMI5.
  1
            Underweight
                             Respondents classified as underweight based on body mass index. (BMI5 < 18.50)
  2
           Normal Weight
                             Respondents classified as normal weight based on body mass index. (18.50 <=
                             BMI5 < 25.00)
                             Respondents classified as overweight based on body mass index. (25.00 <= BMI5
  3
             Overweight
                             < 30.00)
                             Respondents classified as obese based on body mass index. (30.00 <= BMI5 <
  4
               Obese
                             99.99)
            Don't know/
                             Respondents with an unknown, refused, or missing value for body mass index.
          Refused/ Missing
                             ( BMI5=.)
                             IF (0.00 LE BMI5 < 18.50) THEN BMI5CAT=1;
             SAS Code:
                             ELSE IF (18.50 LE BMI5 < 25.00) THEN BMI5CAT=2;
                             ELSE IF (25.00 LE BMI5 < 30.00) THEN BMI5CAT=3;
                             ELSE IF BMI5 GE 30.00 THEN BMI5CAT=4;
```

Page 21 of 59 May 27, 2016

```
_RFBMI5 Calculated variable for adults who have a body mass index greater than 25.00 (overweight or
             obese). _RFBMI5 is derived from _BMI5.
  1
                 No
                              Respondents not classified as overweight or obese based on body mass index. (12
                              \leq BMI5 \leq 25.00)
  2
                 Yes
                              Respondents classified as overweight or obese based on body mass index. (25.00)
                              \leq BMI5 \leq 99.99)
             Don't know/
  9
                             Respondents with an unknown, refused, or missing value for body mass index.
          Refused/ Missing
                             (BMI5=missing)
                              IF (12.00 LE BMI5 < 25.00) THEN RFBMI5=1;
             SAS Code:
                              ELSE IF (25.\overline{00} \le BMI5 < 99.99) THEN RFBMI5=2;
                              ELSE RFBMI5=9;
                              ** Round off HTM4, WTKG3 and BMI5 to 2 decimal places and remove
                              the decimal **;
                              HTIN4 = round(HTIN4, 1);
                               HTM4 = round((HTM4*100), 1);
```

IF BMI5 NE . THEN BMI5 = ROUND((BMI5\*100),1);

#### **Section 7: Demographics**

```
_CHLDCNT Calculated variable for number of children in household. _CHLDCNT is derived from CHILDREN.
```

WTKG3 = round((WTKG3\*100), 1);

```
1
         No children in
                          Respondents who reported having no children. (CHILDREN=88)
          household
2
          One child in
                          Respondents who reported having one child. (CHILDREN=1)
          household
3
        Two children in
                          Respondents who reported having two children. (CHILDREN=2)
          household
4
        Three children in
                          Respondents who reported having three children. (CHILDREN=3)
          household
5
        Four children in
                          Respondents who reported having four children. (CHILDREN=4)
          household
6
         Five or more
                          Respondents who reported having five or more children. (5 <= CHILDREN < 87)
     children in household
9
        Don't know/ Not
                          Respondents who reported they didn't know, were not sure, refused or had a
         sure/ Missing
                          missing value for CHILDREN. (CHILDREN=99)
                          IF CHILDREN = 88 THEN CHLDCNT = 1;
          SAS Code:
                           ELSE IF CHILDREN = 01 THEN CHLDCNT = 2;
                           ELSE IF CHILDREN = 02 THEN CHLDCNT = 3;
                           ELSE IF CHILDREN = 03 THEN CHLDCNT = 4;
                           ELSE IF CHILDREN = 04 THEN CHLDCNT = 5;
                          ELSE IF 05 <= CHILDREN < 88 THEN CHLDCNT = 6;
                           ELSE IF CHILDREN = 99 THEN CHLDCNT = 9;
```

ELSE IF CHILDREN = . THEN  $\overline{\text{CHLDCNT}} = 9;$ 

Page 22 of 59 May 27, 2016

	<i>o</i> 1	
_EDUCA	AG Calculated variab	le for level of education completedEDUCAG is derived from EDUCA.
1	Did not graduate High School	Respondents who reported they did not graduate high school. (EDUCA=1,2,3)
2	Graduated High School	Respondents who reported they graduated high school. (EDUCA=4)
3	Attended College or Technical School	Respondents who reported they attended college or technical school. (EDUCA=5)
4	Graduated from College or Technical School	Respondents who reported they graduated from college or technical school. (EDUCA=6)
9	Don't know/ Not sure/ Missing	Respondents who reported they didn't know, were not sure, refused, or had a missing value for EDUCA. (EDUCA=9, missing)
	SAS Code:	<pre>IF EDUCA IN (1,2,3) THEN _EDUCAG = 1; ELSE IF EDUCA IN (4) THEN _EDUCAG = 2; ELSE IF EDUCA IN (5) THEN _EDUCAG = 3; ELSE IF EDUCA IN (6) THEN _EDUCAG = 4; ELSE IF EDUCA IN (.,9) THEN _EDUCAG = 9;</pre>

#### **Section 7: Demographics**

```
_INCOMG Calculated variable for income categories. _INCOMG is derived from INCOME2.
  1
          Less than $15,000
                              Respondents whose reported income is less than $15,000. (INCOME2=1,2)
  2
         $15,000 to less than Respondents whose reported income is $15,000 to less than $25,000.
                              (INCOME2=3,4)
               $25,000
  3
         $25,000 to less than Respondents whose reported income is $25,000 to less than $35,000.
                              (INCOME2=5)
               $35,000
  4
         $35,000 to less than Respondents whose reported income is $35,000 to less than $50,000.
                              (INCOME2=6)
               $50,000
  5
           $50,000 or more
                              Respondents whose reported income is $50,000 or more. (INCOME2=7,8)
  9
           Don't know/ Not
                              Respondents who refused to answer, didn't know or had a missing value for
            sure/ Missing
                              INCOME2. (INCOME2=77,99, or missing)
                              IF INCOME2 IN (1,2) THEN _INCOMG = 1;
ELSE IF INCOME2 IN (3,4) THEN INCOMG = 2;
             SAS Code:
                               ELSE IF INCOME 2 IN (5) THEN INCOMG = 3;
                              ELSE IF INCOME2 IN (6) THEN INCOMG = 4;
                               ELSE IF INCOME2 IN (7,8) THEN INCOMG = 5;
                               ELSE IF INCOME2 IN (77,99,.) THEN INCOMG = 9;
```

Page 23 of 59 May 27, 2016

#### **Section 8: Tobacco Use**

\_SMOKER3 Calculated variable for four-level smoker status: everyday smoker, someday smoker, former smoker, non-smoker. \_SMOKER3 is derived from SMOKE100 and SMOKDAY2.

Current smoker - Respondents who reported having smoked at least 100 cigarettes in their lifetime now smokes every day. (SMOKE100=1 and SMOKDAY2=1)

day

2 Current smoker now smokes some days Respondents who reported having smoked at least 100 cigarettes in their lifetime and now smoke some days. (SMOKE100=1 and SMOKDAY2=2)

3 Former smoker

Respondents who reported having smoked at least 100 cigarettes in their lifetime and currently do not smoke. (SMOKE100=1 and SMOKDAY2=3)

4 Never smoked

9

Respondents who reported they had not smoked at least 100 cigarettes in their lifetime. (SMOKE100=2)

Don't know/ Refused/ Missing Respondents who reported they didn't know if they had smoked 100 cigarettes in their lifetime, those who refused to answer if they had smoked 100 cigarettes in their lifetime, those who didn't know if they now smoked every day, some days or not at all, those who refused to answer if they now smoked every day, some days or not at all, or those with missing responses. (SMOKE100=7, 9, missing; or SMOKDAY2=7, 9, missing)

**SAS Code:** 

```
IF SMOKE100=2 THEN _SMOKER3=4;
ELSE IF SMOKE100=1 THEN DO;
IF SMOKDAY2=1 THEN _SMOKER3=1;
ELSE IF SMOKDAY2=2 THEN _SMOKER3=2;
ELSE IF SMOKDAY2 = 3 THEN _SMOKER3=3;
ELSE _SMOKER3=9;
END;
ELSE SMOKER3=9;
```

Page 24 of 59 May 27, 2016

#### **Section 8: Tobacco Use**

_RFSMOK3	3 Calculated variate _SMOKER3.	ble for adults who are current smokersRFSMOK3 is derived from
1	No	Respondents who reported they had not smoked at least 100 cigarettes in their lifetime, those who reported having smoked 100 cigarettes in their lifetime but do not currently smoke. (_SMOKER3=3, 4)
2	Yes	Respondents who reported having smoked at least 100 cigarettes in their lifetime and currently smoke. (_SMOKER3=1, 2)
9 I	Don't know/ Refused/ Missing	Respondents who reported they did not know if they had smoked 100 cigarettes in their lifetime, those who refused to answer if they had smoked 100 cigarettes in their lifetime, those who didn't know if they now smoked every day, some days or not at all, those who refused to answer if they now smoked every day, some days or not at all, or those with missing responses. (_SMOKER3=9)
	SAS Code:	<pre>IF _SMOKER3 IN (1,2) THEN _RFSMOK3=2; ELSE IF _SMOKER3 IN (3,4) THEN _RFSMOK3=1; ELSE RFSMOK3=9;</pre>

## **Section 9: Alcohol Consumption**

DRNKANY5 Calculated variable for adults who reported having had at least one drink of alcohol in the past 30 days. DRNKANY5 is derived from AKCDAY5

	30 aays. Dixinx	ANTS IS UCTIVED HOLL ARCDATS
1	Yes	Respondents who reported drinking at least one alcoholic beverage in the past 30 days. $(1 \le ALCDAY \le 231)$
2	No	Respondents who reported drinking no alcoholic beverages in the past 30 days. (ALCDAY5=888)
7	Don't know/ Not Sure	Respondents who reported not knowing if they drank at least one alcoholic beverage in the past 30 days. (ALCDAY5=777)
9	Refused/ Missing	Respondents who refused to answer or had a missing value for drinking at least one alcoholic beverage in the past 30 days. (ALCDAY5=999, Missing)
	SAS Code:	<pre>IF 1 &lt;= ALCDAY5 &lt; 231 THEN DRNKANY5=1; ELSE IF ALCDAY5=888 THEN DRNKANY5=2; ELSE IF ALCDAY5=777 THEN DRNKANY5=7; ELSE DRNKANY5=9;</pre>

Page 25 of 59 May 27, 2016

#### **Section 9: Alcohol Consumption**

900

2

9

DROCDY3\_ *Calculated variable for drink-occasions-per-day*. DROCDY3\_ is derived from ALCDAY5 by dividing the ALCDAY5 variable by 7 days per week or 30 days per month.

No Drink-Occasions Respondents reported no occasions per day that they consumed alcohol. per day (ALCDAY5=888)

1 - 899 Drink-Occasions per Respondents reported number of occasions per day that they consumed alcohol. (ALCDAY5 not equal to 777, 888, 999, or missing)

Don't know/ Not Sure Or Refused/
Missing

Respondents who reported they did not know how many days they had at least one drink of alcohol, those who refused to answer how many days they had at least one drink of alcohol, those with missing responses. (ALCDAY5=777, 999, or missing)

SAS Code:
 IF ALCDAY5 NOTIN (888,777,999,.) THEN DO;
 IF 101 LE ALCDAY5 LE 107 THEN DROCDY3\_=(ALCDAY5-100)/7;
 ELSE IF 201 LE ALCDAY5 LE 230 THEN DROCDY3\_=(ALCDAY5-200)/30;
 END;
 ELSE IF ALCDAY5 EQ 888 THEN DROCDY3\_=0;
 ELSE DROCDY3\_=9;
 \* DROCDY3\_=round((DROCDY3\_\*100),1);
 \*This is done after all of the alcohol calculations but the code is included here;

## **Section 9: Alcohol Consumption**

Yes

\_RFBING5 Calculated variable for binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion). \_RFBING5 is derived from DRNK3GE5 and ALCDAY5.

1 No Respondents who reported they did not drink in the past 30 days, or those who reported that they did drink alcohol in the past 30 days but did not report having five or more drinks of alcohol on an occasion. (ALCDAY5<231 and DRNK3GE5=88; or ALCDAY5=888)

Respondents who reported they did drink in the past 30 days and had five or

more drinks on one or more occasions in the past month. (ALCDAY5<231 and 1<=DRNK3GE5<=76)

Don't know/
Refused/ Missing

more drinks on one or more occasions in the past month. (ALCDAY5<231 and 1<=DRNK3GE5<=76)

Respondents who reported that they did not know if they had consumed five or more drinks of alcohol on one occasion or refused to answer if they had

more drinks of alcohol on one occasion or refused to answer if they had consumed five or more drinks of alcohol on one occasion or those with missing

responses. (DRNK3GE5=77, 99, missing; or ALCDAY5=777, 999, missing)

SAS Code:
 IF ALCDAY5 NOTIN (888) THEN DO;
 IF 1 LE DRNK3GE5 LE 76 THEN \_RFBING5=2;
 ELSE IF DRNK3GE5 IN (.,77,99) THEN \_RFBING5=9;
 ELSE IF DRNK3GE5 IN (88) THEN \_RFBING5=1;
 END;
 ELSE IF ALCDAY5 = 888 THEN \_RFBING5=1;
 ELSE RFBING5=9;

Page 26 of 59 May 27, 2016

#### **Section 9: Alcohol Consumption**

\_DRNKWEK Calculated variable for calculated total number of alcoholic beverages consumed per week. \_DRNKWEK is derived from DROCDY3\_ and AVEDRNK2 by multiplying the total number of drink occasions per day (DROCDY3) by the average number of drinks per occasion (AVEDRNK2) times seven days. 0 Did not drink Respondents who did not drink in the past month. (DROCDY3\_=0) 1 -Number of drinks Respondents reported number of alcoholic drinks in the past week. (0 < DROCDY3 < 990) 98999 per week 99900 Don't know/ Not Respondents who refused to report the number of alcohol drinks consumed per sure/ Refused/ day, or respondents who did not know the number of alcohol drinks consumed per day, or those with missing responses or respondents who refused to report Missing the number drink occasions per day, or respondents who did not know the number of drink occasions per day, or those with missing responses. (AVEDRNK2=.,77,99 or DROCDY3 =900) IF DROCDY3 =0 THEN DRNKWEK=0; **SAS Code:** ELSE IF DROCDY3 =9 THEN DRNKWEK=999; ELSE IF AVEDRNK $\overline{2}$  IN (.,77,99) THEN DRNKWEK=999; ELSE DRNKWEK=AVEDRNK2\*DROCDY3 \*7; \* \_DRNKWEK=ROUND(( DRNKWEK\*100),1); \*This is done after all of the alcohol calculations but the code is included here;

Page 27 of 59 May 27, 2016

#### **Section 9: Alcohol Consumption**

\_RFDRHV5 Calculated variable for heavy drinkers (adult men having more than 14 drinks per week and adult women having more than 7 drinks per week). \_RFDRHV5 is derived from \_DRNKWEK, ALCDAY5, and SEX. This new calculated variable for heavy drinking is replacing the heavy drinking measure used in the past (i.e., \_RFDRHV4). This change in the time period used to assess heavy drinking (i.e. from daily average to weekly) have no impact on prevalence estimates for heavy drinking among adults because high average daily alcohol consumption and high weekly alcohol consumption are mathematically equivalent. This change was made to help differentiate heavy drinking, which is based on high average consumption; from moderate drinking, which is based on daily consumption below a specified consumption level (one drink per day for women; 2 drinks per day for men), as defined by the 2015-2020 Dietary Guidelines for Americans, and not based on average consumption.

1 No Male Respondents who reported having 14 drinks per week or less, or Female Respondents who reported having 7 drinks per week or less. (Sex=1 and DRNKWEK <= 1400 or Sex=2 and DRNKWEK <= 700 or ALCDAY5=888)

Male Respondents who reported having more than 14 drinks per week, or Female Respondents who reported having more than 7 drinks per week. (Sex=1 and DRNKWEK > 1400 or Sex=2 and DRNKWEK > 700)

Don't know/ Refused/ Missing

Yes

2

9

Respondents with don't know, refused or missing responses for ALCDAY5 or \_DRNKWEK. (ALCDAY5=777, 999, or missing, or \_DRNKWEK=99, or missing)

**SAS Code:** 

```
IF SEX=1 AND _DRNKWEK NOTIN (999,.) THEN DO;
IF _DRNKWEK GT 14 THEN _RFDRHV5=2;
ELSE IF _DRNKWEK LE 14 THEN _RFDRHV5=1;
END;
ELSE IF SEX=2 AND _DRNKWEK NOTIN (999,.) THEN DO;
IF _DRNKWEK GT 7 THEN _RFDRHV5=2;
ELSE IF _DRNKWEK LE 7 THEN _RFDRHV5=1;
END;
ELSE IF ALCDAY5 EQ 888 THEN _RFDRHV5=1;
ELSE RFDRHV5=9;
** ROUND OFF TO NO DECIMAL PLACES ** MULTIPLY BY 100 AND THEN ROUND OFF TO NO DECIMAL PLACES AND THEN REMOVE THE DECIMAL PLACES
**;
DROCDY3_=round((DROCDY3_*100),1);
DRNKWEK=ROUND(( DRNKWEK*100),1);
```

Page 28 of 59 May 27, 2016

FTJUDA1\_ Calculated variable for fruit juice intake in times per day. FTJUDA1\_ converts the FRUITJU1 variable to a per day response. (Two implied decimal places)

0 - 9999 Times per day Respondents reported intake of fruit juice per day (FRUITJU1 not equal to 777,999, or

missing)

Don't know/ Not Sure Or Refused/ Missing

Respondents who reported they didn't know the number of times fruit juice was consumed per day, those who refused to answer, and those with missing responses (FRUITJU1=777,999, or missing)

**SAS Code:** 

```
IF 100 < FRUITJU1 < 200 THEN FTJUDA1 =FRUITJU1-100;
ELSE IF 200 < FRUITJU1 < 300 THEN FTJUDA1 = (ROUND((FRUITJU1-
200)/7,0.01));
ELSE IF 300 < FRUITJU1 < 400 THEN FTJUDA1 = (ROUND((FRUITJU1-
300)/30,0.01));
ELSE IF FRUITJU1 = 555 THEN FTJUDA1 =0;
ELSE IF FRUITJU1 = 300 THEN FTJUDA1 =0.02;
ELSE IF FRUITJU1 IN (.,777,999) THEN FTJUDA1 =.;
** ROUND OFF **;
FTJUDA1 =round((FTJUDA1 *100),1);
```

#### Section 10: Fruits & Vegetables

FRUTDA1\_ Calculated variable for fruit intake in times per day. FRUTDA1\_ converts the FRUIT1 variable to a per day response. (Two implied decimal places)

0 - 9999

Times per day

Respondents reported intake of fruit per day (FRUIT1 not equal to 777,999, or missing)

Don't know/ Not Sure Or Refused/ Missing

Respondents who reported they didn't know the number of times fruit was consumed per day, those who refused to answer, and those with missing responses (FRUIT1=777, 999, or missing)

**SAS Code:** 

```
IF 100 < FRUIT1 < 200 THEN FRUTDA1 =FRUIT1-100;</pre>
ELSE IF 200 < FRUIT1 < 300 THEN FRUTDA1 = (ROUND ((FRUIT1-
200)/7,0.01));
ELSE IF 300 < FRUIT1 < 400 THEN FRUTDA1 = (ROUND ( (FRUIT1-
300)/30,0.01));
ELSE IF FRUIT1 = 555 THEN FRUTDA1 =0;
ELSE IF FRUIT1 = 300 THEN FRUTDA1 =0.02;
ELSE IF FRUIT1 IN (.,777,999) THEN FRUTDA1_=.;
** ROUND OFF **;
FRUTDA1 =round((FRUTDA1 *100),1);
```

Page 29 of 59 May 27, 2016

BEANDAY\_ Calculated variable for bean intake in times per day. BEANDAY\_ converts the FVBEANS variable to a per day response (Two implied decimal places)

0 - 9999 Times per day Respondents reported intake of beans per day (FVBEANS not equal to 777, 999, or

missing)

Don't know/ Not Sure Or Refused/ Missing

Respondents who reported they didn't know the number of times beans were consumed per day, those who refused to answer, and those with missing responses (FVBEANS=777, 999, or missing)

**SAS Code:** 

```
IF 100 < FVBEANS < 200
                         THEN BEANDAY = FVBEANS-100;
ELSE IF 200 < FVBEANS < 300 THEN BEANDAY = (ROUND ( (FVBEANS-
200)/7,0.01));
ELSE IF 300 < FVBEANS < 400 THEN BEANDAY = (ROUND((FVBEANS-
300)/30,0.01));
ELSE IF FVBEANS = 555 THEN BEANDAY =0;
ELSE IF FVBEANS = 300 THEN BEANDAY =0.02;
ELSE IF FVBEANS IN (.,777,999) THEN BEANDAY =.;
** ROUND OFF **;
BEANDAY =round((BEANDAY *100),1);
```

#### Section 10: Fruits & Vegetables

GRENDAY\_ Calculated variable for dark green vegetable intake in times per day. GRENDAY\_ converts the FVGREEN variable to a per day response (Two implied decimal places)

0 - 9999

Times per day

Respondents reported intake of dark green vegetables per day (FVGREEN not equal to 777,999, or missing)

Don't know/ Not Sure Or Refused/ Missing

Respondents who reported they didn't know the number of times dark green vegetables were consumed per day, those who refused to answer, and those with missing responses (FVGREEN=777,999, or missing)

**SAS Code:** 

```
IF 100 < FVGREEN < 200 THEN GRENDAY =FVGREEN-100;</pre>
ELSE IF 200 < FVGREEN < 300 THEN GRENDAY = (ROUND ( (FVGREEN-
200)/7,0.01));
ELSE IF 300 < FVGREEN < 400 THEN GRENDAY = (ROUND ( (FVGREEN-
300)/30,0.01));
ELSE IF FVGREEN = 555 THEN GRENDAY =0;
ELSE IF FVGREEN = 300 THEN GRENDAY =0.02;
ELSE IF FVGREEN IN (.,777,999) THEN GRENDAY = .;
** ROUND OFF **;
GRENDAY =round((GRENDAY *100),1);
```

Page 30 of 59 May 27, 2016

ORNGDAY\_ Calculated variable for orange-colored vegetable intake in times per day. ORNGDAY\_ converts the FVORANG variable to a per day response (Two implied decimal places)

0 - 9999 Times per day

Respondents reported intake of orange-colored vegetables per day (FVORANG not equal to 777,999, or missing)

Don't know/ Not Sure Or Refused/ Missing Respondents who reported they didn't know the number of times orange-colored vegetables were consumed per day, those who refused to answer, and those with missing responses (FVORANG=777,999, or missing)

**SAS Code:** 

```
IF 100 < FVORANG < 200   THEN ORNGDAY_=FVORANG-100;
ELSE IF 200 < FVORANG < 300   THEN ORNGDAY_=(ROUND((FVORANG-200)/7,0.01));
ELSE IF 300 < FVORANG < 400   THEN ORNGDAY_=(ROUND((FVORANG-300)/30,0.01));
ELSE IF FVORANG = 555   THEN ORNGDAY_=0;
ELSE IF FVORANG = 300   THEN ORNGDAY_=0.02;
ELSE IF FVORANG IN (.,777,999)   THEN ORNGDAY_=.;
** ROUND OFF **;
ORNGDAY_=round((ORNGDAY_*100),1);</pre>
```

#### Section 10: Fruits & Vegetables

VEGEDA1\_ Calculated variable for vegetable intake in times per day. VEGEDA1\_ converts the VEGETAB1 variable to a per day response. (Two implied decimal places)

0 - 9999 Times per day

Respondents reported intake of other vegetables per day (VEGETAB1 not equal to 777, 999, or missing)

Don't know/ Not Sure Or Refused/ Missing Respondents who reported they didn't know the number of times other vegetables were consumed per day, those who refused to answer, and those with missing responses (VEGETAB1=777, 999, or missing)

**SAS Code:** 

```
IF 100 < VEGETAB1 < 200 THEN VEGEDA1_=VEGETAB1-100;
ELSE IF 200 < VEGETAB1 < 300 THEN VEGEDA1_=(ROUND((VEGETAB1-200)/7,0.01));
ELSE IF 300 < VEGETAB1 < 400 THEN VEGEDA1_=(ROUND((VEGETAB1-300)/30,0.01));
ELSE IF VEGETAB1 = 555 THEN VEGEDA1_=0;
ELSE IF VEGETAB1 = 300 THEN VEGEDA1_=0.02;
ELSE IF VEGETAB1 IN (.,777,999) THEN VEGEDA1_=.;
** ROUND OFF **;
VEGEDA1 =round((VEGEDA1 *100),1);</pre>
```

Page 31 of 59 May 27, 2016

\_MISFRTN Calculated variable for the number of missing fruit responses. \_MISFRTN is derived from MFTJUDA1\_ and MFRUTDA1\_

O No missing fruit Respondents with no missing fruit responses responses

1 - 2 Has 1 or 2 missing Respondents with missing fruit responses

fruit responses

SAS Code: IF FTJUDA1\_=. THEN MFTJUDA1\_=1;
ELSE MFTJUDA1\_=0;
IF FRUTDA1\_=. THEN MFRUTDA1\_=1;
ELSE MFRUTDA1\_=0;
MISFRTN=SUM(MFTJUDA1, MFRUTDA1);

#### **Section 10: Fruits & Vegetables**

\_MISVEGN Calculated variable for the number of missing vegetable responses. \_MISVEGN is derived from MGRENDAY\_, MORNGDAY\_, MBEANDAY\_ and MVEGEDA1\_.

No missing Respondents with no missing vegetable responses vegetable responses

1 - 4 Has 1, 2, 3, or 4 Respondents with missing vegetable responses responses

SAS Code: IF GRENDAY\_=. THEN MGRENDAY\_=1; ELSE MGRENDAY =0;

IF ORNGDAY\_=. THEN MORNGDAY\_=1;
ELSE MORNGDAY =0;

IF BEANDAY =. THEN MBEANDAY =1;

IF BEANDAY = THEN MBEANDAY = 1; ELSE MBEANDAY = 0;

IF VEGEDA1\_=. THEN MVEGEDA1\_=1;
ELSE MVEGEDA1 =0;

MISVEGN=SUM (MGRENDAY , MORNGDAY , MBEANDAY , MVEGEDA1 );

#### Section 10: Fruits & Vegetables

\_FRTRESP Calculated variable for missing any fruit responses. \_FRTRESP is derived from \_MISFRTN

0 Not Included - Respondents with a missing value for one of the fruit variables
Missing Fruit (1<=\_MISFRTN<=2)

Responses

1 Included - Not Respondents with no missing fruit variables (MISFRTN=0)

Missing Fruit Responses

**SAS Code:** \_FRTRESP=0;

IF 1<=\_MISFRTN<=2 THEN \_FRTRESP=0;
ELSE IF MISFRTN=0 THEN FRTRESP=1;</pre>

Page 32 of 59 May 27, 2016

- \_VEGRESP Calculated variable for missing any vegetable responses. \_VEGRESP is derived from GRENDAY\_, ORNGDAY\_, BEANDAY\_, VEGEDA1\_ and \_MISVEGN.
  - O Not Included Respondents with missing vegetable per day values (1<=\_MISVEGN<=4)
    Missing Vegetable
    Responses
  - 1 Included Not Respondents with no missing vegetable per day values (\_MISVEGN=0)
    Missing Vegetable
    Responses
  - . Not asked or Missing Respondents with a 99 value for all vegetable per day variables.

```
SAS Code:

__VEGRESP=0;
IF 1<=_MISVEGN<=4 THEN __VEGRESP=0;
ELSE IF MISVEGN=0 THEN VEGRESP=1;
```

#### Section 10: Fruits & Vegetables

- \_FRUTSUM Calculated variable for total fruits consumed per day. \_FRUTSUM is derived from the individual fruit variables (FTJUDA1\_, FRUTDA1\_). Values for don't know, refused, or missing" (99) are excluded from the sum.
- 0 Number of Fruits Number of Fruits consumed per day (two implied decimal places)
  99998 consumed per day (FTJUDA1\_+FRUTDA1\_)
  (two implied decimal places)
  - . Not asked or Missing Respondents with a 99 value for all four fruits per day variables.

```
SAS Code: __FRUTSUM=(FTJUDA1_/100) + (FRUTDA1_/100); FRUTSUM=round(( FRUTSUM*100),1);
```

#### **Section 10: Fruits & Vegetables**

- \_VEGESUM Calculated variable for total vegetables consumed per day. \_VEGESUM is derived from the individual vegetable variables (GRENDAY\_, ORNGDAY\_, BEANDAY\_, and VEGEDA1\_). Values for don't know, refused, or missing" (99) are excluded from the sum.
- 0 Number of Sum of all vegetable per day values (two implied decimal places)
  99998 Vegetables consumed (GRENDAY\_+ORNGDAY\_+BEANDAY\_+VEGEDA1\_)
  per day (two implied decimal places)
  - . Not asked or Missing Respondents with a 99 value for all vegetable per day variables.

Page 33 of 59 May 27, 2016

- \_FRTLT1 Calculated variable for consume fruit 1 or more times per day. \_FRT1LT is derived from FRUTSUM
  - Consumed fruit one Respondents that reported consuming Fruit 1 or more times a day or more times per day (\_FRUTSUM/100 >=1)
  - Consumed fruit less Respondents that reported consuming Fruit less than 1 time a day (\_FRUTSUM/100 than one time per day < 1)
  - 9 Don't know, refused Respondents with don't know, not sure, refused or missing responses or missing values (\_FRUTSUM=.)

```
SAS Code: IF 0 <= (_FRUTSUM/100) < 1 THEN _FRTLT1=2;
ELSE IF (_FRUTSUM/100) >= 1 THEN _FRTLT1=1;
ELSE FRTLT1=9;
```

#### **Section 10: Fruits & Vegetables**

\_VEGLT1 Calculated variable for consume vegetables 1 or more times per day. \_VEG1LT is derived from VEGESUM

1 Consumed Respondents that reported consuming vegetables 1 or more times a day vegetables one or (VEGESUM/100 >= 1)

more times per day

2 Consumed Respondents that reported consuming vegetables less than 1 time a day vegetables less than one time per day (\_VEGESUM/100 < 1)

9 Don't know, refused Respondents with don't know, not sure, refused or missing responses or missing values (\_VEGESUM=.)

SAS Code: IF 0 <= (\_VEGESUM/100) < 1 THEN \_VEGLT1=2; ELSE IF (\_VEGESUM/100) >= 1 THEN \_VEGLT1=1; ELSE VEGLT1=9;

#### Section 10: Fruits & Vegetables

\_FRT16 Calculated variable for reported consuming fruit >16 per day. \_FRT16 is derived from \_FRUTSUM

- Not Included Respondents with an out of range value for sum of fruits per day (\_FRUTSUM>16)
  Values are too high
- Included Values are Respondents with value for sum of fruits per day in acceptable range in accepted range (\_FRUTSUM<=16)
- . Not asked or Missing Respondents with a 99 value for both fruit per day variables.

```
SAS Code: IF (_FRUTSUM/100)>16 THEN _FRT16=0;
ELSE IF (_FRUTSUM/100)<=16 THEN _FRT16=1;
```

Page 34 of 59 May 27, 2016

- \_VEG23 Calculated variable for reported consuming vegetables >23 per day. \_VEG23 is derived from VEGESUM
  - Not Included Respondents with an out of range value for sum of vegetables per day Values are too high (\_VEGESUM>23)
  - Included Values are Respondents with value for sum of vegetables per day in acceptable range in accepted range (\_VEGESUM<=23)
  - . Not asked or Missing Respondents with a 99 value for all vegetable per day variables.

```
SAS Code: IF ( VEGESUM/100)>23 THEN VEG23=0;
ELSE IF ( VEGESUM/100)<=23 THEN VEG23=1;
```

#### **Section 10: Fruits & Vegetables**

FRUITEX Calculated variable for fruit exclusion from analyses. FRUITEX is derived from FRTRESP

- No missing values Respondents with no missing fruit values and in accepted range (\_FRTRESP=1 and in accepted range AND \_FRT16=1)
- 1 Missing Fruit Respondents missing at least one fruit per day value (\_FRTRESP=0) responses
- Fruit values out of Respondents with an out of range value for sum of fruits per day (\_FRTRESP=1 ange AND \_FRT16=0)
- Not asked or Missing Respondents with a 99 value for both fruit per day variables.

```
SAS Code: IF _FRTRESP=1 AND _FRT16=0 THEN _FRUITEX=2;
ELSE IF _FRTRESP=1 AND _FRT16=1 THEN _FRUITEX=0;
ELSE FRUITEX=1;
```

#### **Section 10: Fruits & Vegetables**

- \_VEGETEX Calculated variable for vegetable exclusion from analyses. \_VEGETEX is derived from \_VEGRESP and \_VEG23.
  - No missing values Respondents with no missing vegetable per day values and in all accepted range and in accepted range (\_VEGRESP=1 AND \_VEG23=1)
  - 1 Missing Vegetable Respondents with missing vegetable per day values (\_VEGRESP=0) responses
  - Vegetable values out Respondents with out of range vegetable per day values (\_VEGRESP=1 AND of range \_\_VEG23=0)
  - Not asked or Missing Respondents with a 99 value for all vegetable per day variables.

```
SAS Code: IF _VEGRESP=1 AND _VEG23=0 THEN _VEGETEX=2;

ELSE IF _VEGRESP=1 AND _VEG23=1 THEN _VEGETEX=0;

ELSE VEGETEX=1;
```

Page 35 of 59 May 27, 2016

#### **Section 11: Exercise (Physical Activity)**

\_TOTINDA Calculated variable for adults who reported doing physical activity or exercise during the past 30 days other than their regular job. \_TOTINDA is derived from EXERANY2.

Had physical activity Respondents who reported doing any physical activity or exercise. or exercise (EXERANY2=1)

No physical activity Respondents who reported doing no physical activity or exercise. (EXERANY2=2) or exercise in last 30 days

9 Don't know/ Refused/ Missing Respondents who reported they didn't know or refused to answer, and those with missing responses for the physical activity/exercise question. (EXERANY2=7, 9,

missing)

**SAS Code:** 

IF EXERANY2 IN (1) THEN \_TOTINDA=1;
ELSE IF EXERANY2 IN (2) THEN \_TOTINDA=2;
ELSE IF EXERANY2 IN (.,7,9) THEN \_TOTINDA=9;

Page 36 of 59 May 27, 2016

- METVL11\_ Calculated variable for activity met value for first activity. METVL11\_ is derived from EXRACT11.
  - O Activity MET Value Estimated first activity MET value
- 1 128 Activity MET Value Estimated first activity MET value (one implied decimal place)
  - Not asked or Missing Respondents with a don't know, refused or missing value for the first activity (EXRACT11=(77,99,..))

**SAS Code:** 

```
IF EXRACT11 IN (34,60,67,69) THEN METVL11 =0;
ELSE IF EXRACT11 IN (47) THEN METVL11 = 2.\overline{5};
ELSE IF EXRACT11 IN (13,17,56,63) THEN METVL11 =3;
ELSE IF EXRACT11 IN (33,73) THEN METVL11 =3.3;
ELSE IF EXRACT11 IN (16,19,64,71) THEN METVL11 =3.5;
ELSE IF EXRACT11 IN (1,9,11,36) THEN METVL11 =3.8;
ELSE IF EXRACT11 IN (59,76) THEN METVL11 =4;
ELSE IF EXRACT11 IN (20,75) THEN METVL11 =4.3;
ELSE IF EXRACT11 IN (72) THEN METVL11 =4.8;
ELSE IF EXRACT11 IN (15,18,26,43,46,52) THEN METVL11 =5;
ELSE IF EXRACT11 IN (48,50) THEN METVL11 =5.3;
ELSE IF EXRACT11 IN (4,24,31) THEN METVL11 =5.5;
ELSE IF EXRACT11 IN (8,58) THEN METVL11 = 5.8;
ELSE IF EXRACT11 IN (22,25,32,37,55,57,66,68) THEN METVL11 =6;
ELSE IF EXRACT11 IN (41) THEN METVL11 =6.3;
ELSE IF EXRACT11 IN (5) THEN METVL11 =6.5;
ELSE IF EXRACT11 IN (6,7) THEN METVL11 = 6.8;
ELSE IF EXRACT11 IN (3,28,35,40,42,44,45,49,51) THEN METVL11 =7;
ELSE IF EXRACT11 IN (2,53,61) THEN METVL11 =7.3;
ELSE IF EXRACT11 IN (14) THEN METVL11 =7.8;
ELSE IF EXRACT11 IN (23,29,30,38,62) THEN METVL11 =8;
ELSE IF EXRACT11 IN (54) THEN METVL11 =9;
ELSE IF EXRACT11 IN (27) THEN METVL11 =9.8;
ELSE IF EXRACT11 IN (74) THEN METVL11 =10.3;
ELSE IF EXRACT11 IN (39) THEN METVL11 =11;
ELSE IF EXRACT11 IN (21) THEN METVL11 =12;
ELSE IF EXRACT11 IN (12) THEN METVL11 =12.5;
ELSE IF EXRACT11 IN (10) THEN METVL11 =12.8;
ELSE IF EXRACT11 IN (98) THEN METVL11 =4.5;
METVL11 = (ROUND (METVL11 , 0.1)) *10;
```

Page 37 of 59 May 27, 2016

- METVL21\_ Calculated variable for activity met value for second activity. METVL21\_ is derived from EXRACT21.
  - O Activity MET Value Estimated second activity MET value
- 1 128 Activity MET Value Estimated second activity MET value (one implied decimal place)
  - Not asked or Missing Respondents with a don't know, refused or missing value for the second activity (EXRACT21=(77,99,..))

**SAS Code:** 

```
IF EXRACT21 IN (34,60,67,69,88) THEN METVL21 =0;
ELSE IF EXRACT21 IN (47) THEN METVL21 =2.5;
ELSE IF EXRACT21 IN (13,17,56,63) THEN METVL21 =3;
ELSE IF EXRACT21 IN (33,73) THEN METVL21 =3.3;
ELSE IF EXRACT21 IN (16,19,64,71) THEN METVL21 =3.5;
ELSE IF EXRACT21 IN (1,9,11,36) THEN METVL21 =3.8;
ELSE IF EXRACT21 IN (59,76) THEN METVL21 =4;
ELSE IF EXRACT21 IN (20,75) THEN METVL21 =4.3;
ELSE IF EXRACT21 IN (72) THEN METVL21 =4.8;
ELSE IF EXRACT21 IN (15,18,26,43,46,52) THEN METVL21 =5;
ELSE IF EXRACT21 IN (48,50) THEN METVL21 =5.3;
ELSE IF EXRACT21 IN (4,24,31) THEN METVL21 =5.5;
ELSE IF EXRACT21 IN (8,58) THEN METVL21 =5.8;
ELSE IF EXRACT21 IN (22,25,32,37,55,57,66,68) THEN METVL21 =6;
ELSE IF EXRACT21 IN (41) THEN METVL21 =6.3;
ELSE IF EXRACT21 IN (5) THEN METVL21 =6.5;
ELSE IF EXRACT21 IN (6,7) THEN METVL21 =6.8;
ELSE IF EXRACT21 IN (3,28,35,40,42,44,45,49,51) THEN METVL21 =7;
ELSE IF EXRACT21 IN (2,53,61) THEN METVL21 =7.3;
ELSE IF EXRACT21 IN (14) THEN METVL21 =7.8;
ELSE IF EXRACT21 IN (23,29,30,38,62) THEN METVL21 =8;
ELSE IF EXRACT21 IN (54) THEN METVL21 =9;
ELSE IF EXRACT21 IN (27) THEN METVL21 =9.8;
ELSE IF EXRACT21 IN (74) THEN METVL21 =10.3;
ELSE IF EXRACT21 IN (39) THEN METVL21 =11;
ELSE IF EXRACT21 IN (21) THEN METVL21 =12;
ELSE IF EXRACT21 IN (12) THEN METVL21 =12.5;
ELSE IF EXRACT21 IN (10) THEN METVL21 =12.8;
ELSE IF EXRACT21 IN (98) THEN METVL21 =4.5;
METVL21 = (ROUND (METVL21 , 0.1)) *10;
```

Page 38 of 59 May 27, 2016

MAXVO2\_ Calculated variable for estimated age-gender specific maximum oxygen consumption. MAXVO2\_ is derived from SEX and AGE.

0 - 501 Estimated Maximum Respondents estimated maximum oxygen consumption ((IF (SEX=1) THEN Oxygen Consumption MAXVO2\_=60-(.55\*AGE)) or (IF (SEX=2) THEN MAXVO2\_=48-(.37\*AGE))) (two implied decimal

places)

99900 Don't know/ Not Respondents with a missing value for age

Sure/ Refused/ Missing

**SAS Code:** MAXVO2\_=999;

IF (18<= AGE <=99 & (SEX=1 OR SEX=2))THEN DO;
IF (SEX=1) THEN MAXVO2\_=60-(.55\*AGE);
ELSE IF (SEX=2) THEN MAXVO2\_=48-(.37\*AGE);
END;
MAXVO2 = (ROUND (MAXVO2 ,0.01)\*100);</pre>

## **Section 11: Exercise (Physical Activity)**

FC60\_ Calculated variable for estimated functional capacity. FC60\_ is derived from MAXVO2\_.

0 - 8590 Estimated Functional Respondents estimated functional capacity Capacity (2 implied ((ROUND((.60\*(MAXVO2\_/100)/3.5),0.01))\*100)

decimal places)

99900 Don't know/ Not Respondents with no estimate for functional capacity

Sure/ Refused/ Missing

SAS Code: IF  $(0 < MAXVO2_/100 < 55)$  THEN FC60\_=(.60\*(MAXVO2\_/100))/3.5;

ELSE FC60 =999;

 $FC60 = (ROUND(FC60_, 0.01))*100;$ 

Page 39 of 59 May 27, 2016

ACTIN11\_ Calculated variable for estimated activity intensity for first activity. ACTIN11\_ is derived from FC60\_ and METVL11\_.

Not Moderate or Vigorous or No Vigorous or No Activity

Not Moderate or Vigorous ((METVL11\_/10>=0 ))

Activity

1 Moderate Respondent reported first activity to be one with moderate estimated intensity

((METVL11\_/10>=3.0))

2 Vigorous Respondent reported first activity to be one with vigorous estimated intensity

 $((METVL11_/10 >= FC60_/100))$ 

. Not asked or Missing Respondent reported first activity to be one with no estimated intensity

SAS Code: IF FC60\_ < 99900 THEN DO; IF ((METVL11\_/10) >= (FC60\_/100)) THEN ACTIN11\_=2; ELSE IF ((METVL11\_/10) >= 3.0) THEN ACTIN11\_=1; ELSE IF ((METVL11\_/10) >= 0) THEN ACTIN11\_=0; END;

# **Section 11: Exercise (Physical Activity)**

ACTIN21\_ Calculated variable for estimated activity intensity for second activity. ACTIN21\_ is derived from FC60\_ and METVL21\_.

Not Moderate or Vigorous or No Moderate or Vigorous ((METVL21\_/10>=0 ))

Activity

1 Moderate Respondent reported second activity to be one with moderate estimated intensity

((METVL21\_/10>=3.0 ))

2 Vigorous Respondent reported second activity to be one with vigorous estimated intensity

 $((METVL21_/10 >= FC60_/100))$ 

. Not asked or Missing Respondent reported second activity to be one with no estimated intensity

```
SAS Code: IF FC60_ < 99900 THEN DO;

IF ((METVL21_/10) >= (FC60_/100)) THEN ACTIN21_=2;

ELSE IF ((METVL21_/10) >= 3.0) THEN ACTIN21_=1;

ELSE IF ((METVL21_/10) >= 0) THEN ACTIN21_=0;

END;
```

Page 40 of 59 May 27, 2016

PADUR1\_ Calculated variable for minutes of first activity. PADUR1\_ is derived from EXERHMM1.

0 - 599Minutes of Activity Respondents number of minutes of first activity (INT(EXERHMM1/100)\*60 +

(EXERHMM1-INT(EXERHMM1/100)\*100))

Not asked or Missing Respondents who reported they didn't know, refused or had a missing value for

EXERHMM1 (EXERHMM1= (777,999,.))

IF EXERHMM1 NOTIN (777,999,.) THEN DO; **SAS Code:** 

PADUR1 = INT (EXERHMM1/100) \*60 + (EXERHMM1-INT (EXERHMM1/100) \*100);

END;

# **Section 11: Exercise (Physical Activity)**

PADUR2\_ Calculated variable for minutes of second activity. PADUR2\_ is derived from EXERHMM2.

0 - 599 Minutes of Activity Respondents number of minutes of second activity (INT(EXERHMM2/100)\*60 +

(EXERHMM2-INT(EXERHMM2/100)\*100))

Not asked or Missing Respondents who reported they didn't know, refused or had a missing value for

EXERHMM2 (EXERHMM2= (777,999,.))

IF EXERHMM2 NOTIN (777,999,.) THEN DO; **SAS Code:** 

PADUR2 = INT(EXERHMM2/100)\*60 + (EXERHMM2-INT(EXERHMM2/100)\*100);

END;

# **Section 11: Exercise (Physical Activity)**

PAFREQ1\_ Calculated variable for physical activity frequency per week for first activity. PAFREQ1\_ is derived from EXERANY2 and EXEROFT1.

0 -Activity times per 98999 week (3 implied

Respondents report times per week for the first activity (EXERANY2=1 and (101 <= EXEROFT1 <= 199) or (201 <= EXEROFT1 <= 299))

Not asked or Missing Respondents that did not report doing the first activity or didn't know, refused or

had a missing value for EXEROFT1 ((EXERANY2=1 and EXEROFT1 =

(777,999,missing)) or (EXERANY2=2,7,9,missing))

**SAS Code:** 

decimal places)

IF EXERANY2=1 AND EXEROFT1 NOTIN (777,999,.) THEN DO; IF (101 <= EXEROFT1 <= 199) THEN PAFREQ1 =EXEROFT1-100; ELSE IF (201 <= EXEROFT1 <= 299) THEN PAFREO1 = (EXEROFT1-

200)/(30/7);

END;

ELSE PAFREO1 = .;

PAFREQ1 = (ROUND(PAFREQ1,.001))\*1000;

Page 41 of 59 May 27, 2016

PAFREQ2\_ Calculated variable for physical activity frequency per week for second activity. PAFREQ2\_ is derived from EXERANY2 and EXEROFT2.

0 - Activity times per Respondents report times per week for the second activity (EXERANY2=1 and (101 98999 week (3 implied decimal places) = EXEROFT2 <= 199) or (201 <= EXEROFT2 <= 299))

Not asked or Missing Respondents that did not report doing the second activity or didn't know, refused or had a missing value for EXEROFT2 ((EXERANY2=1 and EXEROFT2 = (777,999,missing)) or (EXERANY2=2,7,9,missing))

SAS Code:
 IF EXERANY2=1 AND EXEROFT2 NOTIN (777,999,.) THEN DO;
 IF (101 <= EXEROFT2 <= 199) THEN PAFREQ2\_=EXEROFT2-100;
 ELSE IF (201 <= EXEROFT2 <= 299) THEN PAFREQ2\_=(EXEROFT2-200)/(30/7);
 END;
 ELSE PAFREQ2\_=.;
 PAFREQ2 = (ROUND(PAFREQ2 ,.001))\*1000;</pre>

# **Section 11: Exercise (Physical Activity)**

\_MINAC11 Calculated variable for minutes of physical activity per week for first activity. \_MINAC11 IS DERIVED FROM PADUR1 , PAFREO1 , ACTIN11 AND EXRACT11.

- 0 Minutes of Activity Respondents who reported doing zero minutes of first activity per week per week ((PADUR1\_>=0 AND PADUR1\_<10) or (PADUR2\_=. AND ACTIN21\_=0))
- 1 Minutes of Activity Respondents who reported doing one or more minutes of first activity per week (ROUND((PAFREQ1\_/1000)\*PADUR1\_,1))
  - . Not asked or Missing Respondents who reported they didn't know, refused or had a missing value for the number of minutes per week for the first activity
    - SAS Code: IF PADUR1\_>=10 THEN \_MINAC11=ROUND((PAFREQ1\_/1000)\*PADUR1\_,1);
      ELSE IF (PADUR1\_>=0 AND PADUR1\_<10) THEN \_MINAC11=0;
      IF (ACTIN11\_=0) THEN \_MINAC11=0;
      IF EXRACT11 IN (34,60,67,69) THEN \_MINAC11=0;

Page 42 of 59 May 27, 2016

\_MINAC21 Calculated variable for minutes of physical activity per week for second activity. \_MINAC21 IS DERIVED FROM PADUR1\_, PAFREQ1\_, ACTIN21\_ AND EXRACT21.

0 Minutes of Activity Respondents who reported doing zero minutes of second activity per week ((PADUR2\_>=0 AND PADUR2\_<10) or (PADUR2\_=. AND ACTIN21\_=0))

1 - Minutes of Activity Respondents who reported doing one or more minutes of second activity per yer week (ROUND((PAFREQ2\_/1000)\*PADUR2\_))

. Not asked or Missing Respondents who reported they didn't know, refused or had a missing value for the number of minutes per week for the second activity

SAS Code: IF PADUR2\_>=10 THEN \_MINAC21=ROUND((PAFREQ2\_/1000)\*PADUR2\_);
ELSE IF (PADUR2\_>=0 AND PADUR2\_<10) THEN \_MINAC21=0;
IF (ACTIN21\_=0) THEN \_MINAC21=0;
IF EXRACT21 IN (34,60,67,69,88) THEN MINAC21=0;

# **Section 11: Exercise (Physical Activity)**

STRFREQ\_ Calculated variable for strength activity frequency per week. STRFREQ\_ is derived from STRENGTH.

0 - Strength Activity
98999 times per week (3 implied decimal places)

Respondents reported times per week for strengthening activity

Not asked or Missing Respondents that did not report doing any strengthening activity or didn't know, refused or had a missing value for STRENGTH

```
SAS Code:

IF STRENGTH IN (777,999,.) THEN STRFREQ_=.;
ELSE IF (STRENGTH < 200) THEN STRFREQ_=STRENGTH-100;
ELSE IF (200 < STRENGTH < 300)THEN STRFREQ_=(STRENGTH-200)/(30/7);
ELSE IF (STRENGTH = 888)THEN STRFREQ_=0;
STRFREQ = (ROUND(STRFREQ ,.001))*1000;
```

Page 43 of 59 May 27, 2016

PAMISS1\_ Calculated variable for missing physical activity data. PAMISS1\_ is derived from ACTIN11\_, \_MINAC11, ACTIN21\_, \_MINAC21 and EXERANY2.

0 Not Missing Physical Respondents with no missing physical activity data

Activity Data ((NMISS(ACTIN11\_,\_MINAC11,ACTIN21\_,\_MINAC21)=0 AND EXERANY2=1) or

EXERANY2=2)

1 Missing Physical Respondents with missing physical activity data

Activity Data ((NMISS(ACTIN11\_,\_MINAC11,ACTIN21\_,\_MINAC21)>0 AND EXERANY2=1))

9 Don't know/ Not Respondents that didn't know or refused to answer if they did any activity

Sure/ Refused

SAS Code: IF (NMISS(ACTIN11\_,\_MINAC11,ACTIN21\_,\_MINAC21)>0 AND EXERANY2=1)

THEN PAMISS1 =1;

ELSE IF EXERANY2=1 OR EXERANY2=2 THEN PAMISS1\_=0;

ELSE PAMISS1 =9;

# **Section 11: Exercise (Physical Activity)**

PAMIN11\_ Calculated variable for minutes of physical activity per week for first activity. PAMIN11\_ is derived from ACTIN11\_ and \_MINAC11.

0 - Minutes of Activity Respondents minutes of first activity or vigorous equivalent minutes per week

Not asked or Missing Respondents with no value for minutes of first activity and no value for vigorous equivalent minutes

SAS Code: IF ACTIN11\_=2 THEN DO;

PAMIN11\_=ROUND(\_MINAC11\*2,1);

END;

ELSE IF ACTIN11\_=1 THEN DO;
PAMIN11 =ROUND( MINAC11,1);

END:

IF ACTIN11\_=0 THEN PAMIN11\_=0;

Page 44 of 59 May 27, 2016

- PAMIN21\_ Calculated variable for minutes of physical activity per week for second activity. PAMIN21\_ is derived from ACTIN21\_ and \_MINAC21.
- 0 Minutes of Activity Respondents minutes of second activity or vigorous equivalent per week
  - . Not asked or Missing Respondents with no value for minutes of second activity and no value for vigorous equivalent minutes

```
SAS Code:

IF ACTIN21_=2 THEN DO;

PAMIN21_=ROUND(_MINAC21*2,1);

END;

ELSE IF ACTIN21_=1 THEN DO;

PAMIN21_=ROUND(_MINAC21,1);

END;

IF ACTIN21 =0 THEN PAMIN21 =0;
```

### **Section 11: Exercise (Physical Activity)**

PA1MIN\_ Calculated variable for minutes of total physical activity per week. PA1MIN\_ is derived from PAMIN11\_ and PAMIN21\_.

0 - Minutes of Activity Respondents minutes of combined activity or vigorous equivalent minutes 99999 per week (ROUND((SUM(PAMIN11\_PAMIN21\_)),1))

. Not asked or Missing Respondents with no value for minutes of combined activity and no value for vigorous equivalent minutes

SAS Code: PA1MIN =ROUND((SUM(PAMIN11 , PAMIN21 )),1);

### **Section 11: Exercise (Physical Activity)**

- PAVIG11\_ Calculated variable for minutes of vigorous physical activity per week for first activity. PAVIG11\_ is derived from ACTIN11\_ and \_MINAC11.
- 0 Minutes of Activity Respondents vigorous activity minutes of first activity per week
  - . Not asked or Missing Respondents with no value for vigorous activity minutes of first activity

```
SAS Code: IF ACTIN11_=2 THEN PAVIG11_=ROUND(_MINAC11,1); ELSE IF ACTIN11 IN (0,1) THEN PAVIG11_=0;
```

Page 45 of 59 May 27, 2016

- PAVIG21\_ Calculated variable for minutes of vigorous physical activity per week for second activity. PAVIG21\_ is derived from ACTIN21\_ and \_MINAC21.
- 0 Minutes of Activity Respondents vigorous activity minutes of second activity per week
  - . Not asked or Missing Respondents with no value for vigorous activity minutes of second activity

SAS Code: IF ACTIN21\_=2 THEN PAVIG21\_=ROUND(\_MINAC21,1); ELSE IF ACTIN21 IN (0,1) THEN PAVIG21 =0;

## **Section 11: Exercise (Physical Activity)**

PA1VIGM\_ Calculated variable for minutes of total vigorous physical activity per week. PA1VIGM\_ is derived from PAVIG11 and PAVIG21.

0 - Minutes of Activity Respondents vigorous activity minutes of combined activity 99999 per week (ROUND((SUM(PAVIGM1\_,PAVIGM2\_)),1))

. Not asked or Missing Respondents with no value for vigorous activity minutes of combined activity

SAS Code: PA1VIGM\_=ROUND((SUM(PAVIG11\_, PAVIG21\_)),1);

Page 46 of 59 May 27, 2016

_PACAT		e for physical activity categoriesPACAT1 is derived from EXERANY2, ISS1_ and PA1VIGM
1	Highly Active	Respondents who reported doing enough physical activity to meet the 300-minute (or vigorous equivalent) aerobic recommendation ((PA1MIN_ > 300) or (PA1VIGM_ > 150))
2	Active	Respondents who reported doing 150-300 minutes (or vigorous equivalent) of physical activity (150 <= PA1MIN_ <= 300 AND PAMISS1_=0)
3	Insufficiently Active	Respondents who reported doing insufficient physical activity (11-149 minutes) (1 <= PA1MIN_ <=149 AND PAMISS1_=0)
4	Inactive	Respondents who reported doing no physical activity ((PA1MIN_=0 AND PAMISS1_=0) or (EXERANY2=2))
9	Don't know/ Not Sure/ Refused/ Missing	Respondents who reported they didn't know whether they did physical activity or didn't know how many days or didn't know how much time they did the activity, those who refused to answer, and those with missing responses
	SAS Code:	<pre>IF EXERANY2=2 THEN _PACAT1=4; ELSE IF EXERANY2 IN (.,7,9) THEN _PACAT1=9; ELSE IF EXERANY2=1 THEN DO; IF PA1MIN_ &gt; 300 THEN _PACAT1=1; ELSE IF PA1VIGM_ &gt; 150 THEN _PACAT1=1; ELSE IF 150 &lt;= PA1MIN_ &lt;= 300 AND PAMISS1_=0 THEN _PACAT1=2; ELSE IF 1 &lt;= PA1MIN_ &lt;=149 AND PAMISS1_=0 THEN _PACAT1=3; ELSE IF PA1MIN_=0 AND PAMISS1_=0 THEN _PACAT1=4; ELSE _PACAT1=9;</pre>

# **Section 11: Exercise (Physical Activity)**

END;

\_PAINDX1 Calculated variable for physical activity index. \_PAINDX1 is derived from EXERANY2, PAMISS1\_ and PA1MIN\_.

PAMISSI_ and PAIMIN				
1	Meet Aerobic Recommendations	Respondents who reported doing 150+ minutes (or vigorous equivalent) of physical activity (PA1MIN_>= 150)		
2	Did Not Meet Aerobic	Respondents who reported doing insufficient physical activity (0-149 minutes) ((0 <= PA1MIN_ < 150 AND PAMISS1_=0) or (EXERANY2=2))		
	Recommendations			
9	Don't know/ Not	Respondents who reported they didn't know whether they did physical activity		

Sure/ Refused/ Missing Respondents who reported they didn't know whether they did physical activity or didn't know how many days or didn't know how much time they did the activity, those who refused to answer, and those with missing responses

```
IF EXERANY2=2 THEN _PAINDX1=2;
ELSE IF EXERANY2 IN (.,7,9) THEN _PAINDX1=9;
ELSE IF EXERANY2=1 THEN DO;
IF PAIMIN_ >= 150 THEN _PAINDX1=1;
ELSE IF 0 <= PAIMIN_ < 150 AND PAMISS1_=0 THEN _PAINDX1=2;
ELSE _PAINDX1=9;
END;</pre>
```

Page 47 of 59 May 27, 2016

\_PA150R2 Calculated variable for adults that participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week.. \_PA150R2 is derived from EXERANY2, PA1VIGM\_, PAMISS1\_, and PA1MIN\_.

1 150+ minutes (or vigorous equivalent minutes) of physical activity

Respondents who reported doing enough physical activity to meet the 150-minute aerobic recommendation (PA1MIN\_>= 150 or PA1VIGM\_>= 75)

2 1-149 minutes (or vigorous equivalent minutes) of physical activity

Respondents who reported doing insufficient physical activity to meet the 150-minute aerobic recommendation (0 < PA1MIN\_ < 150 AND PAMISS1\_=0)

3 0 minutes (or vigorous equivalent minutes) of physical activity

9

Respondents who reported doing no physical activity (PA1MIN\_=0 AND PAMISS1 =0)

Don't know/ Not Sure/ Refused/ Missing Respondents who reported they didn't know whether they did physical activity or didn't know how many days or didn't know how much time they did the activity, those who refused to answer, and those with missing responses

**SAS Code:** 

```
IF EXERANY2=2 THEN _PA150R2=3;
ELSE IF EXERANY2 IN (7,9,.) THEN _PA150R2=9;
ELSE IF EXERANY2=1 THEN DO;
IF PA1VIGM_ >= 75 THEN _PA150R2=1;
ELSE IF PA1MIN_ >= 150 THEN _PA150R2=1;
ELSE IF 0 < PA1MIN_ < 150 AND PAMISS1_=0 THEN _PA150R2=2;
ELSE IF PA1MIN_=0 AND PAMISS1_=0 THEN _PA150R2=3;
ELSE _PA150R2=9;
END;</pre>
```

Page 48 of 59 May 27, 2016

\_PA300R2 Calculated variable for adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week.. \_PA300R2 is derived from EXERANY2, PAMISS1\_ and PA1MIN\_.

1 301+ minutes (or vigorous equivalent minutes) of physical activity

301+ minutes (or Respondents who reported doing enough physical activity to meet the 300-vigorous equivalent minute aerobic recommendation (PA1MIN\_> 300)

2 1-300 minutes (or vigorous equivalent minutes) of physical activity

Respondents who reported doing insufficient physical activity to meet the 300-minute aerobic recommendation (0 < PA1MIN\_ <= 300 AND PAMISS1\_=0)

3 0 minutes (or vigorous equivalent minutes) of physical activity

9

Respondents who reported doing no physical activity ((PA1MIN\_=0 AND PAMISS1\_=0) or (EXERANY2=2))

Don't know/ Not Sure/ Refused/ Missing Respondents who reported they didn't know whether they did physical activity or didn't know how many days or didn't know how much time they did the activity, those who refused to answer, and those with missing responses

**SAS Code:** 

```
IF EXERANY2=2 THEN _PA300R2=3;
ELSE IF EXERANY2 IN (9,7,.) THEN _PA300R2=9;
ELSE IF EXERANY2=1 THEN DO;
IF PA1MIN_ > 300 THEN _PA300R2=1;
ELSE IF 0 < PA1MIN_ <= 300 AND PAMISS1_=0 THEN _PA300R2=2;
ELSE IF PA1MIN_=0 AND PAMISS1_=0 THEN _PA300R2=3;
ELSE _PA300R2=9;
END;</pre>
```

Page 49 of 59 May 27, 2016

\_PA30021 Calculated variable for adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels).. \_PA30021 is derived from \_PA300R2.

1 301+ minutes (or vigorous equivalent minutes) of physical activity

Respondents who reported doing enough physical activity to meet the 300+ minute aerobic recommendation (\_PA300R2=1)

activity

O-300 minutes (or vigorous equivalent minutes) of physical activity

Respondents who reported doing insufficient physical activity to meet the 300-minutes acrobic recommendation (\_PA300R2 IN (2,3))

Respondents who reported doing insufficient physical activity to meet the 300-minutes (or vigorous equivalent minute aerobic recommendation (\_PA300R2 IN (2,3))

Don't know/ Not Sure/ Refused/ or didn't know how many days or didn't know how much time they did the activity, those who refused to answer, and those with missing responses

SAS Code: IF \_PA300R2=1 THEN \_PA30021=1; ELSE IF \_PA300R2 IN (2,3) THEN \_PA30021=2; ELSE \_PA30021=9;

### **Section 11: Exercise (Physical Activity)**

\_PASTRNG Calculated variable for muscle strengthening recommendation. \_PASTRNG is derived from STRFREQ .

Meet muscle Respondents who reported doing enough physical activity to meet the strengthening recommendation (STRFREQ\_/1000 >=2) recommendations

Did not meet muscle Respondents who reported doing physical activity but not enough to meet the strengthening recommendation (0 <= STRFREQ\_/1000 < 2) recommendations

Don't know/ Not Sure/ Refused/ or didn't know how many days or didn't know how much time they did the Missing activity, those who refused to answer, and those with missing responses

SAS Code: IF STRFREQ\_/1000 >=2 THEN \_PASTRNG=1; ELSE IF 0 <= STRFREQ\_/1000 < 2 THEN \_PASTRNG=2; ELSE PASTRNG=9;

Page 50 of 59 May 27, 2016

\_PAREC1 Calculated variable for aerobic and strengthening guideline. \_PAREC1 is derived from \_PASTRNG and \_PAINDX1.

- 1 Met Both Guidelines Respondents who reported doing enough physical activity to meet the aerobic
  - and strengthening recommendations (\_PASTRNG=1 AND \_PAINDX1=1)
- 2 Met Aerobic Respondents who reported doing enough physical activity to meet the aerobic Guidelines Only recommendation but not the strengthening (PASTRNG=2 AND PAINDX1=1)
- 3 Met Strengthening Respondents who reported doing enough physical activity to meet the Guidelines Only strengthening recommendation but not the aerobic (\_PASTRNG=1 AND
- \_PAINDX1=2)

  \_PainDX1=2)

  \_PainDX1=2)

  \_PainDX1=2)
- 4 Did not meet Either Respondents who reported doing physical activity but not enough to meet either the aerobic or strengthening recommendations (\_PASTRNG=2 AND \_PAINDX1=2)
- 9 Don't know/ Not Sure/ Refused/ or didn't know how many days or didn't know how much time they did physical activity or didn't know how much time they did the activity, those who refused to answer, and those with missing responses
  - SAS Code: IF \_PASTRNG=1 AND \_PAINDX1=1 THEN \_PAREC1=1;
    ELSE IF \_PASTRNG=2 AND \_PAINDX1=1 THEN \_PAREC1=2;
    ELSE IF \_PASTRNG=1 AND \_PAINDX1=2 THEN \_PAREC1=3;
    ELSE IF \_PASTRNG=2 AND \_PAINDX1=2 THEN \_PAREC1=4;
    ELSE \_PAREC1=9;

### **Section 11: Exercise (Physical Activity)**

\_PASTAE1 Calculated variable for aerobic and strengthening (2-level). \_PASTAE1 is derived from PAREC1.

- 1 Met Both Guidelines Respondents who reported doing enough physical activity to meet the aerobic
- and strengthening recommendations (\_PAREC1=1)

  Did Not Meet Both Respondents who reported doing physical activity but not enough to meet both
- Did Not Meet Both Guidelines Respondents who reported doing physical activity but not enough to meet both the aerobic and strengthening recommendations (\_PAREC1 IN (2,3,4))
- 9 Don't know/ Not Sure/ Refused/ or didn't know how many days or didn't know how much time they did physical activity or didn't know how much time they did the activity, those who refused to answer, and those with missing responses
  - SAS Code: IF \_PAREC1=1 THEN \_PASTAE1=1; ELSE IF \_PAREC1 IN (2,3,4) THEN \_PASTAE1=2; ELSE \_PASTAE1=9;

Page 51 of 59 May 27, 2016

### **Section 12: Arthritis Burden**

\_LMTACT1 Calculated variable for limited usual activities. \_LMTACT1 is derived from HAVARTH3 and LMTJOIN3.

Told have arthritis and have limited usual activities Respondents who have been told they have arthritis and have limited usual activities HAVARTH3=1 and LMTJOIN3=1

Told have arthritis Respondents who have been told they have arthritis and have no limited usual activities HAVARTH3=1 and LMTJOIN3=2 activities

Not told they have Respondents who have not been told they have arthritis HAVARTH3=2 arthritis

9 Don't know, refused Respondents who have been told they have arthritis and reported they didn't or missing usual activities limited know, refused or had a missing value for limited usual activities HAVARTH3=1 and LMTJOIN3=7, 9 or missing

Don't know, refused Respondents who refused, didn't know or were missing a response to being told or missing arthritis or they had arthritis HAVARTH3=7, 9 or missing not asked

SAS Code: IF HAVARTH3=1 THEN DO;

IF LMTJOIN3=1 THEN \_LMTACT1=1; ELSE IF LMTJOIN3=2 THEN \_LMTACT1=2; ELSE \_LMTACT1=9; END; ELSE IF HAVARTH3=2 THEN \_LMTACT1=3; ELSE LMTACT1=.;

Page 52 of 59 May 27, 2016

### **Section 12: Arthritis Burden**

\_LMTWRK1 Calculated variable for limited work activities. \_LMTWRK1 is derived from HAVARTH3 and ARTHDIS2.

Told have arthritis and have limited work and have limited work work

Respondents who have been told they have arthritis and have limited work HAVARTH3=1 and ARTHDIS2=1

Told have arthritis Respondents who have been told they have arthritis and have no limited work and no limited work HAVARTH3=1 and ARTHDIS2=2

Not told they have Respondents who have not been told they have arthritis HAVARTH3=2 arthritis

9 Don't know, refused Respondents who have been told they have arthritis and reported they didn't or missing work know, refused or had a missing value for limited work HAVARTH3=1 and ARTHDIS2=7, 9 or missing

Don't know, refused Respondents who refused, didn't know or were missing a response to being told or missing arthritis or they had arthritis HAVARTH3=7, 9 or missing not asked

SAS Code: IF HAVARTH3=1 THEN DO;

```
IF ARTHDIS2=1 THEN _LMTWRK1=1;
ELSE IF ARTHDIS2=2 THEN _LMTWRK1=2;
ELSE _LMTWRK1=9;
END;
ELSE IF HAVARTH3=2 THEN _LMTWRK1=3;
ELSE LMTWRK1=.;
```

Page 53 of 59 May 27, 2016

### **Section 12: Arthritis Burden**

\_LMTSCL1 Calculated variable for limited social activities. \_LMTSCL1 is derived from HAVARTH3 and ARTHSOCL.

- Told have arthritis Respondents who have been told they have arthritis and have a lot of limited and social activities social activities HAVARTH3=1 and ARTHSOCL=1 limited a lot
- Told have arthritis Respondents who have been told they have arthritis and have a little of limited and social activities social activities HAVARTH3=1 and ARTHSOCL=2 limited a little
- Told have arthritis Respondents who have been told they have arthritis and have no limited social and social activities activities HAVARTH3=1 and ARTHSOCL=3 not limited
- 4 Not told they have Respondents who have not been told they have arthritis HAVARTH3=2 arthritis
- 9 Don't know, refused Respondents who have been told they have arthritis and reported they didn't or missing social know, refused or had a missing value for limited social activities HAVARTH3=1 and ARTHSOCL=7, 9 or missing
- . Don't know, refused Respondents who refused, didn't know or were missing a response to being told or missing arthritis or they had arthritis HAVARTH3=7, 9 or missing not asked

```
SAS Code:

IF HAVARTH3=1 THEN DO;
IF ARTHSOCL=1 THEN _LMTSCL1=1;
ELSE IF ARTHSOCL=2 THEN _LMTSCL1=2;
ELSE IF ARTHSOCL=3 THEN _LMTSCL1=3;
ELSE _LMTSCL1=9;
END;
ELSE IF HAVARTH3=2 THEN LMTSCL1=4;
ELSE LMTSCL1=.;
```

Page 54 of 59 May 27, 2016

### **Section 13: Seatbelt Use**

\_RFSEAT2 Calculated variable for always or nearly always wear seat belts calculated variable. \_RFSEAT2 is derived from SEATBELT.

- Always or Almost Always Wear Seat Respondents who reported they always or nearly always use a seatbelt when they ride or drive in a car or they never drive or ride in a car. (SEATBELT=1,2,8)

  Belt
- Sometimes, Seldom, Respondents who reported they sometimes, seldom or never use a seatbelt when or Never Wear Seat they ride or drive in a car. (SEATBELT=3,4,5)

  Belt
- Don't know/ Not Sure Or Refused/ missing responses for if they use a seatbelt when they ride or drive in a car. (SEATBELT=7,9 or missing)

SAS Code: IF SEATBELT IN (1,2,8) THEN \_RFSEAT2=1; ELSE IF SEATBELT IN (3,4,5) THEN \_RFSEAT2=2; ELSE RFSEAT2=9;

### **Section 13: Seatbelt Use**

\_RFSEAT3 Calculated variable for always wear seat belts calculated variable. \_RFSEAT3 is derived from SEATBELT.

- Always Wear Seat Respondents who reported they always use a seatbelt when they ride or drive in a car or they never drive or ride in a car. (SEATBELT=1,8)
- Don't Always Wear Respondents who reported they nearly always, sometimes, seldom or never use a seat Belt seatbelt when they ride or drive in a car. (SEATBELT=2,3,4,5)
- Don't know/ Not Sure Or Refused/ Missing responses to if they use a seatbelt when they ride or drive in a car. (SEATBELT=7,9 or missing)
  - SAS Code: IF SEATBELT IN (1,8) THEN \_RFSEAT3=1; ELSE IF SEATBELT IN (2,3,4,5) THEN \_RFSEAT3=2; ELSE RFSEAT3=9;

Page 55 of 59 May 27, 2016

### **Section 14: Immunization**

\_FLSHOT6 Calculated variable for adults aged 65+ who have had a flu shot within the past year. \_FLSHOT6 is derived from FLUSHOT6.

1	Yes	Respondents aged 65 or older who reported having a flu shot within the past 12
		months. (AGE >= 65 and FLUSHOT6=1)

Don't know/ Not Sure Or Refused/
Missing

Respondents who did not know their age, those who refused to report their age, those who didn't know if they had a flu shot in the past 12 months, or those who refused to answer if they had a flu shot in the past 12 months, or those with missing responses. (AGE >= 65 and FLUSHOT6=7,9, or missing or AGE=7,9, or missing)

. Age Less Than 65 Respondents aged 18-64. ( $18 \le AGE \le 64$ )

```
SAS Code:
    IF AGE GE 65 THEN DO;
    IF FLUSHOT6=1 THEN _FLSHOT6=1;
    ELSE IF FLUSHOT6=2 THEN _FLSHOT6=2;
    ELSE IF FLUSHOT6 IN (.,7,9) THEN _FLSHOT6=9;
    END;
    ELSE IF AGE IN (.,7,9) THEN _FLSHOT6=9;
    ELSE FLSHOT6=.;
```

### **Section 14: Immunization**

\_PNEUMO2 Calculated variable for adults aged 65+ who have ever had a pneumonia vaccination. \_PNEUMO2 is derived from PNEUVAC3.

1	Yes	Respondents aged 65 or older who reported having a pneumonia shot. (AGE $\ge$ 65 and FLUSHOT3=1)
2	No	Respondents aged 65 or older who reported not having had a pneumonia shot.

(AGE >= 65 and FLUSHOT3=2)

Don't know/ Not Sure Or Refused/
Missing

Respondents who did not know their age, those who refused to report their age, those who felused to answer if they had a pneumonia shot, or those with missing responses. (AGE >= 65 and PNEUVAC3=7,9, or missing or AGE=7,9, or missing)

Age Less Than 65 Respondents aged 18-64. ( $18 \le AGE \le 64$ )

```
IF AGE GE 65 THEN DO;

IF PNEUVAC3=1 THEN _PNEUMO2=1;

ELSE IF PNEUVAC3=2 THEN _PNEUMO2=2;

ELSE IF PNEUVAC3 IN (.,7,9) THEN _PNEUMO2=9;

ELSE _PNEUMO2=.;

END;

ELSE IF AGE IN (.,7,9) THEN _PNEUMO2=9;

ELSE PNEUMO2=.;
```

Page 56 of 59 May 27, 2016

### **Section 15: HIV/AIDS**

\_AIDTST3 Calculated variable for adults who have ever been tested for hiv. \_AIDTST3 is derived from HIVTST6.

1	Yes	Respondents who reported to having been tested for HIV. (HIVTST6=1)
2	No	Respondents who did not report having been tested for HIV. (HIVTST6=2)

9 Don't know/ Not Sure/ Refused Respondents who reported they did not know if they had been tested for HIV, or those who refused to answer if they had been tested for HIV. (HIVTST6=7,9)

Not asked or missing Respondents with missing responses for HIVTST6. (HIVTST6=missing)

SAS Code: IF HIVTST6=1 THEN \_AIDTST3=1;
ELSE IF HIVTST6=2 THEN \_AIDTST3=2;
ELSE IF HIVTST6 IN (7,9) THEN \_AIDTST3=9;
ELSE IF HIVTST6=. THEN \_AIDTST3=.;

Page 57 of 59 May 27, 2016

List of all calculated variables derived from question responses in the 2015 public use data set.

ACTIN11\_

ACTIN21\_

DROCDY3\_

FC60\_

FRUTDA1\_

FTJUDA1\_

GRENDAY

MAXVO2\_

METVL11\_

METVL21\_

ORNGDAY\_

PA1MIN\_

PA1VIGM\_

PADUR1\_

PADUR2\_

PAFREQ1\_

PAFREQ2\_

PAINACT2

PAMIN11\_

PAMIN21\_

PAMISS1\_

PAVIG11\_

PAVIG21\_

VEGEDA1\_

\_AGE80

\_AGE65YR

\_AGEG5YR

\_AGE\_G

\_AIDTST3

\_ASTHMS1

\_BMI5

\_BMI5CAT

\_CASTHM1

\_CHLDCNT

\_CHOLCHK

\_DRDXAR1

DRNKWEK

\_DUALCOR

\_DUALUSE

\_EDUCAG

\_FLSHOT6

FRT16

\_FRTLT1

Page 58 of 59 May 27, 2016

# Calculated Variables in the 2015 Data File of the Behavioral Risk Factor Surveillance System

- \_FRTRESP
- \_FRUITEX
- \_FRUTSUM
- \_HCVU651
- \_HISPANC
- \_INCOMG
- \_LLCPWT
- \_LMTACT1
- \_LMTSCL1
- \_LMTWRK1
- \_LTASTH1
- \_MICHD
- \_MINAC11
- \_MINAC21
- \_MISFRTN
- \_MISVEGN
- \_MRACE1
- \_PA30021
- \_PA150R2
- \_PA300R2
- PACAT1
- PAINDX1
- \_PAREC1
- PASTAE1
- \_PASTRNG
- PNEUMO2
- \_PRACE1
- \_RACE
- \_RACEG21
- \_RACEGR3
- \_RACE\_G1
- \_RFBING5
- \_RFBMI5
- RFCHOL
- \_RFDRHV5
- \_RFHLTH
- \_RFHYPE5
- \_RFSEAT2
- RFSEAT3
- \_RFSMOK3
- \_SMOKER3
- \_TOTINDA
- \_VEG23
- \_VEGESUM
- \_VEGETEX
- \_VEGLT1
- \_VEGRESP

Page 59 of 59 May 27, 2016